

Home

Guaifenesin

Guaifenesin 🖘

Generic name: guaifenesin [gwye-FEN-e-sin]

Brand names: Mucinex, Robitussin Mucus + Chest Congestion, Triaminic Chest Congestion, Tussin Expectorant, Xpect, Organidin NR,

Bidex 400

Drug class: Expectorants

Medically reviewed by Melisa Puckey, BPharm. Last updated on May 6, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is guaifenesin?

Guaifenesin is an ingredient in cough and cold medicines that is used to help clear mucus or phlegm from your chest when you have had a cold or flu. Guaifenesin works by making your mucus thinner and easier to cough up, which helps clear chest congestion. Guaifenesin is available as an over-the-counter (OTC) medicine and also available on prescription.

Guaifenesin is not FDA approved for treatment of fibromyalgia but some people take it off-label for this condition. In clinical studies guaifenesin has not shown to be effective for fibromyalgia.

Warnings

You should not use this medicine if you are allergic to guaifenesin.

Use this medicine exactly as directed on the label, or as prescribed by your doctor. Do not use it in larger amounts or for longer than recommended.

Guaifenesin is commonly found as part of over-the-counter combination medications for cold and cough. Read labels or ask a doctor or pharmacist before using any other cold, or cough medicine when taking guaifenesin.

Always ask a doctor before giving a cough or cold medicine to a child. Death can occur from the misuse of cough and cold medicines in very young children.

Drink extra fluids to help loosen the congestion and lubricate your throat while you are taking this medication. This medication may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Before taking this medicine

Ask a doctor or pharmacist if it is safe for you to use this medicine if you have other medical conditions, such as liver disease, kidney disease, or phenylketonuria (PKU).

It is not known whether guaifenesin will harm an unborn baby. Ask a doctor before using this medicine if you are pregnant.

It is not known whether guaifenesin passes into breast milk or if it could harm a nursing baby. **Ask a doctor before** using this medicine if you are breast-feeding a baby.

Do not give this medicine to a child without medical advice.

Guaifenesin pregnancy and breastfeeding warnings (more detail)

How should I take guaifenesin?

Use guaifenesin exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended. Cough medicine is usually taken only for a short time until your symptoms clear up.

Take guaifenesin with food if it upsets your stomach.

Measure liquid medicine with the dosing syringe provided, or with a special dose-measuring spoon or medicine cup. If you do not have a dose-measuring device, ask your pharmacist for one.

Do not crush, chew, break, or open a controlled-release, delayed-release, or extended-release tablet or capsule. Swallow it whole. Breaking or opening the pill may cause too much of the drug to be released at one time.

Drink extra fluids to help loosen the congestion and lubricate your throat while you are taking this medication.

Store at room temperature away from moisture, heat, and light.

• Guaifenesin patient tips (more detail)

Dosing information

Usual Adult Dose for Cough:

Immediate release formulation: 200 to 400 mg orally every 4 hours as needed, not to exceed 2.4 g/day

Sustained release formulation: 600 to 1200 mg orally every 12 hours, not to exceed 2.4 g/day

Usual Pediatric Dose for Cough:

Immediate release formulation:

less than 2 years: 12 mg/kg/day orally in 6 divided doses

2 to 5 years: 50 to 100 mg orally every 4 hours as needed, not to exceed 600 mg/day

6 to 11 years: 100 to 200 mg orally every 4 hours as needed, not to exceed 1.2 g/day

12 years or older: 200 to 400 mg orally every 4 hours as needed, not to exceed 2.4 g/day

Sustained release formulation:

2 to 5 years: 300 mg orally every 12 hours, not to exceed 600 mg/day

6 to 11 years: 600 mg orally every 12 hours, not to exceed 1.2 g/day

12 years or older: 600 to 1200 mg orally every 12 hours, not to exceed 2.4 g/day

Detailed Guaifenesin dosage information

What happens if I miss a dose?

Since cough or cold medicine is taken when needed, you may not be on a dosing schedule. If you are taking the medication regularly, take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

This medication may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Ask a doctor or pharmacist before using any other cold, or cough medicine. Many combination medicines contain guaifenesin. Taking certain products together can cause you to get too much of a certain drug. Check the label to see if a medicine contains guaifenesin.

Guaifenesin side effects

Get emergency medical help if you have **signs of an allergic reaction to guaifenesin**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Common guaifenesin side effects may include:

- · dizziness, headache;
- · drowsiness;
- · rash; or
- nausea, vomiting, stomach upset.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Guaifenesin side effects (more detail)

Related/similar drugs

Augmentin

Augmentin is a prescription antibiotic combining amoxicillin and clavulanate to treat bacterial ...

Reviews & ratings

5.4 / 10

447 Reviews

View more

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

541 Reviews

View more

Ventolin HFA

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in

patients who have asthma ...

Reviews & ratings

7.5 / 10

18 Reviews

View more

Ciprofloxacin

Ciprofloxacin is an antibiotic belong to a group of drugs called fluoroquinolones. Learn about side ...

Reviews & ratings

5.0 / 10

935 Reviews

View more

Benzonatate

Benzonatate is a non-narcotic cough medicine used to relieve coughing. Includes benzonatate side ...

Reviews & ratings

4.1 / 10

785 Reviews

View more

Azithromycin

Azithromycin is an antibiotic used to treat many different types of infections caused by bacteria ...

Reviews & ratings

6.8 / 10

1,306 Reviews

View more

Doxycycline

Doxycycline is a tetracycline antibiotic used to treat many different bacterial infections such as ...

Reviews & ratings

6.4 / 10

View more

What other drugs will affect guaifenesin?

Other drugs may interact with guaifenesin, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

Does guaifenesin interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

Does Mucinex help you get pregnant?

Does Mucinex help with Covid?

More FAQ

• What is the dose for an adult for Robitussin DM? How many times a day?

View more FAQ...

References

1. Mayo Clinic: Guaifenesin (Oral Route)

More about guaifenesin

- Compare alternatives
- Pricing & coupons
- Reviews (305)
- Drug images
- · Side effects

- Dosage information
- Patient tips
- During pregnancy
- Support group
- Drug class: expectorants
- Breastfeeding

Patient resources

Other brands

Mucinex, Robitussin Chest Congestion, Tussin, Tussin Expectorant, ... +10 more

Professional resources

- Guaifenesin monograph
- Guaifenesin NR (FDA)
- Guaifenesin Tablets (FDA)

Other brands

Mucinex, Mucinex Maximum Strength

Related treatment guides

- Fibromyalgia
- Bronchiectasis
- Bronchitis
- Cough

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use guaifenesin only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 6.03.

DRUG STATUS

Availability



User Reviews & Ratings

7.1 / 10

305 Reviews

Images

Guaifenesin Extended Release 600 mg (G233)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times