

#### Home

Azilsartan medoxomil/chlorthalidone

# Azilsartan and chlorthalidone

Generic name: azilsartan and chlorthalidone [ AY-zil-SAR-tan-and-klor-THAL-i-done ]

Brand name: Edarbyclor

**Dosage form:** oral tablet (40 mg-12.5 mg; 40 mg-25 mg) **Drug class:** Angiotensin II inhibitors with thiazides



Medically reviewed by Drugs.com on May 20, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is azilsartan and chlorthalidone?

Azilsartan is an angiotensin II receptor blocker (sometimes called an ARB). Chlorthalidone is a thiazide diuretic (water pill).

Azilsartan and chlorthalidone is a combination medicine used to treat high blood pressure (hypertension). Lowering blood pressure may lower your risk of a stroke or heart attack.

Azilsartan and chlorthalidone may also be used for purposes not listed in this medication guide.

### Azilsartan and chlorthalidone side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Azilsartan and chlorthalidone may cause serious side effects. Call your doctor at once if you have:

- · feeling like you might pass out;
- · little or no urination;
- swelling, weight gain, feeling short of breath; or
- signs of electrolyte imbalance--dry mouth, extreme thirst, weakness, drowsiness, restless feeling, confusion, increased or decreased urination, nausea and vomiting, constipation, muscle pain or weakness, fast heart rate, or seizure (convulsions).

### Common side effects of azilsartan and chlorthalidone may include:

- · dizziness; or
- · feeling tired.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects.

1 Azilsartan medoxomil / chlorthalidone side effects (more detail)

# Related/similar drugs

### **Vasotec**

Vasotec (enalapril) is used to treat high blood pressure, heart failure and kidney problems caused ...

### **Reviews & ratings**

4 Reviews

#### View more

#### FEATURED

## **Ozempic**

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

### **Reviews & ratings**

6.6 / 10

1,504 Reviews

## View more

### Lisinopril

Lisinopril is an ACE inhibitor. It is used to treat high blood pressure, congestive heart failure ...

### **Reviews & ratings**

5.0 / 10

626 Reviews

### View more

#### **Atenolol**

Atenolol is used to treat angina (chest pain) and hypertension (high blood pressure). Learn about ...

### **Reviews & ratings**

7.2 / 10

276 Reviews

### View more

### **Valsartan**

Valsartan is an angiotensin II receptor blocker (ARB) that may be used to treat high blood pressure ...

### **Reviews & ratings**

5.7 / 10

152 Reviews

View more

## Hydrochlorothiazide

HCTZ (hydrochlorothiazide) used to treat high blood pressure (hypertension) and edema. Includes ...

### **Reviews & ratings**

5.2 / 10

185 Reviews

### View more

### Lasix

Lasix is a loop diuretic used to treat fluid retention from heart, liver, or kidney conditions, and ...

## Reviews & ratings

6.4 / 10

56 Reviews

### View more

### **Furosemide**

Furosemide is a loop diuretic used to treat fluid retention and high blood pressure by increasing ...

## Reviews & ratings

6.8 / 10

121 Reviews

View more

#### Losartan

Losartan is used to treat high blood pressure (hypertension). It is also used to lower the risk of ...

### **Reviews & ratings**

4.5 / 10

578 Reviews

View more

## **Warnings**

You should not use azilsartan and chlorthalidone if you are unable to urinate.

Do not use if you are pregnant. Stop using the medicine and tell your doctor right away if you become pregnant. Ask your doctor about a blood pressure medication that is safer to use during pregnancy.

If you have diabetes, do not use azilsartan and chlorthalidone together with any medication that contains aliskiren (a blood pressure medicine).

## Before taking this medicine

You should not use this medicine if you are allergic to azilsartan or chlorthalidone, or if you are unable to urinate.

**If you have diabetes,** do not use azilsartan and chlorthalidone together with any medication that contains aliskiren (a blood pressure medicine).

You may also need to avoid taking azilsartan and chlorthalidone with aliskiren if you have kidney disease.

Tell your doctor if you have ever had:

- liver or kidney disease;
- · gout;
- an electrolyte imbalance (such as low levels of potassium in your blood);
- heart disease or a stroke; or
- if you are dehydrated.

Do not use if you are pregnant. Stop using the medicine and tell your doctor right away if you become pregnant.

Azilsartan and chlorthalidone can cause injury or death to the unborn baby if you take the medicine during your second or third trimester. However, having high blood pressure during pregnancy may cause complications such as diabetes or eclampsia (dangerously high blood pressure that can lead to medical problems in both mother and baby). **Ask your doctor about a blood pressure medication that is safer to use during pregnancy.** 

You should not breastfeed while you are using this medicine.

Azilsartan and chlorthalidone is not approved for use by anyone younger than 18 years old.

## How should I take azilsartan and chlorthalidone?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

You may take azilsartan and chlorthalidone with or without food.

Your blood pressure will need to be checked often. Your kidney function may also need to be checked.

You may have very low blood pressure while taking this medicine. Call your doctor if you are sick with vomiting or diarrhea, or if you are sweating more than usual.

Keep using this medicine as directed, even if you feel well. High blood pressure often has no symptoms. You may need to use blood pressure medicine for the rest of your life.

Store in the original container at room temperature, away from moisture, heat, and light.

## Azilsartan and chlorthalidone dosing information

### **Usual Adult Dose for Hypertension:**

Initial dose: Azilsartan 40 mg-Chlorthalidone 12.5 mg orally once a day

Maximum dose: Azilsartan 40 mg-Chlorthalidone 25 mg orally once a day

#### Comments:

- -Correct any volume depletion prior to administration, especially in patients with impaired renal function or those on high diuretic doses.
- -May increase dose after 2 to 4 weeks as needed to achieve blood pressure goal.
- -Patients not controlled with azilsartan 80 mg monotherapy may achieve additional systolic and diastolic blood pressure reduction of 13 and 6 mmHg, respectively, when switched to the initial dose of this drug; patients not controlled with chlorthalidone 25 mg monotherapy may achieve additional systolic and diastolic blood pressure reduction of 10 and 7 mmHg, respectively, when switched to the initial dose of this drug.
- -This drug may be used as initial therapy if multiple drugs are likely needed to achieve blood pressure goals.
- Detailed Azilsartan medoxomil / chlorthalidone dosage information

## What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking azilsartan and chlorthalidone?

Do not use potassium supplements or salt substitutes, unless your doctor has told you to.

Avoid getting up too fast from a sitting or lying position, or you may feel dizzy.

## What other drugs will affect azilsartan and chlorthalidone?

Tell your doctor about all your other medicines, especially:

- · digoxin;
- · lithium;
- a diuretic or "water pill"; or
- other heart or blood pressure medicines.

This list is not complete. Other drugs may affect azilsartan and chlorthalidone, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Azilsartan medoxomil / chlorthalidone drug interactions (more detail)

## Does azilsartan medoxomil/chlorthalidone interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

azilsartan medoxomil/chlorthalidone
+
Enter a drug name
Add

## More about azilsartan medoxomil / chlorthalidone

- · Check interactions
- · Compare alternatives
- Reviews (25)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: angiotensin II inhibitors with thiazides
- En español

## **Patient resources**

· Azilsartan and chlorthalidone advanced reading

### Other brands

Edarbyclor

## **Professional resources**

### Other brands

Edarbyclor

## Related treatment guides

• High Blood Pressure

## **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 4.01.

### **DRUG STATUS**

**Availability** 

Rx Prescription only

**Pregnancy & Lactation** 

ഴെ Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

**Approval History** 

Drug history at FDA

## **User Reviews & Ratings**

6.8 / 10

25 Reviews

### **Images**

Edarbyclor (azilsartan medoxomil / chlorthalidone) 40 mg / 12.5 mg (A/C 40/12.5)





# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com
Advertising policy

Attribution & citations

## Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

### **Support**

Help center

**Sitemap** 

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.