

Home

Vistaril

Vistaril 🕁

Generic name: hydroxyzine [hye-DROX-ee-zeen]

Drug classes: Antihistamines, Miscellaneous anxiolytics, sedatives and hypnotics

Medically reviewed by Sanjai Sinha, MD. Last updated on Jul 21, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Vistaril?

Vistaril reduces activity in the central nervous system. It also acts as an antihistamine that reduces the effects of natural chemical histamine in the body. Histamine can produce symptoms of itching, or hives on the skin.

Vistaril is used as a sedative to treat anxiety and tension. It is also used together with other medications given during and after general anesthesia.

Vistaril is also used to treat allergic skin reactions such as hives or contact dermatitis.

Warnings

You should not use Vistaril if you are pregnant, especially during the first or second trimester.

Vistaril can cause a serious heart problem, especially if you use certain medicines at the same time. Tell your doctor about all your current medicines and any you start or stop using.

This medication may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Stop using Vistaril and call your doctor at once if you have a serious side effect such as tremors, confusion, seizures, or restless muscle movements in your eyes, tongue, jaw, or neck.

Drinking alcohol can increase certain side effects of Vistaril.

Before taking this medicine

You should not use Vistaril if you are allergic to hydroxyzine, or if:

- · you have long QT syndrome;
- you are allergic to cetirizine (Zyrtec) or levocetirizine (Xyzal); or
- you are in the first trimester of pregnancy.

You should not use Vistaril if you are pregnant, especially during the first or second trimester. Hydroxyzine could harm the unborn baby or cause birth defects. Use effective birth control to prevent pregnancy while you are using this medicine.

To make sure Vistaril is safe for you, tell your doctor if you have:

- blockage in your digestive tract (stomach or intestines);
- bladder obstruction or other urination problems;
- glaucoma;
- · heart disease, slow heartbeats;
- personal or family history of long QT syndrome;
- an electrolyte imbalance (such as high or low levels of potassium in your blood);
- if you have recently had a heart attack.

It is not known whether hydroxyzine passes into breast milk or if it could harm a nursing baby. You should not breast-feed while using this medicine.

Do not give Vistaril to a child without medical advice.

Vistaril pregnancy and breastfeeding warnings (more detail)

How should I take Vistaril?

Take Vistaril exactly as prescribed by your doctor. Follow all directions on your prescription label. Your doctor may occasionally change your dose. Do not use this medicine in larger or smaller amounts or for longer than recommended.

Shake the **oral suspension (liquid)** well just before you measure a dose. Measure liquid medicine with the dosing syringe provided, or with a special dose-measuring spoon or medicine cup. If you do not have a dose-measuring device, ask your pharmacist for one.

Vistaril is for short-term use only.

You should not take Vistaril for longer than 4 months. Call your doctor if your anxiety symptoms do not improve, or if they get worse.

Store at room temperature away from moisture and heat.

Detailed Vistaril dosage information

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include severe drowsiness, nausea, vomiting, uncontrolled muscle movements, or seizure (convulsions).

What to avoid

This medicine may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Drinking alcohol with this medicine can cause side effects.

Vistaril side effects

Get emergency medical help if you have **signs of an allergic reaction to Vistaril:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

In rare cases, Vistaril may cause a severe skin reaction. Stop taking this medicine and call your doctor right away if you have sudden skin redness or a rash that spreads and causes white or yellow pustules, blistering, or peeling.

Stop using Vistaril and call your doctor at once if you have:

- · fast or pounding heartbeats;
- headache with chest pain;
- · severe dizziness, fainting; or
- a seizure (convulsions).

Side effects such as drowsiness and confusion may be more likely in older adults.

Common Vistaril side effects may include:

- · drowsiness;
- · headache:
- dry mouth; or
- skin rash.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Vistaril side effects (more detail)

Related/similar drugs

Escitalopram

Escitalopram is an SSRI antidepressant used to treat major depressive disorder in adults and

Reviews & ratings

7.5 / 10

3,962 Reviews

View more

Lexapro

Lexapro is used to treat anxiety and major depressive disorder. Learn about side effects ...

Reviews & ratings

7.6 / 10

2,376 Reviews

View more

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Ondansetron

Ondansetron is used to prevent nausea and vomiting caused by surgery, chemotherapy, or radiation by

Reviews & ratings

7.8 / 10

495 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and norepinephrine reuptake inhibitor antidepressant used to ...

Reviews & ratings

2,456 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Cyclobenzaprine

Cyclobenzaprine is a muscle relaxant and works by blocking pain sensations. Includes ...

Reviews & ratings

6.0 / 10

618 Reviews

View more

Trazodone

Trazodone is a tetracyclic antidepressant used to treat depression and anxiety disorders. Includes ...

Reviews & ratings

6.3 / 10

1,432 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

Ibuprofen

Ibuprofen (Advil, Motrin) treats minor aches and pains caused by the common cold, headaches ...

Reviews & ratings

7.3 / 10

240 Reviews

View more

What other drugs will affect Vistaril?

Taking this medicine with other drugs that make you sleepy can worsen this effect. Ask your doctor before taking Vistaril with a sleeping pill, narcotic pain medicine, muscle relaxer, or medicine for anxiety, depression, or seizures.

Vistaril can cause a serious heart problem, especially if you use certain medicines at the same time, including antibiotics, antidepressants, heart rhythm medicine, antipsychotic medicines, and medicines to treat cancer, malaria, HIV or AIDS. Tell your doctor about all medicines you use, and those you start or stop using during your treatment with hydroxyzine.

Other drugs may interact with hydroxyzine, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed here. Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

i Vistaril drug interactions (more detail)

Does Vistaril interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Vistaril
+
Enter a drug name
Add

Popular FAQ

Can you take hydroxyzine for anxiety and sleep?

Does hydroxyzine make you sleepy?	~
How long does it take for hydroxyzine to work?	~
Can hydroxyzine be taken long-term?	~
Does Benadryl help with or cause anxiety?	~
When can I start drinking if I'm no longer taking hydroxyzine?	~
Can dogs take hydroxyzine?	~

View more FAQ...

More about Vistaril (hydroxyzine)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (232)
- Drug images
- Side effects
- Dosage information
- Patient tips
- During pregnancy
- · Generic availability
- Support group
- Drug class: antihistamines
- Breastfeeding
- En español

Patient resources

· Vistaril IM advanced reading

Other brands

Atarax, Hyzine

Professional resources

• Vistaril prescribing information

- Vistaril Injection (FDA)
- HydrOXYzine Hydrochloride, hydrOXYzine Pamoate (AHFS Monograph)

Other brands

Atarax

Related treatment guides

- Anxiety
- Nausea/Vomiting
- Allergic Urticaria
- Allergies

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

5.7 / 10

232 Reviews

Images



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





