

#### Home

Droperidol

# **Droperidol** ⊲<sup>∞</sup>

Generic name: droperidol [ dro-PER-i-dol ]

Brand name: Inapsine

**Dosage forms:** injectable solution (2.5 mg/mL), intravenous solution (0.625 mg/mL)

Drug class: Miscellaneous central nervous system agents



Medically reviewed by Drugs.com on Jun 18, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is droperidol?

Droperidol is a sedative, tranquilizer, and anti-nausea medicine.

Droperidol is used to reduce nausea and vomiting caused by surgery or other medical procedures.

Droperidol may also be used for purposes not listed in this medication guide.

## **Droperidol side effects**

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Tell your caregivers right away if you have:

- fast or pounding heartbeats, fluttering in your chest, shortness of breath, and sudden dizziness (like you might pass out);
- slow heart rate, weak pulse, fainting, slow breathing (breathing may stop);
- · confusion, hallucinations;
- bronchospasm (wheezing, chest tightness, trouble breathing);
- twitching or uncontrollable movements of your eyes, tongue, jaw, or neck; or
- severe nervous system reaction--very stiff (rigid) muscles, high fever, sweating, confusion, fast or uneven heartbeats, tremors.

Serious side effects may be more likely in older adults.

Common side effects include:

fast heart rate;

- · drowsiness, dizziness; or
- feeling restless, anxious, or uneasy.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Droperidol side effects (more detail)

## Related/similar drugs

### Reglan

Reglan (metoclopramide) is used to treat heartburn caused by gastric reflux. Includes Reglan side ...

### **Reviews & ratings**

3.7 / 10

352 Reviews

#### View more

#### FEATURED

### Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

### **Reviews & ratings**

5.3 / 10

685 Reviews

### View more

### **Hydroxyzine**

Hydroxyzine is an antihistamine used to treat itching, hives, and anxiety. It also acts as a ...

### **Reviews & ratings**

5.9 / 10

1,404 Reviews

#### View more

### **Ativan**

Ativan is a benzodiazepine used to treat anxiety disorders or anxiety

associated with depression ...

### **Reviews & ratings**

8.0 / 10

479 Reviews

View more

### **Diphenhydramine**

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

### **Reviews & ratings**

5.5 / 10

541 Reviews

View more

### **Aloxi**

Aloxi (palonosetron) is used to prevent nausea and vomiting caused by surgery or chemotherapy ...

### **Reviews & ratings**

2 Reviews

View more

### **Promethazine**

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

#### **Reviews & ratings**

7.2 / 10

388 Reviews

View more

## **Warnings**

Tell your caregivers at once if you have sudden dizziness with fast or pounding heartbeats, fluttering in your chest, or trouble breathing.

## Before taking this medicine

You should not be treated with droperidol if you are allergic to it, or if you have a personal or family history of long QT syndrome.

Tell your doctor if you have ever had:

- · congestive heart failure;
- · very slow heartbeats;
- high blood pressure;
- an electrolyte imbalance (such as low levels of potassium or magnesium in your blood);
- liver or kidney disease;
- pheochromocytoma (tumor of the adrenal gland); or
- alcoholism.

Tell your doctor if you are pregnant or breastfeeding.

## How is droperidol given?

Before you receive droperidol, your heart function may need to be checked using an electrocardiograph or ECG (sometimes called an EKG).

Droperidol is injected into a muscle, under the skin, or into a vein. You will receive this injection in a medical setting prior to and/or during your surgery or medical procedure.

Your breathing, blood pressure, oxygen levels, kidney function, and other vital signs will be watched closely.

Detailed Droperidol dosage information

## What happens if I miss a dose?

Since droperidol is used when needed, it does not have a daily dosing schedule.

## What happens if I overdose?

In a medical setting an overdose would be treated quickly.

## What should I avoid after receiving droperidol?

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

## What other drugs will affect droperidol?

**Droperidol can cause a serious heart problem.** Your risk may be higher if you also use certain other medicines for infections, asthma, heart problems, high blood pressure, depression, mental illness, cancer, malaria, or HIV.

Using other drugs that make you drowsy can worsen this effect for a short time after you have received droperidol. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Tell your doctor about all your other medicines, especially:

- a diuretic or "water pill";
- heart rhythm medication;
- · opioid pain medication;
- a laxative;
- a sedative like Valium--diazepam, alprazolam, lorazepam, Xanax, Klonopin, Ativan, and others; or
- an MAO inhibitor--isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranylcypromine, and others.

This list is not complete. Other drugs may affect droperidol, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Droperidol drug interactions (more detail)

### Does droperidol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

t Enter a drug name Add

## More about droperidol

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (45)
- Side effects
- Dosage information
- During pregnancy
- Drug class: miscellaneous central nervous system agents
- Breastfeeding
- En español

### Patient resources

· Droperidol advanced reading

#### Other brands

Inapsine

### **Professional resources**

- Droperidol monograph
- Droperidol (FDA)
- Droperidol Injection (FDA)

### Other brands

Inapsine

### Related treatment guides

- Nausea/Vomiting
- Nausea/Vomiting, Postoperative

### **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.02.

#### **DRUG STATUS**

#### **Availability**

Rx Prescription only

**Pregnancy & Lactation** 

ം Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

Approval History

□ Drug history at FDA

### **User Reviews & Ratings**

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com

Advertising policy
Attribution & citations

### Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

#### **Support**

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.

X