

[Home](#)

2. Lorzone

Lorzone

Generic name: [chlorzoxazone](#) [*klor-ZOX-a-zone*]**Brand names:** Lorzone, [Paraflex](#), [Remular-S](#)**Drug class:** [Skeletal muscle relaxants](#)[Medically reviewed](#) by Drugs.com on Jul 24, 2023. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

The Lorzone brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be [generic equivalents available](#).

What is Lorzone?

Lorzone is a muscle relaxer that is used together with rest and physical therapy to treat skeletal muscle conditions such as pain or injury.

Lorzone may also be used for purposes not listed in this medication guide.

Lorzone side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Lorzone may cause serious side effects. Stop using Lorzone and call your doctor at once if you have:

- a light-headed feeling, like you might pass out;
- skin [rash](#), [itching](#), or redness;
- **liver problems**--stomach pain (upper right side), loss of appetite, [vomiting](#), [fever](#), unusual tiredness, dark urine, or [jaundice](#) (yellowing of the skin or eyes); or
- **signs of stomach bleeding**--bloody or tarry stools, coughing up blood or vomit that looks like coffee grounds.

Common side effects of Lorzone may include:

- [drowsiness](#);
- dizziness; or
- general ill feeling.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Lorzone side effects](#) (more detail)

Related/similar drugs

Flexeril

Flexeril (cyclobenzaprine) is a muscle relaxant used to treat skeletal muscle conditions such as ...

Reviews & ratings

6.1 / 10

[237 Reviews](#)

[View more](#)

Robaxin

Robaxin (methocarbamol) is used to treat skeletal muscle conditions such as pain or injury ...

Reviews & ratings

6.3 / 10

[80 Reviews](#)

[View more](#)

FEATURED

Omvox

Omvox is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

[1 Reviews](#)

[View more](#)

Valium

Valium is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn ...

Reviews & ratings

8.6 / 10

[341 Reviews](#)

[View more](#)

Zanaflex

Zanaflex (tizanidine) is a short-acting muscle relaxer used to treat spasticity by temporarily ...

Reviews & ratings

7.6 / 10

[116 Reviews](#)

[View more](#)

Soma

Soma (carisoprodol) is used treat injuries and other painful muscle conditions. Includes Soma side ...

Reviews & ratings

9.1 / 10

[200 Reviews](#)

[View more](#)

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn ...

Reviews & ratings

8.4 / 10

[884 Reviews](#)

[View more](#)

Tizanidine

Tizanidine is a short-acting muscle relaxant and is used to treat spasticity. Learn about side ...

Reviews & ratings

6.2 / 10

[380 Reviews](#)

[View more](#)

Baclofen

Baclofen is a muscle relaxant used to treat spasticity and muscle pain in conditions like multiple ...

Reviews & ratings

7.0 / 10

[447 Reviews](#)

[View more](#)

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use Lorzone if you are allergic to it.

Tell your doctor if you have ever had:

- [liver disease](#).

Tell your doctor if you are pregnant or breast-feeding.

Lorzone is not approved for use by anyone younger than 18 years old.

How should I take Lorzone?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Lorzone is usually taken 3 or 4 times per day. **Follow your doctor's dosing instructions very carefully.**

Lorzone is only part of a complete program of treatment that may also include rest, physical therapy, or other pain relief measures. Follow your doctor's instructions.

Store at room temperature away from moisture and heat.

 [Detailed Lorzone dosage information](#)

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two

doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include [nausea](#), vomiting, [diarrhea](#), severe drowsiness, [headache](#), muscle weakness, shallow breathing, or [fainting](#).

What should I avoid while taking Lorzone?

Drinking alcohol with Lorzone can cause side effects.

Avoid driving or hazardous activity until you know how this medicine will affect you. Your reactions could be impaired.

What other drugs will affect Lorzone?

Using Lorzone with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for [anxiety](#) or [seizures](#).

Other drugs may affect Lorzone, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Tell your doctor about all your current medicines and any medicine you start or stop using.

 [Lorzone drug interactions](#) (more detail)

Does Lorzone interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Lorzone

+

Enter a drug name

Add

More about Lorzone (chlorzoxazone)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(21\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)

- [Drug class: skeletal muscle relaxants](#)
- [En español](#)

Patient resources

- [Lorzone advanced reading](#)

Other brands

[Parafon Forte DSC](#), [Paraflex](#), [Remular-S](#)

Professional resources

- [Lorzone Tablets prescribing information](#)
- [Chlorzoxazone \(AHFS Monograph\)](#)

Other brands

[Parafon Forte DSC](#)

Related treatment guides

- [Muscle Spasm](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

DRUG STATUS

Availability

 Discontinued

Pregnancy & Lactation

 Risk data available

CSA Schedule*

N/A Not a controlled drug



User Reviews & Ratings

6.0 / 10

[21 Reviews](#)

Images

Lorzone 750 mg (ADG 750)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT

Copyright © 2000-2025 Drugs.com. All rights reserved.

