



[Home](#)

2. Dallergy

Dallergy

Generic name: [chlorcyclizine and phenylephrine](#) [*klor-SIK-li-zeen-and-FEN-il-EFF-rin-*]

Drug class: [Upper respiratory combinations](#)



[Medically reviewed](#) by Drugs.com on Aug 7, 2023. Written by [Cerner Multum](#).

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

What is Dallergy?

Chlorcyclizine is an antihistamine that reduces the effects of natural chemical histamine in the body. Histamine can produce symptoms of sneezing, itching, watery eyes, and runny nose.

[Phenylephrine](#) is a decongestant that shrinks blood vessels in the nasal passages. Dilated blood vessels can cause [nasal congestion](#) (stuffy nose).

Dallergy is a combination medicine used to treat runny or stuffy nose, sneezing, itching, watery eyes, sinus congestion, and other cold or allergy symptoms.

Dallergy may also be used for purposes not listed in this medication guide.

Dallergy side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Dallergy may cause serious side effects. Stop using Dallergy and call your doctor at once if you have:

- fast or uneven heart rate;
- tremor, seizure (convulsions);
- urinating less than usual or not at all; or
- dangerously [high blood pressure](#) (severe headache, blurred vision, buzzing in your ears, anxiety, confusion, chest pain, uneven heartbeats, seizure).

Common side effects of Dallergy may include:

- dizziness, [drowsiness](#);
- [constipation](#);
- blurred vision; or

- feeling nervous or restless.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Dallergy side effects](#) (more detail)

Related/similar drugs

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

[79 Reviews](#)

[View more](#)

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

[685 Reviews](#)

[View more](#)

Sudafed Congestion

Sudafed is a decongestant and is used to treat nasal and sinus congestion. Learn about side ...

Reviews & ratings

6.9 / 10

[16 Reviews](#)

[View more](#)

Warnings

Do not use Dallergy if you have used an MAO inhibitor in the past 14 days. A dangerous [drug interaction](#) could

occur. MAO inhibitors include [isocarboxazid](#), linezolid, [methylene blue](#) injection, [phenelzine](#), [rasagiline](#), [selegiline](#), [tranlycypromine](#), and others.

Before taking this medicine

You should not use Dallery if you are allergic to chlorcyclizine or phenylephrine.

Do not use Dallery if you have used an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranlycypromine, and others.

Ask a doctor or pharmacist if it is safe for you to take this medicine if you have other medical conditions, especially:

- high blood pressure;
- [coronary artery disease](#) (hardened arteries),
- bladder obstruction or other urination problems; or
- if you take potassium (Cytra, Epiklor, K-Lyte, K-Phos, Kaon, Klor-Con, [Polycitra](#), Urocit-K).

It is not known whether this medication will harm an unborn baby. **Do not use cough or cold medicine without medical advice if you are pregnant.**

This medicine may pass into breast milk and may harm a nursing baby. [Antihistamines](#) and [decongestants](#) may also slow breast milk production. **Do not use cough or cold medicine without medical advice if you are breast-feeding a baby.**

How should I take Dallery?

Use exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended. Cold medicine is usually taken only for a short time until your symptoms clear up.

Do not give this medication to a child younger than 4 years old. **Always ask a doctor before giving a cough or cold medicine to a child.** Death can occur from the misuse of cough and cold medicines in very young children.

The **chewable tablet** must be chewed before you swallow it.

Measure **liquid medicine** with a special dose-measuring spoon or medicine cup. If you do not have a dose-measuring device, ask your pharmacist for one.

Call your doctor if your symptoms do not improve after 7 days of treatment, or if you have a fever with a headache, cough, or skin rash.

If you need surgery or medical tests, tell the surgeon or doctor ahead of time if you have taken a cold medicine within the past few days.

Store at room temperature away from moisture and heat. Do not freeze.

 [Detailed Dallery dosage information](#)

What happens if I miss a dose?

Since cold medicine is taken when needed, you may not be on a dosing schedule. If you are taking the medication regularly, take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Dallergy?

Dallergy may cause blurred vision and may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert and able to see clearly.

Drinking alcohol can increase certain side effects of this medication.

Ask a doctor or pharmacist before using any other cold, allergy, cough, or sleep medicine. Antihistamines and decongestants are contained in many combination medicines. Taking certain products together can cause you to get too much of a certain drug. Check the label to see if a medicine contains an antihistamine or decongestant.

What other drugs will affect Dallergy?

Ask a doctor or pharmacist before using this medicine if you are also using any other drugs, including prescription and over-the-counter medicines, vitamins, and [herbal products](#). **Some medicines can cause unwanted or dangerous effects when used together.** Not all possible interactions are listed in this medication guide.

Taking this medicine with other drugs that make you sleepy or slow your breathing can worsen these effects. Ask your doctor before taking Dallergy with a sleeping pill, narcotic pain medicine, muscle relaxer, or medicine for anxiety, [depression](#), or seizures.

 [Dallergy drug interactions](#) (more detail)

Does Dallergy interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Dallergy

+

Enter a drug name

Add

More about Dallergy (chlorcyclizine / phenylephrine)

- [Check interactions](#)
- [Compare alternatives](#)

- [Reviews \(2\)](#)
- [Side effects](#)
- [Dosage information](#)
- [Drug class: upper respiratory combinations](#)
- [En español](#)

Other formulations

- [Dallergy Drops](#)

Related treatment guides

- [Cold Symptoms](#)
- [Nasal Congestion](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.01.

DRUG STATUS

Availability

OTC Over the counter

CSA Schedule*

N/A Not a controlled drug




User Reviews & Ratings

[Review this drug](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.