

Home

Gardasil 9

Gardasil 9 Vaccine

Generic name: human papillomavirus (HPV) vaccine, 9-valent [HYOO-man-pap-il-OH-ma-VYE-rus-vax-EEN, 9-VAY-lent]

Brand name: Gardasil 9
Drug class: Viral vaccines

Medically reviewed by Judith Stewart, BPharm. Last updated on Aug 23, 2023.

Uses Warnings Before taking Dosage Side effects Interactions

What is Gardasil 9 vaccine?

Gardasil 9 vaccine is used in both females and males.

Human papillomavirus (HPV) is a sexually transmitted disease that can cause genital warts, cancer of the cervix, anal cancer, various cancers of the vulva, vagina, oropharynx (the middle part of the throat), or head and neck.

Gardasil 9 vaccine is used in girls and women ages 9 through 45 years to prevent cervical/vaginal/anal cancers or genital warts caused by certain types of HPV.

Gardasil 9 vaccine is also used in boys and men ages 9 through 45 years to prevent anal cancer or genital warts caused by certain types of HPV.

You may receive Gardasil 9 even if you have already had genital warts, or had a positive HPV test or abnormal pap smear in the past. However, this vaccine **will not treat** active genital warts or HPV-related cancers, and it **will not cure** HPV infection.

Gardasil 9 vaccine prevents diseases caused only by HPV types 6, 11, 16, 18, 31, 33, 45, 52, and 58. It will not prevent diseases caused by other types of HPV.

The Centers for Disease Control and Prevention (CDC) recommends HPV vaccine for all boys and girls ages 11 or 12 years old. The vaccine is also recommended in teenage boys and girls who have not already received the vaccine or have not completed all booster shots.

Like any vaccine, the Gardasil 9 may not provide protection from disease in every person.

Warnings

You should not receive a Gardasil 9 booster vaccine if you have had a life-threatening allergic reaction after the first shot.

Gardasil 9 vaccine will not protect against sexually transmitted diseases such as chlamydia, gonorrhea, herpes, HIV, syphilis, and trichomoniasis.

You may feel faint during the first 15 minutes after receiving this vaccine. Some people have had seizure-like reactions after receiving this vaccine.

Before taking this medicine

To make sure Gardasil 9 vaccine is safe for you, tell your doctor if you have ever had:

- an allergy to yeast, polysorbate 80, or to other vaccines;
- a weak immune system (caused by conditions such as HIV or cancer); or
- treatment with cancer medicine, steroids, or other drugs that can weaken your immune system.

Tell your doctor if you are pregnant or plan to become pregnant. If you get pregnant before you receive all needed doses of this vaccine, you may need to wait until after your baby is born to finish the series of shots.

If you are pregnant, your name may be listed on a pregnancy registry to track the effects of human papillomavirus vaccine on the baby.

It may not be safe to breastfeed while using human papillomavirus vaccine. Ask your doctor about any risk.

Gardasil 9 vaccine will not protect against sexually transmitted diseases such as chlamydia, gonorrhea, herpes, HIV, syphilis, and trichomoniasis.

Gardasil 9 pregnancy and breastfeeding warnings (more detail)

How is Gardasil 9 vaccine given?

Gardasil 9 vaccine is given as an injection (shot) into a muscle in your upper arm or thigh. A healthcare provider will give you this injection.

Gardasil 9 vaccine is given in a series of 2 or 3 shots. You may have the first shot at any time as long as you are between the ages of 9 and 45 years. The second dose is given 2 to 6 months after your first shot. A third dose may be given 6 months after your first shot.

Be sure to receive all recommended doses of this vaccine or you may not be fully protected against disease.

Gardasil 9 vaccine should not be used in place of having a routine pelvic exam, Pap smear, anal, or head and neck exam to screen for cervical, anal, or head and neck cancer.

Dosing information

Usual Adult Dose for Human Papillomavirus Prophylaxis:

Aged 15 to 45 years: 0.5 mL, IM, at 0, 2, and 6 months.

Usual Pediatric Dose for Human Papillomavirus Prophylaxis:

Aged 9 to 14 years: 0.5 mL, IM, at 0, 2, and 6 months OR 0.5 mL IM, at 0 and a second dose between 6 and 12 months later.

Uses: For the prevention of cervical, vulvar, and anal cancer caused by Human Papillomavirus (HPV) in females, and

prevention of anal cancer, genital warts, and anal intraepithelial neoplasia cause by HPV in males.

1 Detailed Gardasil 9 dosage information

What happens if I miss a dose?

Contact your doctor if you miss a booster dose or if you get behind schedule. The next dose should be given as soon as possible. There is no need to start over.

What happens if I overdose?

An overdose of this vaccine is unlikely to occur.

What should I avoid before or after receiving Gardasil 9 vaccine?

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

Gardasil 9 vaccine side effects

Get emergency medical help if you have **signs of an allergic reaction to Gardasil 9:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Keep track of any and all side effects you have after receiving this vaccine. When you receive a booster dose, you will need to tell the doctor if the previous shot caused any side effects.

You may feel faint after receiving this vaccine. Some people have had seizure like reactions after receiving this vaccine. Your doctor may want you to remain under observation during the first 15 minutes after the injection.

Developing cancer from HPV is much more dangerous to your health than receiving the vaccine to protect against it. However, like any medicine, this vaccine can cause side effects but the risk of serious side effects is extremely low.

Common Gardasil 9 side effects may include:

- pain, swelling, redness, itching, bruising, bleeding, and a lump where the shot was given;
- nausea, diarrhea, stomach pain;
- · headache;
- fever;
- · sore throat;
- · dizziness; or
- · tiredness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report vaccine side effects to the US Department of Health and Human Services at 1-800-822-7967.

Gardasil 9 side effects (more detail)

Related/similar drugs

Cervarix

Cervarix is used for prevention of cervical cancer caused by human papillomavirus (HPV). Learn ...

Reviews & ratings

Add a review

View more

Abrysvo

Abrysvo vaccine protects against LRTD (lower respiratory tract disease) caused by the Respiratory ...

Reviews & ratings

Add a review

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

ACAM2000

ACAM2000 vaccine may be used to prevent smallpox and mpox disease in people of any age at high risk ...

Reviews & ratings

Add a review

View more

Afluria

Afluria is a vaccine used to prevent infection caused by influenza virus. Learn about side effects ...

Reviews & ratings

Add a review

View more

Arexvy

Arexvy is an RSV vaccine used to prevent severe Respiratory Syncytial Virus Vaccine (RSV) symptoms ...

Reviews & ratings

Add a review

View more

What other drugs will affect Gardasil 9 vaccine?

Other drugs may interact with human papillomavirus vaccine, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Gardasil 9 drug interactions (more detail)

Does Gardasil 9 interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Gardasil 9
+
Enter a drug name
Add

References

1. Gardasil Product Label

More about Gardasil 9 (human papillomavirus vaccine)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (37)
- Side effects

- Dosage information
- During pregnancy
- FDA approval history
- · Drug class: viral vaccines
- En español

Patient resources

· Gardasil 9 advanced reading

Other brands

Cervarix

Professional resources

- · Gardasil prescribing information
- Gardasil 9 (FDA)
- Human Papillomavirus Vaccine (AHFS Monograph)

Related treatment guides

• Human Papillomavirus Prophylaxis

Further information

• Your vaccination provider, pharmacist, or doctor can provide more information about Gardasil 9. Additional information is available from your local health department or the Centers for Disease Control and Prevention.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Gardasil 9 only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

৵ Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

5.2 / 10

37 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.