

Home

Dexamethasone Intensol

Dexamethasone Intensol ⊲ n

Generic name: dexamethasone (oral) [dex-a-METH-a-sone]

Brand names: Dexabliss 11-Day Dose Pack, DexAMETHasone Intensol, Dxevo 11-Day Dose Pack, Hemady, HiDex 6-Day Taper Package,

... show all 11 brands **Drug class:** Glucocorticoids



Medically reviewed by Drugs.com on Aug 4, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Dexamethasone Intensol?

There are many brands and forms of Dexamethasone Intensol available. Not all brands are listed on this leaflet.

Dexamethasone Intensol is a steroid that prevents the release of substances in the body that cause inflammation.

Dexamethasone Intensol is used to treat many different conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.

Dexamethasone Intensol may also be used for purposes not listed in this medication guide.

Dexamethasone Intensol side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Dexamethasone Intensol may cause serious side effects. Call your doctor at once if you have:

- muscle tightness, weakness, or limp feeling;
- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- shortness of breath (even with mild exertion), swelling, rapid weight gain;
- severe depression, unusual thoughts or behavior;
- a seizure (convulsions);
- bloody or tarry stools, coughing up blood;
- fast or slow heart rate, weak pulse;
- pancreatitis--severe pain in your upper stomach spreading to your back, nausea and vomiting;
- low potassium level--leg cramps, constipation, irregular heartbeats, fluttering in your chest, increased thirst or

urination, numbness or tingling; or

• increased blood pressure--severe headache, blurred vision, pounding in your neck or ears, anxiety, nosebleed.

Dexamethasone Intensol can affect growth in children. Tell your doctor if your child is not growing at a normal rate while using Dexamethasone Intensol Intensol.

Common side effects of Dexamethasone Intensol may include:

- fluid retention (swelling in your hands or ankles);
- increased appetite;
- · mood changes, trouble sleeping;
- · skin rash, bruising or discoloration;
- · acne, increased sweating, increased hair growth;
- · headache, dizziness;
- nausea, vomiting, upset stomach;
- · changes in your menstrual periods; or
- changes in the shape or location of body fat (especially in your arms, legs, face, neck, breasts, and waist).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Dexamethasone Intensol side effects (more detail)

Related/similar drugs

Benlysta

Benlysta infusion is used to treat active systemic lupus erythematosus (SLE) and active lupus ...

Reviews & ratings

7.9 / 10

63 Reviews

View more

Carvykti

Carvykti (ciltacabtagene autoleucel) is used for the treatment of relapsed or refractory multiple ...

Reviews & ratings

Add a review

View more

FEATURED

Entyvio

Entyvio (vedolizumab) is used to treat ulcerative colitis (UC) and Crohn's disease, reducing ...

Reviews & ratings

6.2 / 10

162 Reviews

View more

Abecma

Abecma is a CAR T cell therapy used to treat relapsed refractory multiple myeloma (RRMM); it is a ...

Reviews & ratings

Add a review

View more

Nplate

Nplate is used to prevent bleeding episodes in people with chronic immune thrombocytopenic purpura ...

Reviews & ratings

7.5 / 10

11 Reviews

View more

Otezla

Otezla (apremilast) is used to treat plaque psoriasis, psoriatic arthritis, and oral ulcers ...

Reviews & ratings

5.2 / 10

439 Reviews

View more

Saphnelo

Saphnelo is used for moderate to

severe SLE (lupus) for adults who are also receiving other lupus ...

Reviews & ratings

8.4 / 10

10 Reviews

View more

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

56 Reviews

View more

Tecvayli

Tecvayli (teclistamab) is a treatment for relapsed or refractory multiple myeloma(cancer of the ...

Reviews & ratings

5 Reviews

View more

Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

Reviews & ratings

7.2 / 10

499 Reviews

View more

Warnings

You should not use this medicine if you have a fungal infection anywhere in your body.

Tell your doctor about all your medical conditions, and all the medicines you are using. There are many other diseases

that can be affected by steroid use, and many other medicines that can interact with steroids.

Before taking this medicine

You should not use Dexamethasone Intensol if you are allergic to it, or if you have:

• a fungal infection anywhere in your body.

Tell your doctor if you have ever had:

- liver disease (such as cirrhosis);
- · kidney disease;
- · a thyroid disorder;
- malaria;
- · tuberculosis;
- osteoporosis;
- a muscle disorder such as myasthenia gravis;
- diabetes (steroid medicine may increase glucose levels in your blood or urine);
- · glaucoma or cataracts;
- herpes infection of the eyes;
- stomach ulcers, ulcerative colitis, diverticulitis, inflammatory bowel disease;
- · depression or mental illness;
- · congestive heart failure; or
- high blood pressure.

Steroid medication affects your immune system. You may get infections more easily. Steroids can also worsen or reactivate an infection you've already had. Tell your doctor about any illness or infection you have had within the past several weeks.

It is not known whether Dexamethasone Intensol Intensol will harm an unborn baby. Tell your doctor if you are pregnant.

You should not breastfeed while using Dexamethasone Intensol.

How should I take Dexamethasone Intensol?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Your dose needs may change due to surgery, illness, stress, or a medical emergency. Tell your doctor about any such situation that affects you.

This medicine can affect the results of certain medical tests. Tell any doctor who treats you that you are using Dexamethasone Intensol.

Do not stop using Dexamethasone Intensol suddenly, or you could have unpleasant withdrawal symptoms. Ask your doctor how to safely stop using this medicine.

In case of emergency, wear or carry medical identification to let others know you use Dexamethasone Intensol.

Store at room temperature away from moisture and heat.

Detailed Dexamethasone Intensol dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose of Dexamethasone Intensol Intensol.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

An overdose of Dexamethasone Intensol is not expected to produce life threatening symptoms. **Long term use of high doses** can lead to thinning skin, easy bruising, changes in body fat (especially in your face, neck, back, and waist), increased acne or facial hair, menstrual problems, impotence, or loss of interest in sex.

What should I avoid while taking Dexamethasone Intensol?

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chickenpox or measles. These conditions can be serious or even fatal in people who are using steroid medicine.

Avoid drinking alcohol while you are taking Dexamethasone Intensol.

Do not receive a "live" vaccine while using Dexamethasone Intensol. The vaccine may not work as well during this time, and may not fully protect you from disease. Live vaccines include measles, mumps, rubella (MMR), polio, rotavirus, typhoid, yellow fever, varicella (chickenpox), and zoster (shingles).

What other drugs will affect Dexamethasone Intensol?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Tell your doctor about all your current medicines. Many drugs can affect Dexamethasone Intensol, especially:

- an antibiotic or antifungal medicine;
- · birth control pills or hormone replacement therapy;
- insulin or diabetes medications you take by mouth;
- medicine to treat dementia or Parkinson's disease;
- a blood thinner--warfarin, Coumadin, Jantoven; or
- **NSAIDs** (nonsteroidal anti-inflammatory drugs)--aspirin, ibuprofen (Advil, Motrin), naproxen (Aleve), celecoxib, diclofenac, indomethacin, meloxicam, and others.

This list is not complete and many other drugs may affect Dexamethasone Intensol. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Dexamethasone Intensol drug interactions (more detail)

Does Dexamethasone Intensol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

How long does dexamethasone stay in your system?

What is a dexamethasone suppression test used for?

More FAQ

• Can I use expired neomycin and polymyxin b sulfates, dexamethasone ophthalmic?

More about Dexamethasone Intensol (dexamethasone)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (4)
- Latest FDA alerts (9)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: glucocorticoids
- Breastfeeding
- En español

Patient resources

Other brands

Professional resources

- Dexamethasone monograph
- Dexamethasone Tablets (FDA)

Other brands

Decadron, TaperDex, ZoDex, Dexpak Taperpak, ... +7 more

Related treatment guides

- Allergic Rhinitis
- · Addison's Disease
- · Adrenal Insufficiency
- Adrenocortical Insufficiency

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 10.01.

DRUG STATUS

Availability Rx Prescription only Pregnancy & Lactation Risk data available CSA Schedule* N/A Not a controlled drug Approval History Drug history at FDA WADA Class Anti-Doping Classification

User Reviews & Ratings

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





