

Home

Methyl salicylate

Methyl salicylate topical

Generic name: methyl salicylate topical [*METH-il-sa-LISS-il-ate-TOP-ik-al*]

Brand names: Arthricare Cream, Boroleum, Castiva Cooling, Coats Aloe Analgesic Liniment, Cold and Hot Pain Relief, ... show all 54

brands

Dosage forms: topical cream (-), topical film (-), topical gel (-), topical liquid (-), topical lotion (-), ... show all 9 dosage forms

Drug class: Topical rubefacient



Medically reviewed by Drugs.com on Aug 1, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking What to avoid Interactions FAQ

What is methyl salicylate topical?

Methyl salicylate topical (for the skin) is used for temporary relief of minor aches and pains caused by strains, sprains, arthritis, bruising, nerve pain, simple backache, or pain in the lower spine.

Methyl salicylate topical may also be used for purposes not listed in this medication guide.

Methyl salicylate topical side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

methyl salicylate topical may cause serious side effects. Stop using methyl salicylate topical and call your doctor at once if you have:

- · redness or swelling of the treated area;
- · increased pain; or
- severe burning or skin irritation such as a rash, itching, pain, or blistering.

Less serious side effects may be more likely, and you may have none at all.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Methyl salicylate topical side effects (more detail)

Related/similar drugs

_

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

223 Reviews

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

FEATURED

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

145 Reviews

View more

Tramadol

Tramadol is an opioid medication that may be used to treat moderate to moderately severe chronic ...

Reviews & ratings

7.0 / 10

1,876 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and norepinephrine reuptake inhibitor

...

antidepressant used to ...

Reviews & ratings

6.2 / 10

2,456 Reviews

View more

Cyclobenzaprine

Cyclobenzaprine is a muscle relaxant and works by blocking pain sensations. Includes ...

Reviews & ratings

6.0 / 10

618 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

Ibuprofen

Ibuprofen (Advil, Motrin) treats minor aches and pains caused by the common cold, headaches ...

Reviews & ratings

View more

Acetaminophen

Acetaminophen is a widely used pain reliever and fever reducer for conditions like headaches ...

Reviews & ratings

6.1 / 10

104 Reviews

View more

Warnings

Follow all directions on the label and package. Use exactly as directed.

Before taking this medicine

Ask a doctor or pharmacist if methyl salicylate topical is safe to use if you have ever had an allergy (especially to aspirin or other salicylates).

Ask a doctor before using this medicine if you are pregnant or breastfeeding.

If you breastfeed, avoid applying this medicine to your nipple area.

Do not use this medicine on a child without medical advice.

How should I use methyl salicylate topical?

Use exactly as directed on the label, or as prescribed by your doctor.

Do not take by mouth. Topical medicine is for use only on the skin.

Apply only to clean and dry skin. Avoid applying over large areas of skin.

Do not apply to an open wound or to skin that is blistered, sunburned, windburned, otherwise irritated.

Only certain forms of this medicine are for use in young children. Follow all directions when using this medicine on a child.

Apply a thin layer of medicine to the painful area and rub in gently.

Apply the **skin patch** over the area of pain and press the edges firmly. Remove the patch and apply a new one as directed.

Shake the spray well just before each use.

Wash your hands with soap and water after applying this medicine or handling a skin patch. To keep from getting this medicine on your fingers, apply it using a rubber glove, finger cot, cotton ball, or clean tissue.

If using the medicine to treat an area of your hands or fingers, wait at least 30 minutes before washing your hands.

Do not cover treated skin with a bandage or heating pad.

Stop using this medicine and call your doctor if your pain does not improve after 7 days, or if your symptoms get worse or get better and then come back in a few days.

Store at room temperature away from moisture, heat, and direct sunlight.

What happens if I miss a dose?

Methyl salicylate topical is used when needed. If you are on a dosing schedule, skip any missed dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medicine.

What should I avoid while using methyl salicylate topical?

Avoid getting methyl salicylate topical in your eyes. If contact does occur, rinse with water. Also avoid getting the medicine in your nose, mouth, rectum, or vagina.

Also avoid getting the medicine on contact lenses, dentures, and other items that come in contact with sensitive areas of your body.

Avoid using other medications on the same treatment areas without medical advice.

What other drugs will affect methyl salicylate topical?

Medicine used on the skin is not likely to be affected by other drugs you use, but many drugs can interact. Tell your doctor about all your current medicines, including prescription and over-the-counter medicines, vitamins, and herbal products.

Methyl salicylate topical drug interactions (more detail)

Does methyl salicylate topical interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

methyl salicylate topical

Enter a drug name Add

Popular FAQ

Is Vicks VapoRub an effective nasal decongestant?

More about methyl salicylate topical

- Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (149)
- · Side effects
- · Drug class: topical rubefacient

Patient resources

• Methyl Salicylate patient information

Other brands

Salonpas Pain Patch, Eucalyptamint, Mentholatum Deep Heating, Exocaine Plus, ... +16 more

Related treatment guides

- Osteoarthritis
- Rheumatoid Arthritis
- Back Pain
- Muscle Pain

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability

OTC

Rx and/or OTC

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

5.6 / 10

149 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







