

Home

2. Tigan

Generic name: trimethobenzamide (oral/injection) [trye-METH-oh-BENZ-a-mide]

Brand name: Tigan

Drug class: Anticholinergic antiemetics



Medically reviewed by Drugs.com on Jul 31, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Tigan?

Tigan is used to treat nausea and vomiting related to surgery or caused by stomach flu.

Tigan may also be used for purposes not listed in this medication guide.

Tigan side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Stop taking Tigan and call your doctor at once if you have:

- twitching or uncontrollable movements of your eyes, lips, tongue, face, arms, or legs;
- trouble speaking or swallowing;
- · problems with thought or memory;
- pain, stiffness, or unusual muscle spasm in your neck;
- tremors, feeling restless or being unable to sit still;
- jaundice (yellowing of the skin or eyes);
- · a seizure (convulsions); or
- low blood cell counts--fever, chills, tiredness, mouth sores, skin sores, easy bruising, unusual bleeding, pale skin, cold hands and feet, feeling light-headed or short of breath.

Serious side effects may be more likely in older adults.

Common side effects of Tigan may include:

• headache, muscle cramps;

- dizziness, drowsiness;
- · confusion, depressed mood;
- blurred vision;
- · diarrhea; or
- pain, stinging, burning, redness, or swelling where the medicine was injected.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i <u>Tigan side effects</u> (more detail)

Related/similar drugs

Metoclopramide

Metoclopramide is used short-term to treat heartburn caused by gastroesophageal reflux. Learn about

Reviews & ratings

3.9 / 10

517 Reviews

View more

Ativan

Ativan is a benzodiazepine used to treat anxiety disorders or anxiety associated with depression ...

Reviews & ratings

8.0 / 10

479 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

.....

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

541 Reviews

View more

Meclizine

Meclizine is used to treat or prevent nausea, vomiting, and dizziness caused by motion sickness ...

Reviews & ratings

7.4 / 10

234 Reviews

View more

Promethazine

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

Reviews & ratings

7.2 / 10

388 Reviews

View more

Zofran

Zofran (ondansetron) is used to prevent nausea and vomiting caused by surgery or cancer medicines ...

Reviews & ratings

8.0 / 10

270 Reviews

View more

Ulanzapine

Olanzapine (brand name Zyprexa) is an atypical antipsychotic that may be used to treat adults and ...

Reviews & ratings

5.9 / 10

1,091 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

View more

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

1,054 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use Tigan if you are allergic to it.

Tell your doctor if you have ever had:

- · liver disease; or
- · kidney disease.

Do not give this medication to a child or teenager without medical advice, especially if the child has a fever, flu symptoms, or chicken pox.

It is not known whether Tigan will harm an unborn baby. Tell your doctor if you are pregnant.

It may not be safe to breast-feed while using Tigan. Ask your doctor about any risk.

How should I take Tigan?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Tigan is usually taken 3 or 4 times per day. Follow your doctor's dosing instructions very carefully.

Tigan **oral** is taken by mouth. This medicine **injection** is injected into a muscle by a healthcare provider.

Store at room temperature away from moisture and heat.

Detailed Tigan dosage information

What happens if I miss a dose?

Since Tigan is used when needed, you may not be on a dosing schedule. Skip any missed dose if it's almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Tigan?

Avoid driving or hazardous activity until you know how Tigan will affect you. Your reactions could be impaired.

Drinking alcohol with this medicine can cause side effects.

Do not share this medicine with another person, even if they have the same symptoms you have.

What other drugs will affect Tigan?

Using Tigan with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Other drugs may affect Tigan, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Tigan drug interactions (more detail)

Does Tigan interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

| Tigan | |
|-------------------|-----|
| + | |
| Enter a drug name | Add |

More about Tigan (trimethobenzamide)

- · Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (10)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: anticholinergic antiemetics
- Breastfeeding
- En español

Patient resources

- Tigan (Trimethobenzamide Intramuscular) advanced reading
- Tigan (Trimethobenzamide Oral) (Advanced Reading)
- Tigan (Trimethobenzamide Capsules)

Other brands

Benzacot, Ticon

Professional resources

- Tigan prescribing information
- Trimethobenzamide (AHFS Monograph)

Related treatment guides

Nausea/Vomiting

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and

use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 12.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

S Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

8.4 / 10

10 Reviews

Images

Tigan 250 mg (TIGAN ROBERTS 187)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









 \times

Copyright © 2000-2025 Drugs.com. All rights reserved.