

Home

2. Cogentin

Cogentin 🕁

Generic name: benztropine (oral/injection) [BENZ-troe-peen]

Drug class: Anticholinergic antiparkinson agents



Medically reviewed by Drugs.com on Aug 3, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions



The Cogentin brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

What is Cogentin?

Cogentin is used with other medicines to treat symptoms of Parkinson's disease, such as stiffness or tremors.

Cogentin is also used to treat Parkinson-like symptoms caused by using certain medicines.

Cogentin may also be used for purposes not listed in this medication guide.

Cogentin side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Cogentin may cause serious side effects. Call your doctor at once if you have:

- dry mouth that causes trouble talking or swallowing;
- little or no urination;
- uncontrolled muscle movements;
- · vomiting, severe constipation;
- · fast heartbeats:
- muscle weakness;
- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- confusion, hallucinations; or
- severe skin rash.

Common side effects of Cogentin may include:

- dry mouth;
- blurred vision;
- · constipation; or
- nausea.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

① Cogentin side effects (more detail)

Related/similar drugs

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

Sinemet

Sinemet is used to treat symptoms of Parkinson's disease, such as muscle stiffness, tremors ...

Reviews & ratings

7.7 / 10

30 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Requip

Requip is used to treat symptoms of Parkinson's disease, such as stiffness, tremors and muscle ...

Reviews & ratings

5.9 / 10

122 Reviews

View more

Exelon

Exelon (rivastigmine) is used to treat dementia caused by Alzheimer's or Parkinson's disease ...

Reviews & ratings

6.5 / 10

15 Reviews

View more

Gocovri

Gocovri (amantadine) is used in the treatment of Parkinson's disease. Includes Gocovri side ...

Reviews & ratings

2 Reviews

View more

Warnings

Use only as directed. Tell your doctor if you use other medicines or have other medical conditions or allergies.

Before taking this medicine

You should not use Cogentin if you are allergic to it.

Not approved for use by anyone younger than 3 years old.

Tell your doctor if you have ever had:

• an enlarged prostate;

- · urination problems;
- · glaucoma; or
- · muscle problems.

Older adults may be more sensitive to the effects of Cogentin.

It is not known if Cogentin will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

Tell your doctor if you are breastfeeding.

How should I take Cogentin?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Cogentin oral is taken by mouth.

Cogentin is usually taken at bedtime.

Cogentin injection is given in a muscle or vein if you are unable to take the medicine by mouth.

Drink plenty of water to prevent dry mouth while taking Cogentin.

Dry mouth may lead to gum disease or cavities. Brush and floss your teeth regularly and visit your dentist for routine dental care.

Call your doctor if your symptoms do not improve, or if they get worse.

Your symptoms may get worse if you stop using Cogentin suddenly. Ask your doctor before stopping any of your anti-Parkinson medications.

Store at room temperature away from moisture, heat, and light.

Detailed Cogentin dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose may cause drowsiness, confusion, nervousness, hallucinations, fast heart rate, vomiting, numbness in your fingers, hot or dry skin, or fainting.

What should I avoid while taking Cogentin?

Avoid driving or hazardous activity until you know how Cogentin will affect you. Your reactions could be impaired.

Avoid becoming overheated or dehydrated during exercise and in hot weather. Cogentin can decrease sweating and you may be more prone to heat stroke.

What other drugs will affect Cogentin?

Tell your doctor about all your other medicines, especially:

- other medicine to treat Parkinson's disease;
- medicine to treat depression, anxiety, mood disorders, or mental illness;
- cold or allergy medicine (Benadryl and others);
- medicine to treat stomach problems, motion sickness, or irritable bowel syndrome;
- medicine to treat overactive bladder; or
- bronchodilator asthma medication.

This list is not complete. Other drugs may affect Cogentin, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

1 Cogentin drug interactions (more detail)

Does Cogentin interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Cogentin	
+	
Enter a drug name	Add

More about Cogentin (benztropine)

- · Check interactions
- · Compare alternatives
- Reviews (10)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- · Drug class: anticholinergic antiparkinson agents
- Breastfeeding

Patient resources

- Cogentin (Benztropine Injection) advanced reading
- Cogentin (Benztropine Oral) (Advanced Reading)

Professional resources

- · Cogentin prescribing information
- Benztropine (AHFS Monograph)

Related treatment guides

- Extrapyramidal Reaction
- · Parkinson's Disease

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 11.01.

DRUG STATUS

Availability



Pregnancy & Lactation

ം% Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

10+ years FDA approved 1954

User Reviews & Ratings

6.3 / 10

10 Reviews

Images



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us











<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.