

Home

2. Arimidex

Arimidex 🕁

Generic name: anastrozole [an-AS-troe-zole]

Drug classes: Aromatase inhibitors, Hormones / antineoplastics

Medically reviewed by Melisa Puckey, BPharm. Last updated on Mar 1, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Arimidex?

Arimidex lowers estrogen levels in postmenopausal women, which may slow the growth of certain types of breast tumors that need estrogen to grow in the body.

Arimidex is used to treat breast cancer in postmenopausal women.

Arimidex is often given to women whose cancer has progressed even after taking tamoxifen (Nolvadex, Soltamox).

Warnings

Arimidex may decrease blood flow to your heart, especially if you have ever had coronary artery disease (clogged arteries). Seek medical attention if you have new or worsening chest pain, or if you feel short of breath.

Do not use anastrozole if you are pregnant. It could harm the unborn baby.

Arimidex may not work as well if you take it together with estrogen medication (such as hormone replacement therapy, estrogen creams, or birth control pills, injections, implants, skin patches, and vaginal rings).

Arimidex may increase your risk of a stroke or blood clot. Call your doctor at once if you have sudden numbness or weakness, (especially on one side of the body), sudden severe headache, slurred speech, or problems with vision or balance.

Before taking this medicine

You should not use Arimidex if you are allergic to anastrozole, or if you have not yet completed menopause.

Arimidex is not approved for use in men or children.

You should not take anastrozole if you also take tamoxifen.

To make sure this medicine is safe for you, tell your doctor if you have ever had:

- · heart problems;
- · coronary artery disease (clogged artery disease);
- · high cholesterol; or
- osteoporosis or low bone mineral density.

Hormonal cancer treatment can weaken your bones. You may be more likely to have a broken bone while using Arimidex. Talk with your doctor about ways to keep your bones healthy.

Although it is not likely that a postmenopausal woman would be pregnant, **anastrozole may harm an unborn baby.** You may need to have a negative pregnancy test before starting this treatment. Use effective birth control if you are not past menopause. Keep using birth control for at least 3 weeks after your last dose of Arimidex. Tell your doctor if you become pregnant.

Do not breastfeed while using this medicine, and for at least 2 weeks after your last dose.

Arimidex pregnancy and breastfeeding warnings (more detail)

How should I take Arimidex?

Take Arimidex exactly as prescribed by your doctor. Follow all directions on your prescription label and read all medication guides or instruction sheets.

Arimidex is usually taken once per day. Follow your doctor's dosing instructions very carefully.

You may take Arimidex with or without food.

You may need to keep taking this medication for up to 5 years. Follow your doctor's instructions.

Store at room temperature away from moisture and heat.

Arimidex patient tips (more detail)

Dosing information

Usual Adult Dose for Breast Cancer:

Initial dose: 1 mg orally taken once a day

Duration of therapy: Until tumor progression (treatment of advanced breast cancer); unknown (adjuvant treatment of early breast cancer)

Uses:

- -Adjuvant treatment of postmenopausal women with hormone receptor-positive early breast cancer;
- -First-line treatment of postmenopausal women with hormone receptor-positive or hormone receptor unknown locally advanced or metastatic breast cancer;
- -Second-line treatment of advanced breast cancer in postmenopausal women with disease progression following tamoxifen therapy.
- Detailed Arimidex dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

Avoid driving or hazardous activity until you know how this medicine will affect you. Your reactions could be impaired.

Arimidex side effects

Get emergency medical help if you have **signs of an allergic reaction to Arimidex** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

Anastrozole may decrease blood flow to your heart, especially if you have ever had coronary artery disease (clogged arteries). Seek medical attention if you have new or worsening chest pain, or if you feel short of breath.

Call your doctor at once if you have:

- shortness of breath (even with mild exertion), swelling, rapid weight gain;
- numbness, prickly feeling, pain, or weakness in your hands or wrists;
- symptoms of bone fracture bruising, swelling, tenderness, pain that worsens with movement;
- liver problems right-sided upper stomach pain, yellowing of your skin or eyes, and not feeling well; or
- signs of a stroke sudden numbness or weakness (especially on one side of the body), sudden severe headache, slurred speech, problems with vision or balance.

Common Arimidex side effects may include:

- numbness, tingling, or tickling feeling in your skin;
- hot flashes;
- weakness;
- · joint pain or stiffness;
- bone pain, risk of fracture;
- swelling in your arms, legs, or feet;
- · sore throat, cough, shortness of breath;
- headache, back pain;
- depression, sleep problems (insomnia);
- high blood pressure;

- nausea, vomiting; or
- · rash.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Arimidex side effects (more detail)

Related/similar drugs

Trodelvy

Trodelvy is a targeted anticancer medication used to treat types of breast cancer and bladder ...

Reviews & ratings

4 Reviews

View more

Xeloda

Xeloda is used to treat breast and colorectal cancers. Learn about side effects, interactions and ...

Reviews & ratings

6.6 / 10

32 Reviews

View more

FEATURED

Verzenio

Verzenio is used to treat certain HRpositive and HER2-negative breast cancers in adults. It is an ...

Reviews & ratings

8.0 / 10

30 Reviews

View more

Femara

Femara lowers estrogen levels and is used to treat breast cancer in postmenopausal women. Learn ...

Reviews & ratings

6.7 / 10

67 Reviews

View more

Herceptin

Herceptin is used to treat patients with metastatic breast cancer. Learn about side effects ...

Reviews & ratings

8.5 / 10

12 Reviews

View more

Ibrance

Ibrance is used to treat HR-positive, HER2-negative breast cancer in postmenopausal women or men ...

Reviews & ratings

6.8 / 10

85 Reviews

View more

Tamoxifen

Tamoxifen blocks the actions of estrogen and is used to treat and prevent some types of breast ...

Reviews & ratings

5.6 / 10

96 Reviews

View more

Methotrexate

Methotrexate is used to treat certain types of cancer of the breast, skin, head and neck, or lung ...

Reviews & ratings

6.5 / 10

View more

Lynparza

Lynparza (olaparib) is used to treat ovarian cancer, breast cancer, pancreatic cancer, and prostate ...

Reviews & ratings

7.4 / 10

17 Reviews

View more

What other drugs will affect Arimidex?

Arimidex may not work as well if you take it together with an estrogen medication (such as hormone replacement therapy, estrogen creams, or birth control pills, injections, implants, skin patches, and vaginal rings or vaginal suppositories).

Other drugs may interact with anastrozole, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

1 Arimidex drug interactions (more detail)

Does Arimidex interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Arimidex	
+	
Enter a drug name	Add

Popular FAQ

What is Veridex used for?

More FAQ

- How do I take Arimidex on a cycle and how much?
- What happens when you stop taking Arimidex?
- How long do side effects last after stopping Arimidex?

- · How soon do the side effects of Arimidex start?
- Does anastrozole cause hair loss?
- · How much does Arimidex increase survival?

View more FAQ...

More about Arimidex (anastrozole)

- · Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (80)
- Drug images
- · Side effects
- Dosage information
- Patient tips
- During pregnancy
- · Generic availability
- Support group
- Drug class: aromatase inhibitors
- Breastfeeding
- En español

Professional resources

- · Arimidex prescribing information
- Anastrozole (AHFS Monograph)

Related treatment guides

- Breast Cancer
- Breast Cancer, Metastatic
- McCune-Albright Syndrome
- Pubertal Gynecomastia

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Arimidex only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

10+ years FDA approved 1995

WADA Class

റ്റ് Anti-Doping Classification

User Reviews & Ratings

5.8 / 10

80 Reviews

Images

Arimidex 1 mg (Adx 1 A)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







×

Copyright © 2000-2025 Drugs.com. All rights reserved.