



[Home](#)

2. Serzone

# Serzone

**Generic name:** [nefazodone](#) [ *ne-FAZ-oh-done* ]

**Drug class:** [Phenylpiperazine antidepressants](#)

[Medically reviewed](#) by Drugs.com. Last updated on Feb 4, 2025.

[Uses](#) [Warnings](#) [Before taking](#) [Dosage](#) [Side effects](#) [Interactions](#)



The Serzone brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be [generic equivalents available](#).

## What is Serzone?

Serzone is an antidepressant medication. It affects chemicals in the brain that may become unbalanced and cause depression.

Serzone is used to relieve symptoms of depression such as feelings of sadness, worthlessness, or guilt; loss of interest in daily activities; changes in appetite; tiredness; sleeping too much; insomnia; and thoughts of death or suicide.

Serzone may also be used for purposes other than those listed in this medication guide.

## Important information about Serzone?

Do not take Serzone if you have taken a monoamine oxidase inhibitor (MAOI) such as isocarboxazid (Marplan), phenelzine (Nardil), or tranylcypromine (Parnate) in the last 14 days, or if you are taking terfenadine (Seldane, Seldane-D), astemizole (Hismanal), cisapride (Propulsid), pimozide (Orap), triazolam (Halcion), or carbamazepine (Tegretol, Tegretol XR, Eptol, Carbatrol).

In rare cases, treatment with Serzone has been associated with serious liver problems, sometimes resulting in liver transplant or death. Contact your doctor immediately if you experience yellowing of the skin or eyes; unusually dark urine; loss of appetite that lasts several days or longer; severe nausea; or stomach pain. These may be early signs of liver problems.

Use caution when driving, operating machinery, or performing other hazardous activities. Serzone may cause dizziness or drowsiness. If you experience dizziness or drowsiness, avoid these activities.

Dizziness may be more likely to occur when you rise from a sitting or lying position. Rise slowly to prevent dizziness and a possible fall.

Avoid alcohol during treatment with Serzone. Alcohol may increase drowsiness and dizziness while taking Serzone.

# What should I discuss with my healthcare provider before taking Serzone?

Do not take Serzone if you are taking any of the following drugs:

- a monoamine oxidase inhibitor (MAOI) such as isocarboxazid (Marplan), phenelzine (Nardil), or tranylcypromine (Parnate);
- terfenadine (Seldane, Seldane-D);
- astemizole (Hismanal);
- cisapride (Propulsid);
- pimozide (Orap);
- triazolam (Halcion); or
- carbamazepine (Tegretol, Tegretol XR, Eptol, Carbatrol).

These drugs can cause very serious interactions with Serzone that could lead to seizures, heart damage, and even death.

Before taking this medication, tell your doctor if you have

- heart disease, high or low blood pressure, or irregular heartbeats;
- seizures;
- had manic episodes (extreme agitation or excitability);
- kidney disease; or
- liver disease.

You may not be able to take Serzone, or you may require a dosage adjustment or special monitoring during treatment if you have any of the conditions listed above.

Serzone is in the FDA pregnancy category C. This means that it is not known whether Serzone will harm an unborn baby. Do not take Serzone without first talking to your doctor if you are pregnant or could become pregnant during treatment.

It is not known whether Serzone passes into breast milk. Do not take Serzone without first talking to your doctor if you are breast-feeding.

If you are over 60 years of age, you may be more likely to experience side effects from Serzone.

 [Serzone pregnancy and breastfeeding warnings](#) (more detail)

## How should I take Serzone?

Take Serzone exactly as directed by your doctor. If you do not understand these directions, ask your pharmacist, nurse, or doctor to explain the instructions to you.

Take each dose with a full glass of water.

Do not stop taking Serzone without first talking to your doctor. It may be several weeks before you begin to feel better,

and you may require continuous treatment for quite some time.

Store Serzone at room temperature away from moisture and heat.

 [Detailed Serzone dosage information](#)

## What happens if I miss a dose?

Take the missed dose as soon as you remember. However, if it is almost time for the next regularly scheduled dose, skip the missed dose and take only the next one as directed. **Do not** take a double dose of this medication.

## What happens if I overdose?

Seek emergency medical attention.

Symptoms of a Serzone overdose include drowsiness, nausea, vomiting, and seizures.

## What should I avoid?

Use caution when driving, operating machinery, or performing other hazardous activities. Serzone may cause dizziness or drowsiness. If you experience dizziness or drowsiness, avoid these activities.

Dizziness may be more likely to occur when you rise from a sitting or lying position. Rise slowly to prevent dizziness and a possible fall.

Avoid alcohol during treatment with Serzone. Alcohol may increase drowsiness and dizziness while taking Serzone.

## What are the possible side effects of Serzone?

In rare cases, treatment with Serzone has been associated with serious liver problems, sometimes resulting in liver transplant or death. Contact your doctor immediately if you experience yellowing of the skin or eyes; unusually dark urine; loss of appetite that lasts several days or longer; severe nausea; or stomach pain. These may be early signs of liver problems.

If you experience any of the following uncommon but serious side effects, stop taking Serzone and seek emergency medical attention or contact your doctor immediately:

- an allergic reaction (difficulty breathing; closing of your throat; swelling of your lips, tongue, or face; or hives);
- fainting; or
- prolonged, painful, or inappropriate erections (this could lead to a serious condition requiring surgery).

Other, less serious side effects may be more likely to occur. Continue to take Serzone and talk to your doctor when it is convenient if you experience:

- dizziness, lightheadedness, or drowsiness;
- upset stomach;
- insomnia;

- dry mouth;
- constipation; or
- blurred or abnormal vision.

Side effects other than those listed here may also occur. Talk to your doctor about any side effect that seems unusual or that is especially bothersome.

 [Serzone side effects](#) (more detail)

## Related/similar drugs

### Lexapro

Lexapro is used to treat anxiety and major depressive disorder. Learn about side effects ...

#### Reviews & ratings

7.6 / 10

[2,376 Reviews](#)

[View more](#)

### Zoloft

Zoloft is an antidepressant used to treat major depression, obsessive-compulsive disorder, panic ...

#### Reviews & ratings

7.3 / 10

[1,972 Reviews](#)

[View more](#)

#### FEATURED

### Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

#### Reviews & ratings

5.3 / 10

[685 Reviews](#)

[View more](#)

### Seroquel

Seroquel is used to treat schizophrenia, bipolar disorder, and major depressive disorder.

Seroquel is used to treat the symptoms of schizophrenia, bipolar disorder and major depressive ...

#### Reviews & ratings

7.0 / 10

[694 Reviews](#)

[View more](#)

### Prozac

Prozac (fluoxetine) is an SSRI antidepressant used to treat depression, OCD, panic disorder ...

#### Reviews & ratings

7.2 / 10

[1,239 Reviews](#)

[View more](#)

### Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

#### Reviews & ratings

6.3 / 10

[1,899 Reviews](#)

[View more](#)

### Wellbutrin

Wellbutrin (bupropion) is used to treat major depressive disorder and seasonal affective disorder ...

#### Reviews & ratings

6.8 / 10

[756 Reviews](#)

[View more](#)

### Celexa

Celexa (citalopram) is an antidepressant in a group of drugs called selective serotonin reuptake ...

### Reviews & ratings

7.3 / 10

[866 Reviews](#)

[View more](#)

### Concerta

Concerta is used to treat attention deficit disorder (ADD) and attention deficit hyperactivity ...

### Reviews & ratings

6.9 / 10

[424 Reviews](#)

[View more](#)

### Citalopram

Citalopram is an antidepressant (selective serotonin reuptake inhibitor) and is used to treat ...

### Reviews & ratings

7.4 / 10

[2,231 Reviews](#)

[View more](#)

## What other drugs will affect Serzone?

Do not take Serzone if you are taking any of the following drugs:

- a monoamine oxidase inhibitor (MAOI) such as isocarboxazid (Marplan), phenelzine (Nardil), or tranylcypromine (Parnate);
- terfenadine (Seldane, Seldane-D);
- astemizole (Hismanal);
- cisapride (Propulsid);
- carbamazepine (Tegretol, Tegretol XR, Epitol, Carbatrol);
- triazolam (Halcion); or
- pimozide (Orap).

These drugs can have very serious interactions with Serzone that could lead to seizures, heart damage, and even death.

Many other drugs may interact with Serzone. Talk to your doctor before taking any other medications during treatment

with Serzone, especially any of the following:

- haloperidol (Haldol);
- alprazolam (Xanax);
- lorazepam (Ativan);
- cyclosporine (Neoral, Sandimmune);
- tacrolimus (Prograf);
- digoxin (Lanoxin, Lanoxicaps);
- phenytoin (Dilantin);
- warfarin (Coumadin); or
- atorvastatin (Lipitor), lovastatin (Mevacor), or simvastatin (Zocor).

You may require a dosage adjustment or special monitoring during treatment if you are taking any of these medicines.

Drugs other than those listed here may also interact with Serzone. Talk to your doctor and pharmacist before taking any prescription or over-the-counter medicines, including herbal products.

 [Serzone drug interactions](#) (more detail)

## Does Serzone interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Serzone

+

Enter a drug name

Add

## Further information

Your pharmacist has more information about Serzone written for health professionals that you may read.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Every effort has been made to ensure that the information provided by Cerner Multum, Inc. ('Multum') is accurate, up-to-date, and complete, but no guarantee is made to that effect. Drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and consumers in the United States and therefore Multum does not warrant that uses outside of the United States are appropriate, unless specifically indicated otherwise. Multum's drug information does not endorse drugs, diagnose patients or recommend therapy. Multum's drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve consumers viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum

provides. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse or pharmacist.

## More about Serzone (nefazodone)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(21\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: phenylpiperazine antidepressants](#)
- [Breastfeeding](#)

## Professional resources

- [Nefazodone monograph](#)
- [Nefazodone \(FDA\)](#)

## Related treatment guides

- [Depression](#)
- [Major Depressive Disorder](#)

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.02.

### DRUG STATUS

<b>Availability</b>		
	Discontinued	
<b>Pregnancy &amp; Lactation</b>		
	Risk data available	
<b>CSA Schedule*</b>		
N/A	Not a controlled drug	
<b>Approval History</b>		
10+ years	FDA approved 1994	



## User Reviews & Ratings

9.6 / 10

[21 Reviews](#)

## Images

[Serzone 50 MG \(31 BMS 50\)](#)



[View larger images](#)

## Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



### About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

### Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

### Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices

ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.