



[Home](#)

2. Generess Fe

# Generess FE

**Generic name:** [Ethinyl Estradiol and Norethindrone Chewable Tabs & Ferrous Fumarate Tabs](#) [ *ETH-in-il-es-tra-DYE-ole-& nor-eth-IN-drone-& FER-us-FUE-ma-rate* ]

**Brand names:** [Femcon Fe](#), Generess FE

**Drug class:** [Contraceptives](#)

[Medically reviewed](#) by Drugs.com. Last updated on Mar 25, 2024.

[Uses](#) [Before taking](#) [Warnings](#) [Dosage](#) [Side effects](#) [Overdose](#)

## Warning

- Smoking cigarettes while using Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) raises the chance of very bad heart and blood-related side effects. This chance is raised with age (mainly in women older than 35 years of age). It is also raised with the number of cigarettes smoked. It is strongly advised not to smoke. Do not use Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) if you smoke and are older than 35 years of age.

## Uses of Generess FE:

- It is used to prevent pregnancy.
- It may be given to you for other reasons. Talk with the doctor.

## What do I need to tell my doctor BEFORE I take Generess FE?

For all patients taking Generess FE ([ethinyl estradiol](#) and [norethindrone](#) chewable tabs & [ferrous fumarate](#) tabs):

- If you are allergic to Generess FE (ethinyl [estradiol](#) and norethindrone chewable tabs & ferrous fumarate tabs); any part of Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have had any of these health problems: Blood clots, blood clotting problem, [breast cancer](#) or other cancer where hormones make it grow, diseased blood vessels in the brain or heart, disease of a heart valve with problems, [heart disease](#), chest pain caused by angina, heart attack, stroke, [high blood pressure](#), [liver disease](#), liver tumor, very bad headache or migraine, or diabetes that affects blood flow.
- If you have had any of these health problems: [Endometrial cancer](#), cancer of the cervix or vagina, or vaginal bleeding where the cause is not known.
- If you are taking ombitasvir, paritaprevir, and [ritonavir](#) (with or without dasabuvir).
- If you are pregnant or may be pregnant. Do not take Generess FE (ethinyl estradiol and norethindrone chewable

tabs & ferrous fumarate tabs) if you are pregnant.

- If you are breast-feeding or plan to breast-feed.
- If you turned yellow during pregnancy or with estrogen-based or hormone contraceptive use.

Children:

- If your child has not had her first period.

This is not a list of all drugs or health problems that interact with Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

## What are some things I need to know or do while I take Generess FE?

- Tell all of your health care providers that you take Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs). This includes your doctors, nurses, pharmacists, and dentists. This medicine may need to be stopped before certain types of surgery as your doctor has told you. If Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) is stopped, your doctor will tell you when to start taking Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) again after your surgery or procedure.
- This medicine may raise the chance of blood clots, a stroke, or a [heart attack](#). Talk with the doctor.
- Talk with your doctor if you will need to be still for long periods of time like long trips, bedrest after surgery, or illness. Not moving for long periods may raise your chance of blood clots.
- Some studies have shown the risk of breast cancer is raised in women taking [birth control pills](#), especially at a younger age. The risk was also linked to how long the [birth control](#) pills were taken. One study showed the risk was also raised in women who took birth control pills within the past 10 years.
- If you have [high blood sugar](#) (diabetes), talk with your doctor. This medicine may raise blood sugar.
- Check your blood sugar as you have been told by your doctor.
- High blood pressure has happened with drugs like this one. Have your blood pressure checked as you have been told by your doctor.
- Have blood work checked as you have been told by the doctor. Talk with the doctor.
- Be sure to have regular breast exams and gynecology check-ups. You will also need to do breast self-exams as you have been told.
- If you are allergic to tartrazine, talk with your doctor. Some products have tartrazine.
- If you drink [grapefruit juice](#) or eat grapefruit often, talk with your doctor.
- This medicine may affect certain lab tests. Tell all of your health care providers and lab workers that you take Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs).
- Certain drugs, [herbal products](#), or health problems could cause Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) to not work as well. Be sure your doctor knows about all of your drugs and

health problems.

- This medicine does not stop the spread of diseases like HIV or hepatitis that are passed through having sex. Do not have any kind of sex without using a latex or polyurethane condom. If you have questions, talk with your doctor.
- This medicine may raise the chance of blood clots. The chance is highest during the first year of using Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs). The chance is also highest when starting to use hormone-based birth control again after not using it for 4 weeks or more. Talk with the doctor.
- If you are taking Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) for pimples (acne), you need to be at least 15 years of age.
- If you have any signs of pregnancy or if you have a positive pregnancy test, call your doctor right away.

## How is this medicine (Generess FE) best taken?

Use Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) at the same time of day.
- Take with or without food. Take with food if it causes an [upset stomach](#).
- If you also take [colesevelam](#), take it at least 4 hours before or after you take Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs).
- After starting Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs), you may need to use a non-hormone type of birth control like condoms to prevent pregnancy for some time. Follow what your doctor has told you to do about using a non-hormone type of birth control.
- Do not skip doses, even if you do not have sex very often.
- If you throw up or have diarrhea, Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) may not work as well to prevent pregnancy. Use an extra form of birth control, like condoms, until you check with your doctor.
- If you miss 2 periods in a row, take a pregnancy test before starting a new cycle.
- Chew well before swallowing.
- Some brands may be swallowed whole. Check with your pharmacist to see if your brand may be swallowed whole.
- Some brands need to be taken with a full glass of water. Some brands need to be taken without water. Check with your pharmacist to see if you need to take your drug with water.

### What do I do if I miss a dose?

- If a dose is missed, check the package insert or call the doctor to find out what to do. If using Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs) to prevent pregnancy, another form of birth control may need to be used for some time to prevent pregnancy.

 [Detailed Generess Fe dosage information](#)

## What are some side effects that I need to call my doctor about right away?

**WARNING/CAUTION:** Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of liver problems like dark urine, feeling tired, not hungry, upset stomach or stomach pain, light-colored stools, throwing up, or yellow skin or eyes.
- Signs of high blood pressure like very bad headache or dizziness, passing out, or change in eyesight.
- Signs of gallbladder problems like pain in the upper right belly area, right shoulder area, or between the shoulder blades; yellow skin or eyes; fever with chills; bloating; or very upset stomach or throwing up.
- Weakness on 1 side of the body, trouble speaking or thinking, change in balance, drooping on one side of the face, or blurred eyesight.
- [Depression](#) or other mood changes.
- Swelling.
- A lump in the breast, breast pain or soreness, or nipple discharge.
- Vaginal itching or discharge.
- Eyesight changes or loss, bulging eyes, or change in how contact lenses feel.
- Spotting or vaginal bleeding that is very bad or does not go away.
- Call your doctor right away if you have signs of a blood clot like chest pain or pressure; coughing up blood; [shortness of breath](#); swelling, warmth, numbness, change of color, or pain in a leg or arm; or trouble speaking or swallowing.

 [Generess Fe side effects](#) (more detail)

## Related/similar drugs

### Mirena

Mirena (levonorgestrel) is a plastic intrauterine device placed in the uterus and is used to ...

#### Reviews & ratings

6.1 / 10

[2,624 Reviews](#)

[View more](#)

#### FEATURED

### Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes

alongside dietary changes ...

### Reviews & ratings

5.3 / 10

[685 Reviews](#)

[View more](#)

## Depo Provera

Depo-Provera is used as contraception to prevent pregnancy. It is also used to reduce pain cause by ...

### Reviews & ratings

4.2 / 10

[1,967 Reviews](#)

[View more](#)

## Nexplanon

Nexplanon is a long-term, reversible birth control implant that lasts for three years. Learn about ...

### Reviews & ratings

5.0 / 10

[4,864 Reviews](#)

[View more](#)

## Yaz

Yaz (drospirenone and ethinyl estradiol) is used as a contraceptive to prevent pregnancy. Includes ...

### Reviews & ratings

5.9 / 10

[997 Reviews](#)

[View more](#)

## Slynd

Slynd (drospirenone) is a birth control pill used for the prevention of pregnancy. Includes Slynd ...

### Reviews & ratings

[View more](#)

## What are some other side effects of Generess FE?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Feeling more or less hungry.
- Weight gain or loss.
- Dizziness or headache.
- Upset stomach or throwing up.
- Stomach cramps.
- Bloating.
- Enlarged breasts.
- Tender breasts.
- This medicine may cause dark patches of skin on your face. Avoid sun, sunlamps, and tanning beds. Use sunscreen and wear clothing and eyewear that protects you from the sun.
- Period (menstrual) changes. These include lots of bleeding, spotting, or bleeding between cycles.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at <https://www.fda.gov/medwatch>.

## If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

## How do I store and/or throw out Generess FE?

- Store at room temperature protected from light. Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

## Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Generess FE (ethinyl estradiol and norethindrone chewable tabs & ferrous fumarate tabs), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

## More about Generess Fe (ethinyl estradiol / norethindrone)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(138\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: contraceptives](#)

## Patient resources

### Other brands

[Lo Loestrin Fe](#), [Junel Fe 1/20](#), [Blisovi Fe 1/20](#), [Loestrin 21 1/20](#), ... +77 more

## Professional resources

- [Generess Fe prescribing information](#)

### Other brands

[Lo Loestrin Fe](#), [Blisovi Fe 1/20](#), [Loestrin 21 1/20](#), [Hailey Fe 1/20](#), ... +81 more

## Related treatment guides

- [Birth Control](#)


## Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

DRUG STATUS

**Availability**  
**Rx** Prescription only

**Pregnancy & Lactation**  
 Risk data available

**CSA Schedule\***  
**N/A** Not a controlled drug



User Reviews & Ratings

6.9 / 10


[138 Reviews](#)

Related News

[Certain Birth Control Pills, Devices Linked to Higher Heart Risks](#)

Images

[Generess Fe ethinyl estradiol 0.025 mg / norethindrone 0.8 mg \(WC 483\)](#)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

- [About Drugs.com](#)
- [Advertising policy](#)
- [Attribution & citations](#)

Terms & privacy

- [Terms of use](#)
- [Editorial policy](#)
- [Privacy policy](#)

Support

- [Help center](#)
- [Sitemap](#)



Contact us



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.