

[Home](#)

2. Amikacin

Amikacin

Generic name: amikacin [*AM-i-KAY-sin*]**Brand names:** [Amikin](#), [Amikin Pediatric](#)**Dosage form:** injectable solution (250 mg/mL)**Drug class:** [Aminoglycosides](#)[Medically reviewed](#) by Drugs.com on Aug 4, 2023. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is amikacin?

Amikacin is an [antibiotic](#) that fights bacteria.

Amikacin is used to treat severe or serious bacterial infections.

Amikacin may also be used for purposes not listed in this medication guide.

Amikacin side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Amikacin may cause serious side effects. Call your doctor at once if you have:

- [hearing loss](#), or a roaring sound in your ears;
- severe or ongoing dizziness;
- **kidney problems**--little or no urinating; painful or difficult urination; swelling in your feet or ankles; feeling tired or short of breath;
- weak or shallow breathing;
- numbness or tingly feeling;
- [muscle twitching](#) or seizure (convulsions); or
- severe stomach pain, diarrhea that is watery or bloody.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

[Amikacin side effects](#) (more detail)

Related/similar drugs

Clindamycin

Clindamycin (Cleocin) is used to treat serious infections caused by bacteria.

Includes clindamycin ...

Reviews & ratings

5.7 / 10

[806 Reviews](#)

[View more](#)

Metronidazole

Metronidazole is an antibiotic used to fight bacteria in your body. Learn about side effects ...

Reviews & ratings

6.0 / 10

[2,431 Reviews](#)

[View more](#)

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

[685 Reviews](#)

[View more](#)

Ciprofloxacin

Ciprofloxacin is an antibiotic belong to a group of drugs called fluoroquinolones. Learn about side ...

Reviews & ratings

5.0 / 10

[935 Reviews](#)

[View more](#)

Cephalexin

Cephalexin is a cephalosporin antibiotic used to treat bacterial infections like respiratory, skin ...

Reviews & ratings

6.4 / 10

[509 Reviews](#)

[View more](#)

Azithromycin

Azithromycin is an antibiotic used to treat many different types of infections caused by bacteria ...

Reviews & ratings

6.8 / 10

[1,306 Reviews](#)

[View more](#)

Triamcinolone

Triamcinolone is used to treat allergies, skin conditions, ulcerative colitis, and arthritis. Learn ...

Reviews & ratings

6.7 / 10

[226 Reviews](#)

[View more](#)

Levofloxacin

Levofloxacin is a fluoroquinolone antibiotic used to treat serious bacterial infections and prevent ...

Reviews & ratings

5.1 / 10

[741 Reviews](#)

[View more](#)

Augmentin

Augmentin is a prescription antibiotic combining amoxicillin and clavulanate

to treat bacterial ...

Reviews & ratings

5.4 / 10

[447 Reviews](#)

[View more](#)

Warnings

Amikacin can harm your kidneys, and may also cause nerve damage or hearing loss, especially if you have kidney disease or use certain other medicines.

Tell your doctor about all your medical conditions and all the medicines you are using. If you need surgery, tell the surgeon ahead of time that you are using amikacin.

Before taking this medicine

You should not use amikacin if you are allergic to amikacin or similar [antibiotics](#) such as [gentamicin](#), [kanamycin](#), neomycin, [paromomycin](#), [streptomycin](#), or [tobramycin](#).

To make sure amikacin is safe for you, tell your doctor if you have:

- kidney disease;
- asthma or sulfite allergy;
- [myasthenia gravis](#);
- a nerve-muscle disorder; or
- a nervous system disorder such as [Parkinson's disease](#).

Do not use amikacin if you are pregnant. It could harm the unborn baby. Use effective [birth control](#) to prevent pregnancy during treatment.

It is not known whether amikacin passes into breast milk or if it could harm a nursing baby. You should not breast-feed while using this medicine.

How is amikacin given?

Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than recommended. Amikacin is usually given for 7 to 10 days.

Amikacin is injected into a muscle, or into a vein through an IV. You may be shown how to use an IV at home. Do not self-inject this medicine if you do not understand how to give the injection and properly dispose of used needles, IV tubing, and other items used to inject the medicine.

Do not use amikacin if it has changed colors or has particles in it. Call your pharmacist for new medication.

Do not mix amikacin with other medicines in a syringe or IV bag.

Use a disposable needle and syringe only once. Follow any state or local laws about throwing away used needles and syringes. Use a puncture-proof "sharps" disposal container (ask your pharmacist where to get one and how to throw it away). Keep this container out of the reach of children and pets.

Drink plenty of liquids while you are taking amikacin. This will help keep your kidneys working properly.

While using amikacin, you may need frequent blood or urine tests. Your hearing, kidney function, and nerve function may also need to be checked.

Use this medicine for the full prescribed length of time. Your symptoms may improve before the infection is completely cleared. Skipping doses may also increase your risk of further infection that is resistant to antibiotics. Amikacin will not treat a [viral infection](#) such as the flu or a [common cold](#).

If you need surgery, tell the surgeon ahead of time that you are using amikacin.

Store this medicine at room temperature away from moisture and heat.

 [Detailed Amikacin dosage information](#)

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose of amikacin.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking amikacin?

Antibiotic medicines can cause diarrhea, which may be a sign of a new infection. **If you have diarrhea that is watery or bloody, call your doctor.** Do not use anti-diarrhea medicine unless your doctor tells you to.

What other drugs will affect amikacin?

Amikacin can harm your kidneys. This effect is increased when you also use certain other medicines, including: antivirals, chemotherapy, injected antibiotics, medicine for bowel disorders, medicine to prevent [organ transplant](#) rejection, injectable [osteoporosis](#) medication, and some pain or [arthritis](#) medicines (including aspirin, Tylenol, Advil, and Aleve).

Tell your doctor about all your current medicines and any you start or stop using, especially:

- a diuretic or "water pill";
- any other antibiotic.

This list is not complete. Other drugs may interact with amikacin, including prescription and over-the-counter medicines, vitamins, and [herbal products](#). Not all possible interactions are listed in this medication guide.

 [Amikacin drug interactions](#) (more detail)

Does amikacin interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

+

Add

Frequently asked questions

- [What type of drug is Arikayce?](#)

More about amikacin

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(5\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: aminoglycosides](#)
- [En español](#)

Patient resources

- [Amikacin advanced reading](#)

Other brands

[Amikin](#), [Amikin Pediatric](#)

Professional resources

- [Amikacin monograph](#)
- [Amikacin \(FDA\)](#)

Related treatment guides

- [Bacteremia](#)

- [Bone infection](#)
- [Cystic Fibrosis](#)
- [Febrile Neutropenia](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.01.

DRUG STATUS

Availability

Rx Prescription only

[Pregnancy & Lactation](#)


 Risk data available

CSA Schedule*

N/A Not a controlled drug



Approval History

 Drug history at FDA



User Reviews & Ratings

[5 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.