



[Home](#)

2. [Enjuvia](#)

Enjuvia

Generic name: [conjugated estrogens](#) (oral) [*KON-joo-gay-ted-ES-troe-jenz*]

Brand names: Enjuvia, [Premarin](#)

Drug class: [Estrogens](#)

Medically reviewed by [Philip Thornton, DipPharm](#). Last updated on Mar 24, 2025.

[Uses](#) [Warnings](#) [Before taking](#) [Dosage](#) [Side effects](#) [Interactions](#)



The Enjuvia brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be [generic equivalents available](#).

What is Enjuvia?

Enjuvia tablets contain [conjugated estrogens](#), a mixture of estrogen hormones. Estrogen is a female sex hormone produced by the ovaries. Estrogen is necessary for many processes in the body.

Enjuvia is used to treat [menopause](#) symptoms such as [hot flashes](#) and vaginal changes, and to prevent [osteoporosis](#) (bone loss) in menopausal women.

Enjuvia is also used to replace estrogen in women with ovarian failure or other conditions that cause a lack of natural estrogen in the body.

Warnings

You should not use Enjuvia if you have: undiagnosed vaginal bleeding, [liver disease](#), a [bleeding disorder](#), if you will have major [surgery](#), or if you have ever had a [heart attack](#), a stroke, a blood clot, or cancer of the breast, uterus/cervix, or vagina.

Do not use Enjuvia if you are pregnant.

Enjuvia may increase your risk of developing a condition that may lead to [uterine cancer](#). **Report any unusual vaginal bleeding right away.**

Using this medicine can increase your risk of blood clots, stroke, or heart attack or cancer of the breast, uterus, or ovaries. Estrogen should not be used to prevent heart disease, stroke, or [dementia](#).

Have regular physical exams and self-examine your breasts for lumps on a monthly basis while using Enjuvia.

Before taking this medicine

You should not use Enjuvia if you have:

- unusual vaginal bleeding that has not been checked by a doctor;
- liver disease;
- a history of heart attack, stroke, or blood clot;
- an increased risk of having blood clots due to a heart problem or a hereditary blood disorder; or
- a history of hormone-related cancer, or cancer of the breast, uterus/cervix, or vagina.

Do not use Enjuvia if you are pregnant. Tell your doctor right away if you become pregnant during treatment.

Using this medicine can increase your risk of blood clots, stroke, or heart attack. You are even more at risk if you have [high blood pressure](#), diabetes, [high cholesterol](#), if you are [overweight](#), or if you smoke.

Estrogen should not be used to prevent heart disease, stroke, or dementia. This medicine may actually increase your risk of developing these conditions.

To make sure Enjuvia is safe for you, tell your doctor if you have ever had:

- a [hysterectomy](#);
- heart disease;
- liver problems, or [jaundice](#) caused by pregnancy or taking hormones;
- kidney disease;
- [gallbladder disease](#);
- [asthma](#);
- [epilepsy](#) or other seizure disorder;
- migraines;
- [lupus](#);
- [endometriosis](#) or uterine fibroid tumors;
- [hereditary angioedema](#);
- porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system);
- a thyroid disorder; or
- high levels of calcium in your blood.

Use of Enjuvia may increase your risk of cancer of the breast, uterus, or ovaries. Talk with your doctor about this risk.

Estrogen lowers the hormone needed to produce breast milk and can slow breast milk production. Tell your doctor if you are breast-feeding.

 [Enjuvia pregnancy and breastfeeding warnings](#) (more detail)

How should I take Enjuvia?

Take Enjuvia exactly as prescribed by your doctor. Follow all directions on your prescription label. Do not take this medicine in larger amounts or for longer than recommended.

Enjuvia may increase your risk of developing a condition that may lead to uterine cancer. Your doctor may prescribe a progestin to take while you are using Enjuvia, to help lower this risk. **Report any unusual vaginal bleeding right away.**

Read all patient information, medication guides, and instruction sheets provided to you. Ask your doctor or pharmacist if you have any questions.

Enjuvia is sometimes taken on a daily basis. For certain conditions, the medicine is given in a cycle, such as 3 weeks on followed by 1 week off. Follow your doctor's instructions.

If you see what looks like part of an Enjuvia tablet in your stool, talk with your doctor.

Your doctor should check your progress on a regular basis to determine whether you should continue this treatment. Self-examine your breasts for lumps on a monthly basis, and have regular mammograms.

If you need major surgery or will be on long-term bed rest, you may need to stop using this medicine for a short time. Any doctor or surgeon who treats you should know that you are using Enjuvia.

Store at room temperature away from moisture, heat, and light.

 [Detailed Enjuvia dosage information](#)

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

Avoid smoking. It can greatly increase your risk of blood clots, stroke, or heart attack while using Enjuvia.

[Grapefruit](#) and [grapefruit juice](#) may interact with conjugated estrogens and lead to unwanted side effects. **Avoid the use of grapefruit products.**

Enjuvia side effects

Get emergency medical help if you have **signs of an allergic reaction to Enjuvia**: [hives](#); difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- **heart attack symptoms** - chest [pain](#) or pressure, pain spreading to your jaw or shoulder, [nausea](#), sweating;
- **signs of a stroke** - sudden numbness or weakness (especially on one side of the body), sudden severe [headache](#),

slurred speech, problems with vision or balance;

- **signs of a blood clot** - sudden vision loss, stabbing chest pain, feeling short of breath, coughing up blood, pain or warmth in one or both legs;
- swelling or tenderness in your stomach;
- jaundice (yellowing of the skin or eyes);
- memory problems, confusion, unusual behavior;
- unusual vaginal bleeding, pelvic pain;
- a lump in your breast; or
- **high levels of calcium in your blood** - nausea, [vomiting](#), [constipation](#), increased thirst or urination, muscle weakness, bone pain, lack of energy.

Common Enjuvia side effects may include:

- nausea, gas, stomach pain;
- headache, [back pain](#);
- [depression](#), sleep problems ([insomnia](#));
- breast pain; or
- vaginal itching or discharge, changes in your menstrual periods, [breakthrough bleeding](#).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Enjuvia side effects](#) (more detail)

Related/similar drugs

Prolia

Prolia (denosumab) is an injection that is administered subcutaneously (under the skin) once every ...

Reviews & ratings

2.9 / 10

[374 Reviews](#)

[View more](#)

Fosamax

Fosamax (alendronate) is used to treat or prevent postmenopausal osteoporosis and steroid-induced ...

Reviews & ratings

2.8 / 10

[76 Reviews](#)

[View more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Testosterone

Testosterone is used in men and boys to treat conditions caused by a lack of this hormone. Includes ...

Reviews & ratings

7.3 / 10

[533 Reviews](#)

[View more](#)

Tamoxifen

Tamoxifen blocks the actions of estrogen and is used to treat and prevent some types of breast ...

Reviews & ratings

5.6 / 10

[96 Reviews](#)

[View more](#)

Premarin

Premarin is used to treat symptoms of menopause such as hot flashes, and vaginal dryness. Learn ...

Reviews & ratings

7.7 / 10

[84 Reviews](#)

[View more](#)

Reclast

Reclast (zoledronic acid) is used to treat osteoporosis in women after menopause and also to treat ...

Reviews & ratings

5.1 / 10

[275 Reviews](#)

[View more](#)

What other drugs will affect Enjuvia?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Many drugs can interact with conjugated estrogens. This includes prescription and over-the-counter medicines, vitamins, and [herbal products](#). Not all possible interactions are listed in this medication guide. Tell your doctor about all your current medicines and any medicine you start or stop using.

 [Enjuvia drug interactions](#) (more detail)

Does Enjuvia interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Enjuvia

+

Enter a drug name

Add

More about Enjuvia (conjugated estrogens)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(5\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)

- [FDA approval history](#)
- [Drug class: estrogens](#)

Patient resources

Other brands

[Premarin](#), [Cenestin](#)

Professional resources

Other brands

[Premarin](#), [Cenestin](#), [Premarin Intravenous](#)

Related treatment guides

- [Abnormal Uterine Bleeding](#)
- [Breast Cancer, Palliative](#)
- [Atrophic Urethritis](#)
- [Atrophic Vaginitis](#)

Further information


Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Enjuvia only for the indication prescribed.


Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)


Copyright 1996-2025 Cerner Multum, Inc. Version: 13.03.

DRUG STATUS

Availability
 Discontinued

Pregnancy & Lactation
 Risk data available

CSA Schedule*
N/A Not a controlled drug

Approval History
 Drug history at FDA



User Reviews & Ratings

[5 Reviews](#)

Images

Enjuvia 0.3 mg (E 1)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)
[Advertising policy](#)
[Attribution & citations](#)

Terms & privacy

[Terms of use](#)
[Editorial policy](#)
[Privacy policy](#)

Support

[Help center](#)
[Sitemap](#)
[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT

Copyright © 2000-2025 Drugs.com. All rights reserved.

