



[Home](#)

2. Adalimumab

Adalimumab

Pronunciation: *a dal aye' mu mab*

Brand names: [Humira](#), [Amjevita](#), [Yusimry](#), [Cyltezo](#), [Yuflyma](#), ... [show all 11 brands](#)

Dosage form: Subcutaneous injection by Autoinjector, Pre-Filled Syringe, Single-Dose Vial

Drug classes: [Antirheumatics](#), [TNF alfa inhibitors](#)

Medically reviewed by [Melisa Puckey, BPharm](#). Last updated on Dec 10, 2024.

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is adalimumab?

Adalimumab ([Humira](#) and others) is used to treat [plaque psoriasis](#) (Ps), [Crohn's disease](#), [ulcerative colitis](#), [rheumatoid arthritis](#) (RA), [psoriatic arthritis](#) (PsA), [juvenile idiopathic arthritis](#), [ankylosing spondylitis](#), and [uveitis](#). Adalimumab works to reduce pain, inflammation, and skin symptoms in chronic autoimmune conditions. Adalimumab works by blocking a protein called tumor necrosis factor (TNF) that can cause inflammation, pain, or other autoimmune symptoms. Adalimumab is from a class of medicine called [TNF alfa inhibitor](#).

There are 10 biosimilars of Humira, the brand names are Abrilada, Amjevita, Cyltezo, Hadlima, Hulio, Hyrimoz, Idacio, Simlandi, Yufyma and Yusimry.

All Abrilada products are interchangeable.

Amjevita, Cyltezo, Hadlima, Hyrimoz and Simlandi have some interchangeable products and some are biosimilars.

Hulio, Idacio, Yuflyma and Yusimry are biosimilars.

Humira was approved by the FDA on December 31, 2002. Humira was the first brand of adalimumab, so it is called the reference product. Biosimilars of Humira are now also available, see below for a full list of adalimumab biosimilars, indications, and companies.

A biosimilar is a biologic medicine that is a very close copy of the original product made by another company. An interchangeable biosimilar has undergone an additional Interchangeability Study, meaning that patients can be confident in the safety and effectiveness of the interchangeable biosimilar product, just as they would be for the FDA-approved original product, in this case, Humira.

Adalimumab pronunciation

Adalimumab pronunciation is *a dal aye' mu mab*.

How does adalimumab work?

Normally, your immune system defends your body against diseases by fighting harmful bacteria or viruses. However, in autoimmune disorders, the immune system becomes hyperactive and mistakenly attacks its own tissues, leading to symptoms of the autoimmune condition. Tumor necrosis factor (TNF) is a protein that is involved in causing inflammation.

Adalimumab is a TNF blocker that inhibits TNF, helping to reduce pain, inflammation, and skin symptoms.

Adalimumab is a recombinant human monoclonal antibody.

Brand names of Humira biosimilars

Humira is the original brand of adalimumab, other brands of adalimumab are biosimilars.

Brand Name	Generic Name	Designation	Company Name
Humira	adalimumab	Reference	abbvie
Abrilada	adalimumab-afzb	Interchangeable	Pfizer Inc.
Anjevita	adalimumab-atto	Interchangeable for some products	Amgen Inc.
Cyltezo	adalimumab-adbm	Interchangeable for some products	Boehringer Ingelheim Pharmaceuticals, Inc.
Hadlima	adalimumab-bwwd	Interchangeable for some products	Samsung Bioepis Co., Ltd.
Hulio	adalimumab-fkjp	Biosimilar	Mylan Pharmaceuticals Inc.
Hyrimoz	adalimumab-adaz	Interchangeable for some products	Sandoz Inc.
Idacio	adalimumab-aacf	Biosimilar	Fresenius Kabi
Simlandi	adalimumab-ryvk	Interchangeable for some products	Alvotech
Yuflyma	adalimumab-aaty	Biosimilar	Celltrion, Inc.
Yusimry	adalimumab-aqvh	Biosimilar	Coherus BioSciences, Inc.

What is adalimumab used for?

Adalimumab is used to reduce pain, inflammation, and skin symptoms in many chronic conditions. Each brand of adalimumab may be FDA-approved to treat different conditions and different patient groups.

Rheumatoid Arthritis (RA): reducing signs and symptoms, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function in adult patients with moderately to severely active RA.

Juvenile Idiopathic Arthritis (JIA): reducing signs and symptoms of moderately to severely active polyarticular JIA in patients 2 years of age and older.

Psoriatic Arthritis (PsA): reducing signs and symptoms, inhibiting the progression of structural damage, and improving

physical function in adult patients with active PsA.

Ankylosing Spondylitis (AS): reducing signs and symptoms in adult patients with active AS.

Crohn's Disease (CD): treatment of moderately to severely active Crohn's disease in patients 6 years of age and older.

Ulcerative Colitis (UC): treatment of moderately to severely active ulcerative colitis in adults for all brands except Humira brand, which is patients 5 years of age and older. Limitations of Use: Effectiveness has not been established in patients who have lost response to or were intolerant to TNF blockers.

Plaque Psoriasis (Ps): treatment of adult patients with moderate to severe chronic plaque psoriasis who are candidates for systemic therapy or phototherapy, and when other systemic therapies are medically less appropriate.

Hidradenitis Suppurativa (HS): treatment of moderate to severe hidradenitis suppurativa in patients 12 years of age and older for Humira. Abrilada, Amjevita, Cyltezo, Hadlima, Hulio, Hyrimoz, Yusimry, and Yuflyma can be used for adults with HS.

Uveitis (UV): treatment of non-infectious intermediate, posterior, and panuveitis patients 2 years of age and older, for Humira brand only. Abrilada, Amjevita, Cyltezo, Hadlima, Hulio, Hyrimoz, Yusimry, Idacio Simlandi, and Yuflyma can be used in adults with uveitis.

Adalimumab Biosimilar Brands and Indications

Brand Name	Ankylosing Spondylitis	Crohn's Disease	Hidradenitis Suppurativa	Juvenile Idiopathic Arthritis	Plaque Psoriasis	Psoriatic Arthritis	Rheumatoid Arthritis	Ulcerative Colitis	Uveitis
Humira	Yes Adults	Yes 6 years+	Yes 12 years +	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes 5 years+	Yes 2 years +
Abrilada	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Amjevita	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Cyltezo	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Hadlima	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Hulio	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Hyrimoz	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Idacio	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Simlandi	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Yuflyma	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults
Yusimry	Yes Adults	Yes 6 years+	Yes Adults	Yes 2 years +	Yes Adults	Yes Adults	Yes Adults	Yes Adults	Yes Adults

Adalimumab side effects

Common adalimumab side effects of may include:

- [headache](#);
- [cold symptoms](#) such as stuffy nose, sinus pain, sneezing, [sore throat](#);
- rash; or
- redness, bruising, itching, or swelling where the injection was given.

Serious adalimumab side effects of may include:

Get emergency medical help if you have any of these signs of an allergic reaction: [hives](#); difficulty breathing; swelling of your face, lips, tongue, or throat.

Call your doctor right away if you have any symptoms of lymphoma:

- fever, swollen glands, night sweats, general feeling of illness;
- joint and [muscle pain](#), [skin rash](#), easy bruising or bleeding;

- pale skin, feeling light-headed or short of breath, cold hands and feet;
- [pain](#) in your upper stomach that may spread to your shoulder; or
- loss of appetite, feeling full after eating only a small amount, [weight loss](#).

Also call your doctor at once if you have:

- new or worsening [psoriasis](#) (raised, silvery flaking of the skin);
- a sore or bump on your skin that does not heal;
- symptoms of [sepsis](#) - confusion, chills, severe [drowsiness](#), fast heartbeats, rapid breathing, feeling very ill;
- liver problems - body aches, tiredness, stomach pain, right-sided upper stomach pain, [vomiting](#), loss of appetite, dark urine, clay-colored stools, [jaundice](#) (yellowing of the skin or eyes);
- [lupus](#)-like syndrome - joint pain or swelling, chest pain, shortness of breath, patchy skin color that worsens in sunlight;
- nerve problems - numbness, tingling, [dizziness](#), vision problems, weakness in your arms or legs; or
- signs of tuberculosis - ever with ongoing cough, weight loss (fat or muscle).

Older adults may be more likely to develop infections or cancer while using adalimumab.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Adalimumab side effects](#) (more detail)

Related/similar drugs

Humira

Humira is a tumor necrosis factor blocker that is used to treat many inflammatory conditions such ...

Reviews & ratings

6.4 / 10

[698 Reviews](#)

[View more](#)

Cosentyx

Cosentyx (secukinumab) is used to treat plaque psoriasis, psoriatic arthritis, ankylosing ...

Reviews & ratings

6.3 / 10

[246 Reviews](#)

[View more](#)

Ilumya

Ilumya (tildrakizumab) is used to treat moderate-to-severe plaque psoriasis to reduce plaques ...

Reviews & ratings

6.6 / 10

[8 Reviews](#)

[View more](#)

Entyvio

Entyvio (vedolizumab) is used to treat ulcerative colitis (UC) and Crohn's disease, reducing ...

Reviews & ratings

6.2 / 10

[162 Reviews](#)

[View more](#)

Otezla

Otezla (apremilast) is used to treat plaque psoriasis, psoriatic arthritis, and oral ulcers ...

Reviews & ratings

5.2 / 10

[439 Reviews](#)

[View more](#)

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

[56 Reviews](#)

[View more](#)

OmvoH

OmvoH is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

[1 Reviews](#)

[View more](#)

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

[145 Reviews](#)

[View more](#)

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

[252 Reviews](#)

[View more](#)

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

[223 Reviews](#)

[View more](#)

Warnings

Adalimumab affects your immune system. You may get infections more easily, even serious or fatal infections.

Before or during treatment with adalimumab, tell your doctor if you have signs of [infection](#) such as [fever](#), chills, aches, tiredness, [cough](#), skin sores, [diarrhea](#), or burning when you urinate.

Your doctor should test you for tuberculosis (TB) before you start taking adalimumab and also monitor you closely for signs and symptoms of TB during treatment.

The chances of getting cancer may be increased for children and adults taking TNF-blockers.

Before taking this medicine

Before you start using adalimumab, tell your doctor if you have signs of infection - fever, chills, sweats, muscle aches, tiredness, cough, bloody mucus, skin sores, diarrhea, burning when you urinate, or feeling constantly tired.

Adalimumab should only be given to children if the brand is indicated for their condition and age group. Children using adalimumab should be current on all childhood immunizations before starting treatment.

Tell your doctor if you have ever had:

- [tuberculosis](#) (or if anyone in your household has tuberculosis);
- a chronic infection;
- [cancer](#);
- [hepatitis B](#) (adalimumab can cause hepatitis B to come back or get worse);
- diabetes;
- [heart failure](#);
- any numbness or tingling, or a nerve-muscle disorder such as [multiple sclerosis](#) or [Guillain-Barre syndrome](#);
- an allergy to latex rubber;
- if you are scheduled to have major [surgery](#); or
- if you have recently received or are scheduled to receive any vaccine.

Tell your doctor where you live and if you have recently traveled or plan to travel. You may be exposed to infections that are common to certain areas of the world.

Adalimumab may cause a rare type of lymphoma (cancer) of the liver, spleen, and bone marrow that can be fatal. This has occurred mainly in teenagers and young men with Crohn's disease or ulcerative [colitis](#). However, anyone with an inflammatory autoimmune disorder may have a higher risk of [lymphoma](#). Talk with your doctor about your own risk.

Pregnancy

It is not known whether adalimumab will harm an unborn baby. Tell your doctor if you are pregnant or planning a pregnancy. Make sure any doctor caring for your newborn baby knows if you used adalimumab while you were pregnant, and especially before your baby receives any vaccines.

Breastfeeding

It may not be safe to breastfeed a baby while you are using adalimumab. Ask your doctor about any risks and the best way to feed your baby while on this medicine.

 [Adalimumab pregnancy and breastfeeding warnings](#) (more detail)

How should I use adalimumab?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Adalimumab is injected under the skin (subcutaneous injection) using an autoinjector or a prefilled syringe. A healthcare provider will teach you how to properly use this injection by yourself.

Do not start using adalimumab if you have any signs of an infection. Call your doctor for instructions.

The dose schedule for adalimumab is highly variable and depends on the condition you are treating. Follow your doctor's dosing instructions very carefully.

Prepare your injection only when you are ready to give it. Do not use if the medicine looks cloudy, has changed color, or has particles in it. Call your pharmacist for new medicine.

Leave the adalimumab auto-injector or prefilled syringe at room temperature for 15 to 30 minutes to allow it to warm up. Do not warm the prefilled syringe using heat sources such as hot water or a microwave. Discard any adalimumab that has become frozen.

Choose an injection site. You may inject into the front of your thighs, and your abdomen except for the 2 in (5 cm) around the belly button (navel). Rotate the injection site each time you give an injection. Each new injection site should be at least 1.2 in (3 cm) away from the injection site you used before.

Do not inject into skin that is red, hard, tender, damaged, bruised, or scarred, and do NOT inject through your clothes.

Adalimumab affects your immune system. You may get infections more easily, even serious or fatal infections. Your doctor will need to examine you on a regular basis.

Store this medicine in its original carton in a refrigerator. Do not freeze. If you are traveling, carefully follow all patient instructions for storing your medicine during travel. Avoid extreme heat or cold.

 [Adalimumab patient tips](#) (more detail)

Dosing information

Different brands of adalimumab are available in different dosage forms and strengths, these are the approved forms and strengths for each brand.

Humira is available as:

- Humira Pen 80mg/0.8 mL, 40mg/0.8 mL, 40mg/0.4 mL
- Humira Prefilled Syringe 80mg/0.8 mL, 40mg/0.8 mL, 40mg/0.4 mL, 20mg/0.4 mL, 20mg/0.2 mL, 10mg/0.2 mL, 10mg/0.1 mL
- Humira Single-Dose Institutional Use Vial 40mg/0.8 mL

Abrilada is available as:

- Abrilada Pen 40 mg/0.8 mL
- Abrilada Prefilled Syringe Injection: 40 mg/0.8 mL, 20 mg/0.4 mL, 10 mg/0.2 mL
- Abrilada Single-Dose Institutional Use Vial Injection 40 mg/0.8 mL

Amjevita is available as:

- Amjevita SureClick Autoinjector 80 mg/0.8 mL, 40 mg/0.8 mL, 40 mg/0.4 mL
- Amjevita Prefilled Syringe 80 mg/0.8 mL, 40 mg/0.8 mL, 40 mg/0.4 mL, 20 mg/0.4 mL, 20 mg/0.2 mL, 10 mg/0.2 mL

Cyltezo is available as:

- Cyltezo Pen 40 mg/0.8 mL, 40 mg/0.4 mL
- Cyltezo Prefilled Syringe 40 mg/0.8 mL, 40 mg/0.4 mL, 20 mg/0.4 mL, 10 mg/0.2 mL

Hadlima is available as:

- Hadlima PushTouch autoinjector 40 mg/ 0.8 mL, 40 mg/ 0.4 mL
- Hadlima Prefilled Syringe 40 mg/0.8 mL, 40 mg/0.4 mL
- Hadlima Single-Dose Institutional Use Vial Injection 40 mg/0.8 mL

Hulio is available as:

- Hulio Pen 40 mg/0.8 mL
- Hulio prefilled plastic syringe 40 mg/0.8 mL, 20 mg/0.4 mL

Hyrimoz is available as:

- Hyrimoz Sensoready Pen 40 mg/0.8 mL, 40 mg/0.4 mL, 80 mg/0.8 mL
- Hyrimoz Single-dose prefilled glass syringe with BD UltraSafe Passiv Needle 20 mg/0.4 mL, 40 mg/0.8 mL, 40 mg/0.4 mL, 80 mg/0.8 mL
- Hyrimoz glass syringe 10 mg/0.2 mL, 10 mg/0.1 mL, 20 mg/0.2 mL

Idacio is available as:

- Idacio 40 mg/0.8 mL
- Idacio Prefilled Syringe 40 mg/0.8 mL

Simlandi is available as:

- Simlandi single-dose autoinjector 40 mg/0.4 mL

Yuflyma is available as:

- Yuflyma Prefilled Auto-injector (Yuflyma AI) 40 mg/0.4 mL
- Yuflyma Prefilled syringe with safety guard 40 mg/0.4 mL
- Yuflyma Prefilled Syringe 40 mg/0.8 mL

Yusimry is available as:

- Yusimry Pen Injection 40 mg/0.8 mL
- Yusimry Prefilled Glass Syringe 40 mg/0.8 mL.

The dose and frequency of adalimumab given is dependent on age, severity, and condition treated. For more information on specific dosing schedules click the link below.

 [Detailed Adalimumab dosage information](#)

What happens if I miss a dose?

Use the medicine as soon as you remember, and then go back to your regular injection schedule. Do not use extra medicine to make up for the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using adalimumab?

Do not inject adalimumab into skin that is bruised, red, tender, or hard.

While using this medicine avoid being near people who are sick or have infections. Tell your doctor at once if you develop signs of infection.

Do not receive a "live" vaccine while using adalimumab. The vaccine may not work as well during this time, and may not fully protect you from disease. Live vaccines include [measles](#), mumps, [rubella](#) (MMR), polio, rotavirus, typhoid, yellow fever, varicella (chickenpox), or zoster ([shingles](#)).

What other drugs will affect adalimumab?

Some drugs should not be used together with adalimumab. Tell your doctor about all medicines you use, and those you start or stop using during your treatment with adalimumab, especially:

- [abatacept](#), [etanercept](#);
- [anakinra](#);
- [azathioprine](#), [6-mercaptopurine](#); or
- [certolizumab](#), [golimumab](#), [infliximab](#), [rituximab](#).

This list is not complete. Other drugs may interact with adalimumab, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Not all possible interactions are listed in this medication guide.

 [Adalimumab drug interactions](#) (more detail)

Does adalimumab interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

adalimumab

+

Enter a drug name

Add

Adalimumab Biosimilars

Biosimilar and interchangeable products are biological products that are highly similar to and have no clinically meaningful differences from the reference product.

Reference products

These are biological products that have already been approved by the FDA, against which biosimilar products are compared. There is 1 for adalimumab.

Humira (adalimumab) - AbbVie Inc.

▼

Formulation type	Strength
Autoinjector	40 mg/0.4 mL
Autoinjector	40 mg/0.8 mL
Autoinjector	80 mg/0.8 mL
Pre-Filled Syringe	10 mg/0.1 mL
Pre-Filled Syringe	10 mg/0.2 mL Discontinued
Pre-Filled Syringe	20 mg/0.2 mL
Pre-Filled Syringe	20 mg/0.4 mL Discontinued
Pre-Filled Syringe	40 mg/0.4 mL
Pre-Filled Syringe	40 mg/0.8 mL
Pre-Filled Syringe	80 mg/0.8 mL
Single-Dose Vial	40 mg/0.8 mL

View [Humira](#) information in detail.

Humira interchangeable products

Interchangeable biosimilar products can be dispensed by a pharmacist without the intervention of the prescriber of the reference product.

Pharmacy laws for biosimilar prescribing may vary by state.

Abrilada (adalimumab-afzb) - Pfizer Inc.

▼

Amjevita (adalimumab-atto) - Amgen Inc.	▼
Cyltezo (adalimumab-adbm) - Boehringer Ingelheim Pharmaceuticals, Inc.	▼
Hadlima (adalimumab-bwwd) - Samsung Bioepis Co., Ltd.	▼
Hulio (adalimumab-fkjp) - Biocon Biologics Inc.	▼
Hyrimoz (adalimumab-adaz) - Sandoz Inc.	▼
Simlandi (adalimumab-ryvk) - Alvotech USA Inc.	▼

Humira biosimilar products

Biosimilar products can only be dispensed in place of the **reference product** if the healthcare provider specifically prescribes the biosimilar product by name.

Pharmacy laws for biosimilar prescribing may vary by state

Amjevita (adalimumab-atto) - Amgen Inc.	▼
Cyltezo (adalimumab-adbm) - Boehringer Ingelheim Pharmaceuticals, Inc.	▼
Hadlima (adalimumab-bwwd) - Samsung Bioepis Co., Ltd.	▼
Hyrimoz (adalimumab-adaz) - Sandoz Inc.	▼
Idacio (adalimumab-aacf) - Fresenius Kabi USA, LLC	▼
Simlandi (adalimumab-ryvk) - Alvotech USA Inc.	▼
Yuflyma (adalimumab-aaty) - CELLTRION, Inc.	▼
Yusimry (adalimumab-aqvh) - Hong Kong King-Friend Industrial Company Limited	▼

Popular FAQ

Can you take Humira with antibiotics?	▼
Cosentyx vs Humira: How do they compare?	▼
Skyrizi vs Humira for plaque psoriasis - How do they compare?	▼

Is Amjevita interchangeable with Humira?



What is the difference between Cyltezo and Humira?



More FAQ

- [What are the new drugs for rheumatoid arthritis \(RA\)?](#)
- [What are the new drugs for plaque psoriasis?](#)
- [What are biologic drugs and how do they work?](#)
- [What biosimilars have been approved in the United States?](#)

[View more FAQ...](#)

References

1. [Humira Package Insert FDA](#)
2. [FDA Purple Book](#)
3. [Purple Book Database of Licensed Biological Products Adalimumab](#)
4. [Hyrimoz Supplemental Approval FDA](#)
5. [Amjevita Package Insert FDA](#)
6. [Cyltezo Package Insert FDA](#)
7. [Hadlima Package Insert FDA](#)
8. [Hyrimoz Package Insert FDA](#)
9. [Abrilada Package Insert FDA](#)
10. [Hulio Package Insert FDA](#)
11. [Yusimry Package Insert FDA](#)
12. [Yuflyma Package Insert FDA](#)
13. [Idacio Package Insert FDA](#)
14. [Simlandi Package Insert FDA](#)

More about adalimumab

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(737\)](#)
- [Side effects](#)
- [Dosage information](#)
- [Patient tips](#)
- [During pregnancy](#)

- [Support group](#)
- [Drug class: antirheumatics](#)
- [Breastfeeding](#)

Patient resources

- [Adalimumab-aacf advanced reading](#)
- [Adalimumab-aaty \(Advanced Reading\)](#)
- [Adalimumab-adaz \(Advanced Reading\)](#)
- [Adalimumab-adbm \(Advanced Reading\)](#)
- [Adalimumab-afzb \(Advanced Reading\)](#)

Other brands

[Humira](#), [Amjevita](#), [Hadlima](#), [Hyrimoz](#), ... +7 more

Professional resources

- [Adalimumab monograph](#)
- [Adalimumab Injection \(FDA\)](#)
- [Adalimumab-aacf \(FDA\)](#)
- [Adalimumab-adaz \(FDA\)](#)
- [Adalimumab-adbm \(FDA\)](#)
- [Adalimumab-ryvk \(FDA\)](#)

Other brands

[Humira](#), [Amjevita](#), [Hadlima](#), [Hyrimoz](#), ... +7 more

Related treatment guides

- [Behcet's Disease](#)
- [Crohn's Disease, Maintenance](#)
- [Ankylosing Spondylitis](#)
- [Crohn's Disease](#)

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

 Risk data available

CSA Schedule*

N/A Not a controlled drug



Approval History

 Drug history at FDA



User Reviews & Ratings

6.4 / 10

[737 Reviews](#)

Related News

[FDA Grants Interchangeable Designation to Yuflyma \(adalimumab-aaty\), Celltrion's Biosimilar to Humira \(adalimumab\)](#)

Images

[Humira \(adalimumab\) 80 mg/0.8 mL in a single-dose pen](#)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

- [About Drugs.com](#)
- [Advertising policy](#)
- [Attribution & citations](#)

Terms & privacy

- [Terms of use](#)
- [Editorial policy](#)
- [Privacy policy](#)

Support

- [Help center](#)
- [Sitemap](#)

Contact us



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.