

Home

Sucroferric oxyhydroxide

Sucroferric oxyhydroxide

Generic name: sucroferric oxyhydroxide [SOO-kroe-FER-ik-OX-ee-hye-DROX-ide]

Brand name: Velphoro

Dosage form: oral tablet, chewable (2500 mg (500 mg elemental iron))

Drug class: Phosphate binders



Medically reviewed by Drugs.com on Jul 4, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking What to avoid Interactions

What is sucroferric oxyhydroxide?

Sucroferric oxyhydroxide is used to control phosphorus levels in people with chronic kidney disease who are on dialysis.

Sucroferric oxyhydroxide may also be used for purposes not listed in this medication guide.

Sucroferric oxyhydroxide side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have a skin rash.

Common side effects of sucroferric oxyhydroxide may include:

- diarrhea; or
- · darker color in your bowel movements.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Sucroferric oxyhydroxide side effects (more detail)

Related/similar drugs

Carafate

Carafate is an anti-ulcer medication used to treat active duodenal ulcers. Learn about side ...

Davison 0 matinus

reviews & ratings

6.2 / 10

72 Reviews

View more

Renvela

Renvela (sevelamer) reduces blood levels of phosphorus in people with chronic kidney disease who ...

Reviews & ratings

7 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Ibsrela

Ibsrela (tenapanor) is used for the treatment of irritable bowel syndrome with constipation ...

Reviews & ratings

8.7 / 10

15 Reviews

View more

Velphoro

Velphoro (sucroferric oxyhydroxide) is used to treat hyperphosphatemia in chronic kidney disease ...

Reviews & ratings

5.1 / 10

11 Reviews

View more

Xphozah

Xphozah (tenapanor) is a phosphate absorption inhibitor that is used lower serum phosphorus levels ...

Reviews & ratings

Add a review

View more

Renagel

Renagel (sevelamer) is used to reduce levels of phosphorus in people with kidney disease who are on ...

Reviews & ratings

1 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

Tell your doctor if you have ever had:

- iron overload disorder (hemochromatosis);
- liver disease:
- a stomach or intestinal disorder; or
- stomach or intestinal surgery.

Tell your doctor if you are pregnant or breastfeeding.

sucroferric oxyhydroxide is not approved for use by anyone younger than 18 years old.

How should I take sucroferric oxyhydroxide?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Sucroferric oxyhydroxide works best if you take it with meals.

The **chewable tablet** must be chewed or crushed before you swallow it.

You may need frequent blood tests.

Store at room temperature away from moisture and heat. Keep the bottle tightly closed when not in use.

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking sucroferric oxyhydroxide?

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

What other drugs will affect sucroferric oxyhydroxide?

If you take levothyroxine: take it at least 4 hours before you take sucroferric oxyhydroxide.

If you take doxycycline, aspirin, or cephalexin: take it at least 1 hour before you take sucroferric oxyhydroxide.

Other drugs may affect sucroferric oxyhydroxide, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Sucroferric oxyhydroxide drug interactions (more detail)

Does sucroferric oxyhydroxide interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

sucroferric oxyhydroxide
+
Enter a drug name
Add

More about sucroferric oxyhydroxide

- · Check interactions
- · Compare alternatives
- Reviews (11)
- Side effects

- · Drug class: phosphate binders
- Breastfeeding
- En español

Patient resources

Sucroferric oxyhydroxide advanced reading

Other brands

Velphoro

Professional resources

• Sucroferric Oxyhydroxide monograph

Other brands

Velphoro

Related treatment guides

· Hyperphosphatemia of Renal Failure

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.01.

DRUG STATUS

Availability

Rx Prescription only

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

5.1 / 10

Images

Velphoro (sucroferric oxyhydroxide) 500 mg (PA 500)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





