

Home

2. Campral

Campral 🖘

Generic name: acamprosate [*a-KAM-proe-sate*] **Drug class:** Drugs used in alcohol dependence

Medically reviewed by Philip Thornton, DipPharm. Last updated on Jul 1, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ



The Campral brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

What is Campral?

Campral affects chemicals in the brain that may be unbalanced in a person who is addicted to alcohol. Acamprosate works by restoring this chemical balance in the brain in an alcohol-dependent person who has recently guit drinking.

Campral is used to help maintain sobriety in alcohol-dependent adults who no longer drink alcohol. This medicine is used with behavioral therapy or counseling support to help prevent an urge to drink again. Campral will not treat or prevent alcohol withdrawal symptoms.

Campral may not be as effective if you have not gone through detox and stopped drinking alcohol completely. This medicine is also unlikely to be effective in people who abuse drugs or other substances.

Warnings

You should not use Campral if you have severe kidney disease.

Campral can cause side effects that may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be awake and alert. Take Campral for the full prescribed length of time, even if you relapse and drink alcohol. While you are taking this medicine, tell your doctor about any alcoholic drinks you consume, no matter how many.

Before taking this medicine

You should not use Campral if you are allergic to acamprosate, or if you have severe kidney disease.

Tell your doctor if you have ever had kidney problems.

Some people have thoughts about suicide while taking Campral. Your doctor will need to check your progress at regular visits. Your family or other caregivers should also be alert to changes in your mood or symptoms.

Tell your doctor if you are pregnant or breastfeeding.

Campral pregnancy and breastfeeding warnings (more detail)

How should I take Campral?

Take Campral exactly as prescribed by your doctor. Follow all directions on your prescription label and read all medication guides or instruction sheets.

Start taking Campral as soon as possible after you have quit drinking.

May be taken with or without food. If you routinely eat 3 meals daily, take the medicine at each meal.

Swallow the tablet whole and do not crush, chew, or break it.

Keep taking Campral as directed even if you relapse and drink alcohol. Tell your doctor about any alcohol you consume, no matter how much.

Your treatment will also include counseling support and continued abstinence from alcohol.

Store at room temperature away from moisture and heat.

Dosing information

Usual Adult Dose for Alcohol Dependence:

666 mg orally 3 times a day

Comments:

- -Doses should be taken with meals in patients who regularly eat 3 meals a day.
- -Treatment should begin as soon as possible after the withdrawal period (when the patient achieves abstinence) and should be maintained if the patient relapses.
- -This drug should be used as part of a comprehensive psychosocial treatment program.
- -Lower doses may be effective in some patients.

Use: For the maintenance of abstinence from alcohol in patients with alcohol dependence who are abstinent at treatment initiation

Detailed Campral dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

Get your prescription refilled before you run out of medicine completely.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Campral?

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

Campral side effects

Get emergency medical help if you have **signs of an allergic reaction to Campral:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- · severe anxiety or depression;
- · mood or behavior changes;
- · thoughts about suicide or hurting yourself;
- severe diarrhea; or
- kidney problems swelling, urinating less, feeling tired or short of breath.

Common Campral side effects may include:

- · anxiety, depressed mood;
- dizziness;
- sleep problems;
- pain, weakness;
- · itching, sweating, tingling;
- nausea, diarrhea, gas, loss of appetite; or
- dry mouth.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

<u>Campral side effects</u> (more detail)

Related/similar drugs

Vivitrol

Vivitrol is a long-acting injectable form of naltrexone used to treat alcohol use disorder and ...

Reviews & ratings

View more

Antabuse

Antabuse interferes with the metabolism of alcohol and is used to treat chronic alcoholism. Learn ...

Reviews & ratings

7.8 / 10

111 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Valium

Valium is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.6 / 10

341 Reviews

View more

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.4 / 10

884 Reviews

View more

Disulfiram

Disulfiram may be used to treat alcohol use disorder (also called chronic alcoholism) and works by ...

Reviews & ratings

7.8 / 10

141 Reviews

View more

What other drugs will affect Campral?

Other drugs may interact with acamprosate, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all other medicines you use.

Does Campral interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Campral	
+	
Enter a drug name	Add

Popular FAQ

How do you pronounce acamprosate?	~
Acamprosate vs naltrexone: How do they compare?	~
Does acamprosate make you sick if you drink alcohol?	~
How long does it take for acamprosate to work?	~
Does acamprosate cause weight gain?	~
How does acamprosate work?	~

More about Campral (acamprosate)

- · Compare alternatives
- Reviews (206)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- · Generic availability
- · FDA approval history
- Drug class: drugs used in alcohol dependence
- Breastfeeding

Professional resources

- Campral prescribing information
- Acamprosate (AHFS Monograph)

Related treatment guides

• Alcohol Use Disorder

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Campral only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability

O Discontinued

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

years FDA approved 2004

User Reviews & Ratings

8.6 / 10

206 Reviews

Images

Campral 333 mg (333)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







