

Home

Bismuth subgallate

Bismuth Subgallate

Generic name: Bismuth Subgallate [*BIZ-muth-sub-GAL-ate*]

Brand name: Devrom

Drug class: Antidiarrheals

Medically reviewed by Drugs.com. Last updated on Apr 29, 2024.

Uses Before taking Warnings Directions Side effects Overdose

Uses of Bismuth Subgallate:

• It is used to help gas and stools smell better.

What do I need to tell my doctor BEFORE I take Bismuth Subgallate?

• If you are allergic to bismuth subgallate; any part of bismuth subgallate; or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.

This medicine may interact with other drugs or health problems.

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take bismuth subgallate with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Bismuth Subgallate?

- Tell all of your health care providers that you take bismuth subgallate. This includes your doctors, nurses, pharmacists, and dentists.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using bismuth subgallate while you are pregnant.
- Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

How is this medicine (Bismuth Subgallate) best taken?

Use bismuth subgallate as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- · Take with or without food.
- · Chew well before swallowing.

What do I do if I miss a dose?

- If you take bismuth subgallate on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times bismuth subgallate is taken on an as needed basis. Do not take more often than told by the doctor.

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Bismuth subgallate side effects (more detail)

Related/similar drugs

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

What are some other side effects of Bismuth Subgallate?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

• Dark tongue and stool.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Bismuth Subgallate?

- Store at room temperature.
- Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions
 about bismuth subgallate, please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

More about bismuth subgallate

- Check interactions
- · Compare alternatives
- Reviews (7)
- · Side effects
- · Drug class: antidiarrheals

Patient resources

Other brands

Devrom

Related treatment guides

• Gas

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal

Medical Disclaimer

DRUG STATUS

Availability

Rx and/or OTC

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

7 Reviews

Images

Devrom (bismuth subgallate) 200 mg (D)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×