

Home

2. Benzonatate

Benzonatate 🖘

Generic name: benzonatate [ben-ZOE-na-tate] **Brand names:** Tessalon Perles, Tessalon, Zonatuss

Drug class: Antitussives

Medically reviewed by Philip Thornton, DipPharm. Last updated on Aug 14, 2023.

Uses Warnings Before taking Side effects Dosage Interactions FAQ

What is benzonatate?

Benzonatate is a non-narcotic cough medicine.

Benzonatate works by numbing the throat and lungs, making the cough reflex less active.

Benzonatate is used to relieve coughing.

Warnings

You should not use this medication if you are allergic to benzonatate or topical numbing medicines such as tetracaine or procaine (found in some insect bite and sunburn creams).

Never suck or chew on a benzonatate capsule. Swallow the pill whole. Sucking or chewing the capsule may cause your mouth and throat to feel numb or cause other serious side effects.

Serious side effects of benzonatate include choking feeling, chest pain or numbness, feeling like you might pass out, confusion, or hallucinations. Some of these side effects may result from chewing or sucking on a capsule.

Do not give this medication to a child younger than 10 years old without medical advice. **An overdose of benzonatate** can be fatal to a child.

Before taking this medicine

You should not use this medicine if you are allergic to benzonatate or topical numbing medicines such as tetracaine or procaine (found in some insect bite and sunburn creams).

Tell your doctor if you are pregnant or breastfeeding.

Benzonatate is not approved for use by anyone younger than 10 years old. An overdose can be fatal, especially to a young child who has accidentally swallowed the medicine.

How should I take benzonatate?

Take benzonatate exactly as prescribed by your doctor. Follow all directions on your prescription label and read all medication guides or instruction sheets.

Always ask a doctor before giving a cough medicine to a child. Death can occur from the misuse of cough and cold medicines in very young children.

Take each dose with a full glass of water.

Never suck or chew on a benzonatate capsule. Swallow the pill whole. Sucking or chewing the capsule may cause serious side effects.

Store at room temperature away from moisture, heat, and light.

Benzonatate patient tips (more detail)

What happens if I miss a dose?

Skip the missed dose and use your next dose at the regular time. Do not use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. An overdose of benzonatate can be fatal, especially to a child. Accidental death has occurred in children under 10 years old.

Overdose symptoms may include tremors, feeling restless, seizure (convulsions), slow heart rate, weak pulse, fainting, and slow breathing (breathing may stop).

What to avoid

Avoid eating or drinking anything while you feel numbness or tingling in your mouth or throat.

Benzonatate side effects

Stop taking benzonatate and get emergency medical help if you have signs of an allergic reaction: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- severe drowsiness or dizziness:
- · confusion, hallucinations.
- ongoing numbness or tingling in your mouth, throat, or face;
- · numbness in your chest;
- · a choking feeling;

- · chills; or
- · burning in your eyes.

Some of these side effects may result from chewing or sucking on a benzonatate capsule.

Common benzonatate side effects may include:

- headache, dizziness;
- nausea, upset stomach;
- · constipation;
- · itching, rash; or
- stuffy nose.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i Benzonatate side effects (more detail)

Related/similar drugs

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

Mucinex

Mucinex (guaifenesin) is used to relieve the symptoms of cough and loosen mucus in the chest ...

Reviews & ratings

6.2 / 10

155 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's

diagona in adulta Thia

Reviews & ratings

1 Reviews

View more

Norco

Norco (acetaminophen and hydrocodone) is used to relieve moderate to severe pain. Includes Norco ...

Reviews & ratings

6.3 / 10

367 Reviews

View more

Dilaudid

Dilaudid (hydromorphone) is a narcotic pain reliever used to treat moderate to severe pain ...

Reviews & ratings

8.2 / 10

329 Reviews

View more

Vicodin

Vicodin (acetaminophen and hydrocodone) is used to relieve moderate to severe pain. Includes ...

Reviews & ratings

7.7 / 10

146 Reviews

View more

Codeine

Codeine is a opioid pain medicine used to treat mild to moderate pain. Includes codeine side ...

Reviews & ratings

7.8 / 10

View more

Dextromethorphan

Dextromethorphan is a cough suppressant used to treat coughing. Learn about side effects ...

Reviews & ratings

3.7 / 10

386 Reviews

View more

Guaifenesin

Guaifenesin is an expectorant. It helps loosen congestion in your chest and throat. Includes ...

Reviews & ratings

7.1 / 10

305 Reviews

View more

Dosing information

Usual Adult Dose for Cough:

100 mg to 200 mg orally three times a day as needed for cough

Comments: This drug should be swallowed whole.

Use: Symptomatic relief of cough

Usual Pediatric Dose for Cough:

Children older than 10 years:

100 mg to 200 mg orally three times a day as needed for cough

Comments: This drug should be swallowed whole.

Use: Symptomatic relief of cough

Detailed Benzonatate dosage information

What other drugs will affect benzonatate?

Using benzonatate with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Other drugs may interact with benzonatate, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Benzonatate drug interactions (more detail)

Does benzonatate interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Frequently asked questions

• Can benzonatate be used for a sore throat?

More about benzonatate

- Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (785)
- Drug images
- · Side effects
- Dosage information
- Patient tips
- During pregnancy
- Support group
- Drug class: antitussives
- En español

Patient resources

Other brands

Zonatuss

Professional resources

- · Benzonatate monograph
- Benzonatate (FDA)

Other brands

Tessalon

Related treatment guides

Cough

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use benzonatate only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 11.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA


User Reviews & Ratings

4.1 / 10

785 Reviews

Images

Benzonatate 100 mg (PC14)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright @ 2000-2025 Drugs.com. All rights reserved.