

Submission Worksheet

Submission Data

Course: IT202-007-F2025

Assignment: IT202 Module 3 HTML, CSS, JS Challenges

Student: Roshan T. (rt524)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 10/6/2025 6:27:42 PM

Updated: 10/6/2025 8:24:10 PM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-007-F2025/it202-module-3-html-css-js-challenges/grading/rt524>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-007-F2025/it202-module-3-html-css-js-challenges/view/rt524>

Instructions

- Overview Link: <https://youtu.be/Dyl6dg1Xybo>
- 1. Ensure you read all instructions and objectives before starting.
- 2. Create a new branch from dev called M3-Homework
 - 1. `git checkout dev` (ensure proper starting branch)
 - 2. `git pull origin dev` (ensure history is up to date)
 - 3. `git checkout -b M3-Homework` (create and switch to branch)
- 3. Copy the template code from here: [GitHub Repository - M3 Homework](#)
 - It includes Challenges 1-3, `util.js`, and `styles.css`. Put all into an M3 folder or similar inside your `public_html`
 - Immediately record to history
 - `git add public_html`
 - `git commit -m "adding M3 HW baseline files"`
 - `git push origin M3-Homework`
 - Create a Pull Request from M3-Homework to dev and keep it open
- 4. Fill out the below worksheet
 - Each Problem requires the following as you work
 - Ensure there's a comment with your UCID, date, and brief summary of how the problem was solved
 - Update ucid in header tag
 - Code solution (add/commit periodically as needed) (style and/or script tags)
- 5. Once finished, click "Submit and Export"
- 6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 - 1. `git add .`
 - 2. `git commit -m "adding PDF"`
 - 3. `git push origin M3-Homework`
 - 4. On Github merge the pull request from M3-Homework to dev
 - 5. On Github create a pull request from dev to prod and immediately merge. (This will trigger the prod

deploy to make the prod links work)

7. Upload the same PDF to Canvas
8. Sync Local
 1. git checkout dev
 2. git pull origin dev

Section #1: (3 pts.) Challenge 1 - Fixed Header, Content, Footer

Progress: 100%

≡ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- #1 The header and footer should remain FIXED in place (top and bottom of page respectively)
- #2 The content area should SCROLL independently (nothing should be pushed off screen and the browser WINDOW scrollbar shouldn't appear)
- #3 The entire page should always take up the full viewport height
- #4 The borders around header,main,footer should remain intact and visible, this will help show that the challenges were solved correctly
- Add code to solve the problem (add/commit as needed)


Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar



```

<style>
  /* You're free to make whatever calls you need here, just don't override anything in the styles.css */
  /* See the requirements at the top. If easier, you may copy/paste them here */
  /* rt524 10/4/25 */
  /* Solutions make footer and header sticky to keep them on the top and bottom, and make the class "content" overflow to auto */

  header {
    position: sticky;
    top: 0;
  }
  footer {
    position: sticky;
    bottom: 0;
  }
  .content {
    height: 1000px;
    overflow: auto;
  }
  body {
    overflow: hidden;
  }
</style>

```

code solution challenge 1

 Saved: 10/6/2025 6:31:50 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1

https://github.com/rt-524/rt524-it202-007-M3-Homework/public_html/M3/challenge1.html



URL

<https://github.com/rt-524/rt524-it>



URL #2

<https://rt524-it202-007-prod-a195f178bfec.herokuapp.com/M3/challenge1.html>



URL

<https://rt524-it202-007-prod-a195f178bfec.herokuapp.com/M3/challenge1.html>



 Saved: 10/6/2025 6:31:50 PM

Part 3:

Progress: 100%

Details:

Briefly explain `how` the code solves the challenge(s) (note: this isn't the same as `what` the code does)

Your Response:

The header and footers were stuck on the top and bottom using position: sticky so that they would not move, and the content overflow was set to auto to allow for scrolling.

 Saved: 10/6/2025 6:31:50 PM

Section #2: (3 pts.) Challenge 2 - Header, Content, And Sidebars

Progress: 100%

≡ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
 - #1: Header is at the top
 - #2: Content takes up the rest of the height
 - #3: Both sidebars docked to the respective side and take up 15% width; Content area should utilize the remaining width
- Using JavaScript complete the following
 - #4: Attach the appropriate event listener to the buttons
 - #5: Individual toggle the respective panel between collapsed and uncollapsed (Don't lose the button in the process)
 - #6: The content should adjust based on the status of the respective sidebars (i.e., take up more left, right, or both space)
- Add code to solve the problem (add/commit as needed)


Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar



```

    height: 100px;
  }
  .container {
    display: flex;
    height: 100vh;
    overflow: auto;
  }
  #left-sidebar, #right-sidebar {
    width: 25%;
  }
  #left-sidebar-button {
    position: fixed;
    left: 0;
  }
  #right-sidebar-button {
    position: fixed;
    right: 0;
  }
  .body {
    margin-top: 50px;
  }
}

```

part 1 code solution challenge 2

```

//script.js
// Toggle the button toggle here by #toggling and attaching an appropriate event listener and toggle
// Let the button element be class ID and on click, remove the width of the sidebar to 0. Repeated button press with a button class value = 72
const toggleButton = document.getElementById("toggle-sidebar");
const rightButton = document.getElementById("right-sidebar");
const leftButton = document.getElementById("left-sidebar");
const toggleClass = "toggle";

toggleButton.addEventListener("click", function() {
  if (toggleButton.classList.contains(toggleClass)) {
    toggleButton.classList.remove(toggleClass);
    rightButton.style.width = "100%";
    leftButton.style.width = "100%";
  } else {
    toggleButton.classList.add(toggleClass);
    rightButton.style.width = "0%";
    leftButton.style.width = "0%";
  }
});

```

part 2 code solution challenge 2



Saved: 10/6/2025 6:35:45 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1

https://github.com/rt-524/rt524-it202-007/M3-Homework/public_html/M3/challenge2.html



URL

https://github.com/rt-524/rt524-it202-007/M3-Homework/public_html/M3/challenge2.html


URL #2

<https://rt524-it202-007-prod-a195f178bfec.herokuapp.com/M3/challenge2.html>



URL

<https://rt524-it202-007-prod-a195f178bfec.herokuapp.com/M3/challenge2.html>


Saved: 10/6/2025 6:35:45 PM

Part 3:

Progress: 100%

Details:

Briefly explain **how** the code solves the challenge(s) (note: this isn't the same as **what** the code does)

Your Response:

applies the same header logic as challenge 1. fix the position of each sidebar to the left and right and add event listeners so that they collapse or expand based on boolean clicked or not



Saved: 10/6/2025 6:35:45 PM

Section #3: (3 pts.) Challenge 3 - Carousel Layout With Swiping

Progress: 50%

☰ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
 - #1 Header should be at the top
 - #2 Carousel should take up full width
 - #3 Buttons should be centered
 - #4 Carousel panels should fill the full height of the carousel
 - #5 Carousel content should be centered (vertical and horizontal)
- Using JavaScript complete the following
 - #4 Attach appropriate event listeners to each button
 - #5 Cycle through each panel, showing only 1 at a time
 - #6 Ensure that the panels loop when reaching the last or first one
- Add code to solve the problem (add/commit as needed)

🖼 Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar



heroku output of challenge 3

```
/* You're free to make whatever edits you need here, just don't override anything in the styles.css */
/* CHANGING TO BE 25% */
/* Keep the header at the top with a sticky position, and only change the text box under challenge3 to be centered */
with a flex */

header {
  position: sticky;
  top: 0;
  padding: 10px;
}

challenge3 {width: 40%;}
display: flex;
justify-content: center;
}
challenge3-container {
  display: flex;
}
.panel {
  justify-content: center;
  align-items: center;
  display: none;
}
}

</style>
```

part 1 css code challenge 3

```
/* You're free to make whatever edits you need here, just don't override anything in the styles.css */
/* CHANGING TO BE 25% */
/* Keep the header at the top with a sticky position, and only change the text box under challenge3 to be centered */
with a flex */

header {
  position: sticky;
  top: 0;
  padding: 10px;
}

challenge3 {width: 40%;}
display: flex;
justify-content: center;
}
challenge3-container {
  display: flex;
}
.panel {
  justify-content: center;
  align-items: center;
  display: none;
}
}

</style>
```

part 2 js code challenge 3

 Saved: 10/6/2025 8:15:25 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1

https://github.com/rt-524/rt524-it202-007/M3-Homework/public_html/M3/challenge3.html



TH

<https://github.com/rt-524/rt524-it>



URL #2

<https://rt524-it202-007-prod-a195>



TH

<https://rt524-it202-007-prod-a195>





Saved: 10/6/2025 8:15:25 PM

⇒ Part 3:

Progress: 100%

Details:

Briefly explain **how** the code solves the challenge(s) (note: this isn't the same as **what** the code does)

Your Response:

After setting the panels into a box and centering them with flex, event listeners were added to the buttons that when pressed, hide the current panel and show the next panel in the array in order.



Saved: 10/6/2025 8:15:25 PM

≡ Task #2 (+ 1.01 pts.) - Extra Credit - Challenge 7

Progress: 0%

Details:

- Allow mouse swipe on the carousel to cycle through the panels, similar to how the buttons would work

🖼️ Part 1:

Progress: 0%

Details:

1. Snippet of relevant code showing solution (with ucid/date comment)



Missing Caption



Saved: 10/1/2025 8:59:35 AM

⇒ Part 2:

Progress: 0%

Details:

Briefly explain **how** the code solves the challenge(s) (note: this isn't the same as **what** the code does)

Your Response:

Missing Response



Saved: 10/1/2025 8:59:35 AM

Section #4: (1 pt.) Misc

Progress: 100%

≡ Task #1 (0.33 pts.) - Github Details

Progress: 100%

📁 Part 1:

Progress: 100%

Details:

From the Commits tab of the Pull Request screenshot the commit history



screenshot of github commits



Saved: 10/6/2025 8:18:43 PM

⇒ Part 2:

Progress: 100%

Details:

Include the link to the Pull Request (should end in **/pull/#**)

URL #1

[https://github.com/rt-524/rt524-](https://github.com/rt-524/rt524-it20250173)

[it20250173](https://github.com/rt-524/rt524-it20250173)



URL

<https://github.com/rt-524/rt524-it>



Saved: 10/6/2025 8:18:43 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

Projects - rt524-it202-007



4 hrs 24 mins over the [Last 7 Days](#) in rt524-it202-007 under [all](#) branches.



waketime overall screenshot

Files

1 hr 59 mins	challenge3.html
1 hr 12 mins	challenge2.html
1 hr 2 mins	challenge1.html
6 mins	util.js
2 mins	style.css
14 secs	styles.css

Branches

4 hrs 24 mins	M3-Homework
---------------	-------------

waketime files screenshot



Saved: 10/6/2025 8:20:25 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to apply CSS and JavaScript to existing HTML to transform the page in different ways. This included moving things around, changing the properties of items, and adding functionality. I also learned how to access specific tags, classes, and IDs with CSS.



Saved: 10/6/2025 8:22:19 PM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was finding understanding how the JavaScript worked as some naming conventions and other aspects of the language were similar to other languages I have used before. The functions were also somewhat straightforward to write and intuitive to a degree after scanning through some documentation.



Saved: 10/6/2025 8:23:32 PM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignment was getting the CSS what I wanted it to do. For example, understanding the properties of a flex vs a flexbox and the names of some properties for things like alignment took a lot of getting used to and looking up what certain names meant.



Saved: 10/6/2025 8:24:10 PM