# **EXPERIMENT 1**

DATABASE: DB1

CREATE DATABASE DB1;

USE DB1;

### **TABLE: BRANCH**

CREATE TABLE BRANCH(BNAME VARCHAR(20) PRIMARY KEY,

CITY VARCHAR(30) NOT NULL);

INSERT INTO BRANCH VALUES("VRCE", "NAGPUR");

INSERT INTO BRANCH VALUES("AJNI", "NAGPUR");

INSERT INTO BRANCH VALUES("KAROLBAGH","DELHI");

INSERT INTO BRANCH VALUES("CHANDNI", "DELHI");

INSERT INTO BRANCH VALUES("DHARAMPETH", "NAGPUR");


INSERT INTO BRANCH VALUES("MG ROAD", "BANGALORE");

**SELECT \* FROM BRANCH:** 

INSERT INTO BRANCH VALUES("ANDHERI", "BOMBAY");

INSERT INTO BRANCH VALUES("NEHRU", "PALACE DELHI");

INSERT INTO BRANCH VALUES("POWAI", "BOMBAY");



# **TABLE: CUSTOMER**

CREATE TABLE CUSTOMER(CNAME VARCHAR(15) PRIMARY KEY,

CITY VARCHAR(20) NOT NULL);

INSERT INTO CUSTOMER VALUES("ANIL", "CALCUTTA");

INSERT INTO CUSTOMER VALUES("SUNIL", "DELHI");

INSERT INTO CUSTOMER VALUES("MEHUL", "BARODA");

INSERT INTO CUSTOMER VALUES("MANDAR", "PATNA");

INSERT INTO CUSTOMER VALUES("MADHURI", "NAGPUR");

INSERT INTO CUSTOMER VALUES("PRAMOD", "NAGPUR");


INSERT INTO CUSTOMER VALUES("SANDIP", "SURAT");

INSERT INTO CUSTOMER VALUES("SHIVANI", "BOMBAY");

INSERT INTO CUSTOMER VALUES("KRANTI", "BOMBAY");

INSERT INTO CUSTOMER VALUES("NAREN", "BOMBAY");

SELECT \* FROM CUSTOMER;




#### **TABLE: DEPOSITE**

CREATE TABLE DEPOSITE(ACTNO VARCHAR(5) PRIMARY KEY CHECK(ACTNO LIKE 'D%'),

CNAME VARCHAR(15), FOREIGN KEY(CNAME) REFERENCES CUSTOMER(CNAME), BNAME VARCHAR(20), FOREIGN KEY(BNAME) REFERENCES BRANCH(BNAME), AMOUNT FLOAT NOT NULL CHECK( AMOUNT!=0), ADATE DATE); INSERT INTO DEPOSITE VALUES('D100', 'ANIL', 'VRCE', 1, '1995-03-01'); INSERT INTO DEPOSITE VALUES('D101', 'SUNIL', 'AJNI', 500.00, '1996-01-04'); INSERT INTO DEPOSITE VALUES('D102', 'MEHUL', 'KAROLBAGH', 3500.00, '1995-11-17'); INSERT INTO DEPOSITE VALUES('D104', 'MADHURI', 'CHANDNI', 1200.00, '1995-12-17'); INSERT INTO DEPOSITE VALUES('D105', 'PRAMOD', 'MG ROAD', 3000.00, '1996-03-27'); INSERT INTO DEPOSITE VALUES('D106', 'SANDIP', 'ANDHERI', 2000.00, '1996-03-31'); INSERT INTO DEPOSITE VALUES('D107', 'SHIVANI', 'DHARAMPETH', 1000.00, '1995-09-

INSERT INTO DEPOSITE VALUES('D108', 'KRANTI', 'NEHRU', 5000.00, '1995-07-02'); INSERT INTO DEPOSITE VALUES('D109', 'MANDAR', 'POWAI', 7000.00, '1995-08-10');



## **TABLE: BORROW**

CREATE TABLE BORROW(LOANNO VARCHAR(8) PRIMARY KEY CHECK(LOANNO LIKE 'L%'),

CNAME VARCHAR(15), FOREIGN KEY(CNAME) REFERENCES CUSTOMER(CNAME),

BNAME VARCHAR(20), FOREIGN KEY(BNAME) REFERENCES BRANCH(BNAME), AMOUNT FLOAT NOT NULL CHECK(AMOUNT!=0));

INSERT INTO BORROW VALUES('L201','ANIL','VRCE',1000.00);
INSERT INTO BORROW VALUES('L206','MEHUL','AJNI',5000.00);
INSERT INTO BORROW VALUES('L311','SUNIL','DHARAMPETH',3000.00);
INSERT INTO BORROW VALUES('L321','MADHURI','ANDHERI',2000.00);
INSERT INTO BORROW VALUES('L371','PRAMOD','POWAI',8000.00);
INSERT INTO BORROW VALUES('L481','KRANTI','NEHRU',3000.00);

