

Experiment No.1

Title: Demonstrate the use of Internal, Inline, and External CSS to style a webpage.

Software/Tools Required

- Any text/code editor (e.g., VS Code)
- Web browser (e.g., Chrome, Edge, Firefox) to render and view the HTML page
- Basic knowledge of HTML5 and CSS3


Theory

HTML (HyperText Markup Language): Defines the core structure and content of web pages using tags (e.g., <h1>, <p>). It relies on CSS for styling and JavaScript for interactivity.

JavaScript: A scripting language used to add interactivity, dynamic behavior, and logic to web pages.

CSS (Cascading Style Sheets): Controls the presentation, formatting, and layout of an HTML document. It can be applied in three ways:

1. **Inline CSS:** Applied directly within an HTML tag using the style attribute. It has the highest priority but is not reusable and is difficult to maintain.
2. **Internal CSS:** Written within a <style> tag in the <head> section of the HTML document. It is useful for styling a single, specific page.
3. **External CSS:** Written in a separate .css file and connected to the HTML document via a <link> tag. This is the most maintainable approach, allowing you to reuse styles across multiple pages.



Result / Conclusion

The webpage was successfully created and executed, demonstrating Inline, Internal, and External CSS on a single page. The output verifies that all three methods of applying CSS render correctly in the browser, with External CSS providing the most reusable and maintainable approach among the three.