

Looking for Real Exam Questions for IT Certification Exams!

We guarantee you can pass any IT certification exam at your first attempt with just 10-12 hours study of our guides.

Our study guides contain actual exam questions; accurate answers with detailed explanation verified by experts and all graphics and drag-n-drop exhibits shown just as on the real test.

To test the quality of our guides, you can download the one-fourth portion of any guide from <http://www.certificationking.com> absolutely free. You can also download the guides for retired exams that you might have taken in the past.

For pricing and placing order, please visit <http://certificationking.com/order.html>

We accept all major credit cards through www.paypal.com

For other payment options and any further query, feel free to mail us at info@certificationking.com

Question No : 1

The method to define a column in a layout template is:

- A. `$layout.createColumn()`
- B. `$layout.defineColumn()`
- C. `$processor.processColumn()`
- D. `$layout.addColumn()`

Answer: C

Question No : 2

The JavaScript method that executes after all the portlets on the page have finished loading is:

- A. `Liferay.Portlet.ready(fn)`
- B. `AUI().ready(fn)`
- C. `Liferay.on('allPortletsReady',fn)`
- D. None of the above

Answer: C

Question No : 3

A JSR-286 standard portlet extends:

- A. `LiferayPortlet`
- B. `MVCPortlet`
- C. `GenericPortlet`
- D. `StrutsPortlet`
- E. Any Java class

Answer: C

Question No : 4

ThecompanyId" is a(n):

- A. Portal instance
- B. Organization
- C. Site
- D. Team

Answer: A

Question No : 5

Site administrators would like to search for web content based on the review date. The review date is not currently indexed when web content is published. The recommended way to add the review date to the search index is to:

- A. Create an Ext plugin and overwrite the Journal indexer to index the review date
- B. Create a hook plugin and override the Journal service to index the review date
- C. Create a hook plugin and override the edit article Struts action to index the review date
- D. Create a hook plugin and implement an indexer post processor to index the review date

Answer: D

Question No : 6

The recommended way to add new functionality in Liferay is to:

- A. Create Ext plugins
- B. Create portlet, theme, layout template or hook plugins
- C. Modify Liferay's source code directly
- D. All of the above

Answer: B

Question No : 7

Instanceable portlets: (Please select all correct answers.)

- A. Have unique preferences perportlet
- B. Can be added to a page multiple times
- C. Share the same data within the same site
- D. Can be displayed in the Control Panel
- E. Share the same data on the same page

Answer: A,B

Question No : 8

To generate remote services with Service Builder:

- A. Pass the switch "-Dremote-service=true" to the Ant "build-service" target
- B. Set the attribute "remote-service" to "true" on the "entity" element in service.xml
- C. Set the attribute "remote-service" to "true" on the "service-builder" element in service.xml
- D. All of the above

Answer: B

Question No : 9

The method to embed the non-instanceable Languageportletwith the name "82" in a theme is:

- A. `$theme.include("82")`
- B. `$theme.runtime("82")`
- C. `$theme.runtime("82_INSTANCE_abcl23")`
- D. `$theme.include("82_INSTANCE_abcl23")`

Answer: B

Question No : 10

The method to embed aportletin a layout template is:

- A. `$layout.addPortlet()`

- B. \$processor.processPortlet()
- C. \$layoutembedPortlet()
- D. \$layout. process Portlet()

Answer: B

Question No : 11

Portlethevents are distributed toportlets on different pages by setting the property:

- A. portlet.event.distribution=all-pages
- B. event.distribution =all-pages
- C. portlet.event.distribution=layout-set
- D. No specific property setting is required

Answer: C

Question No : 12

In a JSP that includes the <liferay-theme:defineObjects /> tag, the method to check permissions is:

- A. permissionChecker.hasPermissionO
- B. portalUtil.getPermissionChecker().hasPermission()
- C. permissionUtil.hasPermission()
- D. renderRequest.getPermissionChecker().hasPermission()

Answer: A

Question No : 13

Theportletlifecycle includes the methods:(Please select all correct answers.)

- A. destroy ()
- B. processEvent()
- C. service()
- D. render()

- E. serveResource()
- F. processAction()

Answer: A,B,D,E,F

Question No : 14

The recommended way to turn off portlet borders in a custom theme is to:

- A. Modify portlet.vm to hide the portlet borders
- B. Set the theme setting "portlet-setup-show-borders" to "false"
- C. Create a JSP hook that overrides portlet_wrapper.jsp to hide the portlet borders
- D. Set the portal property "portlet.setup.show.borders" to false

Answer: B

Question No : 15

An Ext plugin should be used to:

- A. Create a portlet
- B. Create a theme
- C. Overwrite a portal JSP file
- D. Create a servlet filter
- E. Modify core portlet deployment descriptors
- F. Create a web service

Answer: E

Question No : 16

The recommended way to create new methods in a core service is to use a service wrapper hook.

- A. True
- B. False

Answer: B

Question No : 17

The recommended way to implement a new SSO solution that captures the SSO header is to:

- A. Create an Ext plugin that adds a servlet filter to capture the SSO header
- B. Create a hook plugin that implements a servlet filter to capture the SSO header
- C. Modify the portal source code and create an SSO servlet filter in the portal to capture the SSO header
- D. Create a hook plugin to override the Struts action for the Loginportletto capture the SSO header

Answer: B

Question No : 18

Service Builder is able to:(Please select all correct answers.)

- A. Generate Hibernate configuration files
- B. Generate base implementations of models, services, persistence and basic finders
- C. Generate struts-config.xml and tiles-defs.xml
- D. Generate web services

Answer: A,B,D

Question No : 19

A hook plugin can extend and override:(Please select all correct answers.)

- A. Core portal Struts actions
- B. CoreportletStruts actions
- C. Portletplugin Struts actions
- D. Layout template Struts actions

Answer: A,B

Question No : 20

Given the service.xml:

```
<entity name="AcmeItem" local-service = "true" remote-service="false">
```

```
<column name= "acmeItemId" type= "long" primary= "true" />
```

```
<column name= groupId" type="long" />
```

```
</entity>
```

The generated classes include:(Please select all correct answers.)

- A. AcmeItemServiceUtil
- B. AcmeItemModel
- C. AcmeItemLocalServiceUtil
- D. AcmeItemJSONSerializer
- E. AcmeItemPersistenceImpl

Answer: B,C,E

Question No : 21

The hooks that can import classes from the plugin class loader are:(Please select all correct answers.)

- A. Auto login hooks
- B. JSP hooks
- C. Service wrapper hooks
- D. Servlet filter hooks
- E. Struts action hooks
- F. Indexer post processor hooks

Answer: A,C,D,E,F

Question No : 22

When adding new users to Liferay, the form will display the Details, Organizations and Personal Site sections based on the following property in portal.properties:

users.form.add.main =details,organizations,personal-site

The "users.form.add.main" property is listed in the liferay-hook_6_l_0.dtd as a portal property that can be overridden with a hook.

Deploying a hook with the following property in the portal.properties file will remove the Personal Site section:

users.form.add.main =details,organizations

- A. True
- B. False

Answer: B

Question No : 23

Hook plugins can only override core JSPs, services, language keys and Struts actions.

- A. True
- B. False

Answer: B

Question No : 24

An Expando is:

- A. A tool for writing newportlets in Liferay
- B. A code generator which generates services based on service.xml
- C. A service in Liferay which allows you to dynamically define a collection of data
- D. A new administrative interface in 6.1

Answer: C

Question No : 25

The recommended way to implement code that only runs once to modify columns in the database is with a(n):

- A. GlobalStartupAction
- B. ServicePreAction
- C. UpgradeProcess
- D. ServicePostAction
- E. VerifyProcess
- F. GlobalShutdownAction

Answer: C

Question No : 26

The bundled property file that contains settings for a development environment is:

- A. portal-ext.properties
- B. portal-developer.properties
- C. developer.properties
- D. None of the above

Answer: B

Question No : 27

Only an Ext plugin can:

- A. Override language keys
- B. Modify the initialization parameters of a coreportlet
- C. Create a model listener
- D. Override a JSP
- E. Override Liferay services

Answer: B

Question No : 28

To customize the User service in a hook plugin, create a class that extends:

- A. UserServiceImpl
- B. UserServiceBaseImpl
- C. UserService
- D. UserServiceWrapper

Answer: D

Question No : 29

The recommended way to override multiple JSPs in the Documents and Mediaportlet is to:

- A. Create a separate hook plug in for each JSP
- B. Create an Ext plugin
- C. Create a hook plugin that contains all the JSPs
- D. Copy them directly into Liferay

Answer: C

Question No : 30

Default rankings in the Message Boardsportlet are set as portlet preferences. To make all new instances of the portlet display custom rankings, it is recommended to:

- A. Navigate to System Defaults in the Control Panel and update the portlet preferences
- B. Create a hook plugin that modifies the defaultmessage.board.ranks portal property
- C. Create an Ext plugin that contains the desired configuration in portlet-ext.xml
- D. Create a JSP hook that overrides the rankings for all instances of the Message Boardsportlet

Answer: C

Question No : 31

The method to send a redirect response and prevent resubmitting a form when a user refreshes the page is:

- A. clearRequestParameters()
- B. removeDuplicates()
- C. removeParameters()
- D. sendRedirect()

Answer: D

Question No : 32

If multiple Ext plugins modify struts-config-ext.xml:

- A. Liferay merges all of the plugins into one plugin and deploys the combined plugin
- B. Liferay only deploys the first plugin that modifies struts-config-ext.xml and does not deploy subsequent plugins
- C. The last plugin deployed takes precedence
- D. All of the plugins deploy successfully

Answer: B

Question No : 33

Methods for retrieving the current users ID include:(Please select all correct answers.)

- A. ThemeDisplay.getUserId()
- B. PortalUtil.getUserId(renderRequest)
- C. request.getRemoteUser()
- D. Liferay.getUserId(renderRequest)
- E. Page.getUserId()

Answer: A,B,C

Question No : 34

Developing for Liferay requires:

- A. IntelliJ
- B. Eclipse
- C. NetBeans
- D. Liferay Developer Studio
- E. None of the above

Answer: E

Question No : 35

The <liferay-ui:icon-menu> tag is used to:

- A. Display a list of actions
- B. Display navigation
- C. Display a list of breadcrumbs
- D. Display categories

Answer: A

Question No : 36

Portlets are placed in the Control Panel using:

- A. portlet.xml
- B. liferay-portlet.xml
- C. liferay-plugin-package.properties
- D. liferay-look-and-feel.xml

Answer: B

Question No : 37

The recommended way to validate a user against an external system when adding a user

through the UI or a web service is to:

- A. Create a hook plug in to add a model listener to the User object
- B. Create a service wrapper hook that modifies the User service
- C. Create a Struts action hook to perform validation when the user form is submitted
- D. Create an Ext plugin to modify the core Spring configuration to override the User service

Answer: B

Question No : 38

All Service Builder entities contain a local reference to:(Please select all correct answers.)

- A. CounterLocalService
- B. AssetLocalService
- C. ResourceLocalService
- D. SocialLocalService
- E. WorkflowLocalService

Answer: A,C

Question No : 39

An administrator would like to add a new travel preferences section in the Miscellaneous section of the user form. The travel preferences are stored as custom fields. The recommended way to implement the solution using a hook plugin is to:(Please select all correct answers.)

- A. Modify html/portlet/users_admin/edit_user.jsp to add the travel preferences section to the Miscellaneous section
- B. Set the portal property "users.form.my.account.miscellaneous" to "travel-preferences" and add the corresponding JSP
- C. Create a Struts action hook to persist the Expando value to the database
- D. Add the custom fields to the relevant JSP using <liferay-ui:custom-attribute>

Answer: B,D

Question No : 40

A class that extends MVCPortlet must implement:

- A. init()
- B. doView()
- C. doEdit()
- D. processAction()
- E. All of the above
- F. None of the above

Answer: B

Question No : 41

The JavaScript method that executes after each portlet on the page loads is:

- A. AUI().ready(fn)
- B. Liferay.Portlet.ready(fn)
- C. Liferay.on('allPortletsReady', fn)
- D. None of the above

Answer: B

Question No : 42

When a hook plugin overrides the language keys for the locale "en_US" the text presented for the locale comes from:

- A. The core Language.properties
- B. The plugin Language.properties
- C. The plugin Language_en.properties, then the core Language.properties
- D. The plugin Language_en.properties, then the core Language_en.properties

Answer: D

Question No : 43

The method to retrieve an integer submitted as a form field named "widgetCount" is:

- A. `GetterUtil.getInteger(actionRequest, "widgetCount")`
- B. `RequestUtil.getInteger(actionRequest, "widgetCount")`
- C. `HTMLUtil.getInteger(actionRequest, "widgetCount")`
- D. `ParamUtil.getInteger(actionRequest, "widgetCount")`
- E. `FormUtil.getInteger(actionRequest, "widgetCount")`
- F. `AlloyUtil.getInteger(actionRequest, "widgetCount")`

Answer: D

Question No : 44

The Ant target that removes compiled class files from the plugin is:

- A. obliterate
- B. destroy
- C. remove
- D. clean
- E. reset
- F. terminate

Answer: D

Question No : 45

Customizations to a theme are made in the folder:

- A. `_unstyled`
- B. `.styled`
- C. `themes`
- D. `_diffs`
- E. `custom`

Answer: D

Question No : 46

The method to retrieve a list of users added directly to an organization is: