# Frontend Work for Rishi

Student app and Team app, in priority order, with the backend items to raise for each. Source: RVM App Plan and BadaBhai Brief, both of 12 November 2026. Earlier lists are replaced.

## 1. How to use this list

- Work top to bottom. Priority 2, the CRM dialer, has a fixed date: NeoDove licences end on 26 December 2026.
- For each task, raise the items in the right-hand column as backend issues before building the screen. Agree the request and response shape first, then build against a mock until the endpoint is on staging.
- Backend owner is named on every task. Prakash: CRM, social media and scorecards (staff backend). Divyanshu: Student API, Campus and anything written to the Scheduler.
- The app only displays. The server decides lead order, access, fee status and every rupee figure.
- Jobs are not rebuilt in the app. The Jobs tab opens BadaBhai Campus in a web view; job search, apply and anything for employers stay out of RVM's apps.

## 2. Priority at a glance

| # | Task | Priority | Backend owner |
|---|---|---|---|
| S1 to S6 | Student app shell with the Jobs tab | 1 | Divyanshu |
| T1 to T8 | CRM dialer in the Team app | 2 | Prakash |
| T9 | Team Leader screens | 2 (after T1 to T8) | Prakash |
| T10 | Security items across the Team app | 3 | Prakash |
| T11 | Fees follow-up dialer | 3 | Divyanshu (Scheduler) |
| T12, T13 | Pending counts, branch health, scorecards | 3 | Prakash; Divyanshu for Student API counts |
| T14, T15 | Social media module | 3 | Prakash |
| E1 to E8 | Student app core: joining, fees, classes, complaints, community, visitor features, placement proof, profile | 4 | Divyanshu |
| T16 to T19 | Team app screens that need the Student API: student desk, placement, faculty, moderation | 4 | Divyanshu |
| L1 to L3 | Learning: online classes, recorded videos, tests and interview prep | 5 | Divyanshu; video pipeline from Prakash |

Priorities 1 and 2 are plan Stage 1 (1A and 1B). Priority 3 is Stage 2, priority 4 is Stage 3, priority 5 is Stage 4.

## 3. Priority 1: Student app shell with the Jobs tab

A new Flutter app, Android first, English and Hindi. This is BadaBhai Brief step 2. Done when: a fully paid student taps Jobs and lands in Campus logged in; a student with fee pending sees why it is closed.

### S1. App skeleton **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • New Flutter project, Android, with English and Hindi from the first screen.<br>• API client generated from the agreed contract, not written by hand.<br>• Minimum supported version check at launch; block older builds.<br>• Test on an Android phone in the 10,000 to 15,000 rupee range over patchy 4G. | • Student API contract and a mock for sign-in, jobs access and hand-off.<br>• Staging address and a test student for each state: visitor, fee pending, fully paid.<br>• Minimum-version endpoint. |

## S2. Sign-in by phone number and OTP **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Enter phone number, receive OTP on WhatsApp with SMS fallback, verify.<br>• Resend with a visible wait; clear message when the limit is reached.<br>• One bound phone per student: clear message when the number is bound to another phone. | • OTP request and verify endpoints.<br>• Distinct error codes for: too many OTPs (3 per phone per 15 minutes), wrong OTP, phone bound elsewhere.<br>• Session and refresh token rules. |

## S3. Sign-up ticks and consent **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Tick: 'I am 18 or above'. No parent step.<br>• Required line: 'Share my profile with companies I apply to.'<br>• Optional line: 'Use my placement story in RVM's marketing.' | • Consent text and its version served by the API, so wording can change without an app update.<br>• Endpoint to save each consent with date; endpoint to read them back for the profile. |

Done when: Jobs stay closed for a student who has not given the required consent.

## S4. First screen: the two doors **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • 'I have already paid': shows the amount paid and the fee plan the branch entered.<br>• If the number is not linked: 'Ask your centre' with a call button.<br>• 'I want to join': entry point only for now; the joining flow is E1. | • Admission lookup by the signed-in phone number.<br>• Branch contact number for the call button.<br>• What the app shows for 'I want to join' until E1 is built. |

Done when: A linked number shows the right amount and plan; an unlinked one shows 'Ask your centre'.

## S5. Jobs tab **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • On opening the tab, ask the server whether Jobs is allowed.<br>• Closed state: show the reason (fee pending, or consent missing) and what to do.<br>• Open state: request a hand-off token and open BadaBhai Campus in an in-app web view. Request a fresh token every time; it lasts 60 seconds and works once.<br>• Header with RVM and BadaBhai Campus logos at equal size, loaded from the server.<br>• Web view handles back navigation, resume upload and file download. | • GET /v1/me/jobs-access with the reason when closed.<br>• POST /v1/me/campus-handoff.<br>• Header configuration endpoint.<br>• Campus student side ready for a phone web view: confirm which pages, uploads and downloads must work.<br>• What the web view shows when the token is refused. |

Done when: No login screen appears inside the web view.

## S6. Two prompts that arrive with later Brief steps **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Named-company search: a prompt asking the student to allow one named company to find him. Yes or No.<br>• Selection: an 'upload your proof' prompt when a company marks him selected or hired on BadaBhai. The upload screen is E7. | • Pending consent requests: list and answer endpoints (Brief step 5).<br>• Push for both prompts, with generic text.<br>• Selection prompt data (Brief step 3). |

## 4. Priority 2: CRM dialer in the Team app (before 26 December)

### T1. CRM entry and access by role **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • CRM module appears only for Counsellor, Team Leader, Sales HOD, CEO and Super Admin.<br>• Clear blocked screen when the user is punched out or outside shift.<br>• Follow the app's existing patterns for roles, audit and push. | • CRM role and scope returned with the staff session.<br>• A distinct error code for 'not punched in / outside shift', so the app can show the right message.<br>• Confirm CEO and Super Admin are exempt from the shift check on the server. |

Done when: A counsellor's token is refused outside shift and the app shows why.

### T2. Dialer home: Start, Break, today's counts **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Start button that serves leads one after another.<br>• Break button with visible on-break state.<br>• Today's counts: follow-ups due, missed, callbacks waiting.<br>• Auto-dial next lead toggle. | • 'Next lead' endpoint. The server applies the order: callbacks waiting, follow-ups due, my uncontacted, unassigned uncontacted, in progress with no follow-up, retries due.<br>• Break on and off endpoint. A callback held by a user who goes on break returns to the queue.<br>• Today's counts endpoint.<br>• Where the auto-dial setting is stored: on the server per user, or on the phone. |

Done when: Start serves leads in the server's order with no sorting in the app.

### T3. Lead screen and Call button **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Name, masked number, properties (12 text fields), timeline of calls, remarks, stage changes and transfers.<br>• Call button opens the phone's own dialer with the number filled in.<br>• Request no call permission and no call-log permission.<br>• WhatsApp template button. | • Lead detail with the number masked.<br>• 'Start call' endpoint: returns the full number once, logs the tap, marks the user busy and starts the form timer.<br>• Timeline endpoint, paged, newest first.<br>• Approved WhatsApp template list and a send endpoint (Gallabox). |

Done when: The full number never appears in a list or a log; every call tap shows in the audit trail.

### T4. Dispose form (mandatory before the next lead) **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • First question: 'Was the call connected?'<br>• Connected: call script (education, work experience, course package), stage, tag, next follow-up date and time, remark.<br>• Remark mandatory. Follow-up mandatory unless stage is CONVERTED or LOST.<br>• Not connected: reason from the list of 10, next follow-up (1 hour, 6 hours, 1 day, or pick), remark with voice typing.<br>• Block Start and the next lead until the form is submitted. | • Stages, tags per stage, allowed stage moves and not-connected reasons as server config, not hard-coded.<br>• Dispose endpoint that accepts an Idempotency-Key and is safe to retry on patchy network.<br>• Validation errors in the standard error shape, field by field.<br>• Response says what happened next: retry scheduled, or lead closed by the system.<br>• Form time measured on the server from 'start call'. |

Done when: A full day of calling runs on staging: Start, call, dispose, follow-up, retry, auto-close.

### T5. My Leads buckets **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Buckets: All, Uncontacted, In progress, Follow-up, Not connected.<br>• Each bucket has View and Start calling.<br>• Paged list with masked numbers. | • Bucket counts endpoint.<br>• Paged list per bucket, limited to the user's own leads on the server.<br>• 'Start calling' scoped to one bucket. |

### T6. Follow-up calendar (priority feature) **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Day and week view of the counsellor's follow-ups.<br>• Overdue shown in red.<br>• Tap opens the lead. | • Follow-ups by date range for the signed-in user, with an overdue flag set by the server.<br>• Times returned in UTC; the app shows IST. |

### T7. Add lead, number lookup, transfer, references **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Add lead: name, number, source, campaign; then dispose on the spot.<br>• Exact-number lookup: shows who owns the lead.<br>• One-tap 'transfer to me'. No approval step.<br>• References: friend's name and number captured on the lead screen. | • Create-lead endpoint that returns created, merged or reopened. It must never create a second record for a number.<br>• Lookup by exact phone number only; no partial search. Every lookup logged.<br>• Transfer endpoint; the transfer is logged on the timeline.<br>• Source and campaign lists for the form.<br>• Reference endpoint that creates a lead tagged with the referrer. |

Done when: Adding an existing number merges into the old lead and shows its owner.

### T8. CRM notifications **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Handle push types: callback allotted (high priority), lead assigned, follow-up due, morning summary, follow-up missed.<br>• Tap on a push opens the right lead.<br>• Web portal Call: a push arrives on the phone and one tap opens the dialer. | • Push payload for each type with the lead reference for deep-linking. No phone number in any payload.<br>• High-priority delivery for callbacks.<br>• The 'call from web' push and how the number reaches the phone safely. |

Done when: An inbound callback reaches the counsellor's phone at once and sits at the top of his queue.

### T9. Team Leader screens **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Live calls screen: every inbound call today, who got it, called back or not, waiting callbacks oldest first.<br>• IVR on/off switch.<br>• Re-allot leads.<br>• Alert when a counsellor's form stays open too long (default 10 minutes). | • Confirm first which of these belong in the app and which are web portal only.<br>• Live inbound calls endpoint.<br>• IVR toggle endpoint, Team Leader and above.<br>• Re-allot endpoint and the open-form alert push. |

## 5. Priority 3: Team app additions and social media

## T10. Security items across the app **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Screenshots blocked on sensitive screens.<br>• Sensitive modules lock after 30 minutes idle.<br>• Handle forced sign-out when the same person signs in elsewhere.<br>• Minimum supported version check at launch; block older builds.<br>• Keep the app under 100 MB. | • The list of screens that count as sensitive.<br>• Error codes for session ended and outside shift.<br>• Minimum-version endpoint.<br>• New-phone sign-in: extension of the existing HR approval flow. |

Done when: Sensitive screens refuse a user who has punched out.

## T11. Fees follow-up dialer (Admin Manager) **Backend: Divyanshu (Scheduler)**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Branch's overdue students: name, course, batch, days overdue, last remark.<br>• No amount anywhere on the Admin Manager's screen.<br>• Tap to call, then record Answered or No Answer, a remark and the next follow-up date.<br>• Share the list with branch staff. | • Overdue list endpoint that carries no rupee field at all for the Admin Manager role.<br>• Write-back of each follow-up to the Scheduler's follow-up data.<br>• How 'share the list' works: assign to a staff member, or open to the whole branch.<br>• Head of Operations version with amounts. |

Done when: A follow-up recorded in the app appears in the Scheduler, with no fee figure on screen.

## T12. Pending counts and branch health **Backend: Prakash; Divyanshu for Student API counts**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Pending counts, each opening its list: fee follow-ups due, absent 3 classes in a row, registrations waiting for a fee plan, paid students not linked, open complaints, phone-change requests, extra-view requests.<br>• Branch health: admissions, joining (allotted against joined), attendance %, dropouts, overdue students by age.<br>• Admin Manager sees counts only. Head of Operations also sees rupee amounts. | • Counts endpoint and one list endpoint per count.<br>• Branch health endpoint shaped by role on the server.<br>• Which counts are available now. The last five depend on the Student API and arrive later. |

Done when: An Admin Manager's token cannot fetch any rupee figure from any endpoint.

## T13. Scorecards **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Admin Manager, Head of Operations and CEO scorecards.<br>• Each number green or red against its target; no colour when the target is empty.<br>• Target entry screen for the CEO. | • One endpoint per scorecard, read from the metrics views.<br>• Each number returned with its target and status, so the app does no arithmetic.<br>• Targets read and write endpoints. |

### T14. Social media: marketing screens **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Home 'Needs attention': stuck cards, the kitty, today's posts and shoots.<br>• Create a card and pick the editor. Move a card with one swipe or tap.<br>• Shoot card that splits into cut cards, with progress such as '4 of 9 cuts live'. 'Shot' button.<br>• Set a post date. Calendar and list per account, selector grouped by brand, remembers the last account, All view, editor toggle.<br>• Accounts list that marketing can edit. | • Card create, edit and stage-move endpoints with history.<br>• Shoot and cut-card endpoints.<br>• Stuck cards, kitty and 'pending since long' lists.<br>• Calendar by account and date range.<br>• Accounts list endpoints.<br>• Confirm that no response to marketing or editors carries any performance number. |

Done when: A video goes from allotted to Live with exactly two human taps.

### T15. Social media: editor, shoots, free-slot finder **Backend: Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Editor view: only his cards, grouped today, overdue, next. One tap marks Done.<br>• Book a shoot: date, start time, length, place, what to prepare, people tagged.<br>• Free-slot finder: after tagging people, show the slots when all are free in the next 7 days.<br>• 'Shoots' under My Tasks for anyone tagged, with reminders the day before and one hour before. | • Editor's cards endpoint limited on the server to his own.<br>• Free-slot endpoint. The server works it out from batch timetable, leave, cover duty, shift hours and booked shoots.<br>• Shoot create and move endpoints; push to everyone tagged.<br>• Clash alert when a new batch or leave hits a booked shoot. |

Done when: Tagging two faculty shows only slots when both are free, and the shoot appears in their My Tasks.

## 6. Priority 4: Student app core, and Team app screens that need the Student API

### E1. Joining **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Pick courses from the price list. The app never calculates a price.<br>• Registration details and undertaking: personal details, email, ID upload, undertaking video watched to the end, branch contacts, terms ticked one by one.<br>• Pay through Razorpay: minimum 1,000 rupees, up to the full fee. Tick box before paying: non-refundable and non-transferable.<br>• Pick a batch: course and timings only. No faculty names. | • Course and price list endpoint.<br>• Registration and undertaking endpoints that match the Scheduler's existing form.<br>• ID upload to private storage.<br>• Razorpay order created on the server; payment status read from the server. The app's success screen is not proof.<br>• Eligible batches; capacity checked at the moment of confirming. |

Done when: A new student joins end to end and the admission, receipt and roster appear in the Scheduler.

### E2. Fees **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Fee plan, paid, due, next due date, receipts as PDF.<br>• Pay any instalment in the app.<br>• Fee hold: the pay screen replaces the class screen; the online Join button is hidden. | • Fee summary read from the Scheduler.<br>• Receipt PDF endpoint.<br>• Fee-hold flag, lifted by the server when payment is confirmed. |

Done when: A paid instalment lifts a fee hold without anyone's help.

### E3. Classes **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Timetable, today's class, attendance % with each session's status, announcements.<br>• Attendance correction request.<br>• Hybrid students: next available practice timings. | • Timetable and attendance endpoints.<br>• Correction request endpoint.<br>• Practice timings per branch. |

### E4. Complaints **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Raise a complaint with category and description; track it; reply; reopen within 7 days of closure.<br>• Harassment category shown as confidential. | • Complaint create, list, reply and reopen endpoints.<br>• Status values and the escalation state. |

### E5. Community **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Groups by course and branch, plus a general group. Posts, comments, reactions, polls.<br>• Report button on every post.<br>• Student moderators: hide, restore, warn.<br>• Hidden from visitors. No private messages. | • Groups, posts, comments, reactions and polls endpoints.<br>• Report endpoint; moderator actions.<br>• Server-side block on phone numbers and money requests in posts, with the error the app shows. |

### E6. Visitor features **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Free sample lectures; short quizzes including one that suggests a course.<br>• Book a visit: demo class, centre visit or counsellor call, with a preferred time.<br>• Course list with next batch dates. | • Sample lecture and quiz content endpoints.<br>• Book-a-visit endpoint. Each visitor action becomes a CRM lead on the server; the app sends nothing to the CRM itself. |

### E7. Placement proof, reward and referral **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Upload proof: company, role, salary, joining date, offer or joining letter.<br>• Status: submitted, being verified, approved, paid, or rejected with the reason.<br>• Enter and verify UPI or bank account for the 1,000 rupee reward.<br>• Referral link and code to share. | • Proof upload and status endpoints.<br>• Payout account verification endpoint.<br>• Referral code and link endpoint. |

Done when: An approved proof shows 'paid' once and only once.

### E8. Notifications and profile **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Push for classes, fees, complaints, community, placement and referral. Tap opens the right screen.<br>• Profile: details (read-only except contact preferences), language, consents with dates, bound phone, account deletion request, sign out. | • Push payload types with deep-link data. Text is generic: no amounts, no complaint details.<br>• Profile read and update endpoints; deletion request endpoint. |

### T16. Student desk (Admin Manager) Backend: Divyanshu (Student API)

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Link a paid student's phone number to his admission.<br>• Enter the instalment plan for an app registration.<br>• Reply to and resolve complaints.<br>• Grant extra video views. Approve a phone change. | • The /staff/* routes on the Student API that accept the staff token and check the capability.<br>• One route per action above, each audited. |

### T17. Placement team screens Backend: Divyanshu

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Company follow-up dialer: today's follow-ups from the company calling list the placement team keeps in Campus; tap to call, record outcome and next date.<br>• Placement proof verification: a task appears when a student uploads proof or a company marks him selected or hired on BadaBhai. Approve or reject with a note. Tasks older than 14 days flagged.<br>• Not in the Team app: approving jobs, scheduling drives, posting for a company, the credit waiver switch. Those stay on Campus screens. | • Calling list read and write through an endpoint owned by Campus. The Team app must not write its tables directly.<br>• Verification task list, approve and reject routes.<br>• Payout status to show after approval. |

### T18. Faculty additions Backend: Divyanshu

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • 'Fee hold' label on the roster; the student cannot be marked present.<br>• Join button on the class card when the batch has a Meet link.<br>• Test marks entry per student at the end of a module.<br>• Correct online attendance filled from Meet. | • Fee-hold flag in the roster response, and a refusal from the server on marking present.<br>• Meet link in the class card response.<br>• POST /staff/test-scores.<br>• Attendance prefilled from Meet's participant list. |

Done when: A student on fee hold cannot be marked present, and can the moment the payment lands.

### T19. Community moderation and complaint escalation Backend: Divyanshu

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Staff moderators: hide, restore, warn.<br>• Head of Operations: list of complaints past 48 hours. | • Moderation routes for staff.<br>• Escalated complaints list. |

## 7. Priority 5: Learning

### L1. Online and hybrid classes Backend: Divyanshu

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Join button on the class that opens Google Meet.<br>• Join hidden while the student is on fee hold. | • Meet link in the class response.<br>• Fee-hold flag (same as E2). |

### L2. Recorded videos **Backend: Divyanshu; video pipeline from Prakash**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • List of course videos and the student's own batch recordings, with views left.<br>• Protected player (VdoCipher) with a moving watermark.<br>• Ask the server for a play session before playing; send a heartbeat every 15 seconds; stop when the server says stop.<br>• Screenshots and screen recording blocked; no download; no casting; rooted phones and emulators refused. | • Video list with views left and access end date.<br>• Play-session endpoint returning a single-use playback token.<br>• Heartbeat endpoint and the stop signal.<br>• Error codes for: fee not fully paid, access ended, no views left. |

Done when: A video is counted exactly once, and a screen recording comes out black on Android.

### L3. Tests and interview prep **Backend: Divyanshu**

| Frontend work (Rishi) | Backend items to raise |
|---|---|
| • Test score per module and the course score.<br>• Interview packs (PDF by job role); quiz of the day; timed mock interview quizzes with score and right answers. | • Test scores endpoint.<br>• Packs list and file endpoint; quiz and attempt endpoints. |

## 8. Rules for every screen

- Staging only. Never point a build or a Claude session at production.
- Phone numbers are masked in every list and never written to logs.
- Every call that changes data sends an Idempotency-Key and can be retried safely.
- No export or download of any list from the app.
- Money arrives from the server as integer paise; the app only formats it.
- Test on an Android phone in the 10,000 to 15,000 rupee range over patchy 4G.
- When the plan is unclear, stop and ask. Do not guess on money, access or student data.

## 9. How to raise a backend issue

One issue per endpoint. Use this shape so it can be built without a follow-up call:

| Field | What to write |
|---|---|
| Task | Task number from this list, for example T4 |
| Screen and action | Which screen, and what the user taps |
| Data needed | Every field the screen shows or sends, with type |
| Roles | Who may call it, and what each role must not see |
| Errors to handle | The cases the screen needs a distinct message for |
| Needed by | The date the frontend is blocked without it |

## 10. Questions to settle before Rishi reaches them

- T9: are the Team Leader screens (live calls, lead filters, bulk actions) in the app, or web portal only?
- T2: calls go through the phone's own dialer, so does 'auto-dial next lead' mean opening the next lead and the dialer automatically?
- T11: how is the fees follow-up list shared with branch staff?
- T10: which screens count as sensitive for the screenshot block and the idle lock?
- IVR provider name is still pending, which affects the callback push in T8.
- S4: what does 'I want to join' show until the joining flow (E1) is built?
- S5: which Campus student pages, uploads and downloads must work inside the web view?

- Frontend work not in this document because no owner is named: the company side on BadaBhai (app and web), the Campus portal pages (rename, waiver switch, attended tick), the CRM web portal, and the website's web version for students. If any of these is Rishi's, this priority order must be redone.