Team RVM App Brief

Oct 15, 2026 · @RVM CAD TECH TEAM

Summary

Team RVM is the phone app for every RVM CAD employee, modelled on the Keka employee app. It moves the punch in / punch out that went live on the web on 14–15 Oct 2026 into an Android app and adds Keka-style self-service: requests and approvals (work from home, fixing a missed punch, on duty, leave), a company feed with reactions and praise, a helpdesk for complaints, and a profile with documents and the reporting line.

It is an employee app, not a second portal. The Scheduler (scheduler.rvmcad.org) stays the single source of truth: the app calls the same backend and applies the same rules as the web.

- **Home**: today's punch card, quick actions, who is off this week, birthdays and anniversaries, announcements, upcoming holidays.
- **Inbox**: approvals for managers and HR, priority tasks, and every notification.
- **Wall**: the community feed with posts, six reactions, comments, praise, polls and announcements.
- **Me**: Time (attendance calendar, requests, leave, holidays), Helpdesk, Documents, Profile and, for teachers and leaders, Work.
- **My Team**: my manager, peers and department, who is in today, the reporting chain and colleague search.

Teachers and leaders see a little more inside the same tabs: today's classes and student attendance for faculty, Faculty Development for HODs, approvals and live attendance for HoO, super admin, CEO and HR. Admin, Admin Manager and Finance Admin get no Work section for now.

Sign-in stays exactly as today: the portal login, or the HRMS attendance login with HR's first-time password. A PIN or fingerprint then opens the app, and each person's account works on one phone only. Colours, logo and type come from the September 2026 brand guidelines, and the Team RVM design system holds every token and component in light and dark.

Keka parity map

Team RVM copies the Keka employee app module by module: the same five tabs, the same request and approval flows, and the same Wall, Helpdesk and profile. It departs only where RVM has decided otherwise (no selfie, no overtime) or has no data yet (payroll runs outside the portal). Change any Phase cell to move a feature.

Keka's current Android app (com.keka.xhr, 4.7 stars, updated 14 Oct 2026) has the bottom tabs Home, Inbox, Wall, Me and My Team; the avatar opens a drawer with the profile, ID card, language, app lock, theme and logout. Copy its features and flows, not its artwork, icons or wording.

Module	Keka feature	Team RVM	RVM today	Phase
Shell	Bottom tabs Home · Inbox · Wall · Me · My Team, avatar drawer	The same five tabs; role work sits inside Home and Me	New	Phase 1
Shell	Sign-in by password, OTP or SSO	Your two existing logins, unchanged	Live on web	Phase 1
Shell	App lock with PIN or fingerprint	6-digit PIN plus fingerprint, Keystore-backed	New	Phase 1
Shell	Theme Automatic / Light / Dark	Same, in Ironwood and Forge Orange	New	Phase 1
Shell	6–15 languages	English, then Hindi, then Marathi and Gujarati	New	Phase 3
Home	Quick actions row	Apply leave, Work from home, Fix a day, Raise complaint, Give praise	New	Phase 1
Home	Shift today card: one-tap clock-in, timer	Punch card with distance, timer and late counter	Live on web	Phase 1
Home	Off this week	Who in my team is on leave or WFH this week	New	Phase 1

Module	Keka feature	Team RVM	RVM today	Phase
Home	Wish them: birthdays, anniversaries, new joiners	Same; needs date of birth on the HR record	New	Phase 2
Home	Announcements with Acknowledge	Same	New (student notices only)	Phase 2
Home	Upcoming holidays	Same, per branch	Live in the API	Phase 1
Attendance	Geofenced mobile clock-in, location mandatory	The web punch rules, unchanged	Live on web	Phase 1
Attendance	Location every X minutes while clocked in	Every 2 minutes while punched in, as a foreground service	Partial (web, page open only)	Phase 1
Attendance	Logs, calendar and day detail	SalaryBox-style month, day sheet, own remark	Live on web	Phase 1
Attendance	Clock-in and clock-out reminders	Shift start, shift end and 23:30	New	Phase 1
Attendance	Penalty rules shown to the employee	"Late 2 of 3, the next late is a half day"	Live on web	Phase 1
Attendance	Selfie or face clock-in; kiosk app	Not planned: RVM chose geofence only		Skip
Attendance	Offline punching, flagged	Conflicts with server time and the 2-minute challenge		Later
Requests	Work from home	Same, with a monthly quota counter	New	Phase 1
Requests	On duty: client visit, travel	Same: college drive, another branch	New	Phase 1

Module	Keka feature	Team RVM	RVM today	Phase
Requests	Attendance adjustment (missed punch)	Fix a day: add or correct the in or out time	New (HR override only)	Phase 1
Requests	Regularisation (waive a penalty)	Ask to excuse a late or a half day	New (HR excuse only)	Phase 1
Requests	Partial day: late coming, early leaving	Short leave in minutes, with a monthly cap	New	Phase 2
Requests	Allowed / used / remaining before submitting	On every request form	New	Phase 1
Leave	Apply leave, full or half day, with balance	CL (one a month) and leave without pay	New (HR marks leave)	Phase 1
Leave	Balances, history and ledger	Balance and history first, ledger after	New	Phase 2
Leave	Comp-off	Not planned: no overtime		Skip
Leave	Optional (floater) holidays	Optional holidays per branch	New	Later
Inbox	Approvals with counts, approve or reject with a comment, archive	Same, plus priority tasks and notifications	Partial (task bell on web)	Phase 1
Inbox	Multi-level approval chains, auto-skip	Manager first, HR fallback; levels and escalation next	New	Phase 2
Wall	Organisation and department walls, posts with photos, @mentions	Organisation wall plus one wall per branch	New	Phase 2
Wall	Six reactions, comments, reactions on comments	Six reactions, comments with one level of replies	New	Phase 2

Module	Keka feature	Team RVM	RVM today	Phase
Wall	Praise with badges and a certificate	Same, with RVM's own badges	New	Phase 2
Wall	Polls, anonymous option	Same	New	Phase 2
Wall	Announcements with audience, schedule, acknowledgement	Same, targeted by branch, department or role	New	Phase 2
Wall	Pulse check-ins and surveys	Monthly pulse, joining and exit surveys	New	Phase 3
Wall	Points and rewards	Not planned yet		Later
Helpdesk	Tickets by category, auto-assigned, thread, reopen, rating, SLA	Same, routed to HR, Admin or the lab desk	New	Phase 2
Helpdesk	Confidential or anonymous grievances (Keka has none)	Categories only the HR head sees; optional anonymity	New	Phase 2
Me	Profile: Summary, Timeline, Personal, Job	Same; Summary and Job first	HR-only on web	Phase 1
Me	Personal details edited with HR approval	Same; HR sees old and new values	New	Phase 2
Me	Documents: HR-defined types, upload, verification	Same, camera upload, masked Aadhaar	HR-only on web	Phase 2
Me	Letters and company policies with acknowledgement	Same	New	Phase 3
Me	Digital ID card	Same	New	Phase 2
Me	Assets: my assets, acknowledge, request	Same, on the existing asset requests	Partial (admins only)	Phase 3

Module	Keka feature	Team RVM	RVM today	Phase
Me	Finances: salary, payslips, tax	When payroll moves into the portal	New (payroll is external)	Later
Me	Performance, Learn, timesheets, expenses	Not planned		Skip
My Team	Manager, peers, department, colleague search	Same	HR-only on web	Phase 1
My Team	Team today: not in yet, WFH, late, on leave	Same, for anyone with reports	HR-only on web	Phase 1
My Team	Reporting chain and org tree	Chain up to the CEO, then the department tree	HR-only on web	Phase 1
RVM only	Faculty and leader views (Keka has none)	Classes and student attendance, Faculty Development, approvals	Live on web	Phase 2

Where Team RVM goes beyond Keka: one phone per person, confidential grievances, the reporting chain on the phone, a dark theme in brand colours, and no captcha at sign-in. Keka's reviews say what to avoid: slow GPS blocking punches, missed punch-outs costing half days, login and OTP friction, sign-outs after updates, and crashes. Sources: Keka help centre, Keka on Google Play.

Roles and tabs

Everyone gets Keka's five tabs: Home, Inbox, Wall, Me and My Team. Role work is not a sixth tab. It shows up as extra cards on Home, a Work section inside Me, team views in My Team and approvals in Inbox, so a role sees more only where it does more.

Who (login role)	Extra on Home	Me › Work	Extra in My Team and Inbox
Faculty	Today's classes with Mark attendance	My batches, timetable, indicators, interviews I sit on	
HOD	Today's classes; Faculty Development to-do	Faculty's items plus 1-on-1 log, team comments, interview verdicts	Team today for the domain roster
HOD Placement	Interviews today	Interviews	
HoO (head of operations)	Approvals waiting; team today counts	Reporting flags	Team today for the branch; approvals
Super admin, CEO	Live attendance counts; approvals waiting	KPI cards	Live board, overrides, phone resets; approvals
HR, HR Executive	Live attendance counts; requests waiting		Live board, overrides and logins (HR only); request approvals
Admin, Admin Manager, Finance Admin		No Work section	Team views only if they have reports
No portal login (41 attendance-only staff)			The same as any employee once the first prerequisite below is done

Anyone with direct reports on the HR record gets the team views in My Team and the approvals in Inbox, whatever their login role. That is how Keka and greytHR decide who is a manager.

Every role sees the same five tabs, so nobody hunts for a missing tab. Sections a person cannot use are hidden, never shown greyed out, and the role comes from the server on every launch, so a role change shows up without reinstalling.

Four things must be true before launch

1. **One identity for every employee.** Today the 41 attendance-only staff hold a session that opens only the punch endpoints, so Profile, Engage, Requests and Helpdesk would be empty for them. Build every new self-service endpoint behind one check that accepts either kind of session and resolves the caller to their HR record (hr_employees.id), the way the punch endpoints already do.
2. **Roles are right.** HODs and centre heads who still sign in as admin or faculty would get an admin's or a teacher's tabs. Re-role them first.
3. **Portal logins are linked to HR records.** A portal login with no link sees "not linked" and cannot punch; 65 of 107 live employees were linked on 14 Oct.
4. **One person per login.** Shared desk logins (fbd.admin and the like) cannot hold a PIN, a fingerprint or a registered phone.

Sign-in and security

Sign-in stays exactly as it is today. People with a portal login use their portal username or phone and password; everyone else uses the HRMS attendance login (the main phone, email or employee code on their HR record, plus a password or a one-time code). The app adds a PIN and fingerprint on top and keeps one phone per person.

Who	Types	Proves it with	Session the server gives today	Endpoints
Staff with a portal login (all roles; 65 of 107 live employees were linked on 14 Oct)	Portal username or phone, plus branch	Password, and an email code if two-factor is on	64-hour token, no refresh	POST /api/users/login, /api/users/login/verify
Staff without a portal login (41 people, logins created 15 Oct)	Main phone, email or employee code from the HR record	Password, or a 6-digit code by SMS or email	30-day attendance session	POST /api/hr/my-attendance/password-login, /otp/request, /otp/verify

First sign-in for attendance logins (already built for the web punch page)

1. HR creates the login with a first-time password, one person at a time or in bulk, and hands it over.
2. The employee signs in with it. The server answers temporary: true.
3. The app shows only "Choose your own password" until they do (POST /api/hr/my-attendance/password). It must be 8 or more characters, cannot be HR's password and cannot contain their phone number.
4. Forgot password: "Get a code" sends a code to the main phone or email on the HR record. Five wrong passwords lock the login for 15 minutes. Prefer "Get a code" for the very first sign-in as well: it proves the person without HR handing over a shared password.

The app's own layer

- After the first sign-in, the app asks for a 6-digit app PIN (common ones such as 123456 are refused), then offers fingerprint or face unlock (Android BiometricPrompt, strong class only).
- The PIN and fingerprint only unlock the token stored in the Android Keystore. They never leave the phone.
- The app locks after 5 minutes in the background, after a restart, and after 5 wrong PINs, when it falls back to the password.
- Sign out clears the token, the PIN and the biometric key, but never the phone-registration cookie (see Attendance).

One screen instead of two. Today a person must know which login they have. Recommended: one field ("Phone, email, employee code or username") and a small new endpoint that works out which account it is, so the credentials stay the same and only the door is shared. Until that exists, the app offers the two forms side by side, as the web does.

Security settings in the app

- Portal logins: change password, change phone or email with a code, two-factor on and off, recent security activity. These are the existing /api/me endpoints behind the web's Settings page.
- Attendance logins: change password only. Their phone and email are their sign-in keys, so changes go through HR.
- Everyone: app PIN, fingerprint, auto-lock time, light/dark/system theme, sign out.

Backend work sign-in needs

- Refresh tokens for both kinds of session (rotating, stored hashed, revocable), modelled on the existing connector refresh tokens in lib/mcp/oauth.js. Without them a PIN only reopens a token that dies after 64 hours, so portal users re-type their password every few days.
- "Sign out everywhere" for portal logins, and old tokens refused after a password change. Attendance logins already have this (sessions_valid_from).
- A "Request account deletion" form that files a request to HR. Google Play requires one.
- Never show the old reset that takes only a username and phone number (POST /api/users/reset-password). The app uses the code-based reset only.

Shared desk logins (fbd.admin, pune.*, amd.admin: 14 of them were unlinked on 14 Oct) cannot use the app, because a PIN, a fingerprint and one phone per person all need one person behind the login. Each admin signs in as themselves.

Attendance

The app punches through the same five endpoints as the web, so the server keeps enforcing every rule: the geofence, one phone, shifts, late marks, half days and the midnight close. The app's job is to show the state clearly, guide people to a good GPS fix, and avoid three traps that only a native client hits.

The punch, step by step

1. Load today: GET /api/hr/my-attendance, on open, every 5 minutes and at IST midnight.
2. Take a fresh high-accuracy GPS fix and show "420 m from Faridabad · must be within 150 m · GPS ±12 m". Wait until accuracy is within rules.max_accuracy_m (100 m).
3. Only then ask for a challenge: GET /api/hr/my-attendance/challenge. It is valid for 2 minutes and works once.
4. POST /api/hr/my-attendance/punch with kind, nonce, latitude, longitude, accuracy_m, client_at and an optional note of up to 200 characters.
5. Show the result and reload today. After a lost reply, reload before retrying: an accepted punch answers CHALLENGE_REUSED if sent twice.

Button states (on Home's punch card and in Me › Time)

State	Button	What sits under it
Not punched in	Punch in, Forge Orange with a slow halo	Distance strip; "Shift 9:30–18:30 · 15 min grace"

State	Button	What sits under it
Punched in	Punch out, Ironwood, with a live HH:MM:SS timer	In time and late badge: "Late by 23m · 2nd late this month, the next one is a half day"
Done	Done for today, grey and disabled	"You punched out at 18:05. Punch in opens again at midnight."
Blocked	Disabled, with the reason	Phone registered elsewhere, branch not set up, login not linked, or password change due

Rules the server already enforces

- Within the branch radius (150 m by default, set per branch) for punch-in and punch-out. HR can exempt field staff.
- GPS accuracy of 100 m or better. No location, no punch.
- One phone per person. The first accepted punch registers it; HR resets a lost phone.
- One session a day. After punch-out, punch-in reopens at midnight IST. A forgotten punch-out is closed at 00:05 as a half day with the note "No punch-out".
- Late means after shift start plus grace. Every 3rd late in a month is a half day, and so is a day under 4 hours. Early exit has no grace.
- At 00:05 IST anyone without a record becomes absent, week off or holiday.
- One CL a month, recorded by HR today. Employee requests are in the next section. There is no overtime anywhere.

Calendar and history

- A month grid for this month and last. Each day is a tinted tile with a letter (P, A, HD, L, WO, H), a small tick when late, and month totals above it.
- Tapping a day shows in and out times, hours worked, the source ("Your punches", "Marked by HR", "Corrected by HR", "Recorded automatically") and the employee's own remark for HR (PUT /api/hr/my-attendance/remarks, this month and last).
- A holiday list: this month plus the next 12 within 120 days.
- While punched in, the app sends a location ping every 2 minutes (POST /api/hr/my-attendance/ping). The web does this only while the page is open; whether the app keeps going with the screen off is a decision for RVM.

Three traps for the Android developer

1. Send a phone User-Agent such as "TeamRVM/1.0 (Linux; Android 14; <model>) Mobile". The default OkHttp and Dart agents are refused with NOT_MOBILE.
2. Keep the rvm_att_dev cookie in a persistent, encrypted cookie jar that survives sign-out and is excluded from Android backup. Losing it reads as "registered to a different phone" until HR resets it.
3. Everyone who has punched from a phone browser is registered to that browser, so their first app punch is refused with DEVICE_NOT_REGISTERED. Launch needs an HR bulk reset or a one-time transfer code from the web.

Errors the app must handle (show the server's message as written; it is aimed at staff)

Code	Means	App action
OUTSIDE_GEOFENCE	Too far from the branch (distance_m, radius_m returned)	Show distance; offer Retry
ACCURACY_LOW	GPS fix worse than 100 m	Keep waiting for a better fix; tip to step outside
DEVICE_NOT_REGISTERED, DEVICE_REVOKED, DEVICE_OTHER_EMPLOYEE	Wrong phone for this person	Explain and show HR contact
DAY_DONE, ALREADY_IN, NOT_IN	Out of order	Reload today
PASSWORD_CHANGE_REQUIRED	Still on HR's first-time password	Open Choose password
BRANCH_NOT_CONFIGURED, NOT_LINKED	HR set-up missing	Explain and show HR contact
CHALLENGE_EXPIRED, CHALLENGE_REUSED	Slow or repeated tap	Reload, then retry once

Two more traps from the platform: about 40 endpoints answer 401 for reasons other than an expired session (a missing branch, a wrong current password), so sign out only on 401 "No token provided" or "Please authenticate". During a backend restart nginx can answer 200 with an HTML page; treat a non-JSON reply as "server restarting, try again".

On-device reminders (no backend needed): not punched in by shift start plus grace; still punched in at shift end; 23:30 "punch out before midnight or the day closes as a half day"; and a prompt on leaving the branch circle, because punch-out outside the radius is refused.


Backend changes Attendance wants

- server_now in the GET reply, so the timer does not trust the phone clock.
- The day's note and HR remark in the employee's own day rows, so people can see why a day is a half day.
- An is_mock flag on punch and ping, and RVM's choice of whether to refuse or only flag a mocked location.
- A batch ping upload with capture times for an offline queue, and a purge job: pings are never deleted today.
- A device-ID header accepted as an alternative to the cookie.

Requests and approvals

Employees raise six kinds of request from Home or from a day in the calendar. Each goes to their reporting manager on the HR record, or to HR when nobody is recorded, and an approval writes the day through the same path an HR override uses, so the one-CL-a-month limit and the day lock still hold.

An approved request writes the day the way an HR override does



request flow · 5 steps, 1 decision

A rejected request goes back with the approver's reason; an approved one also stops the midnight job from marking the day absent.

Request	Use it for	The form asks for	Limit HR sets (example)	What approval does
Work from home	A planned day at home	Dates, full or half day, reason	2 a month	Present (WFH); punching works outside the geofence and location is still recorded
On duty	College drive, client visit, another branch	Date, place, reason, optional photo	4 a month	Present (on duty); the geofence is waived that day
Fix a day	Missed punch, wrong punch-out, phone trouble	Day, corrected in or out time, reason	3 a month	Times corrected; late, early and half day judged again
Excuse a late	A late with a good reason	Day, reason	2 a month	That late stops counting towards the 3rd-late half day
Short leave	Coming late or leaving early by plan	Day, minutes, reason	120 minutes a month	Lateness inside the window is not counted
Leave	CL or leave without pay	Dates, type, reason	One CL a month	The day is marked leave (CL or LWP)

Rules

- Every form shows allowed, used and remaining (pending included) before Submit, and refuses a request over the limit with a plain message.
- Requests reach back to this month and last, like day remarks, and close at the month's payroll cut-off (a date RVM sets).
- The employee can withdraw a pending request; after approval only HR can cancel it.
- An approved day is locked against the Admin Manager's daily sheet, like an override. Only HR can change it.

- The approver gets a push and an Inbox card with context: how many of this kind this month, the late count, who else is off that day. Rejecting needs a reason.
- HR, the CEO and super admins can decide any request; that decision is recorded as HR's.
- A faculty member's approved leave also updates the faculty leave dates used for batch cover. Today approved faculty leave never reaches staff attendance, so the midnight job marks those days absent.

On the server this is two new request tables with a history, a work_mode column (office, WFH, on duty) on the daily record instead of new statuses, and one database function per request type that decides and writes the day in a single transaction, like hr_attendance_apply_override. The API map below lists the endpoints.

Me and My Team

Me holds everything about the person: Time, Helpdesk, Documents, Profile and, for teachers and leaders, Work. My Team holds the people around them. Both read the HR record, so they work for all 107 employees, including the 41 without a portal login. None of it is readable by employees today: every HR-record endpoint is limited to HR, HR Executive, the CEO and super admins, so these screens need new self-service endpoints.

Profile (Keka's four sections)

Section	Shows	Who changes it
Summary	Photo, name, designation, department, branch, manager, joining date, praise received	HR; the employee changes the photo
Timeline	Joining, confirmation, designation and branch changes, increments (dates only), praise	Built from HR events; read only
Personal	Contact, address, emergency contact, blood group, date of birth	The employee, with HR approval for sensitive fields
Job	Employee code, status ("Notice period until 30 Nov"), shift, week-offs, HR contact	HR only

- The HR record has no date of birth, blood group, address or emergency contact today. Add them before the Personal section and birthdays can work.
- Sensitive edits (legal name, date of birth, address, bank) become a request that shows HR the old and new values. The main phone and email are sign-in keys, so only HR changes them.
- Never show HR remarks, performance tags, background-check notes or pay. Pay stays with HR, the CEO and super admins unless RVM decides otherwise.
- Show the designation from the HR record, never the login role.
- A Digital ID card (photo, name, code, designation, branch, blood group, emergency contact) opens from the avatar drawer.

Documents

- HR defines the document types (Aadhaar, PAN, photo, education, previous experience or relieving letter, bank proof): mandatory or not, "not applicable" allowed, verification needed or not.
- The employee uploads from the camera or as a PDF. Each file shows Pending verification, then Verified, or Rejected with a reason. HR's own uploads count as verified, and reminders repeat until mandatory documents arrive.
- A Letters folder holds what HR issues (offer, appointment, experience letters) to view and download. Signed links last 5 minutes, so fetch on tap and never cache them.
- Today only HR uploads (private bucket, 10 MB per file, PDF, images and Word), there is no review status, and the HR list returns each file's storage path. The employee endpoint must strip it.

My Team

- My manager, my manager's manager and so on up to the CEO, as a vertical chain. Where nobody is recorded (the web org chart adopts 8 such people under the CEO), say "Reports to the CEO (not recorded)" instead of inventing a manager.
- Peers under the same manager, direct reports (count, then the list), the whole team below me, and my department with its people and role ladder. Departments have no hierarchy or head in the data, so the department view is derived from reporting lines.
- People serving notice stay on the chain with a "Notice period" chip. The web org chart currently drops them and tells their reports "their manager has left"; the employee endpoint must not.
- For anyone with reports: Team today (All, Not in yet, Late, WFH, On leave) and Off this week.

- Colleague search by name or employee code, filtered by branch or department. A colleague card shows photo, designation, department and branch; whether it also shows phone and email is RVM's call.

Wall

The Wall is Keka's community feed: an organisation wall plus one wall per branch, where people post, react, comment, praise colleagues and vote in polls, and where HR posts announcements that can require acknowledgement. Nothing like it exists today (the portal's announcements are student notices), so it is built new.

- **Walls:** chips for All, RVM and my branch; department walls are optional. A floating + creates a Post or a Poll. Praise starts from a colleague's card or the reaction bar. Announcements are for HR, the CEO and super admins; a settings screen decides who may post what.
- **Posts:** text, up to 5 photos or PDFs, @mentions, and the wall to post to. Photos are compressed on the phone to under 1 MB. The author can edit for 15 minutes (shown as "edited") and delete at any time.
- **Reactions** (your "emotion buttons"): tap for Like, long-press for six reactions: like, love, laugh, clap, insightful, curious. One reaction per person per post, also on comments; tapping the count shows who reacted. Draw RVM's own icons rather than Keka's.
- **Comments:** one level of replies, @mentions and reactions. Authors delete their own; HR can hide any comment with a reason.
- **Praise:** a badge from RVM's own catalogue (8–12 badges HR can edit, for example Student first, Placement star, Team player, Lab guardian, Going the extra mile, Mentor), a reason of up to 280 characters and an optional photo. It appears on the Wall and on the receiver's profile, with an optional certificate PDF.
- **Polls:** a question, two or more options, single or multiple choice, an anonymous option, a closing date, and results after voting. Options can change only before the first vote. In an anonymous poll nobody, HR included, can see who voted for what.
- **Announcements:** title, body, attachments and "needs acknowledgement"; the audience by branch, department, role or named people; publish now or schedule; a closing date; push plus email; read and acknowledgement counts; up to 3 pinned at the top.
- **Celebrations:** birthdays (day and month only, never the year), work anniversaries from the joining date, and new joiners in their first 15 days, each with a one-tap wish. Anyone can hide their own birthday.

- **Moderation** (Keka has almost none): Report on any post or comment sends it to an HR queue; HR hides or deletes with a reason, and every action is logged.
- **Notifications:** mentions, replies, praise and wishes received, announcements for me, acknowledgement reminders, polls closing. Each category can be turned off, and nothing is pushed at night.

Pulse check-ins and surveys come in a later phase.

Helpdesk

"Raise complaint" opens Keka-style helpdesk tickets: pick a category, describe the problem, add a photo, and the category routes it to the right team with a response time. Team RVM adds what Keka lacks: confidential grievances and optional anonymity.

Category (HR edits the list)	Goes to	Visibility
IT and lab equipment	Lab desk of the branch	Normal
Facility and housekeeping	Branch admin	Normal
HR and documents	HR	Normal
Payroll and reimbursements	Accounts	Normal
Grievance	HR head	Confidential; anonymity allowed
POSH (sexual harassment)	Internal Committee	Confidential

- **Raise:** category, title, description, photos or PDFs from the camera. The category sets the priority and the assignee; the employee picks neither. Tickets are numbered HD-0001 onwards.
- **Lifecycle:** Open, In progress, On hold (where the category allows), then Resolved or Closed with a closing reason. The employee can reopen within 7 days, rate the help from 1 to 5, or withdraw an open ticket. Nothing is ever deleted, and the thread shows every status change.
- **Response times:** first-response and resolution targets per priority, counted in working hours from each branch's shifts, week-offs and holidays. Late tickets show "Overdue by 3h" and escalate: no first response goes to the category head, unresolved goes to the HoO and then the CEO.

- **Confidential:** only the category head and the named assignees see the ticket. It is hidden from managers and from CEO and super admin lists, reports show counts only, and every read is logged.
- **Anonymous:** the requester is hidden from the assignees but not from the committee, so a false complaint can still be handled.
- **Agents** (HR, branch admins, the lab desk) work tickets on the phone (open and closed lists, status, priority, reassign) and on the web, in a Helpdesk tab inside HRMS with filters, bulk close, saved replies and reports.
- Leave, work from home, attendance fixes and asset requests are not tickets. The category list links to those flows instead.

Build new tables for this. The student tickets table serves the student portal and must stay as it is, and infra_tickets is the Admin Manager's audit register; a lab or facility ticket can also add a row there so that register stays complete.

Role views

Teachers and leaders get a few extra things to do on the phone, placed where Keka would put them: cards on Home, a Work section in Me, team views in My Team and approvals in Inbox. Admin, Admin Manager and Finance Admin get no Work section for now; their student and fee work already has a phone tool in the RVM Staff app.

Role views follow the login role, so they only work if roles are right. HODs and centre heads still sign in as admin or faculty (five accounts carried the hod role on 15 Sep), so re-role every HOD and HoO before launch or they will see an admin's app.

Role	What they get	Built on (exists)	Needs building
Faculty	Today's classes, each marked or not; Mark attendance (everyone present by default; held and not-yet-joined students locked; absent reason); my batches and roster; my timetable; indicators card; interviews I sit on	GET /api/batches; GET /api/attendance/batch/:id/daily; POST /api/attendance; PATCH /api/attendance/remarks; GET /api/attendance/reports/faculty/:id; GET /api/interviews/mine/upcoming	Server-side checks on marking (own batch, date window, lock after the first save, refuse student tokens); trim the roster reply, which includes student password hashes; a "my day" endpoint that knows substitutions
HOD	Everything faculty get, plus the Faculty Development to-do list, a quick 1-on-1 or risk log, a day comment on a team member, and interview verdicts within the 2-day limit	GET /api/hod/overview; POST /api/hod/risk-logs; POST /api/faculty-comments; GET /api/hod/interviews; PATCH /api/hod/interviews/:id/verdict	Nothing. The skill matrix and monthly summary stay on the web

Role	What they get	Built on (exists)	Needs building
HoO	One approvals list (asset requests, faculty leave over 2 days, interview reschedules, final hiring decision), today's reporting flags, priority tasks for their centre, my team today	Inventory-request approvals; POST /api/am/leave/:id/decide; interview reschedule decisions; reporting flags; /api/priority-tasks	"My team today". The HoO has no attendance view at all today
Super admin, CEO	Approvals, the Live attendance board, override a day, excuse a late, reset a phone, flagged punches, close or re-raise tasks, a few KPI cards	GET /api/hr/staff-attendance; /api/hr/attendance-admin/override, /excuse-late, /devices/:id/revoke, /punches; /api/priority-tasks	Light KPI endpoints. /api/ceo/dashboard runs 8 full scans and refuses super admins
HR, HR Executive	Live board, overrides and phone resets (HR only), attendance-login help (HR only), HR alerts, and the new request approvals	/api/hr/staff-attendance; /api/hr/attendance-admin/*; /api/hr/alerts	Approval endpoints for the new request types

Role	What they get	Built on (exists)	Needs building
HOD Placement	Interviews	/api/interviews	Add hod_placement to the interviewer roles; today it is locked out of its own calendar
Admin, Admin Manager, Finance Admin	No Work section for now		

What "indicators" can mean for faculty today. The server already computes a month-to-date "My attendance health" (student attendance across my sessions, target 80%), today's percentage, active and total students, and the sessions with no attendance marked per batch. Faculty never see that last list on the web. The workload band also exists but is a management metric, so leave it out.


What "help" can mean. Nothing exists for faculty: student tickets go to admins only. Recommended: the Helpdesk (its own section below) for lab, PC, machine and facility issues, built on the existing infra_tickets table (categories A–D, 7-day escalation to the HoO). Student doubts routed to the batch faculty can come later.

The faculty views must not ship until the server checks who may mark which batch, and on which dates; the API map lists that gap and the others found in the code.

Priority tasks are not a role view: every role except the CEO receives them, so they live in everyone's Inbox.

Beyond Keka

Thirteen things Keka does not do would help RVM's staff, and the four most valuable are also cheap because the data already exists.



extras beyond Keka · value against effort

Positions are my judgement of value to employees and effort on the existing code; move them as you see fit.

Do first

- Priority tasks with push: the CEO's and super admins' tasks reach every role except the CEO, but the web bell only polls every 2 minutes. Push them to the phone.
- Fix-it loop: Home lists the days that need action (missed punch-out, a late, an absent) with a one-tap request that is already filled in.
- Attendance health check: on first run and after any failed punch, check GPS, precise location, battery set to unrestricted and notifications, with steps for Xiaomi, Samsung, Vivo, Oppo and Realme.
- Interview reminders: 24 hours before a round, the panel member gets the candidate, the CV and a link to record the outcome.

Plan for

- Faculty class attendance: today's classes and marking from the phone, once the server checks who may mark which batch.

- Anti-spoofing: Play Integrity on every punch, mock-location refusal and a hardware-backed key per phone.
- Hindi, then Marathi for Pune and Gujarati for Ahmedabad. Manrope and Sora have no Devanagari or Gujarati letters, so bundle Noto Sans fallbacks.

Quick extras

- Digital ID card with a QR code for placement drives and visitors.
- A home-screen widget and long-press shortcuts that punch in two taps.
- A one-time acknowledgement of the attendance and location policy, stored with its version. Play's location disclosure needs that screen anyway.

Later

- Several geofences per person, for staff who teach at two branches.
- Assets in my custody with an acknowledgement; 80 of 99 asset holders have no portal login today.
- Approve requests from a WhatsApp message.

Theme

Team RVM takes its colours, logo and type from the September 2026 rebrand: Ironwood and Forge Orange on Ivory and white, set in Sora and Manrope. Sora and Manrope are already the Scheduler's fonts, so the app keeps the Scheduler's look and feel and only swaps its blue for the brand colours.

Brand colours (guidelines, page 7)

Name	Hex	In the app
Ironwood	#331714	Text, the header band, secondary buttons, the dark theme's base
Forge Orange	#F84E28	Primary buttons, Punch in, the active tab, highlights
Ivory	#F3F5F4	Light-theme background; text on Ironwood
White	#FFFFFF	Cards and sheets in the light theme
Putty	#DFDDD7	Hairlines, chips, week-off cells (the guideline's canvas colour, not named there)

Printed tints: Ironwood 80/60/40% are #3C201C, #5D4642 and #9B8E89; Forge Orange 80/60/40% are #F65530, #F27152 and #E9A491. The cover gradient runs from #F84E28 at the top to #6E2211 at the bottom.

Light and dark themes (Material 3 role names, so they map straight onto Flutter ThemeData or a Compose ColorScheme)

Role	Light	Dark	Used for
background	#F3F5F4	#1C0E0B	Screen background
surface	#FFFFFF	#26130F	Cards, sheets, dialogs
surfaceContainer	#EEECE7	#331714	Inputs, chips, segmented controls
header band	#331714	#331714	Top band on Home and Profile
onSurface	#331714	#F3F5F4	Body text
onSurfaceVariant	#6B5A56	#CDBFBB	Secondary text
outlineVariant	#DFDDD7	#47302B	Card borders, dividers
outline	#9B8E89	#8C7570	Input borders, inactive icons
primary	#F84E28	#F84E28	Filled buttons, active tab, selection
onPrimary	#331714	#331714	Text and icons on Forge Orange
primary text	#C2361A	#FF8A66	Orange text and links

Role	Light	Dark	Used for
primaryContainer	#FDE4DC	#4A1D12	Selected chip, highlighted row
error	#B3261E	#FFB4AB	Errors only, never as a brand accent

Rules the contrast check forced (WCAG 2.2 AA, computed for every pair above)

1. Text on Forge Orange is Ironwood (4.8:1). White on Forge Orange is 3.4:1, which fails for normal-size text.
2. Orange text and links on light backgrounds use #C2361A (5.5:1 on white). Plain Forge Orange is for fills, icons and the active tab, where 3:1 is enough.
3. Status colours never stand alone. Every chip and calendar cell also carries a word or letter (P, A, HD, L, WO, H), because the attendance green and red are only 1.3:1 apart in lightness.
4. The keyboard focus ring is #C2361A in light and Forge Orange in dark.

Type (the brand hierarchy: Sora ExtraBold headings, Manrope Medium text)

Style	Font	Size / line (sp)	Used for
Display	Sora ExtraBold	28 / 34	Screen titles, the greeting on Home
Headline	Sora ExtraBold	22 / 28	Section heroes, empty-state titles
Title	Manrope Bold	18 / 24	Card titles
Body	Manrope Medium	15 / 23	Running text
Label	Manrope ExtraBold, capitals	13 / 16	Buttons and tabs; status chips use the same style at 10 / 14
Caption	Manrope Medium	12 / 16	Metadata, timestamps
Eyebrow	Manrope ExtraBold, capitals, +12% tracking	11 / 14	"TODAY · THU 15 OCT"
Numeral	Manrope ExtraBold, tabular figures	40 / 44	Punch timer, hours, counts

Both fonts are free under the SIL Open Font License. Bundle the font files in the app rather than loading them at run time.

Shape, spacing and motion (kept from the Scheduler)

- Radius, as on the web: 4 dp status chips, 10 dp calendar tiles, 12 dp buttons and inputs (the Scheduler's 0.75rem), 16 dp cards, dialogs and the punch card, 24 dp bottom-sheet tops and the header band. Circles only for other people's avatars and counters.
- A 4 dp grid, 16 dp screen margins and 48 dp minimum touch targets.
- Motion as on the web: cards rise 6 dp over 420 ms, the bell swings three times and stops, and the punch halo breathes only while punching is the next thing to do. Honour the phone's reduce-motion setting.
- Pop-ups close only through their close button, never by tapping outside (RVM's rule since 14 Oct).

Logo, app icon and splash

- The mark is the lowercase blocky "rvm" wordmark. Follow the House of RVM lockups (rvm CAD, rvm GUJARAT, rvm PUNE) and ask the brand designer for an "rvm TEAM" lockup plus master SVG files. Never retype or redraw the mark.
- Launcher icon: the Forge Orange wordmark on an Ironwood adaptive-icon background, inside the 66 dp safe zone of the 108 dp canvas, plus a one-colour layer for Android 13 themed icons.
- Splash: Android 12 and later show only an icon on a solid colour, so use the launcher icon on Ironwood. The orange-to-deep-red gradient belongs on the sign-in screen.
- Before the guidelines PDF goes to the developer, fix pages 9 and 10. They carry copy from another brand ("Kilimanjaro Sans gives Badabhai's headings…", "Inter's clean forms"); the fonts are Sora and Manrope.

The full token list, live light and dark previews of every component (Home, punch card, calendar, requests, feed, praise, polls, helpdesk, profile, reporting line, PIN lock) and the logo and launcher files are in the Team RVM design system. It stays private until you share it with the developer.

API map

Attendance, sign-in, account security, priority tasks and the faculty and leader views can run on endpoints that exist today. Everything Keka-like (requests, leave, the Inbox, the Wall, the Helpdesk, the self-service profile and documents, push) is new backend work in the Scheduler, best grouped under one new mount, /api/ess. The base URL is https://scheduler.rvmcad.org/api with a Bearer token; nginx forwards only /api/*.

Endpoints the app can use today

Area	Endpoints	For	Watch out
Portal sign-in	POST /api/users/login, /api/users/login/verify, /api/users/forgot-password (+ /confirm)	Portal logins	64-hour token, no refresh. Never call /api/users/reset-password
Attendance sign-in	POST /api/hr/my-attendance/password-login, /otp/request, /otp/verify, /password	The 41 attendance-only staff	30-day session that opens nothing but /my-attendance
Punch and calendar	GET /api/hr/my-attendance?month=, GET /challenge, POST /punch, POST /ping, PUT /remarks	Everyone	Phone User-Agent and the rvm_att_dev cookie
Account and security	GET /api/me; POST /api/me/photo, /email/, /phone/, /two-factor/*, /password; GET /api/me/security-events	Portal logins	Not available to attendance-only sessions
Priority tasks	GET /api/priority-tasks/inbox; GET and PATCH /:id; POST /:id/remarks, /:id/ack	Every role but the CEO	Polled every 2 minutes on the web today
Faculty	GET /api/batches; GET /api/attendance/batch/:id/daily; POST /api/attendance; PATCH /api/attendance/remarks; GET /api/attendance/reports/faculty/:id; GET /api/free-slots	Faculty, HOD	Fix the server checks first (below)
HOD	GET /api/hod/overview, /interviews; POST /api/hod/risk-logs, /api/faculty-comments; PATCH /api/hod/interviews/:id/verdict	HOD	Needs the hod role on the login
Interviews	GET /api/interviews/mine/upcoming, /api/interviews; POST /:id/outcome, /:id/postpone	Panel members	Login must be linked to the HR record

Area	Endpoints	For	Watch out
Leaders	GET /api/hr/staff-attendance; POST /api/hr/attendance-admin/override, /excuse-late, /devices/:id/revoke; GET /punches, /history	HR, CEO, super admin	The HoO has no attendance read today

Backend work to build

1. **One employee identity.** A middleware (employeeAuth, generalising today's punchAuth) that accepts a portal token or an attendance session and resolves the caller to their HR record. A refreshable app session: a short access token plus a rotating refresh token stored hashed, bound to the phone's installation id, revoked on password change, HR disable or exit. GET /api/ess/me/capabilities returns the tabs, sections and approver rights. Rate-limit per employee, not per office IP.
2. **Punch hardening.** Accept a device-id header (or a Keystore-signed punch) as well as the cookie; an is_mock flag and a Play Integrity token on punch and ping; a batch ping upload with capture times; a purge job for old pings; server_now and the day's note in the GET reply.
3. **Profile, team and documents.** GET /api/ess/me/profile, /me/org, /me/department, /directory; POST /me/change-requests; GET and POST /api/ess/me/documents and a 5-minute download link. HR's review queues are tabs inside the web HRMS page.
4. **Requests, leave and the Inbox.** POST and GET /api/ess/attendance-requests and /leave-requests; GET /api/ess/leave/balances; GET /api/ess/approvals; POST /api/ess/approvals/:type/:id/decide. Each decision is one database function that writes the day.
5. **Notifications and push.** POST /api/ess/devices (the FCM token); GET /api/ess/notifications with an unread count; a push worker on Firebase Cloud Messaging. The FIREBASE_* secrets must go into the deploy workflow with a length check, or push dies silently in production as the SMS keys once did.
6. **Wall.** /api/ess/feed (posts, comments, reactions, reports), /praise, /badges, /polls, /announcements, /celebrations; settings and moderation under /api/hr/ess-admin.
7. **Helpdesk.** /api/ess/helpdesk (categories, tickets, messages, ratings) for employees and agents, plus a response-time cron.

Fix before more tokens go on phones (found in the code)

- POST /api/attendance accepts any signed-in token, a student's included, for any batch and date: check the caller, the date window and the lock on the server.

- The marking roster returns full student rows, password hashes included: return only the columns the screen needs.
- Batch create, edit and delete have no role check; /api/dashboard shows branch fee totals to faculty; announcement create and delete have no role check.
- Retire POST /api/users/reset-password (username plus phone, no code).
- Add hod_placement to the interviewer roles, and give every HOD and HoO the right role.
- Raise nginx's upload limit (the default is 1 MB) and add a health and minimum-app-version endpoint.

Android engineering requirements

Build one Android app targeting API 36 that collects location only between punch-in and punch-out, through a foreground service the punch tap starts. That design needs no "Allow all the time" permission, which keeps Google Play review and the employees' trust manageable.

Stack

- Recommended: Flutter, as a new app inside the existing flutterapps monorepo, reusing its networking, auth and state packages after fixes (the Scheduler client has no cookie jar and no User-Agent, and failures drop the server's error codes). Move the RVM Staff app's faculty attendance screens into a shared package for the Work section.
- Use native Kotlin only if your Android developer works only in Kotlin. Do not fold Team RVM into the RVM Staff app: its role model refuses 8 of the 12 live roles and its release builds are signed with the debug key.
- In Flutter: geolocator with your own FOREGROUND_SERVICE_LOCATION declaration, flutter_secure_storage 11 or later, and a small Kotlin channel for Play Integrity and for biometrics bound to a Keystore key (local_auth alone returns only true or false).

Platform

- Target SDK 36; Play has required it for new apps and updates since 31 Aug 2026. Build edge-to-edge and support predictive back, both enforced on Android 16, and align native libraries to 16 KB pages.
- Ask for precise "while using the app" location at the first punch, after an explanation screen; if the person picks approximate, ask again for precise. Ask for notifications in the same flow.

- Do not request ACCESS_BACKGROUND_LOCATION or use the Geofencing API in the first versions.

Location and tracking

- Take one high-accuracy fix for each punch; while punched in, a balanced-power fix every 2 minutes from a foreground service of type location, with a visible notification ("On duty · sharing location until you punch out").
- Stop at punch-out, at midnight IST, or on any 401 or 403. After a reboot, post a "Resume" notification instead of restarting silently, and report gaps to HR as "tracking interrupted", never as absence.
- Android reports accuracy at 68% confidence; browsers report it at 95%. The web's 100 m limit is about 62 m on Android, so either scale the app's reading by 1.6 before sending or give app punches their own limit on the server.
- Phone makers that kill background apps (Xiaomi and Samsung worst, then Oppo, Vivo, Realme): ship an Attendance health screen with per-brand steps (battery Unrestricted, autostart, not paused when unused).

Device trust

- Refuse a punch whose location reports isMock(). Send a Play Integrity token bound to each punch and accept MEETS_DEVICE_INTEGRITY. Do not demand STRONG: since May 2025 it needs a security patch under a year old, which many Indian phones lack. The free quota is 10,000 checks a day.
- At first sign-in create a non-exportable key in the Android Keystore and register it. That key, not a cookie, should become "this person's one phone" in a later backend version.
- FLAG_SECURE on the PIN, profile and document screens.

Storage and sign-in

- Keep tokens in DataStore encrypted with Tink under an Android Keystore key (EncryptedSharedPreferences is deprecated), and exclude them, and the punch cookie, from Android backup.
- Fingerprint through BiometricPrompt with strong biometrics and a CryptoObject. A newly enrolled fingerprint invalidates the key, so fall back to the PIN, then the password.
- Read SMS codes with the SMS User Consent API; never ask for SMS permissions.

Documents and network

- Pick files with the system Photo Picker or document picker and request no storage permissions. Compress photos below 1 MB before upload.
- Treat a 401 as "signed out" only when the server says the token is missing or expired; other 401s mean a wrong password or a missing branch. A 200 with an HTML page means the server is restarting: wait and retry.
- Keep polling light: a whole branch shares one office IP and a limit of 300 requests a minute.
- No offline punching in the first version: the server stamps the time and issues a 2-minute challenge, so show "Punching needs a connection" with Retry.

Release

- Publish from a Play organisation account for RVM Beyond Pvt Ltd (it needs a D-U-N-S number), pilot through closed testing, then roll out in stages (5%, 25%, 100%) and watch crashes.
- Use a real release key, the brand launcher icon and an app name of "Team RVM". Never force an update at the moment of punching.
- Test on a recent Vivo or iQOO, Samsung, Oppo or Realme, Xiaomi or Redmi, and a Pixel, across Android 13 to 17.

Privacy and compliance

Tracking an employee's location during working hours needs no consent under India's Digital Personal Data Protection Act, because employment is a legitimate use. Google Play still requires an in-app disclosure before the location permission, and until May 2027 the IT Act's data rules already require a published privacy policy and a grievance officer. This is research, not legal advice; have counsel confirm it.

Where the law stands (October 2026)

- The DPDP Rules were notified on 13 Nov 2025. The duties that matter here (notice, security, breach reporting, erasure, penalties) start around 13 May 2027.
- Until then the IT Act's Section 43A and the 2011 SPDI Rules apply: publish a privacy policy, name a grievance officer who replies within a month, and take consent before collecting passwords or bank details.
- Once DPDP applies, Section 7(i) lets an employer process employee data "for the purposes of employment" without consent. RVM's earlier choice of "no consent prompt, a policy clause covers it" therefore holds for attendance and location.

- CERT-In's rules apply now: report a cyber incident within 6 hours and keep logs for 180 days. From May 2027, also notify affected employees and the Data Protection Board, with a detailed report within 72 hours.
- All four labour codes have been in force since 21 Nov 2025. Central rules of 8 May 2026 allow electronic attendance registers and wage slips, kept for 5 years. RVM's branches fall under state rules (Haryana, Maharashtra, Gujarat, Uttar Pradesh), several still in draft.

What the app must do

- Collect location only while punched in: nothing on leave, holidays, week-offs or after the shift, because that falls outside the employment purpose.
- Before the location permission, show a full-screen disclosure (Google Play requires it; it is information, not a consent request), for example: "Team RVM uses your location to check that you are at your branch when you punch, and records it every 2 minutes while you are punched in. It stops when you punch out. HR and your manager can see it." Store that it was shown, with its version.
- Publish an employee privacy and location policy as a web page (not a PDF), link it in the app and on the Play listing, and name the grievance officer.
- Aadhaar: say why it is asked for, whether it is mandatory and under which law, and what can be given instead (PAN, passport, driving licence, voter ID). Ask for the masked Aadhaar by default, never show the full number anywhere, keep files encrypted and visible only to HR with an access log, and delete them when the purpose ends. Do not build Aadhaar e-KYC: it needs UIDAI registration since 9 Dec 2025.
- Bank details and passwords count as sensitive data today: take an explicit consent before collecting bank details, and avoid handing out passwords in plain text.
- Keep attendance and wage records for 5 years, delete raw location pings after a fixed period (they are never deleted today), and keep access logs for at least 180 days.
- Fill in Play's Data safety form honestly: precise and approximate location, name, phone, email, employee IDs, photos and documents, bank details if collected, device IDs if the binding id is sent.
- HR creates the accounts, so Play's in-app account-deletion rule probably does not apply. Still add "Request correction or deletion of my data" in Me, routed to HR.
- Notices in English and Hindi, then Marathi and Gujarati.


Two policy risks to raise with counsel

- No overtime: the Code on Wages requires overtime at twice the normal rate, and timestamped punches are evidence of hours worked.
- Live location visible to HR and managers may bring the app under Google Play's employee-monitoring rules (an enterprise-management flag, a persistent notification and a store-listing disclosure). Plan for them.

Roadmap

Ship the attendance core with requests, approvals and the Inbox first (about 8 weeks), pilot it at one branch for two weeks, then add the Wall, Helpdesk and documents (about 6 weeks) and the extras (about 4 weeks).

Attendance and approvals ship first; the Wall and Helpdesk follow



Estimates assume one Android and one backend developer working in parallel.

roadmap · 4 phases, 1 gate

The pilot passes when every punch at that branch is saved for two weeks and HR's sheet matches the app; only then do the other three branches move to the app and HR reset the browser-registered phones.

Phase 0 needs these from RVM, in parallel with the build

- [ ] Google Play organisation account for RVM Beyond Pvt Ltd (needs a D-U-N-S number) and a Firebase project for push
- [ ] The brand designer's master logo files, an "rvm TEAM" lockup and an app-icon mark; pages 9 and 10 of the guidelines fixed
- [ ] HR fills date of birth, emergency contact and blood group, and checks the main phone and email of every employee

- [ ] Every HOD and HoO on the right login role; every portal login linked to its HR record; no shared desk logins
- [ ] Request limits per month and the payroll cut-off date agreed
- [ ] The privacy and location policy published, with a grievance officer named

Decisions

Sixteen choices shape the build; each has a recommendation, and the Status column is yours to mark.

Decision	Options	Recommended	Status
Punch button colours	Forge Orange to punch in, Ironwood (the brand's "deep red") to punch out; or the web's green and red	Brand colours; move the web to match when the portal is rebranded	Open
Tabs for admin roles	All five Keka tabs without a Work section; or only Attendance and Profile, as first asked	All five: admins still need requests, the Wall and the Helpdesk	Open
Sign-in screen	One field that works out the account type (a small new endpoint); or two forms side by side	One field; the credentials stay exactly the same	Open
Location with the screen off	Foreground service while punched in; or only while the app is open, as on the web	Foreground service, with Play's declaration	Open
Mocked location	Refuse the punch; or only flag it for HR	Refuse	Open
Offline punching	Not allowed; or a flagged queue HR reviews	Not allowed in the first version	Open
Who approves requests	Reporting manager with HR as fallback; HR only; the branch Admin Manager	Reporting manager, HR fallback	Open

Decision	Options	Recommended	Status
Monthly request limits	WFH 2, on duty 4, fix a day 3, excuse a late 2, short leave 120 minutes	Confirm or change the numbers	Open
Posting on the Wall	Everyone posts and runs polls, announcements by HR, CEO and super admins; or HR only	Everyone posts	Open
Colleague contact details	Phone and email to everyone; email only; managers and HR only	Email to everyone; phone to the manager chain and HR	Open
Pay in the app	CTC and increments now; nothing until payroll moves into the portal	Nothing for now; payslips once payroll is decided	Open
Moving phones from browser to app	HR bulk reset at go-live; a one-time transfer code	HR bulk reset, branch by branch	Open
Build stack	Flutter in the flutterapps monorepo; native Kotlin	Flutter, unless your developer is Kotlin-only	Open
Distribution	Google Play from an organisation account; a managed private app; an APK download	Google Play, with closed testing for the pilot	Open
Overtime	Keep "no overtime"; take counsel's view first	Take counsel's view before punches record hours	Open
First sign-in	HR's shared first-time password; a one-time code to the HR phone or email	The code; keep the password route as a fallback	Open

Sources

The Scheduler code on 15 Oct 2026 (Scheduler_Backend c28b9ca, Scheduler_frontend cd35abd), the flutterapps repository, and the RVM brand guidelines (September 2026), plus these pages:

- Keka help centre: the Wall, Keka HR on Google Play
- greytHR mobile app home, greytHR PIN and biometric lock
- Google Play: location permissions policy, foreground service types, target API requirement, Data safety, employee monitoring policy
- Play Integrity verdicts, Play Integrity 2025 changes, Jetpack Security deprecation, NIST SP 800-63B-4, Don't kill my app: Xiaomi
- DPDP Rules 2025, DPDP Act 2023, SPDI Rules 2011, CERT-In directions, Aadhaar sharing regulations
- Labour codes in force (PIB), Code on Wages (Central) Rules 2026