```
deeksh@DESKTOP-1L3F0QG:~/vaishnavi$ nano file_operations.sh
deeksh@DESKTOP-1L3F0QG:~/vaishnavi$ chmod +x file_operations.sh
deeksh@DESKTOP-1L3F0QG:~/vaishnavi$ ./file_operations.sh
----- File Operations Script -----
Enter filename to create: vaish
File 'vaish' created successfully.
Enter filename to copy: vaish
Enter new filename (destination): vaish2
File copied successfully.
Enter filename to move: vaish
Enter new name/location: vaish3
File moved successfully.
Enter filename to delete: vaish3
File deleted successfully.
----- Operations Completed -----
```

```
  GNU nano 7.2                                   file_operations.sh
#!/bin/bash
echo "----- File Operations Script -----"
#□1 Create File
read -p "Enter filename to create: " file
if [ -f "$file" ]; then
 echo "Error: File already exists!"
else
 touch "$file"
 if [ $? -eq 0 ]; then
 echo "File '$file' created successfully."
 else
 echo "Error creating file."
 fi
fi

#□2 Copy File
read -p "Enter filename to copy: " source
read -p "Enter new filename (destination): " dest
if [ -f "$source" ]; then
 cp "$source" "$dest"
 if [ $? -eq 0 ]; then
 echo "File copied successfully."
 else
 echo "Error copying file."
 fi
else
echo "Error: Source file does not exist."
fi

#□3 Move File
read -p "Enter filename to move: " movefile
read -p "Enter new name/location: " newloc
if [ -f "$movefile" ]; then
 mv "$movefile" "$newloc"
 if [ $? -eq 0 ]; then
 echo "File moved successfully."
 else
 echo "Error moving file."
                                   [ Read 56 lines ]
^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute   ^C Location   M-U Undo     M-A Set Mark
^X Exit      ^R Read File   ^\ Replace     ^U Paste     ^J Justify   ^/ Go To Line M-E Redo     M-6 Copy
```

```
  GNU nano 7.2                                   file_operations.sh
 cp "$source" "$dest"
 if [ $? -eq 0 ]; then
 echo "File copied successfully."
 else
 echo "Error copying file."
 fi
else
echo "Error: Source file does not exist."
fi

#□3 Move File
read -p "Enter filename to move: " movefile
read -p "Enter new name/location: " newloc
if [ -f "$movefile" ]; then
 mv "$movefile" "$newloc"
 if [ $? -eq 0 ]; then
 echo "File moved successfully."
 else
 echo "Error moving file."
 fi
else
 echo "Error: File to move does not exist."
fi

#□4 Delete File
read -p "Enter filename to delete: " delfile
if [ -f "$delfile" ]; then
 rm "$delfile"
 if [ $? -eq 0 ]; then
 echo "File deleted successfully."
 else
 echo "Error deleting file."
 fi
else
 echo "Error: File does not exist."
fi
echo "----- Operations Completed -----"

^G Help        ^O Write Out   ^W Where Is    ^K Cut         ^T Execute     ^C Location    M-U Undo       M-A Set Mark
^X Exit        ^R Read File   ^\ Replace     ^U Paste       ^J Justify     ^/ Go To Line  M-E Redo       M-6 Copy
```