```
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ nano abc.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ chmod +x abc.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ ./abc.txt
Enter file name:
abc.txt
Enter permission (example 755):
755
Enter new owner name:
rvu
New file permissions are:
-rwxr-xr-x 1 rvu rvu 222 Mar 10 14:39 abc.txt
```

rvu@rvu-OptiPlex-SFF-7020: ~/vaishnavi

GNU nano 7.2 abc.txt

```
#!/bin/bash
echo "Enter file name:"
read file
echo "Enter permission (example 755):"
read perm
chmod $perm $file
echo "Enter new owner name:"
read owner
sudo chown $owner $file
echo "New file permissions are:"
ls -l $file
```

rvu@rvu-OptiPlex-SFF-7020: ~/vaishnavi

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ nano file_permissions.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ chmod +x file_permissions.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$ ./file_permissions.sh abcd.txt
Current permissions for 'abcd.txt': -rw-rw-r--
Enter new permissions (e.g., 755 for rwxr-xr-x): 755
Permissions for 'abcd.txt' changed to 755.
New permissions for 'abcd.txt': -rwxr-xr-x
Do you want to change the ownership of the file? (y/n): y
Enter new owner (username): rvu
Enter new group (groupname): rvu
Ownership for 'abcd.txt' changed to rvu:rvu.
Final details for 'abcd.txt':
-rwxr-xr-x 1 rvu rvu 1705 Mar 10 15:09 abcd.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/vaishnavi$
```

rvu@rvu-OptiPlex-SFF-7020: ~/vaishnavi

GNU nano 7.2 file_permissions.sh

```
#!/bin/bash
# Basic Shell Script for Modifying File Permissions and Ownership
# Usage: ./file_permissions.sh <filename>

# Function to display usage information
usage() {
    echo "Usage: $0 <filename>"
    exit 1
}

# Check if a filename is provided
if [ "$#" -ne 1 ]; then
    usage
fi

filename=$1

# Check if the file exists
if [ ! -e "$filename" ]; then
    echo "Error: File '$filename' does not exist."
    exit 1
fi

# Display current permissions
current_permissions=$(ls -l "$filename" | awk '{print $1}')
echo "Current permissions for '$filename': $current_permissions"

# Get desired permissions from user
read -p "Enter new permissions (e.g., 755 for rwxr-xr-x): " new_permissions

# Change file permissions
chmod "$new_permissions" "$filename"
```

^G Help	^O Write Out	^W Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-] To Bracket
^X Exit	^R Read File	^\ Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^Q Where Was

rvu@rvu-OptiPlex-SFF-7020: ~/vaishnavi

GNU nano 7.2 file_permissions.sh *

```
chmod "$new_permissions" "$filename"

if [ $? -eq 0 ]; then
    echo "Permissions for '$filename' changed to $new_permissions."
else
    echo "Error: Could not change permissions for '$filename'."
    exit 1
fi

# Display new permissions
new_permissions_display=$(ls -l "$filename" | awk '{print $1}')
echo "New permissions for '$filename': $new_permissions_display"

# Ask user if ownership should be changed
read -p "Do you want to change the ownership of the file? (y/n): " change_ownership

if [[ "$change_ownership" =~ ^[Yy]$ ]]; then
    read -p "Enter new owner (username): " new_owner
    read -p "Enter new group (groupname): " new_group
    # Change file ownership
    chown "$new_owner":"$new_group" "$filename"

    if [ $? -eq 0 ]; then
        echo "Ownership for '$filename' changed to $new_owner:$new_group."
    else
        echo "Error: Could not change ownership for '$filename'."
        exit 1
    fi
fi
# Display final permissions and ownership
echo "Final details for '$filename':"
ls -l "$filename"
```

^G Help	^O Write Out	^W Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-] To Bracket
^X Exit	^R Read File	^\ Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^Q Where Was