rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

```
1. Count files in directory
2. Search running process
3. Show largest files
4. Exit
Enter choice: 1
26
----- Command Piping Demo -----
1. Count files in directory
2. Search running process
3. Show largest files
4. Exit
Enter choice: 2
Enter process name: bash
rvu         3708    3701  0 13:58 pts/0    00:00:00 bash
rvu         6966    3708  0 14:11 pts/0    00:00:00 /bin/bash ./enviromnment.sh
rvu         7143    3708  0 14:13 pts/0    00:00:00 /bin/bash ./enviromnment.sh
rvu         7200    3708  0 14:17 pts/0    00:00:00 /bin/bash ./enviromnment.sh
rvu         7795    3708  0 14:39 pts/0    00:00:00 /bin/bash ./pip.sh
rvu         7800    7795  0 14:39 pts/0    00:00:00 grep bash
----- Command Piping Demo -----
1. Count files in directory
2. Search running process
3. Show largest files
4. Exit
Enter choice: 3
76K     .
4.0K    ./p.txt
4.0K    ./process.sh
4.0K    ./process3.sh
4.0K    ./process2.sh
----- Command Piping Demo -----
1. Count files in directory
2. Search running process
3. Show largest files
4. Exit
Enter choice: 4
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$
```

rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

GNU nano 7.2 IO.sh *

```bash
#!/bin/bash
while true
do
    echo "----- I/O Redirection Manager -----"
    echo "1. Write to file"
    echo "2. Append to file"
    echo "3. Display file"
    echo "4. Exit"
    read -p "Enter choice: " ch
    case $ch in
        1)
            read -p "Enter filename: " file
            echo "Enter text (CTRL+D to save):"
            cat > "$file"
            ;;
        2)
            read -p "Enter filename: " file
            echo "Enter text to append (CTRL+D):"
            cat >> "$file"
            ;;
        3)
            read -p "Enter filename: " file
            cat "$file"
            ;;
        4)
            exit
            ;;
        *)
            echo "Invalid choice"
            ;;
    esac
done
```

^G Help	^O Write Out	^W Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-] To Bracket
^X Exit	^R Read File	^\ Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^Q Where Was

rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

```
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
OLDPWD=/home/rvu
_=/usr/bin/printenv
----- Environment Variable Manager -----
1. Display variables (printenv)
2. Set new variable
3. Display variables (env)
4. Exit
Enter choice: 4
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ nano enviromnment.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ ./IO.sh
bash: ./IO.sh: Permission denied
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ chmod +x IO.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ ./IO.sh
----- I/O Redirection Manager -----
1. Write to file
2. Append to file
3. Display file
4. Exit
Enter choice: 1
Enter filename: MohithM
Enter text (CTRL+D to save):
----- I/O Redirection Manager -----
1. Write to file
2. Append to file
3. Display file
4. Exit
Enter choice: 3
Enter filename: MohithM
----- I/O Redirection Manager -----
1. Write to file
2. Append to file
3. Display file
4. Exit
Enter choice: 4
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ nano enviromnment.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$
```

rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

GNU nano 7.2 environment.sh *

```bash
#!/bin/bash
display_env() {
    echo "Current Environment Variables:"
    printenv
}
set_env() {
    read -p "Enter variable name: " name
    read -p "Enter variable value: " value
    export "$name=$value"
    echo "Variable $name set successfully."
}
show_env() {
    echo "Environment variables using env command:"
    env
}
while true
do
    echo "----- Environment Variable Manager -----"
    echo "1. Display variables (printenv)"
    echo "2. Set new variable"
    echo "3. Display variables (env)"
    echo "4. Exit"
    read -p "Enter choice: " ch
    case $ch in
        1) display_env ;;
        2) set_env ;;
        3) show_env ;;
        4) exit ;;
        *) echo "Invalid choice" ;;
    esac
done
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was

rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ chmod +x enviromnment.sh
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$ ./enviromnment.sh
----- Environment Variable Manager -----
1. Display variables (printenv)
2. Set new variable
3. Display variables (env)
4. Exit
Enter choice: 2
Enter variable name: Mohith M
Enter variable value: radhe radhe
./enviromnment.sh: line 12: export: `Mohith M=radhe radhe': not a valid identifier
Variable Mohith M set successfully.
----- Environment Variable Manager -----
1. Display variables (printenv)
2. Set new variable
3. Display variables (env)
4. Exit
Enter choice: 4
(base) rvu@rvu-OptiPlex-SFF-7020:~/MohithM$
```

rvu@rvu-OptiPlex-SFF-7020: ~/MohithM

GNU nano 7.2 pip.sh

```bash
#!/bin/bash

while true
do
    echo "----- Command Piping Demo -----"
    echo "1. Count files in directory"
    echo "2. Search running process"
    echo "3. Show largest files"
    echo "4. Exit"

    read -p "Enter choice: " ch

    case $ch in
        1)
            ls | wc -l
            ;;
        2)
            read -p "Enter process name: " pname
            ps -ef | grep "$pname"
            ;;
        3)
            du -ah . | sort -rh | head -5
            ;;
        4)
            exit
            ;;
        *)
            echo "Invalid choice"
            ;;
    esac
done
```

[Read 31 lines]

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was