

```
[1]: import pandas as pd  
data = pd.Series([10,20, 30,40])  
print (data)
```

```
0    10  
1    20  
2    30  
3    40  
dtype: int64
```

```
[2]: import pandas as pd
```

```
data = pd.Series([10, 20, 30], index=["x", "y", "z"])  
print(data)
```

```
x    10  
y    20  
z    30  
dtype: int64
```

Click to add a cell.

niveditha3.3.ipynb X niveditha3.4.ipynb X niveditha4.ipynb +

Notebook anaconda-2025.12-py312

dtype: int64

```
[4]: data = {
      "Name": ["Ram", "Vani"],
      "Age": [20, 25]
    }

    df = pd.DataFrame(data)
    print(df)
    print("\n")
    #print(df.Name) # or df["Name"] # access based on col

    print(df.loc[0]) # or df.loc[0, "col_Name"] # 0th-row, Particular Col #access base on row

    #print(df.loc[1])
```

	Name	Age
0	Ram	20
1	Vani	25

	Name	Age
0	Ram	20

Name: 0, dtype: object

[]:



```
1 Vanl 25
```

```
Name    Ram  
Age      20  
Name: 0, dtype: object
```

```
[ ]: https://d.docs.live.net/9b6721960e0a2723/Documents/Book1.xlsx
```

```
[10]: import pandas as pd
```

```
df = pd.read_excel("shreya/Book1.xlsx")  
print(df)
```

```
   name class  Marks  
0  shreya   bca    100  
1   nivii   bca    100  
2   sirii   bca    100
```

```
[11]: df.isnull()
```

```
[11]:
```

	name	class	Marks
0	False	False	False
1	False	False	False
2	False	False	False



Modified

now

shreya3.3.ipynb X

Launcher X

shreya3.4.ipynb X

shreya4.ipynb X



Code



0 False False False

1 False False False

2 False False False

[12]: df.dropna()

[12]:

	name	class	Marks
0	shreya	bca	100
1	nivii	bca	100
2	sirii	bca	100

[13]: df.fillna(0)

[13]:

	name	class	Marks
0	shreya	bca	100
1	nivii	bca	100
2	sirii	bca	100

[]: