```
Last login: Tue Apr  7 11:56:47 on ttys000
harshithaj@Harshithas-MacBook-Air-2 ~ % cd os
harshithaj@Harshithas-MacBook-Air-2 os % nano lab6.sh
harshithaj@Harshithas-MacBook-Air-2 os % chmod +x lab6.sh
harshithaj@Harshithas-MacBook-Air-2 os % ./lab6.sh
Lab 6: Directory Management

1. Create Directory
2. List Directories
3. Delete Directory
4. Exit
Enter your choice:
1
Enter directory name to create:
operatingsystem
Directory 'operatingsystem' created successfully.

1. Create Directory
2. List Directories
3. Delete Directory
4. Exit
Enter your choice:
4
Exiting program...
harshithaj@Harshithas-MacBook-Air-2 os % nano lab7.sh
harshithaj@Harshithas-MacBook-Air-2 os % chmod +x lab7.sh
harshithaj@Harshithas-MacBook-Air-2 os % ./lab7.sh
Lab 7: Memory Usage Monitor

Current Memory Status (using free command):
./lab7.sh: line 7: free: command not found

Detailed Memory Info (using top command):
invalid option or syntax: -b
top usage: top
               [-a | -d | -e | -c <mode>]
               [-F | -f]
               [-h]
               [-i <interval>]
               [-l <samples>]
               [-ncols <columns>]
```

```
                        keys: pid (default), command, cpu, cpu_me, cpu_others, csw,
                                time, threads, ports, mregion, mem, rprvt, purg, vsize, vprvt,
                                kprvt, kshrd, pgrp, ppid, state, uid, wq, faults, cow, user,
                                msgsent, msgrecv, sysbsd, sysmach, pageins, boosts, instrs, cycles
                [-R | -r]
                [-S]
                [-s <delay>]
                [-n <nprocs>]
                [-stats <key(s)>]
                [-pid <processid>]
                [-user <username>]
                [-U <username>]
                [-u]
                [-W]


Available Memory:
./lab7.sh: line 15: free: command not found
harshithaj@Harshithas-MacBook-Air-2 os % nano lab8.sh
harshithaj@Harshithas-MacBook-Air-2 os % chmod +x lab8.sh
harshithaj@Harshithas-MacBook-Air-2 os % ./lab8.sh
Lab 8: Environment Variables Demo

Local Variables:
Name: Harshitha J
Course: Operating Systems

Using printenv command:
Harshitha J
Operating Systems

All Environment Variables (using env):
TERM_PROGRAM=Apple_Terminal
SHELL=/bin/zsh
TERM=xterm-256color
course=Operating Systems
TMPDIR=/var/folders/pb/8gy7y9r93_9_smp74zwb5lp80000gn/T/
TERM_PROGRAM_VERSION=466
TERM_SESSION_ID=6C7A6B01-E806-4BED-9E75-59E28946F42E
name=Harshitha J
USER=harshithaj
```

```
SHELL=/bin/zsh
TERM=xterm-256color
course=Operating Systems
TMPDIR=/var/folders/pb/8gy7y9r93_9_smp74zwb5lp80000gn/T/
TERM_PROGRAM_VERSION=466
TERM_SESSION_ID=6C7A6B01-E806-4BED-9E75-59E28946F42E
name=Harshitha J
USER=harshithaj
SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.zFdeNsFdQu/Listeners
PATH=/Library/Frameworks/Python.framework/Versions/3.14/bin:/Library/Frameworks/Python.framework/Versions/3.14/bin:/Library/Framewo
rks/Python.framework/Versions/3.14/bin:/usr/local/bin:/System/Cryptexes/App/usr/bin:/usr/bin:/bin:/usr/sbin:/sbin:/var/run/com.appl
e.security.cryptexd/codex.system/bootstrap/usr/local/bin:/var/run/com.apple.security.cryptexd/codex.system/bootstrap/usr/bin:/var/r
un/com.apple.security.cryptexd/codex.system/bootstrap/usr/appleinternal/bin:/opt/pmk/env/global/bin:/Library/Apple/usr/bin
__CFBundleIdentifier=com.apple.Terminal
PWD=/Users/harshithaj/os
LANG=en_IN.UTF-8
XPC_FLAGS=0x0
XPC_SERVICE_NAME=0
SHLVL=2
HOME=/Users/harshithaj
LOGNAME=harshithaj
OSLogRateLimit=64
COLORTERM=truecolor
_=/usr/bin/env
harshithaj@Harshithas-MacBook-Air-2 os % nano lab9.sh
harshithaj@Harshithas-MacBook-Air-2 os % chmod +x lab9.sh
harshithaj@Harshithas-MacBook-Air-2 os % ./lab9.sh
Lab 9: I/O Redirection Demo
Content written to file1.txt
Content appended to file1.txt

Reading from file1.txt using input redirection:
Hello, this is OS Lab
Appending new line

Trying to read non-existing file:
Error message stored in error.txt

Error file content:
cat: file_not_exist.txt: No such file or directory
harshithaj@Harshithas-MacBook-Air-2 os %
```