II Sem BCA | Home | Untitled2 | II Sem BCA | Lab11.ipynb | Lab 10.ipynb | Lab 10.ipynb | Home | Untitled5 | Untitled4

localhost:8889/notebooks/Untitled5.ipynb?

Anaconda Toolbox v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

- Create a New Project
- Create a New Notebook
- My Projects

Code Snippets

- Manage Code Snippets

Anaconda AI Assistant

- Chat-based Python Help

jupyter Untitled5 Last Checkpoint: 6 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python [conda env:base] * Anaconda Toolbox

[5]:
```python
import pandas as pd


data = {
    "Manufacturer": ["Dell", "HP", "Apple", "Dell"],
    "Category": ["Gaming", "Business", "Ultrabook", "Gaming"],
    "Price": [80000, 60000, 120000, 90000]
}

df = pd.DataFrame(data)

print("Original Data:")
print(df)


df_encoded = pd.get_dummies(df, columns=["Manufacturer", "Category"])

print("\nEncoded Data:")
print(df_encoded)
```

```
Original Data:
  Manufacturer   Category   Price
0         Dell     Gaming   80000
1           HP   Business   60000
2        Apple  Ultrabook  120000
3         Dell     Gaming   90000

Encoded Data:
    Price  Manufacturer_Apple  Manufacturer_Dell  Manufacturer_HP  \
0   80000               False               True            False
1   60000               False              False             True
2  120000                True              False            False
3   90000               False               True            False
```

Anaconda Assistant

AI-powered coding, insights and debugging in your notebooks.

To enable the following extensions, create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? Sign In

For more information, read our Anaconda Assistant documentation.

localhost:8889/notebooks/Untitled5.ipynb?

Anaconda Toolbox v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

Create a New Project

Create a New Notebook

My Projects

Code Snippets

Manage Code Snippets

Anaconda AI Assistant

Chat-based Python Help

jupyter Untitled5 Last Checkpoint: 2 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python [conda env:base] * Anaconda Toolbox

```python
data = {
    "Manufacturer": ["Dell", "HP", "Apple", "Dell"],
    "Category": ["Gaming", "Business", "Ultrabook", "Gaming"],
    "Price": [80000, 60000, 120000, 90000]
}

df = pd.DataFrame(data)

print("Original Data:")
print(df)


df_encoded = pd.get_dummies(df, columns=["Manufacturer", "Category"])

print("\nEncoded Data:")
print(df_encoded)
```

```
Original Data:
  Manufacturer   Category   Price
0         Dell     Gaming   80000
1           HP   Business   60000
2        Apple  Ultrabook  120000
3         Dell     Gaming   90000

Encoded Data:
    Price  Manufacturer_Apple  Manufacturer_Dell  Manufacturer_HP  \
0   80000               False               True            False
1   60000               False              False             True
2  120000                True              False            False
3   90000               False               True            False

   Category_Business  Category_Gaming  Category_Ultrabook
0              False             True               False
1               True            False               False
2              False            False                True
3              False             True               False
```

Anaconda Assistar

AI-powered coding, insights ar
debugging in your notebooks.

To enable the following extensic
create an account or sign in.

Anaconda Assistant 4.18.0

Create Account

Already have an account? Sign In

For more information, read c
Anaconda Assistant docume

II Sem BCA B_PYTHON B | Home | Untitled2 | II Sem BCA B_PYTHON B | Home | Untitled4

localhost:8889/notebooks/Untitled4.ipynb?

Anaconda Toolbox v4.20.0

Anaconda

Your Toolbox for Python Projects

Anaconda Cloud

reate a New Project

reate a New Notebook

ly Projects

Code Snippets

lanage Code Snippets

Anaconda AI Assistant

hat-based Python Help

jupyter Untitled4 Last Checkpoint: 6 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python [conda env:base] * Anaconda Toolbox

[1]:
```
import math

def normalize_vector(vector):

    magnitude = math.sqrt(sum(x**2 for x in vector))

    if magnitude == 0:
        return vector


    normalized = [x / magnitude for x in vector]
    return normalized


v = [3, 4]
result = normalize_vector(v)

print("Original Vector:", v)
print("Normalized Vector:", result)
```

```
Original Vector: [3, 4]
Normalized Vector: [0.6, 0.8]
```

[ ]:

Make Chrome faster

Memory Saver frees up memory from ina tabs so it can be used by active tabs and apps

Turn on No th

Anaconda Assistant 4.18.0

Create Account

Already have an account? Sign In

For more information, read our Anaconda Assistant document