

```
GNU nano 7.2 p1.c
#!/bin/bash
echo "Parent PID:$$"
sleep 20 &
ps -o pid,ppid,cmd
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ pstree -p
systemd(1)─wpa_supplicant
systemd(1)─ModemManager(1288)─{ModemManager}(1310)
systemd(1)─ModemManager(1288)─{ModemManager}(1311)
systemd(1)─ModemManager(1288)─{ModemManager}(1314)
systemd(1)─NetworkManager(1253)─{NetworkManager}(1315)
systemd(1)─NetworkManager(1253)─{NetworkManager}(1316)
systemd(1)─NetworkManager(1253)─{NetworkManager}(1317)
systemd(1)─accounts-daemon(1146)─{accounts-daemon}(1190)
systemd(1)─accounts-daemon(1146)─{accounts-daemon}(1191)
systemd(1)─accounts-daemon(1146)─{accounts-daemon}(1237)
systemd(1)─avahi-daemon(1114)─avahi-daemon(1168)
systemd(1)─bluetoothd(1115)
systemd(1)─colord(1433)─{colord}(1446)
systemd(1)─colord(1433)─{colord}(1447)
systemd(1)─colord(1433)─{colord}(1449)
systemd(1)─cron(1148)
systemd(1)─cups-browsed(3130)─{cups-browsed}(3139)
systemd(1)─cups-browsed(3130)─{cups-browsed}(3140)
systemd(1)─cups-browsed(3130)─{cups-browsed}(3141)
systemd(1)─cupsd(1410)
systemd(1)─dbus-daemon(1116)
systemd(1)─fwupd(6262)─{fwupd}(6263)
systemd(1)─fwupd(6262)─{fwupd}(6264)
systemd(1)─fwupd(6262)─{fwupd}(6265)
systemd(1)─fwupd(6262)─{fwupd}(6266)
systemd(1)─fwupd(6262)─{fwupd}(6268)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─gnome-session-b(2264)─{gnome-session-b}(2320)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─gnome-session-b(2264)─{gnome-session-b}(2321)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─gnome-session-b(2264)─{gnome-session-b}(2322)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─{gdm-wayland-ses}(2261)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─{gdm-wayland-ses}(2262)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─gdm-wayland-ses(2254)─{gdm-wayland-ses}(2263)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─{gdm-session-wor}(2103)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─{gdm-session-wor}(2104)
systemd(1)─gdm3(1431)─gdm-session-wor(2102)─{gdm-session-wor}(2106)
systemd(1)─gdm3(1431)─{gdm3}(1434)
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ hello.c
hello.c: command not found
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ad
Command 'ad' not found, but can be installed with:
sudo apt install netatalk
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ raghu
raghu: command not found
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ hello
Command 'hello' not found, but can be installed with:
sudo snap install hello          # version 2.10, or
sudo apt install hello           # version 2.10-3
sudo apt install hello-traditional # version 2.10-6
See 'snap info hello' for additional versions.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ cat hello.c
#include<stdio.h>
int main(){
printf("Hello");
return 0;
}
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ jobs
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg
bash: fg: current: no such job
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bg
bash: bg: current: no such job
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg & bg
[1] 9859
bash: bg: job 1 already in background
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bash: fg: no job control
^C
[1]+  Exit 1                  fg
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg & bg
[1] 9867
bash: bg: job 1 already in background
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bash: fg: no job control
^C
[1]+  Exit 1                  fg
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ad
Command 'ad' not found, but can be installed with:
sudo apt install netatalk
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ raghu
raghu: command not found
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ hello
Command 'hello' not found, but can be installed with:
sudo snap install hello          # version 2.10, or
sudo apt install hello           # version 2.10-3
sudo apt install hello-traditional # version 2.10-6
See 'snap info hello' for additional versions.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ cat hello.c
#include<stdio.h>
int main(){
printf("Hello");
return 0;
}
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ jobs
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg
bash: fg: current: no such job
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bg
bash: bg: current: no such job
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg & bg
[1] 9859
bash: bg: job 1 already in background
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bash: fg: no job control
^C
[1]+  Exit 1                  fg
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg & bg
[1] 9867
bash: bg: job 1 already in background
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bash: fg: no job control
^C
[1]+  Exit 1                  fg
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$
```



```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ fg & bg
```

```
[1] 9867
```

```
bash: bg: job 1 already in background
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ bash: fg: no job control
```

```
^C
```

```
[1]+  Exit 1                  fg
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ kill
```

```
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ps
```

PID	TTY	TIME	CMD
8769	pts/0	00:00:00	bash
9940	pts/0	00:00:00	ps

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ps
```

PID	TTY	TIME	CMD
8769	pts/0	00:00:00	bash
9949	pts/0	00:00:00	ps

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ pstree
```

```
systemd--ModemManager--3*[{ModemManager}]
--NetworkManager--3*[{NetworkManager}]
--accounts-daemon--3*[{accounts-daemon}]
--avahi-daemon--avahi-daemon
--bluetoothd
--colord--3*[{colord}]
--cron
--cups-browsed--3*[{cups-browsed}]
--cupsd
--dbus-daemon
--fwupd--5*[{fwupd}]
--gdm3--gdm-session-wor--gdm-wayland-ses--gnome-session-b--3*[{gnome-session-b}]
      |                  |                  |
      |                  |                  +--3*[{gdm-wayland-ses}]
      |                  +--3*[{gdm-session-wor}]
      +--3*[{gdm3}]
--gnome-remote-de--3*[{gnome-remote-de}]
--2*[{kerneloops}]
--polkitd--3*[{polkitd}]
--power-profiles--3*[{power-profiles-}]
--rsyslogd--3*[{rsyslogd}]
```

```
├─systemd-resolve(858)
├─systemd-timesyn(859)──{systemd-timesyn}(866)
├─systemd-udev(527)
├─thermald(1153)──{thermald}(1219)
│               ├──{thermald}(1220)
│               ├──{thermald}(1234)
│               └──{thermald}(1335)
├─udisksd(1155)──{udisksd}(1215)
│               ├──{udisksd}(1216)
│               ├──{udisksd}(1236)
│               ├──{udisksd}(1306)
│               └──{udisksd}(1322)
├─unattended-upgr(1413)──{unattended-upgr}(1439)
├─upowerd(1327)──{upowerd}(1330)
│               ├──{upowerd}(1331)
│               └──{upowerd}(1332)
└─wpa_supplicant(1255)
```

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$ sudo install gcc

[sudo] password for rvu:

sudo: a password is required

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$ ps -o pid

PID

8769

10078

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$ ps -o ppid

PPID

8762

8769

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$ ps -o cmd

CMD

bash

ps -o cmd

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$ ps -o pid,ppid,cmd

PID PPID CMD

8769 8762 bash

10087 8769 ps -o pid,ppid,cmd

(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop\$

```
hello.c:4:8: error: 'o' undeclared (first use in this function)
```

```
4 | return o;  
  |         ^
```

```
hello.c:4:8: note: each undeclared identifier is reported only once for each function it appears in
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano hello.c
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ./ad
```

```
Hello(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 1/0
```

```
sleep: invalid time interval '1/0'
```

```
Try 'sleep --help' for more information.
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 1000000
```

```
^C
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 30
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 1
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep &
```

```
[1] 9667
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep: missing operand
```

```
Try 'sleep --help' for more information.
```

```
^C
```

```
[1]+  Exit 1                  sleep
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 30 &
```

```
[1] 9678
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 30 &
```

```
[2] 9681
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 30 &
```

```
[3] 9682
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 40 &
```

```
[4] 9684
```

```
[1] Done                  sleep 30
```

```
[2] Done                  sleep 30
```

```
[3] Done                  sleep 30
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ jobs
```

```
[4]+ Done                  sleep 40
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ notepad.exe
```

```
notepad.exe: command not found
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ jobs
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ls
```



```
gcc: fatal error: no input files
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc -o RAGHU.c ./ff
/usr/bin/ld: cannot find ./ff: No such file or directory
collect2: error: ld returned 1 exit status
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc RAGHU.c -o a
cc1: fatal error: RAGHU.c: No such file or directory
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
hello.c:2:9: fatal error: conio.h: No such file or directory
   2 | #include<conio.h>
     |             ^~~~~~
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano hello.c
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
hello.c: In function 'main':
hello.c:3:16: error: expected ';' before 'return'
   3 | printf("Hello")
     |                ^
     |                ;
   4 | return o;
     | ~~~~~
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano hello.c
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
hello.c: In function 'main':
hello.c:4:8: error: 'o' undeclared (first use in this function)
   4 | return o;
     |         ^
hello.c:4:8: note: each undeclared identifier is reported only once for each function it appears in
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano hello.c
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ./ad
Hello(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ sleep 1/0
sleep: invalid time interval '1/0'
```



```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ ls
aditi      Desktop  documents Downloads f2.c  hh      Music  Pictures  Public  RVUN25CSE416  temp      Videos
anaconda3 directory Documents f1.c   f.c    likitha path   project  raghu   snap          Templates

(base) rvu@rvu-OptiPlex-SFF-7020:~$ mkdir desktop
(base) rvu@rvu-OptiPlex-SFF-7020:~$ cd desktop
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ cd raghu
bash: cd: raghu: No such file or directory
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ mkdir raghu
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ls
raghu
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ pwd
/home/rvu/desktop
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ls -l
total 4
drwxrwxr-x 2 rvu rvu 4096 Feb 10 14:10 raghu
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ ls -a
.  ..  raghu
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc -o RAGHU.c
gcc: fatal error: no input files
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc -o RAGHU.c ./ff
/usr/bin/ld: cannot find ./ff: No such file or directory
collect2: error: ld returned 1 exit status
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc RAGHU.c -o a
cc1: fatal error: RAGHU.c: No such file or directory
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ gcc hello.c -o ad
hello.c:2:9: fatal error: conio.h: No such file or directory
   2 | #include<conio.h>
     |
compilation terminated.
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano
(base) rvu@rvu-OptiPlex-SFF-7020:~/desktop$ nano hello.c
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ touch poem.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ echo -e "There was once an alien from space.\nHe knew he was going to win the race.\nHe had a very handsome face.\nBut he left without a trace."> poem.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ wc poem.txt
  4  28 132 poem.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ touch plan.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ echo -e "Task 1:Make a HTML website\nTask 2: Make DLC0 notes\nTask 3:Submit the C assignment"> plan.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ cat -n plan.txt
  1 Task 1:Make a HTML website
  2 Task 2: Make DLC0 notes
  3 Task 3:Submit the C assignment
(base) rvu@rvu-OptiPlex-SFF-7020:~$
```



```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ touch report.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ echo -e "This is a report.\nIt has two lines. "> report.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ wc report.txt
 2  8 37 report.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ █
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ touch todo.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ echo -e "Task 1:Study Linux\nTask 2: Write code\nTask 3: Submit Assignment">todo.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ cat -n todo.txt
 1 Task 1:Study Linux
 2 Task 2: Write code
 3 Task 3: Submit Assignment
(base) rvu@rvu-OptiPlex-SFF-7020:~$
```

```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ mkdir linux
(base) rvu@rvu-OptiPlex-SFF-7020:~$ cd linux
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ touch file1.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ ls -l
total 0
-rw-rw-r-- 1 rvu rvu 0 Aug 28 12:31 file1.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ chmod file1.txt
chmod: missing operand after 'file1.txt'
Try 'chmod --help' for more information.
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ cat file1.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ chmod 440 file1.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$ ls -l
total 0
-r--r----- 1 rvu rvu 0 Aug 28 12:31 file1.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~/linux$
```



```
(base) rvu@rvu-OptiPlex-SFF-7020:~$ touch dairy.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ ls -l dairy.txt
-rw-rw-r-- 1 rvu rvu 0 Aug 28 12:14 dairy.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ chmod 600 dairy.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$ ls -l dairy.txt
-rw----- 1 rvu rvu 0 Aug 28 12:14 dairy.txt
(base) rvu@rvu-OptiPlex-SFF-7020:~$
```