QDCS: Digrammatic Calculus and Error Correction

Renaud Vilmart

TD 1

1 Cups and Caps

Question 1. Write the following diagram as a composition of identities, cups and caps:



Question 2. Compute its interpretation, and check it is the identity. What can we say about the mirrored version of the diagram?

Question 3. Let D be a diagram representing an arbitrary 2×2 matrix M. Compute the interpretation

D . What operation is applied on M?

$\mathbf{2}$ Tautology in Graphical Notation

Question 1. Show by matrix computation that $|0\rangle \circ \langle 0| = |0\rangle \otimes \langle 0| = \langle 0| \otimes |0\rangle$. Generalise and show that $|\psi\rangle \circ \langle \varphi| = |\psi\rangle \otimes \langle \varphi| = \langle \varphi| \otimes |\psi\rangle$ for any states $|\psi\rangle$ and $|\varphi\rangle$ using properties of the tensor.

Question 2. Write the above terms using the graphical notation. What can we say about it?

3 Only Connectivity Matters

Question 1. Using matrices or the Dirac notation, check the soundness of the following equations:

diagrams?

Question 2. Show diagrammatically that:

$$=$$
 . What is the interpretation of these

Generalised Bialgebra

Question 1. By an induction, show that we can generalise the bialgebra rule to:


up to a

$$\bigvee_{m}^{n} = \bigvee_{m}^{n} \text{ up to } \epsilon$$

global scalar. What is this scalar?

5 Normal Form

Question 1. Put the following diagram in Z-X normal form, then put it in X-Z normal form:



Question 2. Bend all input wires into outputs. Put the resulting diagram in Z-X and X-Z normal form.

6 Phases

Let f be an arbitrary 1-qubit operator such that: = f . f is called a Z-phase.

Question 1. Diagrammatically show the left-right mirrored version of the above equation. Diagrammatically show that: $\begin{array}{c}
f \\
f
\end{array}$ Diagrammatically show that f is self-transpose.

Question 2. By computing the interpretation of the diagrams in the first equation, show that f has to be diagonal.

Question 3. Suppose instead f distributes over the Z-spider: f = f = f = f. What are the only two possibilities for such f that are also invertible? Are they a phase to one of the spiders?