```
0000 ;
0000;
             This file is generated by The Interactive Disassembler (IDA)
0000 ;
0000;
                              Licensed to: Unknown User ;-)
             Copyright (c) 1999 by DataRescue sa/nv, <ida@datarescue.com>
0000;
0000;
0000;
0000 ; -
                  : D:\markm\pace\pacedev.net\sw\dev\platform\qalaqa\xevious\sub2.bin
0000 ; File Name
0000 ; Format
                  : Binary File
0000 ; Base Address: 0000h Range: 0000h - 1000h Loaded length: 1000h
0000
0000 ; Processor:
                         z80
0000; Target assembler: Table Driven Assembler (TASM) by Speech Technology Inc.
0000
0000 ; =
0000
0000 ; Segment type: Pure code
0000 ; segment 'seg000'
0000
0000 RESET:
0000
                     ld
                             sp, 0A300h
0003
                     qį
                             START
0003 ; -
                     .db 0, 0
0006
0008
0008;
                    SUBROUTINE
0008
0008
                                              ; CODE XREF: sub 0 248+3D\(\text{D}\)p
0008 sub 0 8:
                                              ; sub 0 28B+74\(\text{Dp}\)...
0008
0008
                     add
                             a, a
0009
                     jr
                             nc, sub 0 10
000B
                     inc
                             h
000C
                     jr
                             sub 0 10
000C ; End of function sub 0 8
000C
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
000C ; -
                     .db 0, 0
000E
0010
0010 ;
                       SUBROUTINE
0010
0010
0010 sub 0 10:
                                              ; CODE XREF: sub 0 8+1□j
                                              ; sub 0 8+4□j ...
0010
0010
                     add
                             a, 1
0011
                     ld
                             1, a
0012
                     ret
                             nc
0013
                     inc
                             h
0014
                     ret
0014; End of function sub 0 10
0014
0014 ; -
                     .db 0, 0, 0
0015
0018
                       SUBROUTINE
0018 ;
0018
0018
0018 sub 0 18:
                                              ; CODE XREF: sub 0 18+2□j
0018
                                              ; sub 0 214+27\(\text{Dp}\)...
0018
                     ld
                             (hl), a
0019
                     inc
                             hl
001A
                             sub 0 18
                     djnz
001C
                     ret
001C; End of function sub 0 18
001C
001C ; -
                     .db 0, 0, 0
001D
0020
                       SUBROUTINE
0020 ;
0020
0020
0020 sub 0 20:
                                              ; CODE XREF: sub 0 307+24\p
                                              ; sub 0 307+84\(\text{D}\)
0020
0020
                     ld
                                (0A098h)
                             a,
0023
                     and
                             а
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
z, loc 0 31
0024
                  jr
0026
                  dec
                          z, loc 0 2D
0027
                  jr
0029
                  ld
                         hl, 0A\overline{0}9\overline{0}h
002C
                  ret
002D ;
002D
002D loc 0 2D:
                                        ; CODE XREF: sub 0 20+7 j
002D
                  ld
                          hl, 0A08Bh
0030
                  ret
0031 ; -
0031
0031 loc 0 31:
                                        ; CODE XREF: sub 0 20+4 []
0031
                  ld
                          hl, 0A086h
0034
                  ret
0034 ; End of function sub 0 20
0034
0034 ; -
0035
                  0035
                   0035
                   .db 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
0066
                   .db 0F5h ;
0067
                   .db 3Ah ; :
0068
                  .db 80h; Ç
0069
                   .db 0A0h ; á
006A
                   .db 0A7h ; °
                   .db 28h; (
006B
006C
                   .db
                        3 ;
006D
                   .db 0F1h ; \pm
006E
                   .db OEDh ; φ
006F
                   .db 45h; E
0070
                   .db 3Eh; >
0071
                   .db
                       1 ;
0072
                   .db 32h; 2
0073
                   .db
                      80h ; Ç
0074
                   .db 0A0h ; á
0075
                   .db
                       32h ; 2
0076
                   .db
                       22h ; "
0077
                   .db 68h; h
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
0078
                      .db 0AFh ; »
0079
                      .db 32h; 2
007A
                      .db 22h ; "
007B
                      .db 68h; h
                      .db 0C3h ; -
007C
                      .db 9Ah ; Ü
007D
007E
                      .db
                             0 ;
007F ; -
007F
007F START:
                                               ; CODE XREF: 0000:0003 j
007F
                      ld
                              a, 1
0081
                      ld
                              (6822h), a
0084
                      call
                              sub 0 A53
                              hl, 0A000h
0087
                      ld
008A
                      ld
                              (h1), 0
008C
                      ld
                              de, 0A001h
                              bc, OFFh
008F
                      ld
0092
                      ldir
0094
                      xor
0095
                      ld
                               (6822h), a
0098
0098 loc 0 98:
                                               ; CODE XREF: 0000:0098□j
0098
                              loc 0 98
009A ; -
                      ld
009A
                              hl, 0A081h
009D
                      ld
                              (h1), 0
009F
                      ld
                              de, 0A082h
00A2
                      ld
                              bc, 0Fh
00A5
                      ldir
                      ld
00A7
                              a, (0A094h)
00AA
                      and
                              а
00AB
                              z, loc 0 B8
                      jr
                              hl, 0A\overline{0}0\overline{0}h
00AD
                      ld
00B0
                      add
                              a, (hl)
00B1
                      ld
                               (hl), a
00B2
                      xor
                              (0A094h), a
00B3
                      ld
00B6
                      jr
                              loc 0 CE
00B8 ;
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
00B8
00B8 loc 0 B8:
                                                   ; CODE XREF: 0000:00ABDj
00B8
                                   (8028h)
                       ld
00BB
                       and
                                а
                                 z, loc 0 CE
00BC
                       jr
                       ld
                                hl, 0A001h
00BE
00C1
                       ld
                                 (h1), 0
00C3
                       ld
                                de, 0A002h
                                bc, 26h; '&'
00C6
                       ld
00C9
                       ldir
00CB
                       jр
                                loc 0 1D2
00CE ;
00CE
00CE loc 0 CE:
                                                   ; CODE XREF: 0000:00B6□j
00CE
                                                   ; 0000:00BC□j
00CE
                       ld
                                   (0A002h)
                                a,
00D1
                       and
                                 а
00D2
                                 z, loc 0 DF
                       jr
                                hl, 0A\overline{0}9\overline{5}h
00D4
                       ld
00D7
                       ld
                                 (hl), 2
                                sub 0 28B
00D9
                       call
00DC
                                loc_0_1D2
                       jр
00DF ; -
00DF
00DF loc 0 DF:
                                                   ; CODE XREF: 0000:00D2□j
00DF
                       ld
                                   (0A003h)
                                 a,
00E2
                       and
                                 а
00E3
                       jr
                                z, loc 0 F0
00E5
                                hl, 0A\overline{0}9\overline{5}h
                       ld
00E8
                       ld
                                 (h1), 3
                                 sub 0 28B
00EA
                       call
00ED
                                loc_0_1D2
                       qį
00F0 ;
00F0
00F0 loc 0 F0:
                                                   ; CODE XREF: 0000:00E3□j
00F0
                       ld
                                   (0A004h)
                                a,
00F3
                       and
                                 а
                                z, loc 0 101
00F4
                       jr
                                hl, 0\overline{A095}h
00F6
                       ld
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

| 00F9<br>00FB<br>00FE<br>0101   | :          | ld<br>call<br>jp                    | (h1), 4<br>sub_0_28B<br>loc_0_1D2   |              |             |
|--|------------|-------------------------------------|---|--------------|-------------|
| 0101<br>0101<br>0101<br>0104<br>0105<br>0107<br>010A<br>010C<br>010F | loc_0_101: | ld<br>and<br>jr<br>ld<br>ld<br>call | a, (0A00Eh)<br>a<br>z, loc_0_10F<br>hl, 0A095h<br>(hl), 0Eh<br>sub_0_28B                                | ; CODE XREF: | 0000:00F4□j |
|  | loc_0_10F: | ld<br>and<br>jr<br>ld<br>ld<br>call | a, (0A00Dh)<br>a<br>z, loc_0_11D<br>hl, 0A095h<br>(h1), 0Dh<br>sub_0_28B                                | ; CODE XREF: | 0000:0105□j |
|  | loc_0_11D: | ld ld and jr xor ld call            | hl, 0A095h<br>(hl), 5<br>a, (0A005h)<br>a<br>z, loc_0_131<br>a<br>(0A005h), a<br>sub_0_214<br>loc_0_13B | ; CODE XREF: | 0000:0113□j |
| 0131   | loc_0_131: | ld<br>and<br>jp<br>call             | a, (0A019h)<br>a<br>z, loc_0_13B<br>sub_0_248   | ; CODE XREF: | 0000:0126□j |

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
013B loc 0 13B:
                                                ; CODE XREF: 0000:012F□j
013B
                                                ; 0000:0135□j
013B
                      ld
                               a, (0A006h)
013E
                      and
                               а
013F
                      jr
                               z, loc 0 14B
0141
                               hl, 0A095h
                      ld
0144
                      ld
                               (hl), 6
0146
                      call
                               sub 0 28B
0149
                               loc 0 179
                      jr
014B ; -
014B
014B loc 0 14B:
                                                ; CODE XREF: 0000:013F□j
014B
                      ld
                               a, (0A007h)
014E
                      and
                               а
014F
                      jr
                               z, loc 0 15B
0151
                      ld
                               hl, 0A095h
0154
                      ld
                               (hl), 7
0156
                               sub 0 28B
                      call
0159
                               loc 0 179
                      jr
015B ; -
015B
015B loc 0 15B:
                                                ; CODE XREF: 0000:014F□j
015B
                      ld
                                  (0A008h)
                               a,
015E
                      and
                               а
015F
                      jr
                               z, loc 0 16B
0161
                               hl, 0A\overline{0}9\overline{5}h
                      ld
                      ld
                               (hl), 8
0164
0166
                      call
                               sub 0 28B
0169
                      jr
                               loc 0 179
016B ; -
016B
016B loc 0 16B:
                                                ; CODE XREF: 0000:015F□j
016B
                      ld
                               a, (0A009h)
016E
                      and
                               а
016F
                      jr
                               z, loc 0 179
                               hl, 0A095h
0171
                      ld
0174
                      ld
                               (hl), 9
0176
                      call
                               sub 0 28B
0179
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
0179 loc 0 179:
                                                 ; CODE XREF: 0000:0149 j
                                                 ; 0000:0159□j ...
0179
0179
                       ld
                                hl, 0A095h
017C
                       ld
                                (hl), OAh
017E
                       ld
                                a, (0A00Ah)
0181
                       and
                                а
0182
                                z, loc_0_18D
                       jr
0184
                       xor
0185
                       ld
                                (0A00Ah), a
0188
                       call
                                sub 0 214
                               loc 0 1B5
018B
                       jr
018D ;
018D
018D loc_0_18D:
                                                 ; CODE XREF: 0000:0182□j
018D
                       ld
                                   (0A01Eh)
                                a,
0190
                       and
                                а
0191
                       jr
                                z, loc_0_198
                                sub 0\overline{2}4\overline{8}
0193
                       call
0196
                               loc 0 1B5
                       jr
0198 ; -
0198
0198 loc 0 198:
                                                 ; CODE XREF: 0000:0191□j
0198
                                hl, 0A095h
                       ld
019B
                       ld
                                (hl), OBh
019D
                       ld
                                a, (0A00Bh)
01A0
                       and
                                а
                                z, loc_0_1AC
01A1
                       jr
01A3
                       xor
01A4
                       ld
                                (0A00Bh), a
01A7
                                sub 0 214
                       call
                               loc 0 1D2
01AA
                       jr
01AC ;
01AC
01AC loc 0 1AC:
                                                 ; CODE XREF: 0000:01A1□j
01AC
                       ld
                                   (0A01Fh)
                                a,
01AF
                       and
                                а
01B0
                       jr
                                z, loc 0 1B5
                               sub_0_{\overline{2}48}
01B2
                       call
01B5
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
01B5 loc 0 1B5:
                                                  ; CODE XREF: 0000:018B□j
01B5
                                                  ; 0000:0196□j ...
01B5
                       ld
                                hl, 0A095h
01B8
                       ld
                                (hl), OCh
01BA
                       ld
                                a, (0A00Ch)
01BD
                       and
                                а
                                z, loc_0_1C9
01BE
                       jr
01C0
                       xor
01C1
                       ld
                                (0A00Ch), a
01C4
                       call
                                sub 0 214
                                loc 0 1D2
01C7
                       jr
01C9 ;
01C9
01C9 loc_0_1C9:
                                                  ; CODE XREF: 0000:01BE□j
01C9
                       ld
                                   (0A020h)
                                a,
01CC
                       and
                                а
01CD
                       jr
                                z, loc_0_1D2
                                sub 0 \ \overline{248}
01CF
                       call
01D2
                                                  ; CODE XREF: 0000:00CB□j
01D2 loc 0 1D2:
01D2
                                                  ; 0000:00DC□j ...
01D2
                       ld
                                   (0A000h)
01D5
                       and
01D6
                       jr
                                z, loc 0 1E2
                                hl, 0A\overline{0}9\overline{5}h
01D8
                       ld
01DB
                       ld
                                (hl), 0
                                sub 0 28B
01DD
                       call
01E0
                                loc_0_1F0
                       jr
01E2 ;
01E2
01E2 loc 0 1E2:
                                                  ; CODE XREF: 0000:01D6□j
01E2
                       ld
                                   (0A001h)
01E5
                       and
                       jr
01E6
                                z, loc 0 1F0
                                hl, 0\overline{A095}h
01E8
                       ld
01EB
                       ld
                                (hl), 1
                                sub 0 28B
01ED
                       call
01F0
01F0 loc 0 1F0:
                                                  ; CODE XREF: 0000:01E0□j
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
01F0
                                              ; 0000:01E6□j
01F0
                              hl, 0A081h
                     ld
01F3
                     ld
                              de, 6810h
01F6
                     ld
                              bc, 10h
                     ldir
01F9
01FB
                     ld
                              a, (0A091h)
                              (6805h), a
01FE
                     ld
0201
                     ld
                              a, (0A092h)
0204
                     ld
                              (680Ah), a
0207
                     ld
                              a, (0A093h)
020A
                     ld
                              (680Fh), a
020D
                     xor
                              (0A080h), a
020E
                     ld
0211
                     pop
0212
                     retn
0214
0214 ;
                       SUBROUTINE
0214
0214
0214 sub 0 214:
                                              ; CODE XREF: 0000:012C□p
0214
                                              ; 0000:0188□p ...
0214
                     ld
                              hl, 0A014h
0217
                     ld
                              a, (0A095h)
021A
                              10h
                     rst
021B
                     inc
                              (hl)
021C
                              hl, 0A095h
                     ld
021F
                     ld
                              a, (hl)
0220
                              a, a
                     add
0221
                     add
                              a, (hl)
0222
                     ld
                              hl, 4C0h
0225
                     rst
                              10h
0226
                     ld
                              de, 0A096h
0229
                             bc, 3
                     ld
022C
                     ldir
022E
                     ld
                              hl, 0A097h
0231
                     ld
                              b, (hl)
0232
                     ld
                              c, b
                              hl, 0A054h
0233
                     ld
0236
                     ld
                              a, (0A096h)
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
0239
                      rst
                              10h
023A
                      xor
                               а
023B
                              18h
                      rst
023C
                      ld
                              b, c
023D
                      ld
                              hl, 0A028h
0240
                      ld
                              a, (0A096h)
0243
                              10h
                      rst
0244
                      xor
                               а
0245
                      rst
                              18h
0246
                      jr
                              loc 0 25A
0246; End of function sub 0 214
0246
0248
                        SUBROUTINE
0248 ;
0248
0248
0248 sub 0 248:
                                                ; CODE XREF: 0000:0138□p
0248
                                                ; 0000:0193□p ...
0248
                      ld
                              hl, 0A095h
024B
                      ld
                              a, (hl)
024C
                      add
                              a, a
024D
                              a, (hl)
                      add
024E
                      ld
                              hl, 4C0h
0251
                              10h
                      rst
0252
                      ld
                              de, 0A096h
0255
                      ld
                              bc, 3
0258
                      ldir
025A
025A loc 0 25A:
                                                ; CODE XREF: sub 0 214+32□j
                                               ; sub 0 248+23□j
025A
025A
                      call
                               sub 0 307
025D
                      ld
                              hl, 0\overline{A}097h
0260
                      dec
                               (hl)
                              z, loc 0 26D
0261
                      jr
                              hl, 0\overline{A096h}
0263
                      ld
0266
                      inc
                               (hl)
                              hl, 0A098h
0267
                      ld
026A
                      inc
                               (hl)
026B
                      jr
                              loc 0 25A
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
026D ; —
026D
026D loc 0 26D:
                                              ; CODE XREF: sub 0 248+19□j
026D
                                (0A099h)
                     ld
                             a,
0270
                     and
                              а
0271
                     ret
                              Z
0272
                     xor
0273
                     ld
                              (0A099h), a
0276
                     ld
                             hl, 0A014h
0279
                     ld
                             a, (0A095h)
027C
                     rst
                             10h
027D
                     ld
                             (hl), 0
027F
                     ld
                             hl, 433h
                             a, (0A095h)
0282
                     ld
0285
                     rst
0286
                     ld
                             e, (hl)
0287
                     inc
                             hl
0288
                     ld
                             d, (hl)
0289
                              de, hl
                     ex
028A
                     qį
                              (hl)
028A; End of function sub 0 248
028A
028B
028B ;
                       SUBROUTINE
028B
028B
028B sub 0 28B:
                                              ; CODE XREF: 0000:00D9□p
028B
                                              ; 0000:00EA□p ...
028B
                     ld
                             hl, 0A095h
                             a, (hl)
028E
                     ld
028F
                     add
                             a, a
0290
                             a, (hl)
                     add
0291
                     ld
                             hl, 4C0h
0294
                     rst
                             10h
0295
                     ld
                             de, 0A096h
0298
                     ld
                             bc, 3
029B
                     ldir
029D
                     ld
                             hl, 0A014h
02A0
                     ld
                             a, (0A095h)
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
02A3
                      rst
                               10h
02A4
                      ld
                               a, (hl)
02A5
                      and
                               а
02A6
                      jr
                               nz, loc_0_2C1
02A8
                      inc
                               (hl)
02A9
                      ld
                               hl, 0A097h
02AC
                      ld
                               b, (hl)
02AD
                      ld
                               c, b
02AE
                      ld
                               hl, 0A054h
02B1
                      ld
                               a, (0A096h)
02B4
                      rst
                               10h
02B5
                      xor
                               а
02B6
                      rst
                               18h
02B7
                      ld
                               b, c
                              hl, 0A028h
02B8
                      ld
02BB
                      ld
                               a, (0A096h)
02BE
                      rst
                               10h
02BF
                               а
                      xor
02C0
                      rst
                               18h
02C1
02C1 loc 0 2C1:
                                                ; CODE XREF: sub_0_28B+1B\[ j
02C1
                                                ; sub_0_28B+47\\(\)j
                               sub 0 307
02C1
                      call
02C4
                      ld
                               hl, 0A097h
02C7
                      dec
                               (hl)
02C8
                               z, loc 0 2D4
                      jr
02CA
                      ld
                               hl, 0A096h
02CD
                      inc
                               (hl)
02CE
                               hl, 0A098h
                      ld
02D1
                      inc
                               (hl)
02D2
                               loc_0_2C1
                      jr
02D4 ;
02D4
02D4 loc 0 2D4:
                                                ; CODE XREF: sub 0 28B+3D□j
02D4
                      ld
                                  (0A099h)
                               a,
02D7
                      and
                               а
02D8
                      ret
                               Z
02D9
                      xor
                               а
02DA
                      ld
                               (0A099h), a
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
02DD
                      ld
                              hl, 0A014h
                              a, (0A095h)
02E0
                      ld
02E3
                      rst
                              10h
02E4
                      ld
                              (h1), 0
02E6
                      ld
                              hl, 0A000h
02E9
                      ld
                              a, (0A095h)
02EC
                      rst
                              10h
02ED
                      ld
                              a, (0A095h)
02F0
                      and
                              а
02F1
                      jr
                              z, loc_0_305
02F3
                              14h
                      ср
02F5
                      jr
                              z, loc 0 305
                              (hl), \overline{0}
02F7
                      ld
02F9
                      ld
                              hl, 433h
02FC
                      ld
                              a, (0A095h)
02FF
                              8
                      rst
                              e, (hl)
0300
                      ld
0301
                              hl
                      inc
0302
                      ld
                              d, (hl)
0303
                      ex
                              de, hl
0304
                      jр
                              (hl)
0305 ;
0305
0305 loc 0 305:
                                               ; CODE XREF: sub 0 28B+66□j
                                               ; sub_0_28B+6ADj
0305
0305
                      dec
                              (hl)
0306
                      ret
0306; End of function sub 0 28B
0306
0307
0307 ;
                       SUBROUTINE
0307
0307
0307 sub 0 307:
                                               ; CODE XREF: sub 0 248+12\p
                                               ; sub 0 28B+36□p
0307
0307
                      ld
                              hl, 0A028h
030A
                      ld
                              a, (0A096h)
030D
                              10h
                      rst
030E
                      inc
                              (hl)
```

```
030F
                      ld
                              a, (0A096h)
0312
                      ld
                              hl, 48Ah
0315
                      rst
                              8
0316
                      ld
                              e, (hl)
0317
                      inc
                              hl
0318
                      ld
                              d, (hl)
0319
                      ld
                              hl, 0A054h
031C
                      ld
                              a, (0A096h)
031F
                      rst
                              10h
0320
                      ld
                              a, (hl)
0321
                              de, hl
                      ex
0322
                              10h
                      rst
0323
                      ld
                              (0A09Ah), hl
0326
                      ld
                              a, (hl)
0327
                      inc
                              а
0328
                              nz, loc_0_334
                      jр
032B
                      rst
                              20h
032C
                      ld
                              (hl), 0
032E
                      ld
                              a, 1
0330
                      ld
                              (0A099h), a
0333
                      ret
0334 ; -
0334
0334 loc 0 334:
                                               ; CODE XREF: sub_0_307+210j
0334
                      ld
                              hl, 4FCh
0337
                      ld
                              a, (0A096h)
033A
                      rst
                              10h
033B
                      ld
                              a, (hl)
033C
                      and
                              а
033D
                      jr
                              z, loc 0 344
                      ld
                              de, 582h
033F
0342
                              loc_0_347
                      jr
0344 ; -
0344
                                               ; CODE XREF: sub 0 307+36□j
0344 loc 0 344:
0344
                      ld
                              de, 568h
0347
                                               ; CODE XREF: sub 0 307+3B□j
0347 loc 0 347:
                      ld
0347
                              hl, (0A09Ah)
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
034A
                      ld
                               a, (hl)
034B
                      rrca
034C
                      rrca
034D
                      rrca
034E
                      rrca
034F
                      and
                               0Fh
0351
                               de, hl
                      ex
0352
                               8
                      rst
0353
                      ld
                               c, (hl)
0354
                      inc
                              hl
                              b, (hl)
0355
                      ld
0356
                              de, hl
                      ex
0357
                      ld
                              a, (hl)
0358
                      and
                              0Fh
035A
                      jr
                              z, loc 0 363
035C
035C loc_0_35C:
                                               ; CODE XREF: sub_0_307+5ADj
035C
                              b
                      srl
035E
                      rr
                               С
0360
                      dec
                               а
                              nz, loc_0_35C
0361
                      jr
0363
0363 loc 0 363:
                                               ; CODE XREF: sub 0 307+53 j
0363
                      ld
                                 (0A098h)
                              a,
0366
                      and
                               а
                              z, loc_0_376
0367
                      jr
0369
                      dec
                               а
036A
                      jr
                               z, loc_0_371
                              hl, 0\overline{A08Ch}
036C
                      ld
                              loc 0 379
036F
                      jr
0371 ; —
0371
0371 loc 0 371:
                                               ; CODE XREF: sub 0 307+63□j
0371
                      ld
                              hl, 0A087h
0374
                      jr
                              loc_0_379
0376 ;
0376
0376 loc_0_376:
                                               ; CODE XREF: sub_0_307+60□j
0376
                      ld
                              hl, 0A082h
```

```
0379
0379 loc 0 379:
                                                 ; CODE XREF: sub 0 307+68□j
                                                 ; sub_0_307+6DDj
0379
0379
                       ld
                                (hl), c
037A
                       ld
                                a, (hl)
037B
                       rrca
037C
                       rrca
037D
                       rrca
037E
                       rrca
037F
                       inc
                                hl
0380
                       ld
                                (hl), a
0381
                       inc
                                hl
0382
                       ld
                                (hl), b
0383
                       ld
                                a, (hl)
0384
                       rrca
0385
                       rrca
0386
                       rrca
0387
                       rrca
0388
                       inc
                                hl
0389
                       ld
                                (hl), a
038A
                       ex
                                de, hl
038B
                                20h
                       rst
038C
                                de, hl
                       ex
038D
                       ld
                               hl, (0A09Ah)
0390
                       ld
                                a, (hl)
                               0C0h ; 'L'
0391
                       sub
                                z, loc 0 3DF
0393
                       jr
0395
                       ld
                                a, (0A\overline{0}9\overline{6}h)
0398
                               hl, 532h
                       ld
039B
                       rst
                                10h
039C
                       and
                                а
039D
                                z, loc_0_3C0
                       jr
039F
                       dec
                       jr
03A0
                                z, loc 0 3B1
                               hl, 0\overline{A028}h
03A2
                       ld
03A5
                       ld
                                a, (0A096h)
03A8
                       rst
                                10h
                                a, (hl)
03A9
                       ld
03AA
                       ср
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
nc, loc_0_3C0
03AC
                      jr
03AE
                      cpl
03AF
                              loc_0_3E4
                      jr
03B1 ; -
03B1
                                               ; CODE XREF: sub 0 307+99□j
03B1 loc 0 3B1:
03B1
                      ld
                              hl, 0A028h
03B4
                      ld
                              a, (0A096h)
03B7
                      rst
                              10h
03B8
                      ld
                              a, (hl)
03B9
                              8
                      ср
03BB
                      jr
                              nc, loc 0 3C0
03BD
                      add
                              a, a
03BE
                              loc_0_3E4
                      jr
03C0 ;
03C0
03C0 loc_0_3C0:
                                               ; CODE XREF: sub_0_307+96□j
                                               ; sub 0 307+A5□j ...
03C0
03C0
                              hl, 54Dh
                      ld
03C3
                      ld
                              a, (0A096h)
03C6
                      rst
                              10h
03C7
                      ld
                              a,
                                 (hl)
03C8
                      and
03C9
                      jr
                              z, loc_0_3E2
03CB
                      ld
                              b, a
03CC
                      ld
                              hl, 0A028h
03CF
                      ld
                              a, (0A096h)
03D2
                              10h
                      rst
03D3
                      ld
                              a, (hl)
03D4
                      sub
                              b
                              c, loc 0 3E2
03D5
                      jr
03D7
                      sub
                              nc, loc 0 3DF
03D9
                      jr
03DB
                      neg
03DD
                      jr
                              loc_0_3E4
03DF ;
03DF
03DF loc 0 3DF:
                                               ; CODE XREF: sub 0 307+8C□j
                                               ; sub_0_307+D2\di
03DF
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
03DF
                      xor
                               а
                               loc 0 3E4
03E0
                      jr
03E2 ; -
03E2
03E2 loc 0 3E2:
                                                ; CODE XREF: sub 0 307+C2\(\text{j}\)
                                                ; sub 0 307+CE□j
03E2
03E2
                      ld
                               a, OAh
03E4
03E4 loc 0 3E4:
                                                ; CODE XREF: sub 0 307+A8Dj
                                                ; sub 0 307+B7\(\text{j}\)...
03E4
03E4
                      ld
                               (de), a
03E5
                      ld
                               hl, 0A091h
03E8
                      ld
                               a, (0A098h)
03EB
                      rst
                               10h
03EC
                               de, hl
                      ex
03ED
                      ld
                               hl, 517h
03F0
                      ld
                               a, (0A096h)
03F3
                               10h
                      rst
03F4
                      ldi
03F6
                      ld
                               hl, 4EDh
03F9
                      ld
                               a, (0A095h)
03FC
                               10h
                      rst
03FD
                      ld
                               a, (hl)
03FE
                      ld
                               hl, (0A09Ah)
0401
                      inc
                               hl
0402
                      ld
                               e, (hl)
0403
                      ld
                               d, 0
0405
                      ld
                               hl, 0
0408
                               b, 8
040A
                                                ; CODE XREF: sub 0 307+10CDj
040A loc 0 40A:
040A
                      srl
                               а
040C
                      jr
                               nc, loc 0 40F
040E
                      add
                               hl, de
040F
040F loc 0 40F:
                                                ; CODE XREF: sub 0 307+105□j
040F
                      sla
                               е
0411
                       rl
                               d
0413
                      djnz
                               loc 0 40A
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
0415
                              b, 1
                      ld
0416
                      ld
                              hl, 0A028h
                              a, (0A096h)
0419
                      ld
041C
                              10h
                      rst
041D
                      ld
                              a, b
041E
                      ср
                              (hl)
041F
                      ret
                              nz
0420
                      ld
                              hl, 0A054h
0423
                      ld
                              a, (0A096h)
0426
                      rst
                              10h
0427
                      inc
                              (hl)
0428
                      inc
                              (hl)
0429
                              hl, 0A028h
                      ld
042C
                      ld
                              a, (0A096h)
042F
                              10h
                      rst
0430
                      ld
                              (h1), 0
0432
                      ret
0432 ; End of function sub 0 307
0432
0432 ; -
                      .dw 46Fh
0433
0435
                      .dw 46Fh
0437
                      .dw 451h
0439
                      .dw 451h
043B
                      .dw 46Fh
043D
                      .dw 451h
043F
                      .dw 451h
0441
                      .dw 460h
0443
                      .dw 451h
0445
                      .dw 451h
0447
                      .dw 467h
0449
                      .dw 451h
044B
                      .dw 451h
044D
                      .dw 452h
044F
                      .dw 451h
0451 ;
0451
                      ret
0452 ; -
0452
                      xor
                              а
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

| 0453<br>0456<br>0459<br>045A<br>045D<br>0461<br>0464<br>0467<br>0468<br>046E<br>046F<br>046F<br>0472<br>0475<br>0475<br>0478<br>047A<br>047C<br>047F<br>0482<br>0485<br>0489 | ld (0A005h), ld (0A019h), xor a ld (0A01Dh), ld (0A01Dh), xor a ld (0A00Ch), ld (0A020h), xor a ld (0A00Bh), xor a ld (0A00Bh), ret |  |
|--|---|--|
|  | ld hl, 0A005h ld de, 0A006h ld bc, 9 ld (hl), 0 ldir ld hl, 0A019h ld de, 0A01Ah ld bc, 9 ld (hl), 0 ldir ret                       |  |
| 0489;<br>048A<br>048C<br>048E<br>0490<br>0492<br>0494<br>0496<br>0498<br>049A<br>049C<br>044A0<br>04A2<br>04A4   | .dw 59Ch .dw 5DDh .dw 61Eh .dw 665h .dw 6ACh .dw 6F5h .dw 738h .dw 76Bh .dw 79Eh .dw 7DFh .dw 820h .dw 9D9h .dw 9DBh .dw 9DDh       |  |

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
04A6
                      .dw 8B3h
04A8
                      .dw 8B9h
04AA
                      .dw 8BFh
                      .dw 93Dh
04AC
04AE
                      .dw 8E1h
04B0
                      .dw 99Eh
04B2
                      .dw 8C8h
04B4
                      .dw 938h
04B6
                      .dw 93Ah
04B8
                      .dw 847h
04BA
                      .dw 858h
04BC
                      .dw 9ECh
04BE
                      .dw 0A11h
                      .db 0, 2, 0
04C0
04C3
                      .db 2, 3, 0
                      .db 5, 3, 0
04C6
                      .db 8, 3, 0
04C9
04CC
                      .db 0Ch, 3, 0
04CF
                      .db 0Eh, 3, 0
04D2
                      .db 11h, 1, 1
04D5
                      .db 12h, 1, 1
04D8
                      .db 13h, 1, 2
04DB
                      .db 14h, 1, 2
                      .db 15h, 2, 0
04DE
04E1
                      .db 17h, 1, 0
04E4
                      .db 18h, 1, 1
04E7
                      .db 19h, 1, 0
04EA
                      .db 1Ah, 1, 0
04ED
                      .db 2, 10h, 0Ah
04F0
                      .db 0Ch, 10h, 6
04F3
                      .db 1, 5, 1
04F6
                      .db 1, 6, 1
04F9
                      .db 2, 4, 0Ch
                      .db 0, 0, 0
04FC
04FF
                      .db 0, 0, 0
0502
                      .db 0, 0, 0
                      .db 0, 0, 0
0505
0508
                      .db 1, 0, 0
050B
                      .db 0, 0, 0
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

| 056B       .db 60h;         056C       .db 0EFh; 0         056D       .db 65h; e         056E       .db 0FFh;         056F       .db 6Bh; k         0570       .db 6Bh; k |
|---|
|   |

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
0571
                     .db 72h; r
0572
                     .db 39h; 9
0573
                     .db 79h ; y
0574
                         6Eh ; n
                     .db
0575
                     .db
                         80h ; Ç
0576
                     .db 11h ;
0577
                     .db
                         88h ; ê
0578
                     .db 29h;)
0579
                     .db 90h ; É
                     .db OBCh ; ⅓
057A
                    .db 98h ; ÿ
.db 0D0h ; ▮
057B
057C
057D
                     .db 0A1h ; í
057E
                     .db 70h; p
057F
                     .db 0ABh ; ½
0580
                     .db
                           0 ;
                           0 ;
0581
                     .db
0582
                     .db 11h ;
0583
                     .db
                         5Ch ; \
0584
                     .db
                         8Bh ; ï
0585
                     .db 61h ; a
0586
                     .db 58h; X
0587
                     .db 67h; g
0588
                     .db 7Dh ; }
0589
                     .db
                         6Dh ; m
058A
                          0 ;
                     .db
058B
                     .db 74h ; t
058C
                     .db 0E6h ; μ
058D
                     .db 7Ah ; z
                     .db 35h; 5
058E
058F
                     .db 82h ; é
0590
                     .db 0F2h ; ≥
0591
                     .db
                         89h ; ë
0592
                     .db 27h; '
0593
                     .db 92h ; Æ
0594
                     .db 0D8h ; ≠
                         9Ah ; Ü
0595
                     .db
                         0Ch ;
0596
                     .db
0597
                     .db 0A4h ; ñ
```

```
0598
                     .db OCEh ; #
0599
                      .db 0ADh ; ;
059A
                      .db
                            0 ;
059B
                      .db
                            0
                              ;
059C
                     .db 79h, 1, 69h, 1, 59h, 1, 49h, 1, 39h, 1, 29h, 1, 19h
059C
                     .db 1, 9, 1, 78h, 1, 68h, 1, 58h, 1, 48h, 1, 38h, 1, 28h
059C
                     .db 1, 18h, 1, 8, 1, 77h, 1, 67h, 1, 57h, 1, 47h, 1, 37h
059C
                     .db 1, 52h, 1, 17h, 1, 7, 1, 76h, 1, 66h, 1, 56h, 1, 46h
059C
                     .db 1, 36h, 1, 26h, 1, 16h, 1, 6, 1, 0FFh
05DD
                     .db 89h, 1, 79h, 1, 69h, 1, 59h, 1, 49h, 1, 39h, 1, 29h
05DD
                     .db 1, 19h, 1, 88h, 1, 78h, 1, 68h, 1, 58h, 1, 48h, 1
05DD
                     .db 38h, 1, 28h, 1, 18h, 1, 87h, 1, 77h, 1, 67h, 1, 57h
05DD
                     .db 1, 47h, 1, 32h, 1, 27h, 1, 17h, 1, 86h, 1, 76h, 1
05DD
                     .db 66h, 1, 56h, 1, 46h, 1, 36h, 1, 26h, 1, 16h, 1, 0FFh
061E
                     .db 56h, 4, 0C0h, 1, 6, 1, 56h, 1, 96h, 1, 5, 1, 96h, 1
061E
                     .db 0C0h, 1, 56h, 1, 76h, 1, 0C0h, 1, 76h, 1, 76h, 1, 0C0h
061E
                     .db 1, 26h, 2, 0C0h, 1, 76h, 1, 56h, 1, 0C0h, 1, 46h, 1
061E
                     .db 56h, 4, 0C0h, 1, 6, 1, 56h, 1, 96h, 1, 5, 1, 96h, 1
061E
                     .db 0C0h, 1, 56h, 1, 66h, 1, 0C0h, 1, 66h, 1, 66h, 1, 0C0h
061E
                     .db 1, 56h, 7, 0FFh
0665
                     .db 97h, 4, 0C0h, 1, 97h, 1, 97h, 1, 6, 1, 56h, 1, 6, 1
0665
                     .db 0C0h, 1, 97h, 1, 0A7h, 1, 0C0h, 1, 0A7h, 1, 0A7h, 1
0665
                     .db 0C0h, 1, 0A7h, 2, 0C0h, 1, 0A7h, 1, 0A7h, 1, 0C0h
0665
                     .db 1, 0A7h, 1, 97h, 4, 0C0h, 1, 97h, 1, 97h, 1, 97h, 1
0665
                     .db 97h, 1, 97h, 1, 0C0h, 1, 97h, 1, 0A7h, 1, 0C0h, 1
0665
                     .db 0A7h, 1, 0A7h, 1, 0C0h, 1, 97h, 7, 0FFh
06AC
                     .db 59h, 1, 59h, 1, 59h, 1, 59h, 1, 0C0h, 2, 59h, 1, 59h
06AC
                     .db 1, 59h, 1, 59h, 1, 0C0h, 2, 59h, 1, 59h, 1, 59h, 1
06AC
                     .db 59h, 1, 0C0h, 2, 59h, 1, 59h, 1, 59h, 1, 59h, 1, 0C0h
06AC
                     .db 2, 59h, 1, 59h, 1, 59h, 1, 59h, 1, 0C0h, 2, 59h, 1
06AC
                     .db 59h, 1, 59h, 1, 59h, 1, 0C0h, 2, 59h, 1, 59h, 1, 59h
06AC
                     .db 1, 59h, 1, 0C0h, 1, 59h, 7, 0FFh
06F5
                     .db 7, 1, 7, 1, 7, 2, 7, 2, 7, 2, 7, 2, 7, 2, 7, 2, 27h
06F5
                     .db 2, 47h, 2, 57h, 2, 57h, 2, 57h, 2, 57h, 2, 57h, 2
06F5
                     .db 97h, 2, 77h, 2, 57h, 2, 77h, 2, 77h, 2, 77h, 2, 77h
06F5
                     .db 2, 77h, 2, 26h, 2, 6, 2, 0A7h, 2, 97h, 2, 97h, 2, 97h
06F5
                     .db 2, 97h, 2, 97h, 2, 0A7h, 2, 6, 2, 0FFh
0738
                     .db 0C0h, 2, 0A8h, 2, 0A8h, 2, 0C0h, 4, 0A8h, 2, 0A8h
0738
                     .db 2, 0C0h, 4, 98h, 2, 98h, 2, 0C0h, 4, 98h, 2, 98h, 2
```

```
0738
                     .db 0C0h, 4, 0A8h, 2, 0A8h, 2, 0C0h, 4, 0A8h, 2, 0A8h
0738
                     .db 2, 0C0h, 4, 98h, 2, 98h, 2, 0C0h, 4, 98h, 2, 98h, 2
0738
                     .db 0C0h, 2, 0FFh
076B
                     .db 0C0h, 2, 8, 2, 8, 2, 0C0h, 4, 8, 2, 8, 2, 0C0h, 4
076B
                     .db 58h, 2, 58h, 2, 0C0h, 4, 58h, 2, 58h, 2, 0C0h, 4, 8
076B
                     .db 2, 8, 2, 0C0h, 4, 8, 2, 8, 2, 0C0h, 4, 58h, 2, 58h
                     .db 2, 0C0h, 4, 58h, 2, 58h, 2, 0C0h, 2, 0FFh
076B
079E
                     .db 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h
079E
                     .db 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4
079E
                     .db 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h
079E
                     .db 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4
079E
                     .db 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 96h, 4, 0FFh
07DF
                     .db 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h
07DF
                     .db 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4
07DF
                     .db 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h
07DF
                     .db 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4
07DF
                     .db 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 56h, 4, 0FFh
0820
                     .db 58h, 1, 7, 1, 46h, 0Dh, 26h, 1, 16h, 3, 46h, 1, 26h
0820
                     .db OCh, 58h, 1, 7, 1, 36h, ODh, 26h, 1, 36h, 3, 56h, 1
0820
                     .db 76h, 3, 56h, 1, 36h, 3, 26h, 1, 6, 3, 26h, 1, 0FFh
0847
                     .db 69h, 1, 64h, 1, 79h, 1, 14h, 1, 89h, 1, 85h, 1, 99h
0847
                     .db 1, 35h, 1, 0FFh
0858
                     .db 6, 1, 16h, 1, 26h, 1, 36h, 1, 46h, 1, 36h, 1, 26h
0858
                     .db 1, 16h, 1, 6, 1, 0B7h, 1, 0A7h, 1, 97h, 1, 87h, 1
0858
                     .db 77h, 1, 67h, 1, 57h, 1, 47h, 1, 37h, 1, 27h, 1, 17h
0858
                     .db 1, 7, 1, 0B8h, 1, 0A8h, 1, 98h, 1, 88h, 1, 78h, 1
0858
                     .db 68h, 1, 58h, 1, 48h, 1, 38h, 1, 28h, 1, 18h, 1, 8
0858
                     .db 1, 0B9h, 1, 0A9h, 1, 99h, 1, 89h, 1, 79h, 1, 69h, 1
0858
                     .db 59h, 1, 49h, 1, 39h, 1, 29h, 1, 19h, 1, 9, 1, 0FFh
08B3
                     .db 4, 1, 74h, 1, 24h, 1
08B9
                     .db 94h, 1, 44h, 1, 0B4h, 1
08BF
                     .db 64h, 1, 14h, 1, 84h, 1, 34h, 1, 0FFh
08C8
                     .db 0Ah, 1, 19h, 1, 0Ah, 1, 19h, 1, 25h, 1, 34h, 1, 25h
08C8
                     .db 1, 34h, 1, 43h, 1, 52h, 1, 43h, 1, 52h, 1, 0FFh
08E1
                     .db 9, 1, 19h, 1, 9, 1, 29h, 1, 9, 1, 39h, 1, 9, 1, 49h
08E1
                     .db 1, 9, 1, 39h, 1, 9, 1, 29h, 1, 9, 1, 19h, 1, 9, 1
08E1
                     .db 19h, 1, 9, 1, 29h, 1, 9, 1, 39h, 1, 9, 1, 49h, 1, 9
08E1
                     .db 1, 39h, 1, 9, 1, 29h, 1, 9, 1, 19h, 1, 9, 1, 19h, 1
08E1
                     .db 9, 1, 29h, 1, 9, 1, 39h, 1, 9, 1, 49h, 1, 9, 1, 39h
```

```
08E1
                     .db 1, 9, 1, 29h, 1, 9, 1, 19h, 1, 9, 1, 0FFh
0938
                     .db 5, 1
093A
                     .db 15h, 5, 0FFh
093D
                     .db 4, 1, 29h, 1, 14h, 1, 29h, 1, 4, 1, 39h, 1, 14h, 1
093D
                     .db 39h, 1, 4, 1, 49h, 1, 14h, 1, 49h, 1, 4, 1, 59h, 1
093D
                     .db 14h, 1, 59h, 1, 4, 1, 29h, 1, 14h, 1, 29h, 1, 4, 1
093D
                     .db 39h, 1, 14h, 1, 39h, 1, 4, 1, 49h, 1, 14h, 1, 49h
093D
                     .db 1, 4, 1, 59h, 1, 14h, 1, 59h, 1, 4, 1, 29h, 1, 14h
093D
                     .db 1, 29h, 1, 4, 1, 39h, 1, 14h, 1, 39h, 1, 4, 1, 49h
093D
                     .db 1, 14h, 1, 49h, 1, 4, 1, 59h, 1, 14h, 1, 59h, 1, 0FFh
099E
                     .db 5, 1, 15h, 1, 35h, 1, 65h, 1, 0A5h, 1, 65h, 1, 35h
099E
                     .db 1, 25h, 2, 15h, 2, 5, 3, 6, 3, 7, 4, 8, 4, 9, 8, 0Ah
099E
                     .db 8, 9, 8, 0Ah, 8, 9, 8, 0Ah, 8, 9, 8, 0Ah, 8, 9, 8
099E
                     .db 0Ah, 8, 9, 8, 0Ah, 8, 9, 8, 0Ah, 8, 9, 8, 0Ah, 8, 0FFh
09D9
                     .db 5, 1
09DB
                     .db 76h, 1
09DD
                     .db 46h, 1, 6, 1, 77h, 1, 6, 1, 46h, 1, 76h, 1, 5, 1, 0FFh
09EC
                     .db 26h, 1, 56h, 1, 76h, 1, 96h, 1, 5, 1, 25h, 1, 26h
09EC
                     .db 1, 56h, 1, 76h, 1, 96h, 1, 5, 1, 25h, 1, 26h, 1, 56h
09EC
                     .db 1, 76h, 1, 96h, 1, 5, 1, 25h, 1, 0FFh
0A11
                     .db 6, 1, 5, 1, 0B6h, 1, 5, 1, 45h, 1, 5, 1, 0B6h, 1, 5
0A11
                     .db 1, 6, 1, 5, 1, 0A6h, 1, 5, 1, 45h, 1, 5, 1, 0A6h, 1
0A11
                     .db 5, 1, 6, 1, 5, 1, 96h, 1, 5, 1, 45h, 1, 5, 1, 96h
0A11
                     .db 1, 5, 1, 6, 1, 5, 1, 86h, 1, 5, 1, 45h, 1, 5, 1, 86h
0A11
                     .db 1, 5, 1, 0FFh
0A52
                     .db 0E3h ; п
0A53
0A53 ;
                       SUBROUTINE
0A53
0A53
0A53 sub 0 A53:
                                              ; CODE XREF: 0000:0084□p
0A53
                     ld
                             de, 8571h
0A56
                     ld
                             hl, 0
                     ld
0A59
                             c, 10h
0A5B
                     ld
                             b, 0
0A5D
0A5D loc 0 A5D:
                                              ; CODE XREF: sub 0 A53+16□j
0A5D
                     ld
                             a, 1
0A5F
                     ld
                             (6822h), a
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.1st 12/05/2011, 2:55:05PM

```
0A62
                   ld
                           a, b
                           a, (hl)
0A63
                   add
0A64
                   ld
                           (de), a
0A65
                   inc
                           hl
0A66
                   ld
                           b, a
0A67
                   ld
                           a, c
0A68
                           h
                   ср
0A69
                   jr
                           nz, loc 0 A5D
0A6B
                   ret
OA6B; End of function sub 0 A53
0A6B
0A6B ;
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                    .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev sub2.lst 12/05/2011, 2:55:05PM

```
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
```

File: D:\markm\pace\pacedev.net\sw\dev\platform\galaga\xevious\xev\_sub2.lst 12/05/2011, 2:55:05PM

```
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
                   .db OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh, OFFh
0A6C
0A6C
                   .db OFFh, OFFh, OFFh, OFFh, OFFh
0A6C ; end of 'seg000'
0A6C
0A6C
0A6C
                   .end
```