



취/업/사/관/학/교
경동대학교
KYUNG DONG UNIVERSITY

PROBABILITY DISTRIBUTION EXPLANATION GUIDE

Explaining the Smart Campus Simulation Project

A professor-friendly guide with distribution examples,
presentation wording, and campus operation use cases.

Final Term Project Defense Support

Use this document to explain the mathematics and the system clearly.

1. How to Explain the Project to the Professor

This project is an interactive simulation system for campus operations. The main idea is simple: campus activities are uncertain, so we use probability distributions to estimate possible outcomes. The dashboard lets a user choose an operation, enter assumptions, run a simulation, and view statistics and a graph.

Opening explanation: My project applies probability distributions to real university operations. Instead of only calculating formulas by hand, I built a web dashboard that turns the formulas into simulations and visual results.

What the professor should understand immediately

- The project is not just a website; it is a probability and statistics demonstration.
- Each campus problem is matched with a distribution that fits the type of uncertainty.
- The inputs represent assumptions, such as average arrivals, failure probability, or room capacity.
- The output gives average, minimum, maximum, an operational insight, and a graph.

2. Probability Distribution Selection

The most important academic part of the project is choosing the correct probability distribution. The choice depends on what kind of random event is being modeled.

Question	Best Distribution	Reason
Am I counting events in a time interval?	Poisson	Used for counts such as arrivals per minute.
Am I modeling waiting or service time?	Exponential	Used for time between events or service durations.
Am I counting successes/failures?	Binomial	Used when each trial has two outcomes.
Is every value in a fixed range equally likely?	Uniform	Used when a wait can fall anywhere between min and max.
Do values cluster around an average?	Normal	Used for natural variation around a mean.

3. Campus Examples for Each Distribution

These examples are written in presentation style. You can use them directly while explaining the project.

01

Student Arrivals

Distribution: Poisson Distribution

Why: We count how many students arrive in each minute.

Example: If $\lambda = 30$, the system simulates about 30 students arriving per minute, with random variation.

Explain to professor: This is a count of events in a fixed time interval, so Poisson is suitable.

02

Cafeteria Queues

Distribution: Exponential Distribution

Why: We model service or waiting time as a positive continuous value.

Example: If average service time is 3 minutes, some students are served faster and some slower.

Explain to professor: Exponential is useful because waiting time cannot be negative and often varies randomly.

03

WiFi Failures

Distribution: Binomial Distribution

Why: Each device either fails or works in a round.

Example: If 100 devices have a 0.02 failure probability, expected failures are about 2 per round.

Explain to professor: This is a repeated success/failure experiment, so Binomial fits.

04

Shuttle Bus Waiting Times

Distribution: Uniform Distribution

Why: Any waiting time between a minimum and maximum is possible.

Example: If waits are between 5 and 15 minutes, a simulated passenger may wait 6, 10, or 14 minutes.

Explain to professor: Uniform is appropriate when we only know a fixed range and no value is preferred.

05

Parking Occupancy**Distribution:** Binomial Distribution**Why:** Each parking space is either occupied or available.**Example:** If there are 500 spaces and occupancy probability is 0.75, average occupied spaces are near 375.**Explain to professor:** This is another two-outcome model: occupied or not occupied.

06

Classroom Occupancy**Distribution:** Normal Distribution**Why:** Attendance usually clusters around an average class size.**Example:** If mean attendance is 35 and standard deviation is 5, most classes are near 35 students.**Explain to professor:** Normal is appropriate because attendance varies around a central average.

07

Campus Energy Consumption**Distribution:** Normal Distribution**Why:** Daily energy usage fluctuates around a mean baseline.**Example:** If mean use is 1500 kWh/day and standard deviation is 200, most days are near 1500.**Explain to professor:** Energy usage has natural daily variation around a planning baseline.

4. How the Simulation Works

The dashboard does not only display fixed numbers. When the user changes inputs and clicks Run Simulation, the backend generates random samples from the selected distribution, summarizes the values, and sends the result back to the frontend.

User chooses tab	Inputs are read	Distribution generates samples	Statistics are calculated	Graph and insight update
------------------	-----------------	--------------------------------	---------------------------	--------------------------

5. Explaining the Inputs and Outputs

When presenting, explain that every input has a mathematical meaning.

Input Type	Meaning	Example in Project
Mean	The expected or average value.	Mean arrivals per minute = 30.
Standard deviation	How much values spread around the mean.	Energy standard deviation = 200 kWh/day.
Probability	Chance of success, failure, occupancy, or another event.	WiFi failure probability = 0.02.
Samples or periods	How many simulated observations are generated.	Simulate 60 minutes or 30 days.
Minimum and maximum	The lower and upper boundaries for a uniform range.	Shuttle waits between 5 and 15 minutes.

Output explanation

- Average: the central result of the simulation.
- Minimum: the lowest simulated value.
- Maximum: the highest simulated value.
- AI insight: a simple rule-based interpretation of the result.
- Graph: a visual representation of the simulated values or histogram.

Example wording: If the average student arrivals are high, the insight recommends temporary entry guidance. This connects the statistical result to a real operational decision.

6. Professor-Focused Defense Points

Use these points to show that the project is academically grounded and technically implemented.

Academic value

- It demonstrates how probability distributions model uncertainty.
- It compares different distribution types in one project.
- It connects theory to campus decisions such as queues, occupancy, failures, and energy planning.

Technical value

- Python backend performs input validation and random sampling.
- JavaScript frontend handles tabs, simulation requests, metric updates, and canvas charts.
- CSS creates a polished dashboard with fixed navigation, consistent buttons, and dynamic visuals.

Possible professor question: Why not use one distribution for all modules?

Answer: Different campus operations have different random behavior. Student arrivals are event counts, so Poisson fits. WiFi failures and parking occupancy are two-outcome problems, so Binomial fits. Waiting time is continuous and positive, so Exponential or Uniform fits depending on the assumption. Attendance and energy use vary around an average, so Normal fits.

7. Short Presentation Script

- Good morning professor. My project is an AI-Based Smart Campus Simulation System.
- The purpose is to apply probability distributions to real campus operation problems.
- Each tab represents a campus activity and uses a distribution that matches the type of uncertainty.
- For example, student arrivals use Poisson because arrivals are counted per minute.
- WiFi failures use Binomial because each device either fails or does not fail.
- Classroom occupancy and energy consumption use Normal distribution because values usually vary around an average.
- When I change the assumptions and run the simulation, the system produces statistics, a graph, and an operational insight.
- This shows how probability can support practical planning decisions on campus.

Strong final sentence: The main contribution of this project is that it transforms probability distribution theory into an interactive decision-support dashboard for campus management.