




A. Comparing 376.kdtree-tsan-noread variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-archer-noread variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-tsan-sampling variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-archer-sampling variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-tsan variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-archer variant with base for region ImplTaskRegion1




A. Comparing 376.kdtree-tsan-noread variant with base for region ImplTaskRegion2




A. Comparing 376.kdtree-archer-noread variant with base for region ImplTaskRegion2




A. Comparing 376.kdtree-tsan-sampling variant with base for region ImplTaskRegion2




A. Comparing 376.kdtree-archer-sampling variant with base for region ImpITaskRegion2




A. Comparing 376.kdtree-tsan variant with base for region ImplTaskRegion2




A. Comparing 376.kdtree-archer variant with base for region ImplTaskRegion2




A. Comparing 376.kdtree-tsan-noread variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-archer-noread variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-tsan-sampling variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-archer-sampling variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-tsan variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-archer variant with base for region ImplTaskRegion3




A. Comparing 376.kdtree-tsan-noread variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-archer-noread variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-tsan-sampling variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-archer-sampling variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-tsan variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-archer variant with base for region ImplTaskRegion4




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion5




A. Comparing 376.kdtree-archer-noread variant with base for region ExpITaskRegion5




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExpITaskRegion5




A. Comparing 376.kdtree-archer-sampling variant with base for region ExpITaskRegion5




A. Comparing 376.kdtree-tsan variant with base for region ExpITaskRegion5




A. Comparing 376.kdtree-archer variant with base for region ExplTaskRegion5




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-archer-noread variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-archer-sampling variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-tsan variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-archer variant with base for region ExpITaskRegion6




A. Comparing 376.kdtree-tsan-noread variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-archer-noread variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-tsan-sampling variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-archer-sampling variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-tsan variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-archer variant with base for region ImplTaskRegion7




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion8




A. Comparing 376.kdtree-archer-noread variant with base for region ExpITaskRegion8




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExpITaskRegion8




**A. Comparing 376.kdtree-archer-sampling variant
with base for region ExpITaskRegion8**




A. Comparing 376.kdtree-tsan variant with base for region ExpITaskRegion8




A. Comparing 376.kdtree-archer variant with base for region ExpITaskRegion8




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion9




A. Comparing 376.kdtree-archer-noread variant with base for region ExpITaskRegion9




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExpiTaskRegion9




A. Comparing 376.kdtree-archer-sampling variant with base for region ExpITaskRegion9




A. Comparing 376.kdtree-tsan variant with base for region ExpiTaskRegion9




A. Comparing 376.kdtree-archer variant with base for region ExpiTaskRegion9




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion10




A. Comparing 376.kdtree-archer-noread variant with base for region ExplTaskRegion10




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExpITaskRegion10




A. Comparing 376.kdtree-archer-sampling variant with base for region ExpITaskRegion10




A. Comparing 376.kdtree-tsan variant with base for region ExpITaskRegion10




A. Comparing 376.kdtree-archer variant with base for region ExplTaskRegion10




A. Comparing 376.kdtree-tsan-noread variant with base for region ExpITaskRegion11




A. Comparing 376.kdtree-archer-noread variant with base for region ExpITaskRegion11




A. Comparing 376.kdtree-tsan-sampling variant with base for region ExplTaskRegion11



A. Comparing 376.kdtree-archer-sampling variant with base for region ExplTaskRegion11



A. Comparing 376.kdtree-tsan variant with base for region ExplTaskRegion11



A. Comparing 376.kdtree-archer variant with base for region ExplTaskRegion11

