




B. Comparing 359.botsspar-tsan-noread variant with base for metric Time




B. Comparing 359.botsspar-archer-noread variant with base for metric Time




B. Comparing 359.botsspar-tsan-sampling variant with base for metric Time




B. Comparing 359.botsspar-archer-sampling variant with base for metric Time




B. Comparing 359.botsspar-tsan variant with base for metric Time




B. Comparing 359.botsspar-archer variant with base for metric Time




B. Comparing 359.botsspar-tsan-noread variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-archer-noread variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-tsan-sampling variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-archer-sampling variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-tsan variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-archer variant with base for metric MEM_INST_RETIRED:ALL_STORES




B. Comparing 359.botsspar-tsan-noread variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-archer-noread variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-tsan-sampling variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-archer-sampling variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-tsan variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-archer variant with base for metric MEM_INST_RETIRED:ALL_LOADS




B. Comparing 359.botsspar-tsan-noread variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-archer-noread variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-archer-sampling variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-tsan variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-archer variant with base for metric L1D:REPLACEMENT




B. Comparing 359.botsspar-tsan-noread variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-archer-noread variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-archer-sampling variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-tsan variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-archer variant with base for metric L2_RQSTS:ALL_CODE_RD




B. Comparing 359.botsspar-tsan-noread variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-archer-noread variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-archer-sampling variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-tsan variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-archer variant with base for metric L2_RQSTS:ALL_DEMAND_REFERENCES




B. Comparing 359.botsspar-tsan-noread variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-archer-noread variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-archer-sampling variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-tsan variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-archer variant with base for metric L2_RQSTS:CODE_RD_MISS




B. Comparing 359.botsspar-tsan-noread variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-archer-noread variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-tsan-sampling variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-archer-sampling variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-tsan variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-archer variant with base for metric LLC_REFERENCES




B. Comparing 359.botsspar-tsan-noread variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-archer-noread variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-tsan-sampling variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-archer-sampling variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-tsan variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-archer variant with base for metric LLC_MISSES




B. Comparing 359.botsspar-tsan-noread variant with base for metric $L1D_W_A = L1D_W_H$




B. Comparing 359.botsspar-archer-noread variant with base for metric $L1D_W_A = L1D_W_H$




B. Comparing 359.botsspar-tsan-sampling variant with base for metric $L1D_W_A = L1D_W_H$




B. Comparing 359.botsspar-archer-sampling variant with base for metric L1D_W_A = L1D_W_H




B. Comparing 359.botsspar-tsan variant with base for metric L1D_W_A = L1D_W_H




B. Comparing 359.botsspar-archer variant with base for metric L1D_W_A = L1D_W_H




B. Comparing 359.botsspar-tsan-noread variant with base for metric L1D_R_H




B. Comparing 359.botsspar-archer-noread variant with base for metric $L1D_RH$




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L1D_R_H




B. Comparing 359.botsspar-archer-sampling variant with base for metric L1D_R_H $\,$




B. Comparing 359.botsspar-tsan variant with base for metric L1D_ $R_{-}H$




B. Comparing 359.botsspar-archer variant with base for metric L1D_R_H $\,$




B. Comparing 359.botsspar-tsan-noread variant with base for metric L2D_H




B. Comparing 359.botsspar-archer-noread variant with base for metric L2D_H




B. Comparing 359.botsspar-tsan-sampling variant with base for metric $L2D_{_}H$




B. Comparing 359.botsspar-archer-sampling variant with base for metric L2D_H




B. Comparing 359.botsspar-tsan variant with base for metric L2D_H




B. Comparing 359.botsspar-archer variant with base for metric L2D_H




B. Comparing 359.botsspar-tsan-noread variant with base for metric L3D_A




B. Comparing 359.botsspar-archer-noread variant with base for metric L3D_A




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L3D_A




B. Comparing 359.botsspar-archer-sampling variant with base for metric L3D_A $\,$




B. Comparing 359.botsspar-tsan variant with base for metric L3D_A




B. Comparing 359.botsspar-archer variant with base for metric L3D_A




B. Comparing 359.botsspar-tsan-noread variant with base for metric L3_H




B. Comparing 359.botsspar-archer-noread variant with base for metric L3_H




B. Comparing 359.botsspar-tsan-sampling variant with base for metric L3_H $\,$




B. Comparing 359.botsspar-archer-sampling variant with base for metric L3 $_{
m H}$




B. Comparing 359.botsspar-tsan variant with base for metric L3_H




B. Comparing 359.botsspar-archer variant with base for metric L3_H




B. Comparing 359.botsspar-tsan-noread variant with base for metric MEM




B. Comparing 359.botsspar-archer-noread variant with base for metric MEM




B. Comparing 359.botsspar-tsan-sampling variant with base for metric MEM



B. Comparing 359.botsspar-archer-sampling variant with base for metric MEM



B. Comparing 359.botsspar-tsan variant with base for metric MEM



B. Comparing 359.botsspar-archer variant with base for metric MEM

