




# A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion1




# A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion2




#### A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion2




### A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion2




# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion2




# A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion2




## A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion2




# A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion3




### A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion3




# A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion3




# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion3




# A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion3




# A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion3




# A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion4




# A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion4




# A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion4




# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion4




# A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion4




## A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion4




# A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion5




# A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion5




# A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion5




# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion5




# A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion5




# A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion5




## A. Comparing 360.ilbdc-tsan-noread variant with base for region ImplTaskRegion6




# A. Comparing 360.ilbdc-archer-noread variant with base for region ImplTaskRegion6




# A. Comparing 360.ilbdc-tsan-sampling variant with base for region ImplTaskRegion6



# A. Comparing 360.ilbdc-archer-sampling variant with base for region ImplTaskRegion6



## A. Comparing 360.ilbdc-tsan variant with base for region ImplTaskRegion6



# A. Comparing 360.ilbdc-archer variant with base for region ImplTaskRegion6

