




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion1




**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion1**




# A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion1




# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion1




# A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion1



# A. Comparing 363.swim-archer variant with base for region ImplTaskRegion1




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion2







# A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion2




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion2**




# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion2




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion2**




**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion2**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion3



**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion3**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion3**







# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion3




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion3**




**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion3**




**A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion4**




# A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion4




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion4**



# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion4




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion4**







# A. Comparing 363.swim-archer variant with base for region ImplTaskRegion4




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion5




**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion5**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion5**




**A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion5**




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion5**



**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion5**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion6







**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion6**




# A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion6




# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion6




# A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion6




**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion6**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion7



**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion7**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion7**







**A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion7**




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion7**




**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion7**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion8




**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion8**




# A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion8



**A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion8**




**A. Comparing 363.swim-tsan variant  
with base for region ImplTaskRegion8**







# A. Comparing 363.swim-archer variant with base for region ImplTaskRegion8




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion9




**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion9**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion9**




**A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion9**




**A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion9**



**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion9**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion10







# A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion10




# A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion10




# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion10




# A. Comparing 363.swim-tsan variant with base for region ImplTaskRegion10




# A. Comparing 363.swim-archer variant with base for region ImplTaskRegion10




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion11



**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion11**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion11**







# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion11




**A. Comparing 363.swim-tsan variant  
with base for region ImplTaskRegion11**




**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion11**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion12



**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion12**




**A. Comparing 363.swim-tsan-sampling variant  
with base for region ImplTaskRegion12**






**A. Comparing 363.swim-tsan variant  
with base for region ImplTaskRegion12**







**A. Comparing 363.swim-archer variant  
with base for region ImplTaskRegion12**




# A. Comparing 363.swim-tsan-noread variant with base for region ImplTaskRegion13




**A. Comparing 363.swim-archer-noread variant with base for region ImplTaskRegion13**




**A. Comparing 363.swim-tsan-sampling variant with base for region ImplTaskRegion13**



# A. Comparing 363.swim-archer-sampling variant with base for region ImplTaskRegion13



**A. Comparing 363.swim-tsan variant  
with base for region ImplTaskRegion13**



**A. Comparing 363.swim-archer variant with base for region ImplTaskRegion13**

