

# Hammer Satellite 6.1

## Command Help

Waldirio M Pinheiro

waldirio@redhat.com

Updated on 2017/07/18

Generated from Satellite 6.1.11

## Table of Contents

### [hammer activation-key](#)

- [hammer activation-key add-host-collection](#)
- [hammer activation-key add-subscription](#)
- [hammer activation-key content-override](#)
- [hammer activation-key create](#)
- [hammer activation-key delete](#)
- [hammer activation-key host-collections](#)
- [hammer activation-key info](#)
- [hammer activation-key list](#)
- [hammer activation-key product-content](#)
- [hammer activation-key remove-host-collection](#)
- [hammer activation-key remove-subscription](#)
- [hammer activation-key subscriptions](#)
- [hammer activation-key update](#)

### [hammer architecture](#)

- [hammer architecture add-operatingsystem](#)
- [hammer architecture create](#)
- [hammer architecture delete](#)
- [hammer architecture info](#)
- [hammer architecture list](#)
- [hammer architecture remove-operatingsystem](#)
- [hammer architecture update](#)

### [hammer auth](#)

- [hammer auth login](#)
- [hammer auth logout](#)
- [hammer auth status](#)

### [hammer auth-source](#)

- [hammer auth-source ldap](#)

### [hammer bootdisk](#)

- [hammer bootdisk generic](#)
- [hammer bootdisk host](#)

### [hammer capsule](#)

- [hammer capsule content](#)
- [hammer capsule info](#)
- [hammer capsule list](#)

## [hammer compute-resource](#)

- [hammer compute-resource create](#)
- [hammer compute-resource delete](#)
- [hammer compute-resource image](#)
- [hammer compute-resource info](#)
- [hammer compute-resource list](#)
- [hammer compute-resource update](#)

## [hammer content-host](#)

- [hammer content-host available-incremental-updates](#)
- [hammer content-host create](#)
- [hammer content-host delete](#)
- [hammer content-host errata](#)
- [hammer content-host info](#)
- [hammer content-host list](#)
- [hammer content-host package](#)
- [hammer content-host package-group](#)
- [hammer content-host tasks](#)
- [hammer content-host update](#)

## [hammer content-report](#)

- [hammer content-report content-host-status](#)
- [hammer content-report content-host-trend](#)
- [hammer content-report status-trend](#)

## [hammer content-view](#)

- [hammer content-view add-repository](#)
- [hammer content-view add-version](#)
- [hammer content-view create](#)
- [hammer content-view delete](#)
- [hammer content-view filter](#)
- [hammer content-view info](#)
- [hammer content-view list](#)
- [hammer content-view publish](#)
- [hammer content-view puppet-module](#)
- [hammer content-view remove](#)
- [hammer content-view remove-from-environment](#)
- [hammer content-view remove-repository](#)
- [hammer content-view remove-version](#)
- [hammer content-view update](#)

[hammer content-view version](#)

[hammer discovery](#)

[hammer discovery auto-provision](#)

[hammer discovery delete](#)

[hammer discovery facts](#)

[hammer discovery info](#)

[hammer discovery list](#)

[hammer discovery provision](#)

[hammer discovery reboot](#)

[hammer discovery refresh-facts](#)

[hammer discovery\\_rule](#)

[hammer discovery\\_rule create](#)

[hammer discovery\\_rule delete](#)

[hammer discovery\\_rule info](#)

[hammer discovery\\_rule list](#)

[hammer discovery\\_rule update](#)

[hammer docker](#)

[hammer docker container](#)

[hammer docker image](#)

[hammer docker registry](#)

[hammer docker tag](#)

[hammer domain](#)

[hammer domain create](#)

[hammer domain delete](#)

[hammer domain delete-parameter](#)

[hammer domain info](#)

[hammer domain list](#)

[hammer domain set-parameter](#)

[hammer domain update](#)

[hammer environment](#)

[hammer environment create](#)

[hammer environment delete](#)

[hammer environment info](#)

[hammer environment list](#)

[hammer environment sc-params](#)

[hammer environment update](#)

## [hammer erratum](#)

[hammer erratum info](#)

[hammer erratum list](#)

## [hammer fact](#)

[hammer fact list](#)

## [hammer filter](#)

[hammer filter available-permissions](#)

[hammer filter available-resources](#)

[hammer filter create](#)

[hammer filter delete](#)

[hammer filter list](#)

[hammer filter update](#)

## [hammer global-parameter](#)

[hammer global-parameter delete](#)

[hammer global-parameter list](#)

[hammer global-parameter set](#)

## [hammer gpg](#)

[hammer gpg create](#)

[hammer gpg delete](#)

[hammer gpg info](#)

[hammer gpg list](#)

[hammer gpg update](#)

## [hammer host](#)

[hammer host create](#)

[hammer host delete](#)

[hammer host delete-parameter](#)

[hammer host facts](#)

[hammer host info](#)

[hammer host list](#)

[hammer host puppet-classes](#)

[hammer host puppetrun](#)

[hammer host reboot](#)

[hammer host reports](#)

[hammer host sc-params](#)

[hammer host set-parameter](#)

[hammer host start](#)

[hammer host status](#)

[hammer host stop](#)

#### [hammer host-collection](#)

[hammer host-collection add-content-host](#)

[hammer host-collection content-hosts](#)

[hammer host-collection copy](#)

[hammer host-collection create](#)

[hammer host-collection delete](#)

[hammer host-collection erratum](#)

[hammer host-collection info](#)

[hammer host-collection list](#)

[hammer host-collection package](#)

[hammer host-collection package-group](#)

[hammer host-collection remove-content-host](#)

[hammer host-collection update](#)

#### [hammer hostgroup](#)

[hammer hostgroup create](#)

[hammer hostgroup delete](#)

[hammer hostgroup delete-parameter](#)

[hammer hostgroup info](#)

[hammer hostgroup list](#)

[hammer hostgroup puppet-classes](#)

[hammer hostgroup sc-params](#)

[hammer hostgroup set-parameter](#)

[hammer hostgroup update](#)

#### [hammer import](#)

[hammer import activation-key](#)

[hammer import all](#)

[hammer import config-file](#)

[hammer import content-host](#)

[hammer import content-view](#)

[hammer import host-collection](#)

[hammer import organization](#)

[hammer import repository](#)

[hammer import repository-enable](#)

[hammer import template-snippet](#)

[hammer import user](#)

## [hammer lifecycle-environment](#)

- [hammer lifecycle-environment create](#)
- [hammer lifecycle-environment delete](#)
- [hammer lifecycle-environment info](#)
- [hammer lifecycle-environment list](#)
- [hammer lifecycle-environment paths](#)
- [hammer lifecycle-environment update](#)

## [hammer location](#)

- [hammer location add-compute-resource](#)
- [hammer location add-config-template](#)
- [hammer location add-domain](#)
- [hammer location add-environment](#)
- [hammer location add-hostgroup](#)
- [hammer location add-medium](#)
- [hammer location add-organization](#)
- [hammer location add-smart-proxy](#)
- [hammer location add-subnet](#)
- [hammer location add-user](#)
- [hammer location create](#)
- [hammer location delete](#)
- [hammer location delete-parameter](#)
- [hammer location info](#)
- [hammer location list](#)
- [hammer location remove-compute-resource](#)
- [hammer location remove-config-template](#)
- [hammer location remove-domain](#)
- [hammer location remove-environment](#)
- [hammer location remove-hostgroup](#)
- [hammer location remove-medium](#)
- [hammer location remove-organization](#)
- [hammer location remove-smart-proxy](#)
- [hammer location remove-subnet](#)
- [hammer location remove-user](#)
- [hammer location set-parameter](#)
- [hammer location update](#)

## [hammer medium](#)

- [hammer medium add-operatingsystem](#)
- [hammer medium create](#)

[hammer medium delete](#)  
[hammer medium info](#)  
[hammer medium list](#)  
[hammer medium remove-operatingsystem](#)  
[hammer medium update](#)

#### [hammer model](#)

[hammer model create](#)  
[hammer model delete](#)  
[hammer model info](#)  
[hammer model list](#)  
[hammer model update](#)

#### [hammer organization](#)

[hammer organization add-compute-resource](#)  
[hammer organization add-config-template](#)  
[hammer organization add-domain](#)  
[hammer organization add-environment](#)  
[hammer organization add-hostgroup](#)  
[hammer organization add-medium](#)  
[hammer organization add-smart-proxy](#)  
[hammer organization add-subnet](#)  
[hammer organization add-user](#)  
[hammer organization create](#)  
[hammer organization delete](#)  
[hammer organization delete-parameter](#)  
[hammer organization info](#)  
[hammer organization list](#)  
[hammer organization remove-compute-resource](#)  
[hammer organization remove-config-template](#)  
[hammer organization remove-domain](#)  
[hammer organization remove-environment](#)  
[hammer organization remove-hostgroup](#)  
[hammer organization remove-medium](#)  
[hammer organization remove-smart-proxy](#)  
[hammer organization remove-subnet](#)  
[hammer organization remove-user](#)  
[hammer organization set-parameter](#)  
[hammer organization update](#)

#### [hammer os](#)



- [hammer os add-architecture](#)
- [hammer os add-config-template](#)
- [hammer os add-ptable](#)
- [hammer os create](#)
- [hammer os delete](#)
- [hammer os delete-default-template](#)
- [hammer os delete-parameter](#)
- [hammer os info](#)
- [hammer os list](#)
- [hammer os remove-architecture](#)
- [hammer os remove-config-template](#)
- [hammer os remove-ptable](#)
- [hammer os set-default-template](#)
- [hammer os set-parameter](#)
- [hammer os update](#)

#### [hammer package](#)

- [hammer package info](#)
- [hammer package list](#)

#### [hammer package-group](#)

- [hammer package-group info](#)
- [hammer package-group list](#)

#### [hammer partition-table](#)

- [hammer partition-table add-operatingsystem](#)
- [hammer partition-table create](#)
- [hammer partition-table delete](#)
- [hammer partition-table dump](#)
- [hammer partition-table info](#)
- [hammer partition-table list](#)
- [hammer partition-table remove-operatingsystem](#)
- [hammer partition-table update](#)

#### [hammer ping](#)

#### [hammer product](#)

- [hammer product create](#)
- [hammer product delete](#)
- [hammer product info](#)
- [hammer product list](#)
- [hammer product remove-sync-plan](#)

[hammer product set-sync-plan](#)

[hammer product synchronize](#)

#### [hammer proxy](#)

[hammer proxy create](#)

[hammer proxy delete](#)

[hammer proxy import-classes](#)

[hammer proxy info](#)

[hammer proxy list](#)

[hammer proxy refresh-features](#)

[hammer proxy update](#)

#### [hammer puppet-class](#)

[hammer puppet-class info](#)

[hammer puppet-class list](#)

[hammer puppet-class sc-params](#)

#### [hammer puppet-module](#)

[hammer puppet-module info](#)

[hammer puppet-module list](#)

#### [hammer report](#)

[hammer report delete](#)

[hammer report info](#)

[hammer report list](#)

#### [hammer repository](#)

[hammer repository create](#)

[hammer repository delete](#)

[hammer repository info](#)

[hammer repository list](#)

[hammer repository remove-content](#)

[hammer repository synchronize](#)

[hammer repository update](#)

[hammer repository upload-content](#)

#### [hammer repository-set](#)

[hammer repository-set available-repositories](#)

[hammer repository-set disable](#)

[hammer repository-set enable](#)

[hammer repository-set info](#)

[hammer repository-set list](#)

## [hammer role](#)

[hammer role create](#)

[hammer role delete](#)

[hammer role filters](#)

[hammer role list](#)

[hammer role update](#)

## [hammer sc-param](#)

[hammer sc-param info](#)

[hammer sc-param update](#)

## [hammer shell](#)

## [hammer subnet](#)

[hammer subnet create](#)

[hammer subnet delete](#)

[hammer subnet info](#)

[hammer subnet list](#)

[hammer subnet update](#)

## [hammer subscription](#)

[hammer subscription delete-manifest](#)

[hammer subscription list](#)

[hammer subscription manifest-history](#)

[hammer subscription refresh-manifest](#)

[hammer subscription upload](#)

## [hammer sync-plan](#)

[hammer sync-plan create](#)

[hammer sync-plan delete](#)

[hammer sync-plan info](#)

[hammer sync-plan list](#)

[hammer sync-plan update](#)

## [hammer task](#)

[hammer task list](#)

[hammer task progress](#)

[hammer task resume](#)

## [hammer template](#)

[hammer template add-operatingsystem](#)

[hammer template create](#)

[hammer template delete](#)

- [hammer template dump](#)
- [hammer template info](#)
- [hammer template kinds](#)
- [hammer template list](#)
- [hammer template remove-operatingsystem](#)
- [hammer template update](#)

#### [hammer user](#)

- [hammer user add-role](#)
- [hammer user create](#)
- [hammer user delete](#)
- [hammer user info](#)
- [hammer user list](#)
- [hammer user remove-role](#)
- [hammer user update](#)

#### [hammer user-group](#)

- [hammer user-group add-role](#)
- [hammer user-group add-user](#)
- [hammer user-group create](#)
- [hammer user-group delete](#)
- [hammer user-group external](#)
- [hammer user-group info](#)
- [hammer user-group list](#)
- [hammer user-group remove-role](#)
- [hammer user-group remove-user](#)
- [hammer user-group remove-user-group](#)
- [hammer user-group update](#)

# hammer activation-key

## Usage:

hammer activation-key [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

add-host-collection	Associate a resource
add-subscription	Add subscription
content-override	Override product content defaults
copy	Copy an activation key
create	Create an activation key
delete	Destroy an activation key
host-collections	List associated host collections
info	Show an activation key
list	List activation keys
product-content	List associated products
remove-host-collection	Disassociate a resource
remove-subscription	Remove subscription
subscriptions	List associated subscriptions
update	Update an activation key

## Options:

-h, --help	print help
------------	------------

# hammer activation-key add-host-collection

## Usage:

hammer activation-key add-host-collection [OPTIONS]

## Options:

--host-collection HOST_COLLECTION_NAME	Host collection name to search by
--host-collection-id HOST_COLLECTION_ID	Id of the host collection
--id ID	ID of the activation key
--name NAME	Activation key name to search by
--organization ORGANIZATION_NAME	Organization name to search by

```
--organization-id ORGANIZATION_ID      organization ID
--organization-label ORGANIZATION_LABEL Organization label to search by
-h, --help                             print help
```

## hammer activation-key add-subscription

Usage:

## hammer activation-key add-subscription [OPTIONS]

Options:

```
--id ID                      ID of the activation key
--name NAME                  Activation key name to search by
--organization ORGANIZATION_NAME  Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION_LABEL  Organization label to search by
--quantity QUANTITY         Quantity of this subscription to add
--subscription-id SUBSCRIPTION_ID  ID of subscription
-h, --help                  print help
```

## hammer activation-key content-override

Usage:

hammer activation-key content-override [OPTIONS]

Options:

```
--content-label CONTENT_LABEL      Label of the content
--id ID                            ID of the activation key
--name NAME                        Activation key name to search by
--organization ORGANIZATION_NAME   Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION_LABEL Organization label to search by
--value VALUE                      Override to 0/1, or 'default'
                                   Possible value(s): '0', '1', 'default'
-h, --help                        print help
```

hammer activation-key copy

Usage:

hammer activation-key copy [OPTIONS]

Options:

--id ID	ID of the activation key
---------	--------------------------

--name NAME	Activation key name to search by
--new-name NEW_NAME	Name of new activation key
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer activation-key create

Usage:

hammer activation-key create [OPTIONS]

Options:

--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--description DESCRIPTION	description
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--max-content-hosts MAX_CONTENT_HOSTS	maximum number of registered content hosts
--name NAME	name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--unlimited-content-hosts UNLIMITED_CONTENT_HOSTS	can the activation key have unlimited content hosts
	One of true/false, yes/no, 1/0.
-h, --help	print help

## hammer activation-key delete

Usage:

hammer activation-key delete [OPTIONS]

Options:

--id ID	ID of the activation key
--name NAME	Activation key name to search by

--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help                              print help

## hammer activation-key host-collections

Usage:

hammer activation-key host-collections [OPTIONS]

Options:

--id ID                                  ID of activation key  
--name NAME                              Name of activation key  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help                              print help

## hammer activation-key info

Usage:

hammer activation-key info [OPTIONS]

Options:

--id ID                                  ID of the activation key  
--name NAME                              Activation key name to search by  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help                              print help

## hammer activation-key list

Usage:

hammer activation-key list [OPTIONS]

Options:

--by BY                                      Field to sort the results on  
--content-view CONTENT\_VIEW\_NAME                      Content view name



<code>--content-view-id CONTENT_VIEW_ID</code>	content view numeric identifier
<code>--full-results FULL_RESULTS</code>	Whether or not to show all results One of true/false, yes/no, 1/0.
<code>--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME</code>	Name to search by
<code>--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID</code>	
<code>--name NAME</code>	activation key name to filter by
<code>--order ORDER</code>	Sort field and order, eg. 'name DESC'
<code>--organization ORGANIZATION_NAME</code>	Organization name to search by
<code>--organization-id ORGANIZATION_ID</code>	organization ID
<code>--organization-label ORGANIZATION_LABEL</code>	Organization label to search by
<code>--page PAGE</code>	Page number, starting at 1
<code>--per-page PER_PAGE</code>	Number of results per page to return
<code>--search SEARCH</code>	Search string
<code>-h, --help</code>	print help

## hammer activation-key product-content

Usage:

hammer activation-key product-content [OPTIONS]

Options:

<code>--id ID</code>	ID of the activation key
<code>--name NAME</code>	Activation key name to search by
<code>--organization ORGANIZATION_NAME</code>	Organization name to search by
<code>--organization-id ORGANIZATION_ID</code>	organization ID
<code>--organization-label ORGANIZATION_LABEL</code>	Organization label to search by
<code>-h, --help</code>	print help

## hammer activation-key remove-host-collection

Usage:

hammer activation-key remove-host-collection [OPTIONS]

Options:

<code>--host-collection HOST_COLLECTION_NAME</code>	Host collection name to search by
<code>--host-collection-id HOST_COLLECTION_ID</code>	Id of the host collection
<code>--id ID</code>	ID of the activation key

--name NAME                                      Activation key name to search by  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help                                      print help

## hammer activation-key remove-subscription

Usage:

hammer activation-key remove-subscription [OPTIONS]

Options:

--id ID    ID of the activation key  
--name NAME                                      Activation key name to search by  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--subscription-id SUBSCRIPTION\_ID      ID of subscription  
-h, --help                                      print help

## hammer activation-key subscriptions

Usage:

hammer activation-key subscriptions [OPTIONS]

Options:

--id ID    ID of activation key  
--name NAME                                      Name of activation key  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help                                      print help

## hammer activation-key update

Usage:

hammer activation-key update [OPTIONS]

Options:

--auto-attach AUTO_ATTACH	auto attach subscriptions upon registration
	One of true/false, yes/no, 1/0.
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--description DESCRIPTION	description
--id ID	ID of the activation key
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--max-content-hosts MAX_CONTENT_HOSTS	maximum number of registered content hosts
--name NAME	Activation key name to search by
--new-name NEW_NAME	name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--release-version RELEASE_VERSION	content release version
--service-level SERVICE_LEVEL	service level
--unlimited-content-hosts UNLIMITED_CONTENT_HOSTS	can the activation key have unlimited content hosts
	One of true/false, yes/no, 1/0.
-h, --help	print help

## hammer architecture

Usage:

hammer architecture [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-operatingsystem	Associate an operating system
create	Create an architecture
delete	Delete an architecture
info	Show an architecture

list	List all architectures
remove-operatingsystem	Disassociate an operating system
update	Update an architecture

Options:

-h, --help	print help
------------	------------

## hammer architecture add-operatingsystem

Usage:

hammer architecture add-operatingsystem [OPTIONS]

Options:

--id ID	
--name NAME	Architecture name
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
-h, --help	print help

## hammer architecture create

Usage:

hammer architecture create [OPTIONS]

Options:

--name NAME	
--operatingsystem-ids OPERATINGSYSTEM_IDS	Comma separated list of values.
--operatingsystems OPERATINGSYSTEM_TITLES	Comma separated list of values.
-h, --help	print help

## hammer architecture delete

Usage:

hammer architecture delete [OPTIONS]

Options:

--id ID	
--name NAME	Architecture name
-h, --help	print help

## hammer architecture info

Usage:

hammer architecture info [OPTIONS]

Options:

--id ID  
--name NAME Architecture name  
-h, --help print help

## hammer architecture list

Usage:

hammer architecture list [OPTIONS]

Options:

--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
--order ORDER sort results  
--page PAGE paginate results  
--per-page PER\_PAGE number of entries per request  
--search SEARCH filter results  
-h, --help print help

## hammer architecture remove-operatingsystem

Usage:

hammer architecture remove-operatingsystem [OPTIONS]

Options:

--id ID  
--name NAME Architecture name  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help print help

## hammer architecture update

Usage:

hammer architecture update [OPTIONS]

Options:

--id ID

--name NAME Architecture name

--new-name NEW\_NAME

--operatingsystem-ids OPERATINGSYSTEM\_IDS Comma separated list of values.

--operatingsystems OPERATINGSYSTEM\_TITLES Comma separated list of values.

-h, --help print help

## hammer auth

Usage:

hammer auth [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand

[ARG] ... subcommand arguments

Subcommands:

login Set credentials

logout Wipe your credentials

status Information about current connections

Options:

-h, --help print help

## hammer auth login

Usage:

hammer auth login [OPTIONS]

Options:

-h, --help print help

## hammer auth logout

Usage:

hammer auth logout [OPTIONS]

Options:

-h, --help                print help

## hammer auth status

Usage:

hammer auth status [OPTIONS]

Options:

-h, --help                print help

## hammer auth-source

Usage:

hammer auth-source [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

ldap	Manage LDAP auth sources.
------	---------------------------

Options:

-h, --help                print help

## hammer auth-source ldap

Usage:

hammer auth-source ldap [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create an LDAP authentication source
delete	Delete an LDAP authentication source
info	Show an LDAP authentication source
list	List all LDAP authentication sources
update	Update an LDAP authentication source

Options:

-h, --help	print help
------------	------------

## hammer bootdisk

Usage:

hammer bootdisk [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

generic	Download generic image
host	Download host image

Options:

-h, --help	print help
------------	------------

## hammer bootdisk generic

Usage:

hammer bootdisk generic [OPTIONS]

Options:

--file PATH	File or device to write image to
--force	Force writing to existing destination (device etc.)
--sudo	Use sudo to write to device
-h, --help	print help



## hammer bootdisk host

Usage:

hammer bootdisk host [OPTIONS]

Options:

--file PATH	File or device to write image to
--force	Force writing to existing destination (device etc.)
--full FULL	True for full, false for basic reusable image One of true/false, yes/no, 1/0.
--host HOST_NAME	Host name
--host-id HOST_ID	
--sudo	Use sudo to write to device
-h, --help	print help

## hammer capsule

Usage:

hammer capsule [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

content	Manage the capsule content
info	Show the capsule details
list	List all capsules

Options:

-h, --help	print help
------------	------------

## hammer capsule content

Usage:

hammer capsule content [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

add-lifecycle-environment      Add lifecycle environments to the capsule  
available-lifecycle-environments List the lifecycle environments not attached to the capsule  
lifecycle-environments          List the lifecycle environments attached to the capsule  
remove-lifecycle-environment      Remove lifecycle environments from the capsule  
synchronize                      Synchronize the content to the capsule

Options:

-h, --help                      print help

## hammer capsule info

Usage:

hammer capsule info [OPTIONS]

Options:

--id ID                          Id of the capsule  
--name NAME                      Capsule name to search by  
-h, --help                      print help

## hammer capsule list

Usage:

hammer capsule list [OPTIONS]

Options:

--by BY                          Field to sort the results on  
--full-results FULL\_RESULTS      Whether or not to show all results  
                                    One of true/false, yes/no, 1/0.  
--order ORDER                      Sort field and order, eg. 'name DESC'  
--page PAGE                      Page number, starting at 1  
--per-page PER\_PAGE              Number of results per page to return  
--search SEARCH                   Search string  
-h, --help                      print help

# hammer compute-resource

## Usage:

hammer compute-resource [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

create	Create a compute resource
delete	Delete a compute resource
image	View and manage compute resource's images
info	Show a compute resource
list	List all compute resources
update	Update a compute resource

## Options:

-h, --help	print help
------------	------------

# hammer compute-resource create

## Usage:

hammer compute-resource create [OPTIONS]

## Options:

--description DESCRIPTION	
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--name NAME	
--organization-ids ORGANIZATION_IDS	organization ID Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
--password PASSWORD	Password for RHEV, EC2, Vmware, Openstack.

## Secret key for EC2

--provider PROVIDER	Providers include
--region REGION	for EC2 only
--server SERVER	for Vmware
--set-console-password SET_CONSOLE_PASSWORD	for Libvirt and Vmware only

	One of true/false, yes/no, 1/0.
--tenant TENANT	for Openstack only
--url URL	URL for Libvirt, RHEV, and Openstack
--user USER	Username for RHEV, EC2, Vmware, Openstack. Access
Key for EC2.	
--uuid UUID	for RHEV, Vmware Datacenter
-h, --help	print help

## hammer compute-resource delete

Usage:

hammer compute-resource delete [OPTIONS]

Options:

--id ID	
--name NAME	Compute resource name
-h, --help	print help

## hammer compute-resource image

Usage:

hammer compute-resource image [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

available	Show images available for addition
create	Create an image
delete	Delete an image
info	Show an image
list	List all images for a compute resource
update	Update an image

Options:

-h, --help	print help
------------	------------

## hammer compute-resource info

Usage:

hammer compute-resource info [OPTIONS]

Options:

--id ID  
--name NAME                      Compute resource name  
-h, --help                      print help

## hammer compute-resource list

Usage:

hammer compute-resource list [OPTIONS]

Options:

--location LOCATION\_NAME        Location name  
--location-id LOCATION\_ID  
--order ORDER                    sort results  
--organization ORGANIZATION\_NAME Organization name  
--organization-id ORGANIZATION\_ID organization ID  
--page PAGE                      paginate results  
--per-page PER\_PAGE              number of entries per request  
--search SEARCH                  filter results  
-h, --help                      print help

## hammer compute-resource update

Usage:

hammer compute-resource update [OPTIONS]

Options:

--description DESCRIPTION  
--id ID  
--location-ids LOCATION\_IDS        Comma separated list of values.  
--locations LOCATION\_NAMES        Comma separated list of values.  
--name NAME                      Compute resource name  
--new-name NEW\_NAME  
--organization-ids ORGANIZATION\_IDS organization ID

Comma separated list of values.

--organizations ORGANIZATION\_NAMES                      Comma separated list of values.

--password PASSWORD    Password for RHEV, EC2, Vmware, Openstack.

Secret key for EC2

--provider PROVIDER    Providers include

--region REGION    for EC2 only

--server SERVER    for Vmware

--set-console-password SET\_CONSOLE\_PASSWORD for Libvirt and Vmware only

One of true/false, yes/no, 1/0.

--tenant TENANT    for Openstack only

--url URL    URL for Libvirt, RHEV, and Openstack

--user USER    Username for RHEV, EC2, Vmware, Openstack. Access

Key for EC2.

--uuid UUID    for RHEV, Vmware Datacenter

-h, --help    print help

## hammer content-host

Usage:

hammer content-host [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND    subcommand

[ARG] ...    subcommand arguments

Subcommands:

available-incremental-updates Given a set of systems and errata, lists the content view versions and environments that need updating.

create    Register a content host

delete    Unregister a content host

errata    Manage errata on your content hosts

info    Show a content host

list    List content hosts

package    Manage packages on your content hosts

package-group                                  Manage package-groups on your content hosts

tasks

update    Update content host information

Options:

-h, --help    print help

## hammer content-host available-incremental-updates

Usage:

hammer content-host available-incremental-updates [OPTIONS]

Options:

--errata-ids ERRATA_IDS	List of Errata ids Comma separated list of values.
--id ID	ID of a content host
--ids IDS	List of system ids to perform an action on Comma separated list of values.
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--search SEARCH	Search string for systems to perform an action on
-h, --help	print help

## hammer content-host create

Usage:

hammer content-host create [OPTIONS]

Options:

--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--description DESCRIPTION	Description of the content host
--guest-ids GUEST_IDS	IDs of the virtual guests running on this content host
	Comma separated list of values.
--host-collection-ids HOST_COLLECTION_IDS	Id of the host collection
	Comma separated list of values.
--host-collections HOST_COLLECTION_NAMES	Comma separated list of values.
--last-checkin LAST_CHECKIN	Last check-in time of this content host
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--location LOCATION	Physical location of the content host
--name NAME	Name of the content host

--organization ORGANIZATION_NAME	Organization name to search
by	
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search
by	
--release-ver RELEASE_VER	Release version of the content host
--service-level SERVICE_LEVEL	A service level for auto-healing
process, e.g. SELF-SUPPORT	
-h, --help	print help

## hammer content-host delete

Usage:

hammer content-host delete [OPTIONS]

Options:

--id ID	ID of the content host
--name NAME	Name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer content-host errata

Usage:

hammer content-host errata [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

apply	Schedule errata for installation
info	Retrieve a single errata for a system
list	List errata available for the content host

Options:

-h, --help	print help
------------	------------



## hammer content-host info

Usage:

hammer content-host info [OPTIONS]

Options:

--id ID	ID of the content host
--name NAME	Name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer content-host list

Usage:

hammer content-host list [OPTIONS]

Options:

--by BY	Field to sort the results on
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--errata-ids ERRATA_IDS	Filter by systems that need any one of multiple Errata by uuid
	Comma separated list of values.
--erratum-id ERRATUM_ID	Filter by systems that need an Erratum by uuid
--erratum-restrict-installable ERRATUM_RESTRICT_INSTALLABLE	Return only systems where the Erratum specified by erratum_id or errata_ids is available to systems (default False)
--erratum-restrict-non-installable ERRATUM_RESTRICT_NON_INSTALLABLE	Return only systems where the Erratum specified by erratum_id or errata_ids is unavailable to systems (default False)
--full-results FULL_RESULTS	Whether or not to show all results One of true/false, yes/no, 1/0.
--host-collection HOST_COLLECTION_NAME	Host collection name to search by
--host-collection-id HOST_COLLECTION_ID	Id of the host collection
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by

--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--name NAME	Filter content host by name
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search
by	
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search
by	
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--pool-id POOL_ID	Filter content host by subscribed pool
--search SEARCH	Search string
--uuid UUID	Filter content host by uuid
-h, --help	print help

## hammer content-host package

Usage:

hammer content-host package [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

install	Install packages remotely
remove	Uninstall packages remotely
upgrade	Update packages remotely
upgrade-all	Update packages remotely

Options:

-h, --help	print help
------------	------------

## hammer content-host package-group

Usage:

hammer content-host package-group [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

install	Install packages remotely
remove	Uninstall packages remotely

Options:

-h, --help	print help
------------	------------

## hammer content-host tasks

Usage:

hammer content-host tasks [OPTIONS]

Options:

--id ID	ID of the content host
-h, --help	print help

## hammer content-host update

Usage:

hammer content-host update [OPTIONS]

Options:

--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--description DESCRIPTION	Description of the content host
--guest-ids GUEST_IDS	IDs of the virtual guests running on this content host
	Comma separated list of values.
--host-collection-ids HOST_COLLECTION_IDS	Id of the host collection
	Comma separated list of values.
--host-collections HOST_COLLECTION_NAMES	Comma separated list of values.
--id ID	ID of the content host
--last-checkin LAST_CHECKIN	Last check-in time of this content host
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--location LOCATION	Physical location of the content host

--name NAME	Name to search by
--new-name NEW_NAME	Name of the content host
--organization ORGANIZATION_NAME	Organization name to search
by	
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search
by	
--release-ver RELEASE_VER	Release version of the content host
--service-level SERVICE_LEVEL	A service level for auto-healing
process, e.g. SELF-SUPPORT	
-h, --help	print help

## hammer content-report

### Usage:

hammer content-report [OPTIONS] SUBCOMMAND [ARG] ...

### Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

### Subcommands:

content-host-status	Show the latest subscription status for a list of content hosts that have reported their subscription status during a specified time period. Running this report with minimal parameters will return all status records for all reported content hosts.
content-host-trend	Show a listing of all subscription status snapshots from content hosts which have reported their subscription status in the specified time period.
status-trend	Show the per-day counts of content-hosts, grouped by subscription status, optionally limited to a date range.

### Options:

-h, --help	print help
------------	------------

## hammer content-report content-host-status

### Message

### "Usage:

hammer content-report content-host-status [OPTIONS]

Options:

--async Do not wait for the task  
--content-host, --system CONTENT\_HOST\_NAME Name to search by  
--content-host-id, --system-id CONTENT\_HOST\_ID UUID of the content host  
--on-date ON\_DATE Date to filter on. If not given, defaults to NOW.

Results will be limited

to status records that were last reported before or on the given

date. Must

be a date in the form of YYYY-MM-DD.

--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--status STATUS Filter results on content host status.

Possible value(s): 'valid', 'invalid', 'partial'

-h, --help print help

"

## hammer content-report content-host-trend

Message

"Usage:

hammer content-report content-host-trend [OPTIONS]

Options:

--async Do not wait for the task  
--content-host, --system CONTENT\_HOST\_NAME Name to search by  
--content-host-id, --system-id CONTENT\_HOST\_ID UUID of the content host  
--end-date END\_DATE End date. Used in conjunction with start\_date. Must

be a date in the form

of YYYY-MM-DD.

--hours HOURS Show a trend between HOURS and now. Used  
independently of

start\_date/end\_date.

--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--start-date START\_DATE Start date. Used in conjunction with end\_date. Must

be a date in the form

of YYYY-MM-DD.

-h, --help print help

"

# hammer content-report status-trend

Message

"Usage:

hammer content-report status-trend [OPTIONS]

Options:

--async Do not wait for the task  
--end-date END\_DATE End date. Used in conjunction with start\_date. Must be a date in the form of YYYY-MM-DD.  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--start-date START\_DATE Start date. Used in conjunction with end\_date. Must be a date in the form of YYYY-MM-DD.  
-h, --help print help  
"

# hammer content-view

Usage:

hammer content-view [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

add-repository Associate a resource  
add-version Update a content view  
create Create a content view  
delete Delete a content view  
filter View and manage filters  
info Show a content view  
list List content views  
publish Publish a content view  
puppet-module View and manage puppet modules

remove	Remove versions and/or environments from a content view and reassign systems and keys
remove-from-environment	Remove a content view from an environment
remove-repository	Disassociate a resource
remove-version	Update a content view
update	Update a content view
version	View and manage content view versions

Options:

-h, --help	print help
------------	------------

## hammer content-view add-repository

Usage:

hammer content-view add-repository [OPTIONS]

Options:

--id ID	content view numeric identifier
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
-h, --help	print help

## hammer content-view add-version

Usage:

hammer content-view add-version [OPTIONS]

Options:

--content-view-version CONTENT_VIEW_VERSION_VERSION	Content view version number
--content-view-version-id CONTENT_VIEW_VERSION_ID	Content view version identifier
--id, --content-view-id ID	content view numeric identifier
--name, --content-view NAME	content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by

-h, --help                      print help

## hammer content-view create

Usage:

hammer content-view create [OPTIONS]

Options:

--component-ids COMPONENT_IDS	List of component content view version ids for composite views
	Comma separated list of values.
--composite	Create a composite content view
--description DESCRIPTION	Description for the content view
--label LABEL	Content view label
--name NAME	Name of the content view
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--repositories REPOSITORY_NAMES	Comma separated list of values.
--repository-ids REPOSITORY_IDS	repository ID
	Comma separated list of values.
-h, --help	print help

## hammer content-view delete

Usage:

hammer content-view delete [OPTIONS]

Options:

--async	Do not wait for the task
--id ID	content view numeric identifier
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help



## hammer content-view filter

Usage:

hammer content-view filter [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-repository	Associate a resource
create	Create a filter for a content view
delete	Delete a filter
info	Show filter info
list	List filters
remove-repository	Disassociate a resource
rule	View and manage filter rules
update	Update a filter

Options:

-h, --help	print help
------------	------------

## hammer content-view info

Usage:

hammer content-view info [OPTIONS]

Options:

--id ID	content view numeric identifier
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer content-view list

Usage:

hammer content-view list [OPTIONS]

Options:

--by BY	Field to sort the results on
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--name NAME	Name of the content view
--noncomposite NONCOMPOSITE	Filter out composite content views
	One of true/false, yes/no, 1/0.
--nondefault NONDEFAULT	Filter out default content views
	One of true/false, yes/no, 1/0.
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--search SEARCH	Search string
--without WITHOUT	Do not include this array of content views
	Comma separated list of values.
-h, --help	print help

## hammer content-view publish

Usage:

hammer content-view publish [OPTIONS]

Options:

--async	Do not wait for the task
--description DESCRIPTION	Description for the new published content view version
--id ID	Content view identifier
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer content-view puppet-module

Usage:

hammer content-view puppet-module [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add	Add a puppet module to the content view
list	List content view puppet modules
remove	Remove a puppet module from the content view

Options:

-h, --help	print help
------------	------------

## hammer content-view remove

Usage:

hammer content-view remove [OPTIONS]

Options:

--async	Do not wait for the task
--content-view-version-ids VERSION_IDS	Comma separated list of version ids to remove
--content-view-versions CONTENT_VIEW_VERSION_VERSIONS	Comma separated list of values.
--environment-ids ENVIRONMENT_IDS	Comma separated list of environment ids to remove
--environments LIFECYCLE_ENVIRONMENT_NAMES	Comma separated list of values.
--id ID	content view numeric identifier
--key-content-view-id KEY_CONTENT_VIEW_ID	content view to reassign orphaned activation keys to
--key-environment-id KEY_ENVIRONMENT_ID	environment to reassign orphaned activation keys to
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by

--system-content-view-id SYSTEM_CONTENT_VIEW_ID	content view to reassign orphaned systems to
--system-environment-id SYSTEM_ENVIRONMENT_ID	environment to reassign orphaned systems to
-h, --help	print help

## hammer content-view remove-from-environment

Usage:

hammer content-view remove-from-environment [OPTIONS]

Options:

--async	Do not wait for the task
--id ID	content view numeric identifier
--lifecycle-environment, --environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id, --environment-id LIFECYCLE_ENVIRONMENT_ID	
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer content-view remove-repository

Usage:

hammer content-view remove-repository [OPTIONS]

Options:

--id ID	content view numeric identifier
--name NAME	Content view name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
-h, --help	print help

## hammer content-view remove-version

Usage:

hammer content-view remove-version [OPTIONS]

Options:

--content-view-version	CONTENT_VIEW_VERSION	Content view version number
--content-view-version-id	CONTENT_VIEW_VERSION_ID	Content view version identifier
--id, --content-view-id	ID	content view numeric identifier
--name, --content-view	NAME	content view name
--organization	ORGANIZATION_NAME	Organization name to search by
--organization-id	ORGANIZATION_ID	organization ID
--organization-label	ORGANIZATION_LABEL	Organization label to search by
-h, --help		print help

## hammer content-view update

Usage:

hammer content-view update [OPTIONS]

Options:

--component-ids	COMPONENT_IDS	List of component content view version ids for composite views
		Comma separated list of values.
--description	DESCRIPTION	Description for the content view
--id	ID	Content view identifier
--name	NAME	Content view name
--new-name	NEW_NAME	New name for the content view
--organization	ORGANIZATION_NAME	Organization name to search by
--organization-id	ORGANIZATION_ID	organization ID
--organization-label	ORGANIZATION_LABEL	Organization label to search by
--repositories	REPOSITORY_NAMES	Comma separated list of values.
--repository-ids	REPOSITORY_IDS	repository ID
		Comma separated list of values.
-h, --help		print help

## hammer content-view version

### Usage:

hammer content-view version [OPTIONS] SUBCOMMAND [ARG] ...

### Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

### Subcommands:

delete	Remove content view version
incremental-update	Perform an Incremental Update on one or more Content View

### Versions

info	Show content view version
list	List content view versions
promote	Promote a content view version

### Options:

-h, --help	print help
------------	------------

## hammer discovery

### Usage:

hammer discovery [OPTIONS] SUBCOMMAND [ARG] ...

### Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

### Subcommands:

auto-provision	Auto provision a host
delete	Delete a discovered host
facts	Show a discovered host
info	Show a discovered host
list	List all discovered hosts
provision	Provision a discovered host
reboot	Reboot a host
refresh-facts	Refresh the facts of a host

Options:

-h, --help                      print help

## hammer discovery auto-provision

Usage:

hammer discovery auto-provision [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer discovery delete

Usage:

hammer discovery delete [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer discovery facts

Usage:

hammer discovery facts [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer discovery info

Usage:

hammer discovery info [OPTIONS]

Options:

--id ID	
--name NAME	Name to search by
-h, --help	print help

## hammer discovery list

Usage:

hammer discovery list [OPTIONS]

Options:

--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer discovery provision

Usage:

hammer discovery provision [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--ask-root-password ASK_ROOT_PW	One of true/false, yes/no, 1/0.
--build BUILD	One of true/false, yes/no, 1/0.
--capabilities CAPABILITIES	
--domain DOMAIN_NAME	Domain name
--domain-id DOMAIN_ID	Numerical ID or domain name
--enabled ENABLED	One of true/false, yes/no, 1/0.
--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--host-parameters-attributes HOST_PARAMETERS_ATTRIBUTES	Comma separated list of values.
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--id ID	
--image IMAGE_NAME	Name to search by
--image-id IMAGE_ID	
--interface INTERFACE	Interface parameters



Comma-separated list of key=value.  
 Can be specified multiple times.

--ip IP not required if using a subnet with DHCP proxy

--mac MAC not required if it's a virtual machine

--managed MANAGED One of true/false, yes/no, 1/0.

--medium MEDIUM\_NAME Medium name

--medium-id MEDIUM\_ID

--model MODEL\_NAME Model name

--model-id MODEL\_ID

--name NAME Name to search by

--new-name NEW\_NAME

--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title

--operatingsystem-id OPERATINGSYSTEM\_ID

--owner-id OWNER\_ID

--parameters PARAMS Host parameters

Comma-separated list of key=value.

--partition-table, --ptable PARTITION\_TABLE\_NAME Partition table name

--partition-table-id PARTITION\_TABLE\_ID

--progress-report-id PROGRESS\_REPORT\_ID UUID to track orchestration tasks

status, GET

/api/orchestration/:UUID/tasks

--provision-method METHOD Possible value(s): 'build', 'image'

--puppet-ca-proxy-id PUPPET\_CA\_PROXY\_ID

--puppet-proxy-id PUPPET\_PROXY\_ID

--puppetclass-ids PUPPETCLASS\_IDS Comma separated list of values.

--root-password ROOT\_PW

--sp-subnet-id SP\_SUBNET\_ID

--subnet SUBNET\_NAME Subnet name

--subnet-id SUBNET\_ID

-h, --help print help

## hammer discovery reboot

Usage:

hammer discovery reboot [OPTIONS]

Options:

--id ID

--name NAME Name to search by

-h, --help print help

## hammer discovery refresh-facts

Usage:

hammer discovery refresh-facts [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer discovery\_rule

Usage:

hammer discovery\_rule [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

create                      Create a discovery rule  
delete                      Delete a rule  
info                      Show a discovery rule  
list                      List all discovery rules  
update                      Update a rule

Options:

-h, --help                      print help

## hammer discovery\_rule create

Usage:

hammer discovery\_rule create [OPTIONS]

Options:

--enabled ENABLED                      flag is used for temporary shutdown of rules  
    One of true/false, yes/no, 1/0.  
--hostgroup HOSTGROUP\_NAME              Hostgroup name

--hostgroup-id HOSTGROUP\_ID  
--hostname HOSTNAME defines a pattern to assign human-readable hostnames to the matching hosts  
--hosts-limit HOSTS\_LIMIT  
--max-count MAX\_COUNT enables to limit maximum amount of provisioned hosts per rule  
--name NAME represents rule name shown to the users  
--priority PRIORITY puts the rules in order, low numbers go first. Must be greater then zero  
--search SEARCH query to match discovered hosts for the particular rule  
-h, --help print help

## hammer discovery\_rule delete

Usage:  
hammer discovery\_rule delete [OPTIONS]

Options:  
--id ID  
--name NAME Name to search by  
-h, --help print help

## hammer discovery\_rule info

Usage:  
hammer discovery\_rule info [OPTIONS]

Options:  
--id ID  
--name NAME Name to search by  
-h, --help print help

## hammer discovery\_rule list

Usage:  
hammer discovery\_rule list [OPTIONS]

Options:  
--order ORDER sort results

--page PAGE                      paginate results  
--per-page PER\_PAGE            number of entries per request  
--search SEARCH                filter results  
-h, --help                    print help

## hammer discovery\_rule update

Usage:

hammer discovery\_rule update [OPTIONS]

Options:

--enabled ENABLED            flag is used for temporary shutdown of rules  
                                 One of true/false, yes/no, 1/0.  
--hostgroup HOSTGROUP\_NAME   Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--hostname HOSTNAME           defines a pattern to assign human-readable hostnames to  
the matching hosts  
--hosts-limit HOSTS\_LIMIT  
--id ID  
--max-count MAX\_COUNT        enables to limit maximum amount of provisioned hosts per  
rule  
--name NAME                   Name to search by  
--new-name NEW\_NAME           represents rule name shown to the users  
--priority PRIORITY           puts the rules in order, low numbers go first. Must be greater then  
zero  
--search SEARCH               query to match discovered hosts for the particular rule  
-h, --help                    print help

## hammer docker

Usage:

hammer docker [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                   subcommand  
[ARG] ...                    subcommand arguments

Subcommands:

container                    Manage docker containers

image	Manage docker images
registry	Manage docker registries
tag	Manage docker tags

Options:

-h, --help	print help
------------	------------

## hammer docker container

Usage:

hammer docker container [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a container
delete	Delete a container
info	Show a container
list	List all containers
logs	Show container logs
start	Power a container on
status	Run power operation on a container
stop	Power a container off

Options:

-h, --help	print help
------------	------------

## hammer docker image

Usage:

hammer docker image [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

info	Show a docker image
list	List docker_images

Options:

-h, --help                      print help

## hammer docker registry

Usage:

hammer docker registry [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

create                      Create a docker registry  
delete                      Delete a docker registry  
info                      Show a docker registry  
list                      List all docker registries  
update                      Update a docker registry

Options:

-h, --help                      print help

## hammer docker tag

Usage:

hammer docker tag [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

info                      Show a docker tag  
list                      List docker\_tags

Options:

-h, --help                      print help

# hammer domain

## Usage:

hammer domain [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

create	Create a domain
delete	Delete a domain
delete-parameter	Delete parameter for a domain.
info	Show a domain
list	List of domains
set-parameter	Create or update parameter for a domain.
update	Update a domain

## Options:

-h, --help	print help
------------	------------

# hammer domain create

## Usage:

hammer domain create [OPTIONS]

## Options:

--description DESC	Full name describing the domain
--dns DNS_NAME	Name of DNS proxy to use within this domain
--dns-id DNS_ID	ID of DNS proxy to use within this domain
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--name NAME	The full DNS domain name
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
-h, --help	print help

## hammer domain delete

Usage:

hammer domain delete [OPTIONS]

Options:

--id ID  
--name NAME                      Domain name  
-h, --help                      print help

## hammer domain delete-parameter

Usage:

hammer domain delete-parameter [OPTIONS]

Options:

--domain DOMAIN\_NAME              Domain name  
--domain-id DOMAIN\_ID              Numerical ID or domain name  
--name NAME                      parameter name  
-h, --help                      print help

## hammer domain info

Usage:

hammer domain info [OPTIONS]

Options:

--id ID                      Numerical ID or domain name  
--name NAME                      Domain name  
-h, --help                      print help

## hammer domain list

Usage:

hammer domain list [OPTIONS]

Options:

--location LOCATION\_NAME              Location name



--location-id LOCATION\_ID  
 --order ORDER sort results  
 --organization ORGANIZATION\_NAME Organization name  
 --organization-id ORGANIZATION\_ID organization ID  
 --page PAGE paginate results  
 --per-page PER\_PAGE number of entries per request  
 --search SEARCH filter results  
 --subnet SUBNET\_NAME Subnet name  
 --subnet-id SUBNET\_ID  
 -h, --help print help

## hammer domain set-parameter

Usage:

hammer domain set-parameter [OPTIONS]

Options:

--domain DOMAIN\_NAME Domain name  
 --domain-id DOMAIN\_ID Numerical ID or domain name  
 --name NAME parameter name  
 --value VALUE parameter value  
 -h, --help print help

## hammer domain update

Usage:

hammer domain update [OPTIONS]

Options:

--description DESC Full name describing the domain  
 --dns DNS\_NAME Name of DNS proxy to use within this domain  
 --dns-id DNS\_ID ID of DNS proxy to use within this domain  
 --id ID  
 --location-ids LOCATION\_IDS Comma separated list of values.  
 --locations LOCATION\_NAMES Comma separated list of values.  
 --name NAME Domain name  
 --new-name NEW\_NAME The full DNS domain name  
 --organization-ids ORGANIZATION\_IDS organization ID  
 Comma separated list of values.  
 --organizations ORGANIZATION\_NAMES Comma separated list of values.  
 -h, --help print help

# hammer environment

## Usage:

hammer environment [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

create	Create an environment
delete	Delete an environment
info	Show an environment
list	List all environments
sc-params	List all smart class parameters
update	Update an environment

## Options:

-h, --help	print help
------------	------------

# hammer environment create

## Usage:

hammer environment create [OPTIONS]

## Options:

--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--name NAME	
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
-h, --help	print help

# hammer environment delete

## Usage:

hammer environment delete [OPTIONS]

Options:

--id ID  
--name NAME Environment name  
-h, --help print help

## hammer environment info

Usage:

hammer environment info [OPTIONS]

Options:

--id ID  
--name NAME Environment name  
-h, --help print help

## hammer environment list

Usage:

hammer environment list [OPTIONS]

Options:

--location LOCATION\_NAME Location name  
--location-id LOCATION\_ID  
--order ORDER sort results  
--organization ORGANIZATION\_NAME Organization name  
--organization-id ORGANIZATION\_ID organization ID  
--page PAGE paginate results  
--per-page PER\_PAGE number of entries per request  
--puppet-class, --puppetclass PUPPET\_CLASS\_NAME Puppet class name  
--puppet-class-id, --puppetclass-id PUPPET\_CLASS\_ID ID of Puppet class  
--search SEARCH filter results  
-h, --help print help

## hammer environment sc-params

Usage:

hammer environment sc-params [OPTIONS]

Options:

--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--host HOST_NAME	Host name
--host-id HOST_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--id ID	
--name NAME	Environment name
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer environment update

Usage:

hammer environment update [OPTIONS]

Options:

--id ID	
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--name NAME	Environment name
--new-name NEW_NAME	
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
-h, --help	print help

## hammer erratum

Usage:

hammer erratum [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

info	Show an erratum
list	List errata

Options:

-h, --help	print help
------------	------------

## hammer erratum info

Usage:

hammer erratum info [OPTIONS]

Options:

--id ID	an erratum identifier
--name NAME	Name to search by
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
-h, --help	print help

## hammer erratum list

Usage:

hammer erratum list [OPTIONS]

Options:

--by BY	Field to sort the results on
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-filter CONTENT_VIEW_FILTER_NAME	Name to search by
--content-view-filter-id CONTENT_VIEW_FILTER_ID	filter identifier
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--content-view-version CONTENT_VIEW_VERSION_VERSION	Content view version number
--content-view-version-id CONTENT_VIEW_VERSION_ID	Content view version identifier
--cve CVE	CVE identifier
--environment ENVIRONMENT_NAME	Name to search by
--environment-id ENVIRONMENT_ID	
--errata-restrict-applicable ERRATA_RESTRICT_APPLICABLE	show only errata with one or

more applicable systems

One of true/false, yes/no, 1/0.

--errata-restrict-installable ERRATA\_RESTRICT\_INSTALLABLE show only errata with one or more installable systems

One of true/false, yes/no, 1/0.

--full-results FULL\_RESULTS

Whether or not to show all results

One of true/false, yes/no, 1/0.

--order ORDER

Sort field and order, eg. 'name DESC'

--organization ORGANIZATION\_NAME

Organization name to search by

--organization-id ORGANIZATION\_ID

organization ID

--organization-label ORGANIZATION\_LABEL

Organization label to search by

--page PAGE

Page number, starting at 1

--per-page PER\_PAGE

Number of results per page to return

--product PRODUCT\_NAME

Product name to search by

--product-id PRODUCT\_ID

product numeric identifier

--repository REPOSITORY\_NAME

Repository name to search by

--repository-id REPOSITORY\_ID

repository ID

--search SEARCH

Search string

-h, --help

print help

## hammer fact

Usage:

hammer fact [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND

subcommand

[ARG] ...

subcommand arguments

Subcommands:

list

List all fact values

Options:

-h, --help

print help

## hammer fact list

Usage:

hammer fact list [OPTIONS]

Options:

--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer filter

Usage:

hammer filter [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

available-permissions	List all permissions
available-resources	List available resource types.
create	Create a filter
delete	Delete a filter
info	Show a filter
list	List all filters
update	Update a filter

Options:

-h, --help	print help
------------	------------

## hammer filter available-permissions

Usage:

hammer filter available-permissions [OPTIONS]

Options:

--name NAME	
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request

--resource-type RESOURCE\_TYPE  
--search SEARCH filter results  
-h, --help print help

## hammer filter available-resources

Usage:  
hammer filter available-resources [OPTIONS]

Options:  
-h, --help print help

## hammer filter create

Usage:  
hammer filter create [OPTIONS]

Options:  
--location-ids LOCATION\_IDS Comma separated list of values.  
--locations LOCATION\_NAMES Comma separated list of values.  
--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--permission-ids PERMISSION\_IDS Comma separated list of values.  
--permissions PERMISSION\_NAMES Comma separated list of values.  
--role ROLE\_NAME User role name  
--role-id ROLE\_ID  
--search SEARCH  
-h, --help print help

## hammer filter delete

Usage:  
hammer filter delete [OPTIONS]

Options:  
--id ID  
-h, --help print help



hammer filter info

Usage:

hammer filter info [OPTIONS]

Options:

--id ID

-h, --help                      print help

## hammer filter list

Usage:

hammer filter list [OPTIONS]

Options:

--order ORDER                      sort results

--page PAGE                        paginate results

--per-page PER\_PAGE                number of entries per request

--search SEARCH                    filter results

-h, --help                        print help

## hammer filter update

Usage:

hammer filter update [OPTIONS]

Options:

--id ID

--location-ids LOCATION\_IDS        Comma separated list of values.

--locations LOCATION\_NAMES        Comma separated list of values.

--organization-ids ORGANIZATION\_IDS organization ID  
                                    Comma separated list of values.

--organizations ORGANIZATION\_NAMES Comma separated list of values.

--permission-ids PERMISSION\_IDS    Comma separated list of values.

--permissions PERMISSION\_NAMES     Comma separated list of values.

--role ROLE\_NAME                    User role name

--role-id ROLE\_ID

--search SEARCH

-h, --help                        print help

# hammer global-parameter

## Usage:

hammer global-parameter [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

delete	Delete a global parameter
list	List all global parameters.
set	Set a global parameter.

## Options:

-h, --help	print help
------------	------------

# hammer global-parameter delete

## Usage:

hammer global-parameter delete [OPTIONS]

## Options:

--name NAME	Common parameter name
-h, --help	print help

# hammer global-parameter list

## Usage:

hammer global-parameter list [OPTIONS]

## Options:

--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer global-parameter set

Usage:

hammer global-parameter set [OPTIONS]

Options:

--name NAME	parameter name
--value VALUE	parameter value
-h, --help	print help

## hammer gpg

Usage:

hammer gpg [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a gpg key
delete	Destroy a gpg key
info	Show a gpg key
list	List gpg keys
update	Update a repository

Options:

-h, --help	print help
------------	------------

## hammer gpg create

Usage:

hammer gpg create [OPTIONS]

Options:

--key GPG_KEY_FILE	GPG Key file
--name NAME	identifier of the gpg key
--organization ORGANIZATION_NAME	Organization name to search by

```
--organization-id ORGANIZATION_ID      organization ID
--organization-label ORGANIZATION_LABEL Organization label to search by
-h, --help                             print help
```

## hammer gpg delete

Usage:

## hammer gpg delete [OPTIONS]

Options:

```
--id ID                gpg key numeric identifier
--name NAME            Name to search by
--organization ORGANIZATION_NAME  Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION_LABEL  Organization label to search by
-h, --help            print help
```

## hammer gpg info

Usage:

## hammer gpg info [OPTIONS]

Options:

```
--id ID                gpg key numeric identifier
--name NAME            Name to search by
--organization ORGANIZATION_NAME  Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION_LABEL  Organization label to search by
-h, --help            print help
```

## hammer gpg list

Usage:

hammer gpg list [OPTIONS]

Options:

--by BY	Field to sort the results on
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.

--name NAME	name of the GPG key
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--search SEARCH	Search string
-h, --help	print help

## hammer gpg update

Usage:

hammer gpg update [OPTIONS]

Options:

--id ID	gpg key numeric identifier
--key GPG_KEY_FILE	GPG Key file
--name NAME	Name to search by
--new-name NEW_NAME	identifier of the gpg key
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer host

Usage:

hammer host [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a host
delete	Delete a host
delete-parameter	Delete parameter for a host.
facts	List all fact values

info	Show a host
list	List all hosts
puppet-classes	List all Puppet classes
puppetrun	Force a Puppet agent run on the host
reboot	Reboot a host
reports	List all reports
sc-params	List all smart class parameters
set-parameter	Create or update parameter for a host.
start	Power a host on
status	Get status of host
stop	Power a host off
update	Update a host

Options:

-h, --help            print help

## hammer host create

Usage:

hammer host create [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--ask-root-password ASK_ROOT_PW	One of true/false, yes/no, 1/0.
--build BUILD	One of true/false, yes/no, 1/0.
	Default: "true"
--comment COMMENT	Additional information about this host
--compute-attributes COMPUTE_ATTRS	Compute resource attributes.
	Comma-separated list of key=value.
--compute-profile COMPUTE_PROFILE_NAME	Name to search by
--compute-profile-id COMPUTE_PROFILE_ID	
--compute-resource COMPUTE_RESOURCE_NAME	Compute resource name
--compute-resource-id COMPUTE_RESOURCE_ID	
--domain DOMAIN_NAME	Domain name
--domain-id DOMAIN_ID	Numerical ID or domain name
--enabled ENABLED	One of true/false, yes/no, 1/0.
	Default: "true"
--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	

--image IMAGE_NAME	Name to search by
--image-id IMAGE_ID	
--interface INTERFACE	Interface parameters. Comma-separated list of key=value. Can be specified multiple times.
--ip IP	not required if using a subnet with DHCP proxy
--location LOCATION_NAME	Location name
--location-id LOCATION_ID	
--mac MAC	required for managed host that is bare metal, not required if it's a virtual machine
--managed MANAGED	One of true/false, yes/no, 1/0. Default: "true"
--medium MEDIUM_NAME	Medium name
--medium-id MEDIUM_ID	
--model MODEL_NAME	Model name
--model-id MODEL_ID	
--name NAME	
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
--organization ORGANIZATION_NAME	Organization name
--organization-id ORGANIZATION_ID	organization ID
--owner OWNER_LOGIN	Login of the owner
--owner-id OWNER_ID	ID of the owner
--owner-type OWNER_TYPE	Host's owner type Possible value(s): 'User', 'Usergroup'
--parameters PARAMS	Host parameters. Comma-separated list of key=value.
--partition-table, --ptable PARTITION_TABLE_NAME	Partition table name
--partition-table-id, --ptable-id PARTITION_TABLE_ID	
--progress-report-id PROGRESS_REPORT_ID	UUID to track orchestration tasks status, GET  /api/orchestration/:UUID/tasks
--provision-method METHOD	Possible value(s): 'build', 'image'
--puppet-ca-proxy PUPPET_CA_PROXY_NAME	
--puppet-ca-proxy-id PUPPET_CA_PROXY_ID	
--puppet-class-ids, --puppetclass-ids PUPPET_CLASS_IDS	Comma separated list of values.
--puppet-classes PUPPET_CLASS_NAMES	Comma separated list of values.
--puppet-proxy PUPPET_PROXY_NAME	
--puppet-proxy-id PUPPET_PROXY_ID	
--realm REALM_NAME	Name to search by
--realm-id REALM_ID	Numerical ID or realm name
--root-pass ROOT_PASS	required if host is managed and value is not

inherited from host group or

default password in settings

--root-password ROOT\_PW

--subnet SUBNET\_NAME

Subnet name

--subnet-id SUBNET\_ID

--volume VOLUME

Volume parameters

Comma-separated list of key=value.

Can be specified multiple times.

-h, --help

print help

## hammer host delete

Usage:

hammer host delete [OPTIONS]

Options:

--id ID

--name NAME

Host name

-h, --help

print help

## hammer host delete-parameter

Usage:

hammer host delete-parameter [OPTIONS]

Options:

--host HOST\_NAME

Host name

--host-id HOST\_ID

--name NAME

parameter name

-h, --help

print help

## hammer host facts

Usage:

hammer host facts [OPTIONS]

Options:

--id ID

--name NAME

Host name



--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer host info

Usage:

hammer host info [OPTIONS]

Options:

--id ID	
--name NAME	Host name
-h, --help	print help

## hammer host list

Usage:

hammer host list [OPTIONS]

Options:

--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--location LOCATION_NAME	Location name
--location-id LOCATION_ID	
--order ORDER	sort results
--organization ORGANIZATION_NAME	Organization name
--organization-id ORGANIZATION_ID	organization ID
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer host puppet-classes

Usage:

hammer host puppet-classes [OPTIONS]

Options:

--environment ENVIRONMENT      Environment name [DEPRECATED]  
--environment-id ENVIRONMENT\_ID      Environment Id [DEPRECATED]  
--host, --name HOST      Host name  
--host-id, --id HOST\_ID  
--hostgroup HOSTGROUP      Hostgroup name [DEPRECATED]  
--hostgroup-id HOSTGROUP\_ID      Hostgroup Id [DEPRECATED]  
--order ORDER      sort results  
--page PAGE      paginate results  
--per-page PER\_PAGE      number of entries per request  
--search SEARCH      filter results  
-h, --help      print help

## hammer host puppetrun

Usage:

hammer host puppetrun [OPTIONS]

Options:

--id ID  
--name NAME      Host name  
-h, --help      print help

## hammer host reboot

Usage:

hammer host reboot [OPTIONS]

Options:

--id ID  
--name NAME      Host name  
-h, --help      print help

## hammer host reports

Usage:

hammer host reports [OPTIONS]

Options:

--id ID	
--name NAME	Host name
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer host sc-params

Usage:

hammer host sc-params [OPTIONS]

Options:

--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--host HOST_NAME	Host name
--host-id HOST_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--id ID	
--name NAME	Host name
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer host set-parameter

Usage:

hammer host set-parameter [OPTIONS]

Options:

--host HOST_NAME	Host name
--host-id HOST_ID	
--name NAME	parameter name

--value VALUE                      parameter value  
-h, --help                      print help

## hammer host start

Usage:  
    hammer host start [OPTIONS]

Options:  
--id ID  
--name NAME                      Host name  
-h, --help                      print help

## hammer host status

Usage:  
    hammer host status [OPTIONS]

Options:  
--id ID  
--name NAME                      Host name  
-h, --help                      print help

## hammer host stop

Usage:  
    hammer host stop [OPTIONS]

Options:  
--force                      Force turning off a host  
--id ID  
--name NAME                      Host name  
-h, --help                      print help

hammer host update

Usage:  
    hammer host update [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--ask-root-password ASK_ROOT_PW	One of true/false, yes/no, 1/0.
--build BUILD	One of true/false, yes/no, 1/0.
--comment COMMENT	Additional information about this host
--compute-attributes COMPUTE_ATTRS	Compute resource attributes.
	Comma-separated list of key=value.
--compute-profile COMPUTE_PROFILE_NAME	Name to search by
--compute-profile-id COMPUTE_PROFILE_ID	
--compute-resource COMPUTE_RESOURCE_NAME	Compute resource name
--compute-resource-id COMPUTE_RESOURCE_ID	
--domain DOMAIN_NAME	Domain name
--domain-id DOMAIN_ID	Numerical ID or domain name
--enabled ENABLED	One of true/false, yes/no, 1/0.
--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--id ID	
--image IMAGE_NAME	Name to search by
--image-id IMAGE_ID	
--interface INTERFACE	Interface parameters.
	Comma-separated list of key=value.
	Can be specified multiple times.
--ip IP	not required if using a subnet with DHCP proxy
--location LOCATION_NAME	Location name
--location-id LOCATION_ID	
--mac MAC	required for managed host that is bare metal, not
required if it's a	
	virtual machine
--managed MANAGED	One of true/false, yes/no, 1/0.
--medium MEDIUM_NAME	Medium name
--medium-id MEDIUM_ID	
--model MODEL_NAME	Model name
--model-id MODEL_ID	
--name NAME	Host name
--new-name NEW_NAME	
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
--organization ORGANIZATION_NAME	Organization name
--organization-id ORGANIZATION_ID	organization ID
--owner OWNER_LOGIN	Login of the owner
--owner-id OWNER_ID	ID of the owner

--owner-type OWNER_TYPE	Host's owner type
	Possible value(s): 'User', 'Usergroup'
--parameters PARAMS	Host parameters.
	Comma-separated list of key=value.
--partition-table, --ptable PARTITION_TABLE_NAME	Partition table name
--partition-table-id, --ptable-id PARTITION_TABLE_ID	
--progress-report-id PROGRESS_REPORT_ID	UUID to track orchestration tasks
status, GET	
	/api/orchestration/:UUID/tasks
--provision-method METHOD	Possible value(s): 'build', 'image'
--puppet-ca-proxy PUPPET_CA_PROXY_NAME	
--puppet-ca-proxy-id PUPPET_CA_PROXY_ID	
--puppet-class-ids, --puppetclass-ids PUPPET_CLASS_IDS	Comma separated list of values.
--puppet-classes PUPPET_CLASS_NAMES	Comma separated list of values.
--puppet-proxy PUPPET_PROXY_NAME	
--puppet-proxy-id PUPPET_PROXY_ID	
--realm REALM_NAME	Name to search by
--realm-id REALM_ID	Numerical ID or realm name
--root-pass ROOT_PASS	required if host is managed and value is not
inherited from host group or	
	default password in settings
--root-password ROOT_PW	
--subnet SUBNET_NAME	Subnet name
--subnet-id SUBNET_ID	
--volume VOLUME	Volume parameters
	Comma-separated list of key=value.
	Can be specified multiple times.
-h, --help	print help

## hammer host-collection

Usage:

hammer host-collection [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-content-host	Add content host to the host collection
content-hosts	List content hosts in the host collection

copy	Make copy of a host collection
create	Create a host collection
delete	Destroy a host collection
erratum	Manipulate errata for a host collection
info	Show a host collection
list	List host collections
package	Manipulate packages for a host collection
package-group	Manipulate package-groups for a host collection
remove-content-host	Remove content hosts from the host collection
update	Update a host collection

-h, --help      print help

hammer host-collection add-content-host [OPTIONS]

```
--content-host-ids, --system-ids CONTENT_HOST_IDS UUID of the content host
                                Comma separated list of values.
--id ID                          Id of the host collection
--name NAME                      Host collection name to search by
--organization ORGANIZATION_NAME Organization name to search by
--organization-id ORGANIZATION_ID organization ID
--organization-label ORGANIZATION_LABEL Organization label to search by
--systems CONTENT_HOST_NAMES     Comma separated list of values.
-h, --help                      print help
```

hammer host-collection content-hosts [OPTIONS]

```
--id ID                      Id of the host collection
--name NAME                  Host collection name to search by
--organization ORGANIZATION_NAME  Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION LABEL Organization label to search by
```

-h, --help                      print help

# hammer host-collection copy

### Usage:

hammer host-collection copy [OPTIONS]

Options:

```
--id ID                ID of the host collection
--name NAME            Host collection name to search by
--organization ORGANIZATION_NAME  Organization name to search by
--organization-id ORGANIZATION_ID  organization ID
--organization-label ORGANIZATION_LABEL  Organization label to search by
-h, --help            print help
```

## hammer host-collection create

Usage:

## hammer host-collection create [OPTIONS]

Options:

```
--content-host-ids, --system-ids CONTENT_HOST_IDS UUID of the content host
                                Comma separated list of values.

--description DESCRIPTION

--host-collection-ids HOST_COLLECTION_IDS    Array of content host ids to replace the
content hosts in host collection
                                Comma separated list of values.

--max-content-hosts MAX_CONTENT_HOSTS        Maximum number of content hosts
in the host collection

--name NAME                                Host Collection name

--organization ORGANIZATION_NAME            Organization name to search by

--organization-id ORGANIZATION_ID           organization ID

--organization-label ORGANIZATION_LABEL     Organization label to search by

--systems CONTENT_HOST_NAMES               Comma separated list of values.

--unlimited-content-hosts UNLIMITED_CONTENT_HOSTS Whether or not the host collection
may have unlimited content hosts
                                One of true/false, yes/no, 1/0.

-h, --help                                print help
```



## hammer host-collection delete

Usage:

hammer host-collection delete [OPTIONS]

Options:

--id ID Id of the host collection  
--name NAME Host collection name to search by  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer host-collection erratum

Usage:

hammer host-collection erratum [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

install Install errata on content hosts contained within a host collection

Options:

-h, --help print help

## hammer host-collection info

Usage:

hammer host-collection info [OPTIONS]

Options:

--id ID Id of the host collection  
--name NAME Host collection name to search by  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by

-h, --help                      print help

## hammer host-collection list

Usage:

hammer host-collection list [OPTIONS]

Options:

--activation-key ACTIVATION_KEY_NAME	Activation key name to search by
--activation-key-id ACTIVATION_KEY_ID	ID of the activation key
--by BY	Field to sort the results on
--content-host, --system CONTENT_HOST_NAME	Name to search by
--content-host-id, --system-id CONTENT_HOST_ID	UUID of the content host
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--name NAME	host collection name to filter by
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--search SEARCH	Search string
-h, --help	print help

## hammer host-collection package

Usage:

hammer host-collection package [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

install	Install packages on content hosts contained within a host collection
remove	Remove packages on content hosts contained within a host collection
update	Update packages on content hosts contained within a host collection

Options:

-h, --help                      print help

## hammer host-collection package-group

Usage:

hammer host-collection package-group [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

install	Install package-groups on content hosts contained within a host collection
remove	Remove package-groups on content hosts contained within a host collection
update	Update package-groups on content hosts contained within a host collection

Options:

-h, --help	print help
------------	------------

## hammer host-collection remove-content-host

Usage:

hammer host-collection remove-content-host [OPTIONS]

Options:

--content-host-ids, --system-ids CONTENT_HOST_IDS	UUID of the content host
	Comma separated list of values.
--id ID	Id of the host collection
--name NAME	Host collection name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--systems CONTENT_HOST_NAMES	Comma separated list of values.
-h, --help	print help

## hammer host-collection update

Usage:

hammer host-collection update [OPTIONS]

Options:

--content-host-ids, --system-ids CONTENT\_HOST\_IDS UUID of the content host  
Comma separated list of values.

--description DESCRIPTION

--host-collection-ids HOST\_COLLECTION\_IDS Array of content host ids to replace the  
content hosts in host collection  
Comma separated list of values.

--id ID Id of the host collection

--max-content-hosts MAX\_CONTENT\_HOSTS Maximum number of content hosts  
in the host collection

--name NAME Host collection name to search by

--new-name NEW\_NAME Host Collection name

--organization ORGANIZATION\_NAME Organization name to search by

--organization-id ORGANIZATION\_ID organization ID

--organization-label ORGANIZATION\_LABEL Organization label to search by

--systems CONTENT\_HOST\_NAMES Comma separated list of values.

--unlimited-content-hosts UNLIMITED\_CONTENT\_HOSTS Whether or not the host collection  
may have unlimited content hosts  
One of true/false, yes/no, 1/0.

-h, --help print help

## hammer hostgroup

Usage:

hammer hostgroup [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

create Create a host group

delete Delete a host group

delete-parameter Delete parameter for a hostgroup.

info Show a host group

list List all host groups

puppet-classes List all Puppet classes

sc-params List all smart class parameters

set-parameter Create or update parameter for a hostgroup.

update                      Update a host group

Options:

-h, --help                      print help

## hammer hostgroup create

Usage:

hammer hostgroup create [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--content-source-id CONTENT_SOURCE_ID	
--content-view CONTENT_VIEW_NAME	Name to search by
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--domain DOMAIN_NAME	Domain name
--domain-id DOMAIN_ID	Numerical ID or domain name
--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--lifecycle-environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id LIFECYCLE_ENVIRONMENT_ID	ID of the environment
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--medium MEDIUM_NAME	Medium name
--medium-id MEDIUM_ID	
--name NAME	
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
--organization-ids ORGANIZATION_IDS	organization ID Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
--parent PARENT_NAME	Name of parent hostgroup
--parent-id PARENT_ID	
--partition-table, --ptable PARTITION_TABLE_NAME	Partition table name
--partition-table-id, --ptable-id PARTITION_TABLE_ID	
--puppet-ca-proxy PUPPET_CA_PROXY_NAME	Name of puppet CA proxy
--puppet-ca-proxy-id PUPPET_CA_PROXY_ID	
--puppet-class-ids, --puppetclass-ids PUPPETCLASS_IDS	List of puppetclass ids Comma separated list of values.
--puppet-classes PUPPET_CLASS_NAMES	Comma separated list of values.
--puppet-proxy PUPPET_PROXY_NAME	Name of puppet proxy

--puppet-proxy-id PUPPET\_PROXY\_ID  
--realm REALM\_NAME                      Name to search by  
--realm-id REALM\_ID                      Numerical ID or realm name  
--subnet SUBNET\_NAME                      Subnet name  
--subnet-id SUBNET\_ID  
-h, --help                      print help

## hammer hostgroup delete

Usage:  
    hammer hostgroup delete [OPTIONS]

Options:  
--id ID  
--name NAME                      Hostgroup name  
-h, --help                      print help

## hammer hostgroup delete-parameter

Usage:  
    hammer hostgroup delete-parameter [OPTIONS]

Options:  
--hostgroup HOSTGROUP\_NAME    Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--name NAME                      parameter name  
-h, --help                      print help

## hammer hostgroup info

Usage:  
    hammer hostgroup info [OPTIONS]

Options:  
--id ID  
--name NAME                      Hostgroup name  
-h, --help                      print help

## hammer hostgroup list

Usage:

hammer hostgroup list [OPTIONS]

Options:

--location LOCATION_NAME	Location name
--location-id LOCATION_ID	
--order ORDER	sort results
--organization ORGANIZATION_NAME	Organization name
--organization-id ORGANIZATION_ID	organization ID
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer hostgroup puppet-classes

Usage:

hammer hostgroup puppet-classes [OPTIONS]

Options:

--environment ENVIRONMENT	Environment name [DEPRECATED]
--environment-id ENVIRONMENT_ID	Environment Id [DEPRECATED]
--host HOST	Host name [DEPRECATED]
--host-id HOST_ID	Host Id [DEPRECATED]
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer hostgroup sc-params

Usage:

hammer hostgroup sc-params [OPTIONS]

Options:

--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--host HOST_NAME	Host name
--host-id HOST_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--id ID	
--name NAME	Hostgroup name
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer hostgroup set-parameter

Usage:

hammer hostgroup set-parameter [OPTIONS]

Options:

--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--name NAME	parameter name
--value VALUE	parameter value
-h, --help	print help

## hammer hostgroup update

Usage:

hammer hostgroup update [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--content-source-id CONTENT_SOURCE_ID	
--content-view CONTENT_VIEW_NAME	Name to search by



--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--domain DOMAIN_NAME	Domain name
--domain-id DOMAIN_ID	Numerical ID or domain name
--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--id ID	
--lifecycle-environment LIFECYCLE_ENVIRONMENT_NAME	Name to search by
--lifecycle-environment-id LIFECYCLE_ENVIRONMENT_ID	ID of the environment
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--medium MEDIUM_NAME	Medium name
--medium-id MEDIUM_ID	
--name NAME	Hostgroup name
--new-name NEW_NAME	
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
--parent PARENT_NAME	Name of parent hostgroup
--parent-id PARENT_ID	
--partition-table, --ptable PARTITION_TABLE_NAME	Partition table name
--partition-table-id, --ptable-id PARTITION_TABLE_ID	
--puppet-ca-proxy PUPPET_CA_PROXY_NAME	Name of puppet CA proxy
--puppet-ca-proxy-id PUPPET_CA_PROXY_ID	
--puppet-class-ids, --puppetclass-ids PUPPETCLASS_IDS	List of puppetclass ids
	Comma separated list of values.
--puppet-classes PUPPET_CLASS_NAMES	Comma separated list of values.
--puppet-proxy PUPPET_PROXY_NAME	Name of puppet proxy
--puppet-proxy-id PUPPET_PROXY_ID	
--realm REALM_NAME	Name to search by
--realm-id REALM_ID	Numerical ID or realm name
--subnet SUBNET_NAME	Subnet name
--subnet-id SUBNET_ID	
-h, --help	print help

## hammer import

Usage:

hammer import [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

activation-key	Import Activation Keys (from spacewalk-report activation-keys).
all	Load ALL data from a specified directory that is in spacewalk-export format.
config-file	Create puppet-modules from Configuration Channel content (from spacewalk-report config-files-latest).
content-host	Import Content Hosts (from spacewalk-report system-profiles).
content-view	Create Content Views based on local/cloned Channels (from spacewalk-export-channels).
host-collection	Import Host Collections (from spacewalk-report system-groups).
organization	Import Organizations (from spacewalk-report users).
repository	Import repositories (from spacewalk-report repositories).
repository-enable	Enable any Red Hat repositories accessible to any Organization (from spacewalk-report channels).
template-snippet	Import template snippets (from spacewalk-report kickstart-scripts).
user	Import Users (from spacewalk-report users).

Options:

-h, --help	print help
------------	------------

## hammer import activation-key

Usage:

hammer import activation-key [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--verbose	Be noisy - everything goes to STDOUT and to a logfile

-h, --help                      Default: false  
                                 print help

## hammer import all

Usage:

hammer import all [OPTIONS]

Options:

--debug                      Turn on debugging-information  
                                 Default: false

--delete                      Delete entities instead of importing them  
                                 Default: false

--directory DIR\_PATH        stargate-export directory  
                                 Default: "/tmp/exports"

--dry-run                      Show what we would have done, if we'd been allowed  
                                 Default: false

--entities entity[,entity...] Import specific entities  
                                 Default: "all"

--into-org-id ORG\_ID        Import all organizations into one specified by id

--list-entities               List entities we understand  
                                 Default: false

--logfile LOGFILE            Where output is logged to  
                                 Default: "/root/import.log"

--macro\_mapping FILE        Mapping of Satellite-5 config-file-macros to puppet facts

--manifest-directory DIR\_PATH Directory holding manifests

--merge-users                Merge pre-created users (except admin)  
                                 Default: false

--no-async                    Wait for async tasks in foreground  
                                 Default: false

--quiet                       Be silent - no output to STDOUT  
                                 Default: false

--synchronize                Synchronize imported repositories  
                                 Default: false

--verbose                    Be noisy - everything goes to STDOUT and to a logfile  
                                 Default: false

--wait                        Wait for repository synchronization to finish  
                                 Default: false

-h, --help                    print help

## hammer import config-file

Usage:

hammer import config-file [OPTIONS]

Options:

--answers-file FILE_NAME	Answers to the puppet-generate-module interview questions Default: "/etc/hammer/cli.modules.d/import/interview_answers.yml"
--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--generate-only	Create and fill puppet-modules, but DO NOT upload anything Default: false
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--macro-mapping FILE_NAME	Mapping of Satellite-5 config-file-macros to puppet facts Default: "/etc/hammer/cli.modules.d/import/config_macros.yml"
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--verbose	Be noisy - everything goes to STDOUT and to a logfile Default: false
--working-directory FILE_NAME	Location for building puppet modules (will be created if it doesn't exist Default: "/root/puppet_work_dir"
-h, --help	print help

## hammer import content-host

Usage:

hammer import content-host [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false

--export-directory DIR\_PATH   Directory to export rpmbuild structure  
 --logfile LOGFILE           Where output is logged to  
                                 Default: "/root/import.log"  
 --quiet                       Be silent - no output to STDOUT  
                                 Default: false  
 --recover RECOVER           Recover strategy, can be: rename (default), map, none  
                                 Default: :rename  
 --verbose                    Be noisy - everything goes to STDOUT and to a logfile  
                                 Default: false  
 -h, --help                  print help

## hammer import content-view

Usage:

hammer import content-view [OPTIONS]

Options:

--csv-file FILE\_NAME        CSV file with data to be imported  
 --debug                    Turn on debugging-information  
                                 Default: false  
 --delete                   Delete entities from CSV file  
                                 Default: false  
 --dir DIR                  Export directory  
 --filter                   Filter content-views for package names present in Sat5 channel  
                                 Default: false  
 --logfile LOGFILE          Where output is logged to  
                                 Default: "/root/import.log"  
 --no-async                 Wait for async tasks in foreground  
                                 Default: false  
 --quiet                    Be silent - no output to STDOUT  
                                 Default: false  
 --recover RECOVER          Recover strategy, can be: rename (default), map, none  
                                 Default: :rename  
 --synchronize              Synchronize imported repositories  
                                 Default: false  
 --verbose                  Be noisy - everything goes to STDOUT and to a logfile  
                                 Default: false  
 --wait                     Wait for repository synchronization to finish  
                                 Default: false  
 -h, --help                 print help

## hammer import host-collection

Usage:

hammer import host-collection [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--verbose	Be noisy - everything goes to STDOUT and to a logfile Default: false
-h, --help	print help

## hammer import organization

Usage:

hammer import organization [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--into-org-id ORG_ID	Import all organizations into one specified by id
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--upload-manifests-from MANIFEST_DIR	Upload manifests found at MANIFEST_DIR. Assumes manifest for "ORG NAME" will be of the form ORG_NAME.zip

--verbose	Be noisy - everything goes to STDOUT and to a logfile Default: false
-h, --help	print help

## hammer import repository

Usage:

hammer import repository [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--no-async	Wait for async tasks in foreground Default: false
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--synchronize	Synchronize imported repositories Default: false
--verbose	Be noisy - everything goes to STDOUT and to a logfile Default: false
--wait	Wait for repository synchronization to finish Default: false
-h, --help	print help

## hammer import repository-enable

Usage:

hammer import repository-enable [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file

	Default: false
--dry-run	Only show the repositories that would be enabled
	Default: false
--logfile LOGFILE	Where output is logged to
	Default: "/root/import.log"
--no-async	Wait for async tasks in foreground
	Default: false
--quiet	Be silent - no output to STDOUT
	Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none
	Default: :rename
--repository-map FILE_NAME	JSON file mapping channel-labels to repository information
	Default:
	"/usr/share/gems/gems/hammer_cli_import-0.10.20/channel_data_pretty.json"
--synchronize	Synchronize imported repositories
	Default: false
--verbose	Be noisy - everything goes to STDOUT and to a logfile
	Default: false
--wait	Wait for repository synchronization to finish
	Default: false
-h, --help	print help

## hammer import template-snippet

Usage:

hammer import template-snippet [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information
	Default: false
--delete	Delete entities from CSV file
	Default: false
--logfile LOGFILE	Where output is logged to
	Default: "/root/import.log"
--quiet	Be silent - no output to STDOUT
	Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none
	Default: :rename
--verbose	Be noisy - everything goes to STDOUT and to a logfile
	Default: false
-h, --help	print help



## hammer import user

Usage:

hammer import user [OPTIONS]

Options:

--csv-file FILE_NAME	CSV file with data to be imported
--debug	Turn on debugging-information Default: false
--delete	Delete entities from CSV file Default: false
--logfile LOGFILE	Where output is logged to Default: "/root/import.log"
--merge-users	Merge pre-created users (except admin) Default: false
--new-passwords FILE_NAME	Output for new passwords
--quiet	Be silent - no output to STDOUT Default: false
--recover RECOVER	Recover strategy, can be: rename (default), map, none Default: :rename
--role-mapping FILE_NAME	Mapping of Satellite-5 role names to Satellite-6 defined roles Default: "/etc/hammer/cli.modules.d/import/role_map.yml"
--verbose	Be noisy - everything goes to STDOUT and to a logfile Default: false
-h, --help	print help

## hammer lifecycle-environment

Usage:

hammer lifecycle-environment [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create an environment
--------	-----------------------

delete	Destroy an environment
info	Show an environment
list	List environments in an organization
paths	List environment paths
update	Update an environment

Options:

-h, --help	print help
------------	------------

## hammer lifecycle-environment create

Usage:

hammer lifecycle-environment create [OPTIONS]

Options:

--description DESCRIPTION	description of the environment
--label LABEL	label of the environment
--name NAME	name of the environment
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--prior PRIOR	Name of the prior environment
--prior-id PRIOR_ID	ID of an environment that is prior to the new environment in the chain. It has to be either the ID of Library or the ID of an environment at the end of a chain.
-h, --help	print help

## hammer lifecycle-environment delete

Usage:

hammer lifecycle-environment delete [OPTIONS]

Options:

--id ID	ID of the environment
--name NAME	Lifecycle environment name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer lifecycle-environment info

Usage:

hammer lifecycle-environment info [OPTIONS]

Options:

--id ID ID of the environment  
--name NAME Lifecycle environment name to search by  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer lifecycle-environment list

Usage:

hammer lifecycle-environment list [OPTIONS]

Options:

--library LIBRARY set true if you want to see only library environments  
Possible value(s): 'true', 'false'  
--name NAME filter only environments containing this name  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer lifecycle-environment paths

Usage:

hammer lifecycle-environment paths [OPTIONS]

Options:

--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--permission-type PERMISSION\_TYPE The associated permission type. One of (readable | promotable) Default:

-h, --help                      readable  
                                  print help

## hammer lifecycle-environment update

Usage:

hammer lifecycle-environment update [OPTIONS]

Options:

--description DESCRIPTION            description of the environment  
--id ID                                ID of the environment  
--name NAME                            Lifecycle environment name to search by  
--new-name NEW\_NAME                   new name to be given to the environment  
--organization ORGANIZATION\_NAME    Organization name to search by  
--organization-id ORGANIZATION\_ID    organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--prior PRIOR                        ID of an environment that is prior to the new environment in the chain. It has to be either the ID of Library or the ID of an environment at the end of a chain. This param exists for backwards compatibility purposes. Please use prior\_id.  
--prior-id PRIOR\_ID                   ID of an environment that is prior to the new environment in the chain. It has to be either the ID of Library or the ID of an environment at the end of a chain.  
-h, --help                            print help

## hammer location

Usage:

hammer location [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                          subcommand  
[ARG] ...                            subcommand arguments

Subcommands:

add-compute-resource	Associate a compute resource
add-config-template	Associate a configuration template
add-domain	Associate a domain
add-environment	Associate an environment
add-hostgroup	Associate a hostgroup
add-medium	Associate a medium
add-organization	Associate an organization
add-smart-proxy	Associate a smart proxy
add-subnet	Associate a subnet
add-user	Associate an user
create	Create a location
delete	Delete a location
delete-parameter	Delete parameter for a location.
info	Show a location
list	List all locations
remove-compute-resource	Disassociate a compute resource
remove-config-template	Disassociate a configuration template
remove-domain	Disassociate a domain
remove-environment	Disassociate an environment
remove-hostgroup	Disassociate a hostgroup
remove-medium	Disassociate a medium
remove-organization	Disassociate an organization
remove-smart-proxy	Disassociate a smart proxy
remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for a location.
update	Update a location

Options:

-h, --help            print help

## hammer location add-compute-resource

Usage:

hammer location add-compute-resource [OPTIONS]

Options:

--compute-resource COMPUTE\_RESOURCE\_NAME    Compute resource name  
--compute-resource-id COMPUTE\_RESOURCE\_ID  
--id ID  
--name NAME                                    Location name

-h, --help                      print help

## hammer location add-config-template

Usage:

hammer location add-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME    Name to search by

--config-template-id CONFIG\_TEMPLATE\_ID

--id ID

--name NAME                                  Location name

-h, --help                                  print help

## hammer location add-domain

Usage:

hammer location add-domain [OPTIONS]

Options:

--domain DOMAIN\_NAME                      Domain name

--domain-id DOMAIN\_ID                      Numerical ID or domain name

--id ID

--name NAME                                  Location name

-h, --help                                  print help

## hammer location add-environment

Usage:

hammer location add-environment [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME    Environment name

--environment-id ENVIRONMENT\_ID

--id ID

--name NAME                                  Location name

-h, --help                                  print help

## hammer location add-hostgroup

Usage:

hammer location add-hostgroup [OPTIONS]

Options:

--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--id ID  
--name NAME Location name  
-h, --help print help

## hammer location add-medium

Usage:

hammer location add-medium [OPTIONS]

Options:

--id ID  
--medium MEDIUM\_NAME Medium name  
--medium-id MEDIUM\_ID  
--name NAME Location name  
-h, --help print help

## hammer location add-organization

Usage:

hammer location add-organization [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--organization ORGANIZATION\_NAME Organization name  
--organization-id ORGANIZATION\_ID organization ID  
-h, --help print help

## hammer location add-smart-proxy

Usage:

hammer location add-smart-proxy [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--smart-proxy SMART\_PROXY\_NAME Name to search by  
--smart-proxy-id SMART\_PROXY\_ID  
-h, --help print help

## hammer location add-subnet

Usage:

hammer location add-subnet [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--subnet SUBNET\_NAME Subnet name  
--subnet-id SUBNET\_ID  
-h, --help print help

## hammer location add-user

Usage:

hammer location add-user [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--user USER\_LOGIN User's login to search by  
--user-id USER\_ID  
-h, --help print help



## hammer location create

Usage:

hammer location create [OPTIONS]

Options:

--compute-resource-ids COMPUTE\_RESOURCE\_IDS Comma separated list of values.  
--compute-resources COMPUTE\_RESOURCE\_NAMES Comma separated list of values.  
--config-template-ids CONFIG\_TEMPLATE\_IDS Comma separated list of values.  
--config-templates CONFIG\_TEMPLATE\_NAMES Comma separated list of values.  
--description DESCRIPTION  
--domain-ids DOMAIN\_IDS Numerical ID or domain name  
Comma separated list of values.  
--domains DOMAIN\_NAMES Comma separated list of values.  
--environment-ids ENVIRONMENT\_IDS Comma separated list of values.  
--environments ENVIRONMENT\_NAMES Comma separated list of values.  
--hostgroup-ids HOSTGROUP\_IDS Comma separated list of values.  
--hostgroups HOSTGROUP\_NAMES Comma separated list of values.  
--media MEDIUM\_NAMES Comma separated list of values.  
--media-ids MEDIA\_IDS Media IDs  
Comma separated list of values.  
--medium-ids MEDIUM\_IDS Comma separated list of values.  
--name NAME  
--realm-ids REALM\_IDS Numerical ID or realm name  
Comma separated list of values.  
--realms REALM\_NAMES Comma separated list of values.  
--smart-proxies SMART\_PROXY\_NAMES Comma separated list of values.  
--smart-proxy-ids SMART\_PROXY\_IDS Comma separated list of values.  
--subnet-ids SUBNET\_IDS Comma separated list of values.  
--subnets SUBNET\_NAMES Comma separated list of values.  
--user-ids USER\_IDS Comma separated list of values.  
--users USER\_LOGINS Comma separated list of values.  
-h, --help print help

## hammer location delete

Usage:

hammer location delete [OPTIONS]

Options:

--id ID Location numeric id to search by

--name NAME                      Organization name  
-h, --help                      print help

## hammer location delete-parameter

Usage:  
    hammer location delete-parameter [OPTIONS]

Options:  
--location LOCATION\_NAME          Location name  
--location-id LOCATION\_ID  
--name NAME                      parameter name  
-h, --help                      print help

## hammer location info

Usage:  
    hammer location info [OPTIONS]

Options:  
--id ID                      Location numeric id to search by  
--name NAME                      Organization name  
-h, --help                      print help

## hammer location list

Usage:  
    hammer location list [OPTIONS]

Options:  
--order ORDER                      sort results  
--page PAGE                      paginate results  
--per-page PER\_PAGE              number of entries per request  
--search SEARCH                   filter results  
-h, --help                      print help

## hammer location remove-compute-resource

Usage:

hammer location remove-compute-resource [OPTIONS]

Options:

--compute-resource COMPUTE\_RESOURCE\_NAME Compute resource name

--compute-resource-id COMPUTE\_RESOURCE\_ID

--id ID

--name NAME Location name

-h, --help print help

## hammer location remove-config-template

Usage:

hammer location remove-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME Name to search by

--config-template-id CONFIG\_TEMPLATE\_ID

--id ID

--name NAME Location name

-h, --help print help

## hammer location remove-domain

Usage:

hammer location remove-domain [OPTIONS]

Options:

--domain DOMAIN\_NAME Domain name

--domain-id DOMAIN\_ID Numerical ID or domain name

--id ID

--name NAME Location name

-h, --help print help

## hammer location remove-environment

Usage:

hammer location remove-environment [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--id ID  
--name NAME Location name  
-h, --help print help

## hammer location remove-hostgroup

Usage:

hammer location remove-hostgroup [OPTIONS]

Options:

--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--id ID  
--name NAME Location name  
-h, --help print help

## hammer location remove-medium

Usage:

hammer location remove-medium [OPTIONS]

Options:

--id ID  
--medium MEDIUM\_NAME Medium name  
--medium-id MEDIUM\_ID  
--name NAME Location name  
-h, --help print help

## hammer location remove-organization

Usage:

hammer location remove-organization [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--organization ORGANIZATION\_NAME Organization name  
--organization-id ORGANIZATION\_ID organization ID  
-h, --help print help

## hammer location remove-smart-proxy

Usage:

hammer location remove-smart-proxy [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--smart-proxy SMART\_PROXY\_NAME Name to search by  
--smart-proxy-id SMART\_PROXY\_ID  
-h, --help print help

## hammer location remove-subnet

Usage:

hammer location remove-subnet [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--subnet SUBNET\_NAME Subnet name  
--subnet-id SUBNET\_ID  
-h, --help print help

## hammer location remove-user

Usage:

hammer location remove-user [OPTIONS]

Options:

--id ID  
--name NAME Location name  
--user USER\_LOGIN User's login to search by  
--user-id USER\_ID  
-h, --help print help

## hammer location set-parameter

Usage:

hammer location set-parameter [OPTIONS]

Options:

--location LOCATION\_NAME Location name  
--location-id LOCATION\_ID  
--name NAME parameter name  
--value VALUE parameter value  
-h, --help print help

## hammer location update

Usage:

hammer location update [OPTIONS]

Options:

--compute-resource-ids COMPUTE\_RESOURCE\_IDS Comma separated list of values.  
--compute-resources COMPUTE\_RESOURCE\_NAMES Comma separated list of values.  
--config-template-ids CONFIG\_TEMPLATE\_IDS Comma separated list of values.  
--config-templates CONFIG\_TEMPLATE\_NAMES Comma separated list of values.  
--description DESCRIPTION  
--domain-ids DOMAIN\_IDS Numerical ID or domain name  
Comma separated list of values.  
--domains DOMAIN\_NAMES Comma separated list of values.  
--environment-ids ENVIRONMENT\_IDS Comma separated list of values.

--environments ENVIRONMENT_NAMES	Comma separated list of values.
--hostgroup-ids HOSTGROUP_IDS	Comma separated list of values.
--hostgroups HOSTGROUP_NAMES	Comma separated list of values.
--id ID	Location numeric id to search by
--media MEDIUM_NAMES	Comma separated list of values.
--media-ids MEDIA_IDS	Media IDs
	Comma separated list of values.
--medium-ids MEDIUM_IDS	Comma separated list of values.
--name NAME	
--new-name NEW_NAME	
--realm-ids REALM_IDS	Numerical ID or realm name
	Comma separated list of values.
--realms REALM_NAMES	Comma separated list of values.
--smart-proxies SMART_PROXY_NAMES	Comma separated list of values.
--smart-proxy-ids SMART_PROXY_IDS	Comma separated list of values.
--subnet-ids SUBNET_IDS	Comma separated list of values.
--subnets SUBNET_NAMES	Comma separated list of values.
--user-ids USER_IDS	Comma separated list of values.
--users USER_LOGINS	Comma separated list of values.
-h, --help	print help

# hammer medium

## Usage:

hammer medium [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

add-operatingsystem	Associate an operating system
create	Create a medium
delete	Delete a medium
info	Show a medium
list	List all installation media
remove-operatingsystem	Disassociate an operating system
update	Update a medium

## Options:

-h, --help	print help
------------	------------

## hammer medium add-operatingsystem

Usage:

hammer medium add-operatingsystem [OPTIONS]

Options:

--id ID  
--name NAME Medium name  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help print help

## hammer medium create

Usage:

hammer medium create [OPTIONS]

Options:

--location-ids LOCATION\_IDS Comma separated list of values.  
--locations LOCATION\_NAMES Comma separated list of values.  
--name NAME Name of media  
--operatingsystem-ids OPERATINGSYSTEM\_IDS Comma separated list of values.  
--operatingsystems OPERATINGSYSTEM\_TITLES Comma separated list of values.  
--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--os-family OS\_FAMILY Operating system family, available values:  
--path PATH The path to the medium, can be a URL or a valid NFS  
server (exclusive of

the architecture).

for example mirror.centos.org/centos/\$version/os/\$arch  
where \$arch will be substituted for the host's actual OS

architecture and

\$version, \$major and \$minor will be substituted for the version of

the

operating system.

Solaris and Debian media may also use \$release.

-h, --help print help



## hammer medium delete

Usage:

hammer medium delete [OPTIONS]

Options:

--id ID  
--name NAME                      Medium name  
-h, --help                      print help

## hammer medium info

Usage:

hammer medium info [OPTIONS]

Options:

--id ID  
--name NAME                      Medium name  
-h, --help                      print help

## hammer medium list

Usage:

hammer medium list [OPTIONS]

Options:

--location LOCATION\_NAME                      Location name  
--location-id LOCATION\_ID  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
--order ORDER                                      sort results  
--organization ORGANIZATION\_NAME              Organization name  
--organization-id ORGANIZATION\_ID              organization ID  
--page PAGE                                        paginate results  
--per-page PER\_PAGE                              number of entries per request  
--search SEARCH                                   filter results  
-h, --help                                        print help

## hammer medium remove-operatingsystem

Usage:

hammer medium remove-operatingsystem [OPTIONS]

Options:

--id ID  
--name NAME Medium name  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help print help

## hammer medium update

Usage:

hammer medium update [OPTIONS]

Options:

--id ID  
--location-ids LOCATION\_IDS Comma separated list of values.  
--locations LOCATION\_NAMES Comma separated list of values.  
--name NAME Medium name  
--new-name NEW\_NAME Name of media  
--operatingsystem-ids OPERATINGSYSTEM\_IDS Comma separated list of values.  
--operatingsystems OPERATINGSYSTEM\_TITLES Comma separated list of values.  
--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--os-family OS\_FAMILY Operating system family, available values:  
--path PATH The path to the medium, can be a URL or a valid NFS  
server (exclusive of  
the architecture).

for example mirror.centos.org/centos/\$version/os/\$arch  
where \$arch will be substituted for the host's actual OS

architecture and

\$version, \$major and \$minor will be substituted for the version of  
the  
operating system.

Solaris and Debian media may also use \$release.

-h, --help                      print help

# hammer model

Usage:

hammer model [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a hardware model
delete	Delete a hardware model
info	Show a hardware model
list	List all hardware models
update	Update a hardware model

Options:

-h, --help                      print help

## hammer model create

Usage:

hammer model create [OPTIONS]

Options:

--hardware-model HARDWARE\_MODEL  
--info INFO  
--name NAME  
--vendor-class VENDOR\_CLASS  
-h, --help                      print help

## hammer model delete

Usage:

hammer model delete [OPTIONS]

Options:

--id ID	
--name NAME	Model name
-h, --help	print help

## hammer model info

Usage:

hammer model info [OPTIONS]

Options:

--id ID	
--name NAME	Model name
-h, --help	print help

## hammer model list

Usage:

hammer model list [OPTIONS]

Options:

--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer model update

Usage:

hammer model update [OPTIONS]

Options:

--hardware-model HARDWARE_MODEL	
--id ID	
--info INFO	
--name NAME	Model name
--new-name NEW_NAME	
--vendor-class VENDOR_CLASS	

-h, --help            print help

# hammer organization

## Usage:

hammer organization [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND            subcommand  
[ARG] ...            subcommand arguments

## Subcommands:

add-compute-resource	Associate a compute resource
add-config-template	Associate a configuration template
add-domain	Associate a domain
add-environment	Associate an environment
add-hostgroup	Associate a hostgroup
add-medium	Associate a medium
add-smart-proxy	Associate a smart proxy
add-subnet	Associate a subnet
add-user	Associate an user
create	Create organization
delete	Delete an organization
delete-parameter	Delete parameter for an organization.
info	Show organization
list	List all organizations
remove-compute-resource	Disassociate a compute resource
remove-config-template	Disassociate a configuration template
remove-domain	Disassociate a domain
remove-environment	Disassociate an environment
remove-hostgroup	Disassociate a hostgroup
remove-medium	Disassociate a medium
remove-smart-proxy	Disassociate a smart proxy
remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for an organization.
update	Update organization

## Options:

-h, --help            print help

## hammer organization add-compute-resource

Usage:

hammer organization add-compute-resource [OPTIONS]

Options:

--compute-resource COMPUTE\_RESOURCE\_NAME Compute resource name  
--compute-resource-id COMPUTE\_RESOURCE\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-config-template

Usage:

hammer organization add-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME Name to search by  
--config-template-id CONFIG\_TEMPLATE\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-domain

Usage:

hammer organization add-domain [OPTIONS]

Options:

--domain DOMAIN\_NAME Domain name  
--domain-id DOMAIN\_ID Numerical ID or domain name  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-environment

Usage:

hammer organization add-environment [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-hostgroup

Usage:

hammer organization add-hostgroup [OPTIONS]

Options:

--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-medium

Usage:

hammer organization add-medium [OPTIONS]

Options:

--id ID organization ID  
--medium MEDIUM\_NAME Medium name  
--medium-id MEDIUM\_ID  
--name NAME Organization name  
-h, --help print help

## hammer organization add-smart-proxy

Usage:

hammer organization add-smart-proxy [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--smart-proxy SMART\_PROXY\_NAME Name to search by  
--smart-proxy-id SMART\_PROXY\_ID  
-h, --help print help

## hammer organization add-subnet

Usage:

hammer organization add-subnet [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--subnet SUBNET\_NAME Subnet name  
--subnet-id SUBNET\_ID  
-h, --help print help

## hammer organization add-user

Usage:

hammer organization add-user [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--user USER\_LOGIN User's login to search by  
--user-id USER\_ID  
-h, --help print help



## hammer organization create

Usage:

hammer organization create [OPTIONS]

Options:

--compute-resource-ids COMPUTE\_RESOURCE\_IDS Comma separated list of values.  
--compute-resources COMPUTE\_RESOURCE\_NAMES Comma separated list of values.  
--config-template-ids CONFIG\_TEMPLATE\_IDS Comma separated list of values.  
--config-templates CONFIG\_TEMPLATE\_NAMES Comma separated list of values.  
--description DESCRIPTION description  
--domain-ids DOMAIN\_IDS Numerical ID or domain name  
Comma separated list of values.  
--domains DOMAIN\_NAMES Comma separated list of values.  
--environment-ids ENVIRONMENT\_IDS Comma separated list of values.  
--environments ENVIRONMENT\_NAMES Comma separated list of values.  
--hostgroup-ids HOSTGROUP\_IDS Comma separated list of values.  
--hostgroups HOSTGROUP\_NAMES Comma separated list of values.  
--label LABEL unique label  
--media MEDIUM\_NAMES Comma separated list of values.  
--media-ids MEDIA\_IDS Media IDs  
Comma separated list of values.  
--medium-ids MEDIUM\_IDS Comma separated list of values.  
--name NAME name  
--realm-ids REALM\_IDS Numerical ID or realm name  
Comma separated list of values.  
--realms REALM\_NAMES Comma separated list of values.  
--smart-proxies SMART\_PROXY\_NAMES Comma separated list of values.  
--smart-proxy-ids SMART\_PROXY\_IDS Comma separated list of values.  
--subnet-ids SUBNET\_IDS Comma separated list of values.  
--subnets SUBNET\_NAMES Comma separated list of values.  
--user-ids USER\_IDS Comma separated list of values.  
--users USER\_NAMES Comma separated list of values.  
-h, --help print help

## hammer organization delete

Usage:

hammer organization delete [OPTIONS]

Options:

<code>--async</code>	Do not wait for the task
<code>--id ID</code>	
<code>--label LABEL</code>	Organization label to search by
<code>--name NAME</code>	Organization name
<code>-h, --help</code>	print help

## hammer organization delete-parameter

Usage:

hammer organization delete-parameter [OPTIONS]

Options:

<code>--name NAME</code>	parameter name
<code>--organization ORGANIZATION_NAME</code>	Organization name
<code>--organization-id ORGANIZATION_ID</code>	organization ID
<code>-h, --help</code>	print help

## hammer organization info

Usage:

hammer organization info [OPTIONS]

Options:

<code>--id ID</code>	
<code>--label LABEL</code>	Organization label to search by
<code>--name NAME</code>	Organization name
<code>-h, --help</code>	print help

## hammer organization list

Usage:

hammer organization list [OPTIONS]

Options:

<code>--by BY</code>	Field to sort the results on
<code>--full-results FULL_RESULTS</code>	Whether or not to show all results One of true/false, yes/no, 1/0.
<code>--order ORDER</code>	Sort field and order, eg. 'name DESC'
<code>--page PAGE</code>	Page number, starting at 1

--per-page PER\_PAGE      Number of results per page to return  
--search SEARCH          Search string  
-h, --help                print help

## hammer organization remove-compute-resource

Usage:

hammer organization remove-compute-resource [OPTIONS]

Options:

--compute-resource COMPUTE\_RESOURCE\_NAME    Compute resource name  
--compute-resource-id COMPUTE\_RESOURCE\_ID  
--id ID    organization ID  
--name NAME                                      Organization name  
-h, --help                                      print help

## hammer organization remove-config-template

Usage:

hammer organization remove-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME    Name to search by  
--config-template-id CONFIG\_TEMPLATE\_ID  
--id ID    organization ID  
--name NAME                                      Organization name  
-h, --help                                      print help

## hammer organization remove-domain

Usage:

hammer organization remove-domain [OPTIONS]

Options:

--domain DOMAIN\_NAME                          Domain name  
--domain-id DOMAIN\_ID                          Numerical ID or domain name  
--id ID    organization ID  
--name NAME                                      Organization name  
-h, --help                                      print help

## hammer organization remove-environment

Usage:

hammer organization remove-environment [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization remove-hostgroup

Usage:

hammer organization remove-hostgroup [OPTIONS]

Options:

--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--id ID organization ID  
--name NAME Organization name  
-h, --help print help

## hammer organization remove-medium

Usage:

hammer organization remove-medium [OPTIONS]

Options:

--id ID organization ID  
--medium MEDIUM\_NAME Medium name  
--medium-id MEDIUM\_ID  
--name NAME Organization name  
-h, --help print help

## hammer organization remove-smart-proxy

Usage:

hammer organization remove-smart-proxy [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--smart-proxy SMART\_PROXY\_NAME Name to search by  
--smart-proxy-id SMART\_PROXY\_ID  
-h, --help print help

## hammer organization remove-subnet

Usage:

hammer organization remove-subnet [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--subnet SUBNET\_NAME Subnet name  
--subnet-id SUBNET\_ID  
-h, --help print help

## hammer organization remove-user

Usage:

hammer organization remove-user [OPTIONS]

Options:

--id ID organization ID  
--name NAME Organization name  
--user USER\_LOGIN User's login to search by  
--user-id USER\_ID  
-h, --help print help

## hammer organization set-parameter

Usage:

hammer organization set-parameter [OPTIONS]

Options:

--name NAME	parameter name
--organization ORGANIZATION_NAME	Organization name
--organization-id ORGANIZATION_ID	organization ID
--value VALUE	parameter value
-h, --help	print help

## hammer organization update

Usage:

hammer organization update [OPTIONS]

Options:

--compute-resource-ids COMPUTE_RESOURCE_IDS	Comma separated list of values.
--compute-resources COMPUTE_RESOURCE_NAMES	Comma separated list of values.
--config-template-ids CONFIG_TEMPLATE_IDS	Comma separated list of values.
--config-templates CONFIG_TEMPLATE_NAMES	Comma separated list of values.
--description DESCRIPTION	
--domain-ids DOMAIN_IDS	Numerical ID or domain name Comma separated list of values.
--domains DOMAIN_NAMES	Comma separated list of values.
--environment-ids ENVIRONMENT_IDS	Comma separated list of values.
--environments ENVIRONMENT_NAMES	Comma separated list of values.
--hostgroup-ids HOSTGROUP_IDS	Comma separated list of values.
--hostgroups HOSTGROUP_NAMES	Comma separated list of values.
--id ID	
--label LABEL	Organization label to search by
--media MEDIUM_NAMES	Comma separated list of values.
--media-ids MEDIA_IDS	Media IDs Comma separated list of values.
--medium-ids MEDIUM_IDS	Comma separated list of values.
--name NAME	Organization name
--new-name NEW_NAME	
--realm-ids REALM_IDS	Numerical ID or realm name

	Comma separated list of values.
--realms REALM_NAMES	Comma separated list of values.
--redhat-docker-registry-url REDHAT_DOCKER_REGISTRY_URL	Red Hat Docker Registry URL
--redhat-repository-url REDHAT_REPOSITORY_URL	Red Hat CDN URL
--smart-proxies SMART_PROXY_NAMES	Comma separated list of values.
--smart-proxy-ids SMART_PROXY_IDS	Comma separated list of values.
--subnet-ids SUBNET_IDS	Comma separated list of values.
--subnets SUBNET_NAMES	Comma separated list of values.
--user-ids USER_IDS	Comma separated list of values.
--users USER_LOGINS	Comma separated list of values.
-h, --help	print help

## hammer os

Usage:

hammer os [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-architecture	Associate an architecture
add-config-template	Associate a configuration template
add-ptable	Associate a partition table
create	Create an operating system
delete	Delete an operating system
delete-default-template	
delete-parameter	Delete parameter for an operating system.
info	Show an operating system
list	List all operating systems
remove-architecture	Disassociate an architecture
remove-config-template	Disassociate a configuration template
remove-ptable	Disassociate a partition table
set-default-template	
set-parameter	Create or update parameter for an operating system.
update	Update an operating system

Options:

-h, --help	print help
------------	------------

## hammer os add-architecture

Usage:

hammer os add-architecture [OPTIONS]

Options:

--architecture ARCHITECTURE\_NAME Architecture name

--architecture-id ARCHITECTURE\_ID

--id ID

--title TITLE Operating system title

-h, --help print help

## hammer os add-config-template

Usage:

hammer os add-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME Name to search by

--config-template-id CONFIG\_TEMPLATE\_ID

--id ID

--title TITLE Operating system title

-h, --help print help

## hammer os add-ptable

Usage:

hammer os add-ptable [OPTIONS]

Options:

--id ID

--partition-table, --ptable PARTITION\_TABLE\_NAME Partition table name

--partition-table-id, --ptable-id PARTITION\_TABLE\_ID

--title TITLE Operating system title

-h, --help print help



## hammer os create

Usage:

hammer os create [OPTIONS]

Options:

--architecture-ids ARCHITECTURE_IDS	Comma separated list of values.
--architectures ARCHITECTURE_NAMES	Comma separated list of values.
--config-template-ids CONFIG_TEMPLATE_IDS	Comma separated list of values.
--config-templates CONFIG_TEMPLATE_NAMES	Comma separated list of values.
--description DESCRIPTION	
--family FAMILY	
--major MAJOR	
--media MEDIUM_NAMES	Comma separated list of values.
--medium-ids MEDIUM_IDS	Comma separated list of values.
--minor MINOR	
--name NAME	
--partition-table-ids, --ptable-ids PARTITION_TABLE_IDS	Comma separated list of values.
--partition-tables, --ptables PARTITION_TABLE_NAMES	Comma separated list of values.
--password-hash PASSWORD_HASH	Root password hash function to use, one of MD5, SHA256, SHA512
--release-name RELEASE_NAME	
-h, --help	print help

## hammer os delete

Usage:

hammer os delete [OPTIONS]

Options:

--id ID	
--title TITLE	Operating system title
-h, --help	print help

## hammer os delete-default-template

Usage:

hammer os delete-default-template [OPTIONS]

Options:

--id OS ID	operatingsystem id
--type TPL TYPE	Type of the config template
-h, --help	print help

## hammer os delete-parameter

Usage:

hammer os delete-parameter [OPTIONS]

Options:

--name NAME	parameter name
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
-h, --help	print help

## hammer os info

Usage:

hammer os info [OPTIONS]

Options:

--id ID	
--title TITLE	Operating system title
-h, --help	print help

## hammer os list

Usage:

hammer os list [OPTIONS]

Options:

--architecture ARCHITECTURE_NAME	Architecture name
--architecture-id ARCHITECTURE_ID	
--config-template CONFIG_TEMPLATE_NAME	Name to search by
--config-template-id CONFIG_TEMPLATE_ID	
--medium MEDIUM_NAME	Medium name
--medium-id MEDIUM_ID	
--order ORDER	sort results

--page PAGE paginate results  
--partition-table, --ptable PARTITION\_TABLE\_NAME Partition table name  
--partition-table-id, --ptable-id PARTITION\_TABLE\_ID  
--per-page PER\_PAGE number of entries per request  
--search SEARCH filter results  
-h, --help print help

## hammer os remove-architecture

Usage:

hammer os remove-architecture [OPTIONS]

Options:

--architecture ARCHITECTURE\_NAME Architecture name  
--architecture-id ARCHITECTURE\_ID  
--id ID  
--title TITLE Operating system title  
-h, --help print help

## hammer os remove-config-template

Usage:

hammer os remove-config-template [OPTIONS]

Options:

--config-template CONFIG\_TEMPLATE\_NAME Name to search by  
--config-template-id CONFIG\_TEMPLATE\_ID  
--id ID  
--title TITLE Operating system title  
-h, --help print help

## hammer os remove-ptable

Usage:

hammer os remove-ptable [OPTIONS]

Options:

--id ID  
--partition-table, --ptable PARTITION\_TABLE\_NAME Partition table name

--partition-table-id, --ptable-id PARTITION\_TABLE\_ID  
--title TITLE Operating system title  
-h, --help print help

## hammer os set-default-template

Usage:  
hammer os set-default-template [OPTIONS]

Options:  
--config-template-id TPL ID config template id to be set  
--id OS ID operatingsystem id  
-h, --help print help

## hammer os set-parameter

Usage:  
hammer os set-parameter [OPTIONS]

Options:  
--name NAME parameter name  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
--value VALUE parameter value  
-h, --help print help

## hammer os update

Usage:  
hammer os update [OPTIONS]

Options:  
--architecture-ids ARCHITECTURE\_IDS Comma separated list of values.  
--architectures ARCHITECTURE\_NAMES Comma separated list of values.  
--config-template-ids CONFIG\_TEMPLATE\_IDS Comma separated list of values.  
--config-templates CONFIG\_TEMPLATE\_NAMES Comma separated list of values.  
--description DESCRIPTION  
--family FAMILY  
--id ID

--major MAJOR	
--media MEDIUM_NAMES	Comma separated list of values.
--medium-ids MEDIUM_IDS	Comma separated list of values.
--minor MINOR	
--name NAME	
--partition-table-ids, --ptable-ids PARTITION_TABLE_IDS	Comma separated list of values.
--partition-tables, --ptables PARTITION_TABLE_NAMES	Comma separated list of values.
--password-hash PASSWORD_HASH	Root password hash function to use, one of MD5, SHA256, SHA512
--release-name RELEASE_NAME	
--title TITLE	Operating system title
-h, --help	print help

## hammer package

Usage:

hammer package [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

info	Show a package
list	List packages

Options:

-h, --help	print help
------------	------------

## hammer package info

Usage:

hammer package info [OPTIONS]

Options:

--id ID	a package identifier
--name NAME	Name to search by
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID

-h, --help                      print help

## hammer package list

Usage:

hammer package list [OPTIONS]

Options:

--by BY	Field to sort the results on
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--content-view-version CONTENT_VIEW_VERSION_VERSION	Content view version number
--content-view-version-id CONTENT_VIEW_VERSION_ID	Content view version identifier
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
--search SEARCH	Search string
-h, --help	print help

## hammer package-group

Usage:

hammer package-group [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

info	Show a package group
------	----------------------

list                      List package\_groups

Options:

-h, --help              print help

## hammer package-group info

Usage:

hammer package-group info [OPTIONS]

Options:

--id ID                      a package group identifier  
--name NAME                      Name to search by  
--repository REPOSITORY\_NAME      Repository name to search by  
--repository-id REPOSITORY\_ID      repository ID  
-h, --help                      print help

## hammer package-group list

Usage:

hammer package-group list [OPTIONS]

Options:

--by BY                      Field to sort the results on  
--content-view CONTENT\_VIEW\_NAME      Content view name  
--content-view-filter CONTENT\_VIEW\_FILTER\_NAME      Name to search by  
--content-view-filter-id CONTENT\_VIEW\_FILTER\_ID      filter identifier  
--content-view-id CONTENT\_VIEW\_ID      content view numeric identifier  
--content-view-version CONTENT\_VIEW\_VERSION\_VERSION      Content view version number  
--content-view-version-id CONTENT\_VIEW\_VERSION\_ID      Content view version identifier  
--environment ENVIRONMENT\_NAME      Name to search by  
--environment-id ENVIRONMENT\_ID  
--full-results FULL\_RESULTS      Whether or not to show all results  
                                    One of true/false, yes/no, 1/0.  
--ids IDS                      ids to filter content by  
                                    Comma separated list of values.  
--order ORDER                      Sort field and order, eg. 'name DESC'  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
--page PAGE                      Page number, starting at 1

--per-page PER_PAGE	Number of results per page to return
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
--search SEARCH	Search string
-h, --help	print help

## hammer partition-table

Usage:

hammer partition-table [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-operatingsystem	Associate an operating system
create	Create a partition table
delete	Delete a partition table
dump	View partition table content.
info	Show a partition table
list	List all partition tables
remove-operatingsystem	Disassociate an operating system
update	Update a partition table

Options:

-h, --help	print help
------------	------------

## hammer partition-table add-operatingsystem

Usage:

hammer partition-table add-operatingsystem [OPTIONS]

Options:

--id ID	
--name NAME	Partition table name
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title



--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help print help

## hammer partition-table create

Usage:  
hammer partition-table create [OPTIONS]

Options:  
--file LAYOUT Path to a file that contains the partition layout  
--name NAME  
--os-family OS\_FAMILY  
-h, --help print help

## hammer partition-table delete

Usage:  
hammer partition-table delete [OPTIONS]

Options:  
--id ID  
--name NAME Partition table name  
-h, --help print help

## hammer partition-table dump

Usage:  
hammer partition-table dump [OPTIONS]

Options:  
--id ID  
--name NAME Partition table name  
-h, --help print help

## hammer partition-table info

Usage:  
hammer partition-table info [OPTIONS]

Options:

--id ID  
--name NAME Partition table name  
-h, --help print help

## hammer partition-table list

Usage:

hammer partition-table list [OPTIONS]

Options:

--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
--order ORDER sort results  
--page PAGE paginate results  
--per-page PER\_PAGE number of entries per request  
--search SEARCH filter results  
-h, --help print help

## hammer partition-table remove-operatingsystem

Usage:

hammer partition-table remove-operatingsystem [OPTIONS]

Options:

--id ID  
--name NAME Partition table name  
--operatingsystem OPERATINGSYSTEM\_TITLE Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help print help

## hammer partition-table update

Usage:

hammer partition-table update [OPTIONS]

Options:

--file LAYOUT Path to a file that contains the partition layout

--id ID  
--name NAME Partition table name  
--new-name NEW\_NAME  
--os-family OS\_FAMILY  
-h, --help print help

## hammer ping

Usage:  
hammer ping [OPTIONS]

Options:  
-h, --help print help

## hammer product

Usage:  
hammer product [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:  
SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

create	Create a product
delete	Destroy a product
info	Show a product
list	List products
remove-sync-plan	Delete assignment sync plan and product.
set-sync-plan	Assign sync plan to product.
synchronize	Sync a repository
update	Updates a product

Options:  
-h, --help print help

## hammer product create

Usage:

hammer product create [OPTIONS]

Options:

--description DESCRIPTION	Product description
--gpg-key GPG_KEY_NAME	Name to search by
--gpg-key-id GPG_KEY_ID	gpg key numeric identifier
--label LABEL	
--name NAME	Product name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--sync-plan SYNC_PLAN_NAME	Sync plan name to search by
--sync-plan-id SYNC_PLAN_ID	sync plan numeric identifier
-h, --help	print help

## hammer product delete

Usage:

hammer product delete [OPTIONS]

Options:

--id ID	product numeric identifier
--name NAME	Product name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer product info

Usage:

hammer product info [OPTIONS]

Options:

--id ID	product numeric identifier
--name NAME	Product name to search by

--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
-h, --help                              print help

## hammer product list

Usage:

hammer product list [OPTIONS]

Options:

--by BY                                      Field to sort the results on  
--custom CUSTOM                              Filter products by custom  
    One of true/false, yes/no, 1/0.  
--enabled ENABLED                              Filter products by enabled or disabled  
    One of true/false, yes/no, 1/0.  
--full-results FULL\_RESULTS                      Whether or not to show all results  
    One of true/false, yes/no, 1/0.  
--include-available-content INCLUDE\_AVAILABLE\_CONTENT      Whether to include available  
content attribute in results  
    One of true/false, yes/no, 1/0.  
--name NAME                                      Filter products by name  
--order ORDER                                      Sort field and order, eg. 'name DESC'  
--organization ORGANIZATION\_NAME              Organization name to search by  
--organization-id ORGANIZATION\_ID              organization ID  
--organization-label ORGANIZATION\_LABEL              Organization label to search by  
--page PAGE                                      Page number, starting at 1  
--per-page PER\_PAGE                              Number of results per page to return  
--search SEARCH                                      Search string  
--subscription SUBSCRIPTION\_NAME              Subscription name to search by  
--subscription-id SUBSCRIPTION\_ID              Subscription identifier  
-h, --help                                      print help

## hammer product remove-sync-plan

Usage:

hammer product remove-sync-plan [OPTIONS]

Options:

--description DESCRIPTION              Product description  
--gpg-key GPG\_KEY\_NAME                  Name to search by

--gpg-key-id GPG\_KEY\_ID           gpg key numeric identifier  
--id ID                           product numeric identifier  
--name NAME                       Product name to search by  
--new-name NEW\_NAME               Product name  
--organization ORGANIZATION\_NAME   Organization name to search by  
--organization-id ORGANIZATION\_ID   organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--sync-plan SYNC\_PLAN               sync plan name  
--sync-plan-id SYNC\_PLAN\_ID         sync plan numeric identifier  
-h, --help                       print help

## hammer product set-sync-plan

Usage:

hammer product set-sync-plan [OPTIONS]

Options:

--gpg-key GPG\_KEY\_NAME           Name to search by  
--gpg-key-id GPG\_KEY\_ID           gpg key numeric identifier  
--id ID                           product numeric identifier  
--name NAME                       Product name to search by  
--new-name NEW\_NAME               Product name  
--organization ORGANIZATION\_NAME   Organization name to search by  
--organization-id ORGANIZATION\_ID   organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--sync-plan SYNC\_PLAN\_NAME         Sync plan name to search by  
--sync-plan-id, --sync\_plan\_id SYNC\_PLAN\_ID sync plan numeric identifier  
-h, --help                       print help

## hammer product synchronize

Usage:

hammer product synchronize [OPTIONS]

Options:

--async                           Do not wait for the task  
--id ID                           product ID  
--name NAME                       Product name to search by  
--organization ORGANIZATION\_NAME   Organization name to search by  
--organization-id ORGANIZATION\_ID   organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by

-h, --help                      print help

hammer product update

Usage:

hammer product update [OPTIONS]

Options:

--description DESCRIPTION	Product description
--gpg-key GPG_KEY_NAME	Name to search by
--gpg-key-id GPG_KEY_ID	gpg key numeric identifier
--id ID	product numeric identifier
--name NAME	Product name to search by
--new-name NEW_NAME	Product name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--sync-plan SYNC_PLAN_NAME	Sync plan name to search by
--sync-plan-id SYNC_PLAN_ID	sync plan numeric identifier
-h, --help	print help

## hammer proxy

Usage:

hammer proxy [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a Capsule
delete	Delete a Capsule
import-classes	Import puppet classes from puppet proxy.
info	Show a Capsule
list	List all smart proxies
refresh-features	Refresh Capsule features
update	Update a Capsule

Options:

-h, --help                      print help

## hammer proxy create

Usage:

hammer proxy create [OPTIONS]

Options:

--location-ids LOCATION\_IDS      Comma separated list of values.  
--locations LOCATION\_NAMES      Comma separated list of values.  
--name NAME  
--organization-ids ORGANIZATION\_IDS organization ID  
                                 Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--url URL  
-h, --help                        print help

## hammer proxy delete

Usage:

hammer proxy delete [OPTIONS]

Options:

--id ID  
--name NAME                        Name to search by  
-h, --help                        print help

## hammer proxy import-classes

Usage:

hammer proxy import-classes [OPTIONS]

Options:

--dryrun                        Do not run the import  
--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--except EXCEPT                Optional comma-delimited string containing either 'new', 'updated',  
or  
                                 'obsolete' that is used to limit the imported Puppet classes  
--id ID  
--name NAME                        Name to search by



-h, --help                      print help

## hammer proxy info

Usage:

hammer proxy info [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer proxy list

Usage:

hammer proxy list [OPTIONS]

Options:

--location LOCATION\_NAME              Location name  
--location-id LOCATION\_ID  
--order ORDER                      sort results  
--organization ORGANIZATION\_NAME      Organization name  
--organization-id ORGANIZATION\_ID      organization ID  
--page PAGE                      paginate results  
--per-page PER\_PAGE                      number of entries per request  
--search SEARCH                      filter results  
-h, --help                      print help

## hammer proxy refresh-features

Usage:

hammer proxy refresh-features [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer proxy update

Usage:

hammer proxy update [OPTIONS]

Options:

--id ID  
--location-ids LOCATION\_IDS      Comma separated list of values.  
--locations LOCATION\_NAMES      Comma separated list of values.  
--name NAME                      Name to search by  
--new-name NEW\_NAME  
--organization-ids ORGANIZATION\_IDS organization ID  
                                 Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--url URL  
-h, --help                      print help

## hammer puppet-class

Usage:

hammer puppet-class [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

info                              Show a Puppet class  
list                              List all Puppet classes  
sc-params                        List all smart class parameters

Options:

-h, --help                      print help

## hammer puppet-class info

Usage:

hammer puppet-class info [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--host HOST\_NAME Host name  
--host-id HOST\_ID  
--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--id ID ID of Puppet class  
--name NAME Puppet class name  
-h, --help print help

## hammer puppet-class list

Usage:

hammer puppet-class list [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--host HOST\_NAME Host name  
--host-id HOST\_ID  
--hostgroup HOSTGROUP\_NAME Hostgroup name  
--hostgroup-id HOSTGROUP\_ID  
--order ORDER sort results  
--page PAGE paginate results  
--per-page PER\_PAGE number of entries per request  
--search SEARCH filter results  
-h, --help print help

## hammer puppet-class sc-params

Usage:

hammer puppet-class sc-params [OPTIONS]

Options:

--environment ENVIRONMENT\_NAME Environment name  
--environment-id ENVIRONMENT\_ID  
--host HOST\_NAME Host name  
--host-id HOST\_ID  
--hostgroup HOSTGROUP\_NAME Hostgroup name

--hostgroup-id HOSTGROUP_ID	
--id ID	ID of Puppet class
--name NAME	Puppet class name
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer puppet-module

Usage:

hammer puppet-module [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

info	Show a puppet module
list	List puppet_modules

Options:

-h, --help	print help
------------	------------

## hammer puppet-module info

Usage:

hammer puppet-module info [OPTIONS]

Options:

--id ID	a puppet module identifier
--name NAME	Name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--repository REPOSITORY_NAME	Repository name to search by

--repository-id REPOSITORY\_ID            repository ID  
-h, --help                                print help

## hammer puppet-module list

Usage:

hammer puppet-module list [OPTIONS]

Options:

--by BY	Field to sort the results on
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-filter CONTENT_VIEW_FILTER_NAME	Name to search by
--content-view-filter-id CONTENT_VIEW_FILTER_ID	filter identifier
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--content-view-version CONTENT_VIEW_VERSION_VERSION	Content view version number
--content-view-version-id CONTENT_VIEW_VERSION_ID	Content view version identifier
--environment ENVIRONMENT_NAME	Name to search by
--environment-id ENVIRONMENT_ID	
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--ids IDS	ids to filter content by
	Comma separated list of values.
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--repository REPOSITORY_NAME	Repository name to search by
--repository-id REPOSITORY_ID	repository ID
--search SEARCH	Search string
-h, --help	print help

## hammer report

Usage:

hammer report [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

delete	Delete a report
info	Show a report
list	List all reports

Options:

-h, --help	print help
------------	------------

## hammer report delete

Usage:

hammer report delete [OPTIONS]

Options:

--id ID	
--name NAME	Report name
-h, --help	print help

## hammer report info

Usage:

hammer report info [OPTIONS]

Options:

--id ID	
--name NAME	Report name
-h, --help	print help

## hammer report list

Usage:

hammer report list [OPTIONS]

Options:

--order ORDER	sort results
--page PAGE	paginate results

--per-page PER\_PAGE      number of entries per request  
--search SEARCH          filter results  
-h, --help              print help

## hammer repository

### Usage:

hammer repository [OPTIONS] SUBCOMMAND [ARG] ...

### Parameters:

SUBCOMMAND              subcommand  
[ARG] ...                subcommand arguments

### Subcommands:

create                  Create a custom repository  
delete                  Destroy a custom repository  
info                    Show a custom repository  
list                    List of enabled repositories  
remove-content  
synchronize            Sync a repository  
update                  Update a custom repository  
upload-content           Upload content into the repository

### Options:

-h, --help              print help

## hammer repository create

### Usage:

hammer repository create [OPTIONS]

### Options:

--checksum-type CHECKSUM\_TYPE              checksum of the repository, currently 'sha1'  
& 'sha256' are supported.  
--content-type CONTENT\_TYPE              type of repo (either 'yum', 'puppet' or 'docker')  
--docker-upstream-name DOCKER\_UPSTREAM\_NAME name of the upstream docker  
repository  
--gpg-key GPG\_KEY\_NAME                    Name to search by  
--gpg-key-id GPG\_KEY\_ID                  gpg key numeric identifier

--label LABEL  
--name NAME  
--organization ORGANIZATION\_NAME            Organization name to search by  
--organization-id ORGANIZATION\_ID        organization ID  
--organization-label ORGANIZATION\_LABEL    Organization label to search by  
--product PRODUCT\_NAME                    Product name to search by  
--product-id PRODUCT\_ID                    product numeric identifier  
--publish-via-http ENABLE                  Publish Via HTTP  
    One of true/false, yes/no, 1/0.  
--url URL                                    repository source url  
-h, --help                                  print help

## hammer repository delete

Usage:

hammer repository delete [OPTIONS]

Options:

--id ID  
--name NAME                                  Repository name to search by  
--organization ORGANIZATION\_NAME        Organization name to search by  
--organization-id ORGANIZATION\_ID        organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--product PRODUCT\_NAME                    Product name to search by  
--product-id PRODUCT\_ID                    product numeric identifier  
-h, --help                                  print help

## hammer repository info

Usage:

hammer repository info [OPTIONS]

Options:

--id ID                                      repository ID  
--name NAME                                  Repository name to search by  
--organization ORGANIZATION\_NAME        Organization name to search by  
--organization-id ORGANIZATION\_ID        organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--product PRODUCT\_NAME                    Product name to search by  
--product-id PRODUCT\_ID                    product numeric identifier  
-h, --help                                  print help



## hammer repository list

Usage:

hammer repository list [OPTIONS]

Options:

--by BY	Field to sort the results on
--content-type CONTENT_TYPE	limit to only repositories of this time
--content-view CONTENT_VIEW_NAME	Content view name
--content-view-id CONTENT_VIEW_ID	content view numeric identifier
--content-view-version CONTENT_VIEW_VERSION_VERSION	Content view version number
--content-view-version-id CONTENT_VIEW_VERSION_ID	Content view version identifier
--environment ENVIRONMENT_NAME	Name to search by
--environment-id ENVIRONMENT_ID	
--erratum-id ERRATUM_ID	UUID of an erratum to find repositories that contain the erratum
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--library LIBRARY	show repositories in Library and the default content view
	One of true/false, yes/no, 1/0.
--name NAME	name of the repository
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--search SEARCH	Search string
-h, --help	print help

## hammer repository remove-content

Usage:

hammer repository remove-content [OPTIONS]

Options:

--content-ids CONTENT_IDS	Comma separated list of package/puppet module/docker
---------------------------	--

image ids

Comma separated list of values.

--id ID repository ID  
--name NAME Repository name to search by  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer repository synchronize

Usage:

hammer repository synchronize [OPTIONS]

Options:

--async Do not wait for the task  
--id ID repository ID  
--name NAME Repository name to search by  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--product PRODUCT\_NAME Product name to search by  
--product-id PRODUCT\_ID product numeric identifier  
-h, --help print help

## hammer repository update

Usage:

hammer repository update [OPTIONS]

Options:

--checksum-type CHECKSUM\_TYPE checksum of the repository, currently 'sha1' & 'sha256' are supported.  
--docker-upstream-name DOCKER\_UPSTREAM\_NAME name of the upstream docker repository  
--gpg-key GPG\_KEY\_NAME Name to search by  
--gpg-key-id GPG\_KEY\_ID gpg key numeric identifier  
--id ID repository ID  
--name NAME Repository name to search by  
--new-name NEW\_NAME New name for the repository  
--organization ORGANIZATION\_NAME Organization name to search by

--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
--product PRODUCT\_NAME      Product name to search by  
--product-id PRODUCT\_ID      product numeric identifier  
--publish-via-http ENABLE      Publish Via HTTP  
One of true/false, yes/no, 1/0.  
--url URL      the feed url of the original repository  
-h, --help      print help

## hammer repository upload-content

Usage:

hammer repository upload-content [OPTIONS]

Options:

--id ID      repository ID  
--name NAME      Repository name to search by  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
--path PATH      Upload file or directory of files as content for a repository  
--product PRODUCT\_NAME      Product name to search by  
--product-id PRODUCT\_ID      product numeric identifier  
-h, --help      print help

## hammer repository-set

Usage:

hammer repository-set [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND      subcommand  
[ARG] ...      subcommand arguments

Subcommands:

available-repositories      Get list or available repositories for the repository set  
disable      Disable a repository from the set  
enable      Enable a repository from the set  
info      Get info about a repository set

list                      List repository sets for a product.

Options:

-h, --help              print help

## hammer repository-set available-repositories

Usage:

hammer repository-set available-repositories [OPTIONS]

Options:

--id ID                      ID of the repository set  
--name NAME                      Repository set name to search by  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
--product PRODUCT\_NAME              Product name to search by  
--product-id PRODUCT\_ID              product numeric identifier  
-h, --help                      print help

## hammer repository-set disable

Usage:

hammer repository-set disable [OPTIONS]

Options:

--basearch BASEARCH              Basearch to disable  
--id ID                      ID of the repository set to enable  
--name NAME                      Repository set name to search by  
--new-name NEW\_NAME  
--organization ORGANIZATION\_NAME      Organization name to search by  
--organization-id ORGANIZATION\_ID      organization ID  
--organization-label ORGANIZATION\_LABEL      Organization label to search by  
--product PRODUCT\_NAME              Product name to search by  
--product-id PRODUCT\_ID              product numeric identifier  
--releasever RELEASEVER              Releasever to disable  
-h, --help                      print help

## hammer repository-set enable

Usage:

hammer repository-set enable [OPTIONS]

Options:

--basearch BASEARCH	Basearch to enable
--id ID	ID of the repository set to enable
--name NAME	Repository set name to search by
--new-name NEW_NAME	
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
--releasever RELEASEVER	Releasever to enable
-h, --help	print help

## hammer repository-set info

Usage:

hammer repository-set info [OPTIONS]

Options:

--id ID	ID of the repository set
--name NAME	Repository set name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
-h, --help	print help

## hammer repository-set list

Usage:

hammer repository-set list [OPTIONS]

Options:

--name NAME	Repository set name to search on
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--product PRODUCT_NAME	Product name to search by
--product-id PRODUCT_ID	product numeric identifier
-h, --help	print help

## hammer role

Usage:

hammer role [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a role
delete	Delete a role
filters	List all filters
list	List all roles
update	Update a role

Options:

-h, --help	print help
------------	------------

## hammer role create

Usage:

hammer role create [OPTIONS]

Options:

--name NAME	
-h, --help	print help

## hammer role delete

Usage:

## hammer role delete [OPTIONS]

Options:

--id ID

<code>--name NAME</code>	User role name
--------------------------	----------------

**-h, --help** print help

## hammer role filters

### Usage:

## hammer role filters [OPTIONS]

Options:

```
--id ID           User role id
```

<code>--name NAME</code>	User role name
--------------------------	----------------

```
--order ORDER          sort results
```

```
--page PAGE          paginate results
```

```
--per-page PER_PAGE      number of entries per request
```

-h, --help      print help

## hammer role list

Usage:

hammer role list [OPTIONS]

Options:

```
--order ORDER          sort results
```

```
--page PAGE          paginate results
```

```
--per-page PER_PAGE      number of entries per request
```

```
--search SEARCH          filter results
```

-h, --help      print help

## hammer role update

Usage:

hammer role update [OPTIONS]

Options:

--id ID  
--name NAME User role name  
--new-name NEW\_NAME  
-h, --help print help

## hammer sc-param

Usage:

hammer sc-param [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

info Show a smart class parameter  
list List all smart class parameters  
update Update a smart class parameter

Options:

-h, --help print help

## hammer sc-param info

Usage:

hammer sc-param info [OPTIONS]

Options:

--id ID  
--name NAME Smart class parameter name  
-h, --help print help

hammer sc-param list

Usage:

hammer sc-param list [OPTIONS]



Options:

--environment ENVIRONMENT_NAME	Environment name
--environment-id ENVIRONMENT_ID	
--host HOST_NAME	Host name
--host-id HOST_ID	
--hostgroup HOSTGROUP_NAME	Hostgroup name
--hostgroup-id HOSTGROUP_ID	
--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--puppet-class, --puppetclass PUPPET_CLASS_NAME	Puppet class name
--puppet-class-id, --puppetclass-id PUPPET_CLASS_ID	ID of Puppet class
--search SEARCH	filter results
-h, --help	print help

## hammer sc-param update

Usage:

hammer sc-param update [OPTIONS]

Options:

--avoid-duplicates AVOID_DUPLICATES	One of true/false, yes/no, 1/0.
--default-value DEFAULT_VALUE	
--description DESCRIPTION	
--id ID	
--merge-overrides MERGE_OVERRIDES	One of true/false, yes/no, 1/0.
--name NAME	Smart class parameter name
--new-name NEW_NAME	
--override OVERRIDE	Override this parameter. One of true/false, yes/no, 1/0.
--override-value-order OVERRIDE_VALUE_ORDER	
--parameter-type PARAMETER_TYPE	Type of the parameter. Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash', 'yaml', 'json'
--path PATH	
--required REQUIRED	This parameter is required. One of true/false, yes/no, 1/0.
--use-puppet-default USE_PUPPET_DEFAULT	One of true/false, yes/no, 1/0.
--validator-rule VALIDATOR_RULE	
--validator-type VALIDATOR_TYPE	Type of the validator. Possible value(s): 'regexp', 'list', "
-h, --help	print help

# hammer shell

Usage:

hammer shell [OPTIONS]

Options:

-h, --help                      print help

# hammer subnet

Usage:

hammer subnet [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

create	Create a subnet
delete	Delete a subnet
info	Show a subnet
list	List of subnets
update	Update a subnet

Options:

-h, --help                      print help

# hammer subnet create

Usage:

hammer subnet create [OPTIONS]

Options:

--boot-mode BOOT\_MODE              Default boot mode for interfaces assigned to this subnet,  
valid values are  
"Static", "DHCP"

```
--dhcp-id DHCP_ID          DHCP Proxy to use within this subnet
--dns-id DNS_ID            DNS Proxy to use within this subnet
--dns-primary DNS_PRIMARY  Primary DNS for this subnet
--dns-secondary DNS_SECONDARY Secondary DNS for this subnet
--domain-ids DOMAIN_IDS    Numerical ID or domain name
                           Comma separated list of values.
--domains DOMAIN_NAMES     Comma separated list of values.
--from FROM                Starting IP Address for IP auto suggestion
--gateway GATEWAY          Primary DNS for this subnet
--ipam IPAM                IP Address auto suggestion mode for this subnet, valid values are
"DHCP",
                           "Internal DB", "None"
--location-ids LOCATION_IDS Comma separated list of values.
--locations LOCATION_NAMES  Comma separated list of values.
--mask MASK                Netmask for this subnet
--name NAME                Subnet name
--network NETWORK          Subnet network
--organization-ids ORGANIZATION_IDS organization ID
                           Comma separated list of values.
--organizations ORGANIZATION_NAMES Comma separated list of values.
--tftp-id TFTP_ID          TFTP Proxy to use within this subnet
--to TO                    Ending IP Address for IP auto suggestion
--vlanid VLANID            VLAN ID for this subnet
-h, --help                 print help
```

## hammer subnet delete

Usage:

hammer subnet delete [OPTIONS]

Options:

--id ID	Subnet numeric identifier
--name NAME	Subnet name
-h, --help	print help

## hammer subnet info

Usage:

hammer subnet info [OPTIONS]

Options:

--id ID  
--name NAME Subnet name  
-h, --help print help

## hammer subnet list

Usage:

hammer subnet list [OPTIONS]

Options:

--domain DOMAIN\_NAME Domain name  
--domain-id DOMAIN\_ID Numerical ID or domain name  
--location LOCATION\_NAME Location name  
--location-id LOCATION\_ID  
--order ORDER sort results  
--organization ORGANIZATION\_NAME Organization name  
--organization-id ORGANIZATION\_ID organization ID  
--page PAGE paginate results  
--per-page PER\_PAGE number of entries per request  
--search SEARCH filter results  
-h, --help print help

## hammer subnet update

Usage:

hammer subnet update [OPTIONS]

Options:

--boot-mode BOOT\_MODE Default boot mode for interfaces assigned to this subnet,  
valid values are  
"Static", "DHCP"  
--dhcp-id DHCP\_ID DHCP Proxy to use within this subnet  
--dns-id DNS\_ID DNS Proxy to use within this subnet  
--dns-primary DNS\_PRIMARY Primary DNS for this subnet  
--dns-secondary DNS\_SECONDARY Secondary DNS for this subnet  
--domain-ids DOMAIN\_IDS Numerical ID or domain name  
Comma separated list of values.  
--domains DOMAIN\_NAMES Comma separated list of values.  
--from FROM Starting IP Address for IP auto suggestion  
--gateway GATEWAY Primary DNS for this subnet  
--id ID Subnet numeric identifier

--ipam IPAM IP Address auto suggestion mode for this subnet, valid values are "DHCP", "Internal DB", "None"

--location-ids LOCATION\_IDS Comma separated list of values.

--locations LOCATION\_NAMES Comma separated list of values.

--mask MASK Netmask for this subnet

--name NAME Subnet name

--network NETWORK Subnet network

--new-name NEW\_NAME Subnet name

--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.

--organizations ORGANIZATION\_NAMES Comma separated list of values.

--tftp-id TFTP\_ID TFTP Proxy to use within this subnet

--to TO Ending IP Address for IP auto suggestion

--vlanid VLANID VLAN ID for this subnet

-h, --help print help

## hammer subscription

Usage:

hammer subscription [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

delete-manifest Delete manifest from Red Hat provider

list List organization subscriptions

manifest-history obtain manifest history for subscriptions

refresh-manifest Refresh previously imported manifest for Red Hat provider

upload Upload a subscription manifest

Options:

-h, --help print help

## hammer subscription delete-manifest

Usage:

hammer subscription delete-manifest [OPTIONS]

Options:

--async	Do not wait for the task
--content-host, --system CONTENT_HOST_NAME	Name to search by
--content-host-id, --system-id CONTENT_HOST_ID	UUID of the content host
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer subscription list

Usage:

hammer subscription list [OPTIONS]

Options:

--activation-key ACTIVATION_KEY_NAME	Activation key name to search by
--activation-key-id ACTIVATION_KEY_ID	ID of the activation key
--by BY	Field to sort the results on
--content-host, --system CONTENT_HOST_NAME	Name to search by
--content-host-id, --system-id CONTENT_HOST_ID	UUID of the content host
--full-results FULL_RESULTS	Whether or not to show all results
	One of true/false, yes/no, 1/0.
--order ORDER	Sort field and order, eg. 'name DESC'
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--page PAGE	Page number, starting at 1
--per-page PER_PAGE	Number of results per page to return
--search SEARCH	Search string
-h, --help	print help

## hammer subscription manifest-history

Usage:

hammer subscription manifest-history [OPTIONS]

Options:

--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID

--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer subscription refresh-manifest

Usage:

hammer subscription refresh-manifest [OPTIONS]

Options:

--async Do not wait for the task  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer subscription upload

Usage:

hammer subscription upload [OPTIONS]

Options:

--async Do not wait for the task  
--file MANIFEST Subscription manifest file  
--organization ORGANIZATION\_NAME Organization name to search by  
--organization-id ORGANIZATION\_ID organization ID  
--organization-label ORGANIZATION\_LABEL Organization label to search by  
--repository-url REPOSITORY\_URL repository url  
-h, --help print help

## hammer sync-plan

Usage:

hammer sync-plan [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND subcommand  
[ARG] ... subcommand arguments

Subcommands:

create	Create a sync plan
delete	Destroy a sync plan
info	Show a sync plan
list	List sync plans
update	Update a sync plan

Options:

-h, --help	print help
------------	------------

## hammer sync-plan create

Usage:

hammer sync-plan create [OPTIONS]

Options:

--description DESCRIPTION	sync plan description
--enabled ENABLED	enables or disables synchronization
	One of true/false, yes/no, 1/0.
--interval INTERVAL	how often synchronization should run
	Possible value(s): 'none', 'hourly', 'daily', 'weekly'
	Default: "none"
--name NAME	sync plan name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--sync-date SYNC_DATE	start date and time of the synchronization defaults to now
	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
	Default: "2017-07-18 17:26:58"
-h, --help	print help

## hammer sync-plan delete

Usage:

hammer sync-plan delete [OPTIONS]

Options:

--id ID	sync plan numeric identifier
--name NAME	Sync plan name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID



--organization-label ORGANIZATION\_LABEL Organization label to search by  
-h, --help print help

## hammer sync-plan info

Usage:  
hammer sync-plan info [OPTIONS]

Options:

--id ID	sync plan numeric identifier
--name NAME	Sync plan name to search by
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
-h, --help	print help

## hammer sync-plan list

Usage:  
hammer sync-plan list [OPTIONS]

Options:

--interval INTERVAL	filter by interval
	Possible value(s): 'hourly', 'daily', 'weekly'
--name NAME	filter by name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--sync-date SYNC_DATE	filter by sync date
-h, --help	print help

## hammer sync-plan update

Usage:  
hammer sync-plan update [OPTIONS]

Options:

--description DESCRIPTION	sync plan description
--enabled ENABLED	enables or disables synchronization

	One of true/false, yes/no, 1/0.
--id ID	sync plan numeric identifier
--interval INTERVAL	how often synchronization should run
	Possible value(s): 'none', 'hourly', 'daily', 'weekly'
--name NAME	Sync plan name to search by
--new-name NEW_NAME	sync plan name
--organization ORGANIZATION_NAME	Organization name to search by
--organization-id ORGANIZATION_ID	organization ID
--organization-label ORGANIZATION_LABEL	Organization label to search by
--sync-date SYNC_DATE	start date and time of the synchronization
	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
-h, --help	print help

## hammer task

Usage:

hammer task [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

list	List tasks
progress	Show the progress of the task
resume	Resume all tasks paused in error state

Options:

-h, --help	print help
------------	------------

## hammer task list

Usage:

hammer task list [OPTIONS]

Options:

--by BY	Field to sort the results on
--order ORDER	Sort field and order, eg. 'name DESC'
--page PAGE	Page number, starting at 1

--per-page PER\_PAGE      Number of results per page to return  
--search SEARCH          Search string  
-h, --help                print help

## hammer task progress

Usage:  
    hammer task progress [OPTIONS]

Options:  
--id ID                    UUID of the task  
--name NAME                Name to search by  
-h, --help                print help

## hammer task resume

Usage:  
    hammer task resume [OPTIONS]

Options:  
--search SEARCH            Resume tasks matching search string  
--task-ids TASK\_IDS        Comma separated list of values.  
--tasks TASK\_NAMES        Comma separated list of values.  
-h, --help                print help

## hammer template

Usage:  
    hammer template [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:  
SUBCOMMAND                subcommand  
[ARG] ...                 subcommand arguments

Subcommands:  
add-operatingsystem        Associate an operating system  
create                     Create a provisioning template  
delete                     Delete a provisioning template

dump	View config template content.
info	Show provisioning template details
kinds	List available config template kinds.
list	List provisioning templates
remove-operatingsystem	Disassociate an operating system
update	Update a provisioning template

Options:

-h, --help	print help
------------	------------

## hammer template add-operatingsystem

Usage:

hammer template add-operatingsystem [OPTIONS]

Options:

--id ID	
--name NAME	Name to search by
--operatingsystem OPERATINGSYSTEM_TITLE	Operating system title
--operatingsystem-id OPERATINGSYSTEM_ID	
-h, --help	print help

## hammer template create

Usage:

hammer template create [OPTIONS]

Options:

--audit-comment AUDIT_COMMENT	
--file TEMPLATE	Path to a file that contains the template
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--locked LOCKED	Whether or not the template is locked for editing
	One of true/false, yes/no, 1/0.
--name NAME	template name
--operatingsystem-ids OPERATINGSYSTEM_IDS	Comma separated list of values.
--operatingsystems OPERATINGSYSTEM_TITLES	Comma separated list of values.
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
--type TYPE	Template type. Eg. snippet, script, provision

-h, --help                      print help

## hammer template delete

Usage:  
    hammer template delete [OPTIONS]

Options:  
--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer template dump

Usage:  
    hammer template dump [OPTIONS]

Options:  
--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer template info

Usage:  
    hammer template info [OPTIONS]

Options:  
--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer template kinds

Usage:  
    hammer template kinds [OPTIONS]

Options:

-h, --help                      print help

## hammer template list

Usage:

hammer template list [OPTIONS]

Options:

--location LOCATION\_NAME                      Location name  
--location-id LOCATION\_ID  
--operatingsystem OPERATINGSYSTEM\_TITLE      Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
--order ORDER                                      sort results  
--organization ORGANIZATION\_NAME              Organization name  
--organization-id ORGANIZATION\_ID              organization ID  
--page PAGE                                        paginate results  
--per-page PER\_PAGE                              number of entries per request  
--search SEARCH                                   filter results  
-h, --help                                        print help

## hammer template remove-operatingsystem

Usage:

hammer template remove-operatingsystem [OPTIONS]

Options:

--id ID  
--name NAME                                        Name to search by  
--operatingsystem OPERATINGSYSTEM\_TITLE      Operating system title  
--operatingsystem-id OPERATINGSYSTEM\_ID  
-h, --help                                        print help

## hammer template update

Usage:

hammer template update [OPTIONS]

Options:

--audit-comment AUDIT\_COMMENT

--file TEMPLATE	Path to a file that contains the template
--id ID	
--location-ids LOCATION_IDS	Comma separated list of values.
--locations LOCATION_NAMES	Comma separated list of values.
--locked LOCKED	Whether or not the template is locked for editing
	One of true/false, yes/no, 1/0.
--name NAME	Name to search by
--new-name NEW_NAME	template name
--operatingsystem-ids OPERATINGSYSTEM_IDS	Comma separated list of values.
--operatingsystems OPERATINGSYSTEM_TITLES	Comma separated list of values.
--organization-ids ORGANIZATION_IDS	organization ID
	Comma separated list of values.
--organizations ORGANIZATION_NAMES	Comma separated list of values.
--type TYPE	Template type. Eg. snippet, script, provision
-h, --help	print help

## hammer user

Usage:

hammer user [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

Subcommands:

add-role	Assign a user role
create	Create a user
delete	Delete a user
info	Show a user
list	List all users
remove-role	Remove a user role
update	Update a user

Options:

-h, --help	print help
------------	------------

## hammer user add-role

Usage:

hammer user add-role [OPTIONS]

Options:

--id ID  
--login LOGIN User's login to search by  
--role ROLE\_NAME User role name  
--role-id ROLE\_ID  
-h, --help print help

## hammer user create

Usage:

hammer user create [OPTIONS]

Options:

--admin ADMIN is an admin account  
One of true/false, yes/no, 1/0.  
--auth-source-id AUTH\_SOURCE\_ID  
--default-location-id DEFAULT\_LOCATION\_ID  
--default-organization-id DEFAULT\_ORGANIZATION\_ID  
--firstname FIRSTNAME  
--lastname LASTNAME  
--location-ids LOCATION\_IDS Comma separated list of values.  
--locations LOCATION\_NAMES Comma separated list of values.  
--login LOGIN  
--mail MAIL  
--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--password PASSWORD  
-h, --help print help

## hammer user delete

Usage:

hammer user delete [OPTIONS]



Options:

--id ID  
--login LOGIN                      User's login to search by  
-h, --help                      print help

## hammer user info

Usage:

hammer user info [OPTIONS]

Options:

--id ID  
--login LOGIN                      User's login to search by  
-h, --help                      print help

## hammer user list

Usage:

hammer user list [OPTIONS]

Options:

--auth-source-ldap AUTH\_SOURCE\_LDAP\_NAME              Name to search by  
--auth-source-ldap-id AUTH\_SOURCE\_LDAP\_ID  
--location LOCATION\_NAME                      Location name  
--location-id LOCATION\_ID  
--order ORDER                                  sort results  
--organization ORGANIZATION\_NAME              Organization name  
--organization-id ORGANIZATION\_ID              organization ID  
--page PAGE                                      paginate results  
--per-page PER\_PAGE                              number of entries per request  
--role ROLE\_NAME                                  User role name  
--role-id ROLE\_ID  
--search SEARCH                                  filter results  
--user-group, --usergroup USER\_GROUP\_NAME      Name to search by  
--user-group-id, --usergroup-id USER\_GROUP\_ID  
-h, --help                                      print help

## hammer user remove-role

Usage:

hammer user remove-role [OPTIONS]

Options:

--id ID  
--login LOGIN User's login to search by  
--role ROLE\_NAME User role name  
--role-id ROLE\_ID  
-h, --help print help

## hammer user update

Usage:

hammer user update [OPTIONS]

Options:

--admin ADMIN is an admin account  
One of true/false, yes/no, 1/0.  
--auth-source-id AUTH\_SOURCE\_ID  
--default-location-id DEFAULT\_LOCATION\_ID  
--default-organization-id DEFAULT\_ORGANIZATION\_ID  
--firstname FIRSTNAME  
--id ID  
--lastname LASTNAME  
--location-ids LOCATION\_IDS Comma separated list of values.  
--locations LOCATION\_NAMES Comma separated list of values.  
--login LOGIN User's login to search by  
--mail MAIL  
--new-login NEW\_LOGIN  
--organization-ids ORGANIZATION\_IDS organization ID  
Comma separated list of values.  
--organizations ORGANIZATION\_NAMES Comma separated list of values.  
--password PASSWORD  
-h, --help print help

# hammer user-group

## Usage:

hammer user-group [OPTIONS] SUBCOMMAND [ARG] ...

## Parameters:

SUBCOMMAND	subcommand
[ARG] ...	subcommand arguments

## Subcommands:

add-role	Assign a user role
add-user	Associate an user
add-user-group	Associate an user group
create	Create a user group
delete	Delete a user group
external	View and manage user group's external user groups
info	Show a user group
list	List all user groups
remove-role	Remove a user role
remove-user	Disassociate an user
remove-user-group	Disassociate an user group
update	Update a user group

## Options:

-h, --help	print help
------------	------------

# hammer user-group add-role

## Usage:

hammer user-group add-role [OPTIONS]

## Options:

--id ID	
--name NAME	Name to search by
--role ROLE_NAME	User role name
--role-id ROLE_ID	
-h, --help	print help

## hammer user-group add-user

Usage:

hammer user-group add-user [OPTIONS]

Options:

--id ID  
--name NAME Name to search by  
--user USER\_LOGIN User's login to search by  
--user-id USER\_ID  
-h, --help print help

hammer user-group add-user-group

Usage:

hammer user-group add-user-group [OPTIONS]

Options:

--id ID  
--name NAME Name to search by  
--user-group, --usergroup USER\_GROUP\_NAME Name to search by  
--user-group-id, --usergroup-id USER\_GROUP\_ID  
-h, --help print help

## hammer user-group create

Usage:

hammer user-group create [OPTIONS]

Options:

--name NAME  
--role-ids ROLE\_IDS Comma separated list of values.  
--roles ROLE\_NAMES Comma separated list of values.  
--user-group-ids, --usergroup-ids USER\_GROUP\_IDS Comma separated list of values.  
--user-groups, --usergroups USER\_GROUP\_NAMES Comma separated list of values.  
--user-ids USER\_IDS Comma separated list of values.  
--users USER\_LOGINS Comma separated list of values.  
-h, --help print help

## hammer user-group delete

Usage:

hammer user-group delete [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer user-group external

Usage:

hammer user-group external [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND                      subcommand  
[ARG] ...                      subcommand arguments

Subcommands:

create	Create an external user group linked to a user group
delete	Delete an external user group
info	Show an external user group for user group
list	List all external user groups for user group
refresh	Refresh external user group
update	Update external user group

Options:

-h, --help                      print help

## hammer user-group info

Usage:

hammer user-group info [OPTIONS]

Options:

--id ID  
--name NAME                      Name to search by  
-h, --help                      print help

## hammer user-group list

Usage:

hammer user-group list [OPTIONS]

Options:

--order ORDER	sort results
--page PAGE	paginate results
--per-page PER_PAGE	number of entries per request
--search SEARCH	filter results
-h, --help	print help

## hammer user-group remove-role

Usage:

hammer user-group remove-role [OPTIONS]

Options:

--id ID	
--name NAME	Name to search by
--role ROLE_NAME	User role name
--role-id ROLE_ID	
-h, --help	print help

## hammer user-group remove-user

Usage:

hammer user-group remove-user [OPTIONS]

Options:

--id ID	
--name NAME	Name to search by
--user USER_LOGIN	User's login to search by
--user-id USER_ID	
-h, --help	print help

## hammer user-group remove-user-group

Usage:

hammer user-group remove-user-group [OPTIONS]

Options:

--id ID  
--name NAME Name to search by  
--user-group, --usergroup USER\_GROUP\_NAME Name to search by  
--user-group-id, --usergroup-id USER\_GROUP\_ID  
-h, --help print help

## hammer user-group update

Usage:

hammer user-group update [OPTIONS]

Options:

--id ID  
--name NAME Name to search by  
--new-name NEW\_NAME  
--role-ids ROLE\_IDS Comma separated list of values.  
--roles ROLE\_NAMES Comma separated list of values.  
--user-group-ids, --usergroup-ids USER\_GROUP\_IDS Comma separated list of values.  
--user-groups, --usergroups USER\_GROUP\_NAMES Comma separated list of values.  
--user-ids USER\_IDS Comma separated list of values.  
--users USER\_LOGINS Comma separated list of values.  
-h, --help print help