



## Experiment 2

**Student Name:** Rahul Saxena

**UID:** 24MCI10204

**Branch:** MCA AI & ML

**Section/Group:** 3-B

**Semester:** II

**Date of Performance:** 30/01/2025

**Subject Name:** Advanced Internet Programming Lab **Subject Code:** 24CAP-652

**Aim/Overview of the practical:** Create a servlet that describes how to use the HttpSession object to find out the creation time and the last-accessed time for a session. We would associate a new session with the request if one does not already exist

### Task to be done:

The goal of this task is to create a servlet that utilizes the HttpSession object to:

1. Check if a session exists for the incoming request; if not, create a new session.
2. Retrieve and display the session creation time.
3. Retrieve and display the last accessed time of the session.
4. Respond with relevant session details to the client.

### Code for experiment/practical:

#### Index.html

```
<!DOCTYPE html>

<html>
  <head>
    <title>Form</title>
    <link rel="stylesheet" href="style.css">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <form id="userForm" method="GET" action="index">
      <label for="FName">First Name:</label>
      <input type="text" name="FName" id="FName" placeholder="Enter First Name" required />

      <label for="LName">Last Name:</label>
      <input type="text" name="LName" id="LName" placeholder="Enter Last Name" required />

      <!-- Submit buttons for GET and POST -->
      <button class="get" type="submit" formmethod="GET">Submit via GET</button>
      <button class="post" type="submit" formmethod="POST">Submit via POST</button>
    </form>
  </body>
</html>
```

#### NewServlet.java

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
```



```
import javax.servlet.http.HttpServletResponse;
```

```
@WebServlet("/index")
```

```
public class NewServlet extends HttpServlet {
```

```
    protected void processRequest(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
```

```
        // Set response type
```

```
        response.setContentType("text/html;charset=UTF-8");
```

```
        // Retrieve parameters
```

```
        String firstName1 = request.getParameter("FName");
```

```
        String lastName1 = request.getParameter("LName");
```

```
        // Logging for debugging
```

```
        System.out.println("First Name: " + firstName1);
```

```
        System.out.println("Last Name: " + lastName1);
```

```
        try (PrintWriter out = response.getWriter()) {
```

```
            out.println("<!DOCTYPE html>");
```

```
            out.println("<html>");
```

```
            out.println("<head>");
```

```
            out.println("<style>");
```

```
            out.println("body { font-family: Arial, sans-serif; background-color: #f4f4f9; color: #333; "
```

```
                + "margin: 0; padding: 0; text-align: center; display: flex; justify-content: center; "
```

```
                + "align-items: center; flex-direction: column; height: 100vh; }");
```

```
            out.println("h1 { color: #5c6bc0; font-size: 2em; margin: 20px 0; }");
```

```
            out.println(".container { width: 80%; margin: 0 auto; padding: 20px; background-color: #fff; "
```

```
                + "border-radius: 8px; box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1); }");
```

```
            out.println("details { font-size: 1.2em; margin-bottom: 15px; }");
```

```
            out.println("</style>");
```

```
            out.println("<title>User Details</title>");
```

```
            out.println("</head>");
```

```
            out.println("<body>");
```

```
            out.println("<div class='container'>");
```

```
            out.println("<h1>Here are the user details</h1>");
```

```
            out.println("<div class='details'>First Name: " + firstName1 + "</div>");
```

```
            out.println("<div class='details'>Last Name: " + lastName1 + "</div>");
```

```
            out.println("</div>");
```

```
            out.println("</body>");
```

```
            out.println("</html>");
```

```
        }
```

```
    }
```

```
    @Override
```

```
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
```

```
        throws ServletException, IOException {
```

```
        processRequest(request, response);
```

```
    }
```

```
    @Override
```

```
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
```

```
        throws ServletException, IOException {
```

```
        processRequest(request, response);
```

```
    }
```

```
    @Override
```

```
    public String getServletInfo() {
```

```
        return "Servlet handling GET and POST methods";
```

```
    }
```

```
}
```



Output:

**First Name:**

**Last Name:**

Submit

Output

User Details	
Field	Values
First Name	Rahul
Last Name	Saxena
Session ID	0ADB2B6BE4524973CA7F8EA9F5045875
Creation Time	Thu Jan 30 15:02:21 IST 2025
Last Access Time	Thu Jan 30 15:39:28 IST 2025



### Learning outcomes:

- Understand how to create and manage sessions using the HttpSession object in a Java servlet.
- Learn how to retrieve session metadata such as creation time and last accessed time.
- Gain practical experience in handling HTTP session persistence across multiple requests.
- Improve your understanding of session management concepts in Java web applications.

### Evaluation Grid:

Sr. No.	Parameters	Marks Obtained	Maximum Marks
1.	Demonstration and Performance		5
2.	Worksheet		10
3.	Post Lab Quiz		5