

Hybrid Postal Address



September 2026

Version 1.14 (4 Sept 2026)

Disclaimer

The Payments Market Practice Group (PMPG) has used its best endeavours to make sure that all the English information, data, documentation and other material (copy and images) in this document are accurate and complete, it does not accept liability for any errors or omissions.

The PMPG, or any of its members, will not be liable for any claims or losses of any nature arising directly or indirectly from use of the information, data, documentation or other material in this document.

Links from this document to other sites are for information only. PMPG accepts no responsibility or liability arising from access to, or for the material on, any site to which it is linked, nor does the presence of links to other sites imply any endorsement by PMPG of these sites or their contents.

Reproduction, redistribution and transmission of any information, data or other material contained in this document is permitted, as long as its source is acknowledged.

By using this document, the reader acknowledges and accepts this disclaimer.

Document Change History

Version	Date	Description
Version 1.0	8 th May 2024	Initial version published.
Version 1.02	17 th March 2025	Included two new CBPR+ messages camt.105 and camt.106 into the scope of hybrid address.
Version 1.06	16 th July 2025	Added: Page 40: Special use cases for the Town Name element Page 41: Country mapping inventory for Structured Postal Address
Version 1.10	20 th October 2025	Slide 15: Updated for published FATF Recommendation 16 Slide 34 -38, 40: Clarified handling of hybrid postal addresses where it is not supported post-Nov 2025 Generic references from “before Nov 20205” to “where hybrid is not supported”
Version 1.11	28 th October 2025	Slide 13 – 17: Language refined to clarify description of global drivers.
Version 1.12	5 th March 2026	Slide 42 – 45 : Transitional Cutover Handling
Version 1.13	29 th July 2026	Slide 36: Slide Mapping Scheme 2: Structuring Unstructured Address Data to Enable Hybrid Address Reconstruction
Version 1.14	4 th September 2026	Updated to reflect Swift’s extension of the migration timeline for fully unstructured postal addresses and the deferral of Payments changes under Standards Release 2026. Removed the November 2026 cutover assumption and related transitional cutover guidance pending confirmation of the revised timing and implementation approach.

Payments Market Practice Group

The Payments Market Practice Group (PMPG) is an independent body of payments subject matter experts from Asia Pacific, EMEA and the Americas.

The mission of the PMPG is to:

- Take stock of payments market practices across regions.
- Discuss, explain, and document market practice issues, including possible commercial impact.
- Recommend market practices, covering end-to-end transactions.
- Propose best practice, business responsibilities and rules, message flows, consistent implementation of ISO messaging standards and exception definitions.
- Ensure publication of recommended best practices.
- Recommend payments market practices in response to changing compliance requirements.

The PMPG provides a truly global forum to drive better market practices, which, together with correct use of standards, will help in achieving full straight-through-processing and improved customer service.



Follow us on



Management Summary

Structured customer addresses help to streamline the **processing, monitoring and screening** of payments along the entire value chain thanks to the standardized format that enhances **automated recognition**, thus reducing errors and enabling efficient data extraction due to **unambiguous data qualifiers**.

A new **hybrid postal address** option will be introduced as of **November 2025 (SR 2025)** in Swift and leading Payment Market Infrastructures (PMIs). The hybrid address allows **simultaneous usage** of structured and unstructured elements, with a minimum of structured Town Name and Country.


Timelines:

- **Fully structured:** already allowed today and preferred & recommended option in the future
- **Hybrid address:** Allowed as of November 2025* (no end-date)
- **Fully unstructured:** Decommissioning timeline pending confirmation



Hybrid address example

```
<Cdtr>  
  <Nm>JOHN SMITH</Nm>  
  <PstlAdr>  
    <PstCd>1000</PstCd>  
    <TwnNm>BRUSSELS</TwnNm>  
    <Ctry>BE</Ctry>  
    <AdrLine>HOOGSTRAAT 6, 18TH FLOOR...</AdrLine>  
  </PstlAdr>  
</Cdtr>
```



Institutions should follow the requirements and timelines of each relevant infrastructure. Institutions should follow the requirements and timelines of each relevant infrastructure.

What has changed

- Following requests and feedback from the Swift community, Swift has extended the migration timeline for the removal of fully unstructured postal addresses and deferred the Payments changes planned for Standards Release 2026.
- The revised implementation timeline and approach remain subject to ongoing industry consultation.
- Individual Payment Market Infrastructures may adopt different implementation approaches and timelines*
- Institutions should therefore monitor the requirements of each infrastructure separately

What has not changed

- Fully structured remains the preferred option and represents the highest level of address-data granularity.
- Hybrid remains a valid long-term option, providing a practical balance between structured minimum data and address information that cannot yet be reliably structured.
- The strategic objectives of improved data quality, transparency, interoperability and automation remain unchanged.
- Existing policy, regulatory and market-practice drivers continue to support the adoption of richer and more structured address information.

The additional implementation time should be viewed as an opportunity to further enhance data quality, customer readiness, interoperability arrangements and implementation consistency across the payments ecosystem.

** Availability of the hybrid option depends on support by local market infrastructures*

Contents



1

Background

More structured and granular debtor & creditor data in ISO 20022 messages enables more precise filtering, improved monitoring and greater automation in payment processing




1. Background > *Why structured addresses?*

As the payments industry is in the process of adopting ISO 20022, the full power of richer and more structured data is still to be unlocked. Structured payments in ISO 20022 messages offer several advantages in terms of providing more precise and more detailed information in payment transactions. However, due to the nuanced challenges inherent in cleansing address data within systems and databases, the proportion of structured customer data in payment messages is still at a relatively low level.

The Payments Market Practice Group (PMPG) has supported and continues to support the payments industry in the migration towards structured party addresses. Complete, structured and rich data in payments messages is an integral part of our ISO 20022 adoption and helps to reduce friction in cross-border payments.

Structured customer addresses help to streamline the processing of payments along the entire value chain thanks to the standardized format that enhances automated recognition, thus reducing errors and enabling efficient data extraction.

- **Financial Crime Compliance:** Reduction in false hits in sanctions screening & more efficient AML monitoring
- **Payment processing:** More precise Creditor name matching
- **FATF Recommendation 16 monitoring:** Improved monitoring of completeness of required debtor and creditor information
- **Client reporting:** Provide better data quality of reporting towards their creditor
- **Improved interoperability:** Reduce friction for cross-border (instant) payments with aligned party addresses as defined by IP+, CBPR+ and HVPS+ guidelines



In the complex landscape of payments screening, inefficiencies act as silent barriers to financial integrity - addressing these challenges is paramount.

1. Background > *What are structured addresses?*

Structured address data refers to a standardized and organized format for representing location information, typically comprising distinct components, such as street name, post code, town and country details. The structured postal address definition in ISO 20022 offers 14 specific attributes, where it is clearly visible what element includes which data. Besides the structured elements, ISO 20022 also provides an unstructured field “Address Line”. Before the introduction of the hybrid postal address in Swift CBPR+ in November 2025, structured address elements and Address Line were mutually exclusive in interbank payment messages.


Fully **Unstructured** postal address

```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <AdrLine>HOOGSTRAAT 6, PREMIUM</AdrLine>
    <AdrLine>TOWER, 18TH FLOOR</AdrLine>
    <AdrLine>1000 BRUSSELS, BELGIUM</AdrLine>
  </PstlAdr>
</Cdtr>
```



Fully **Structured** postal address

```
<Cdtr>
  <Nm>John Smith</Nm>
  <PstlAdr>
    <StrtNm>Hoogstraat</StrtNm>
    <BldgNb>6</BldgNb>
    <BldgNm>Premium Tower</BldgNm>
    <Flr>18</Flr>
    <PstCd>1000</PstCd>
    <TwnNm>Brussels</TwnNm>
    <Ctry>BE</Ctry>
  </PstlAdr>
</Cdtr>
```



1. Background > *The challenge*

Through market engagement and consultation with industry groups, including CGI, the PMPG identified a fundamental impediment to the migration towards fully structured customer addresses.

The fully structured postal address format does not allow to co-mingle different data elements into one structured element. The reality shows that many corporates and financial institutions maintain the address data elements of their customers in an unstructured database. In a typical customer data record, the “last mile of the address” consists of various address attributes in a single data field, which fits the industry’s current needs, such as the use as a delivery address or as a free format field in FIN MT

Elements like name, town name and country are segregated in most systems and can be easily mapped to the respective ISO 20022 structured format. However, other address attributes are often maintained in free-format data fields, making full address structuring operationally challenging. This can create a gap between the target data model and the reality of existing customer data repositories

Typical customer address inventory

Name	Mr. JOHN SMITH	✓
Address	HOOGSTRAAT 6, PREMIUM TOWER, 18TH FLOOR	!
Postal Code	1000	✓
Town Name	BRUSSELS	✓
Country	BE Belgium	✓

Mapping to fully structured ISO 20022 address

<Cdtr>	<Nm>John Smith</Nm>
<PstlAdr>	<StrtNm>Hoogstraat</StrtNm>
	<BldgNb>6</BldgNb>
	<BldgNm>Premium Tower</BldgNm>
	<Flr>18</Flr>
	<PstCd>1000</PstCd>
	<TwnNm>Brussels</TwnNm>
	<Ctry>BE</Ctry>
</PstlAdr>	
</Cdtr>	

Risks of enforced migration to fully structured addresses:



Data loss

Stakeholders could **eliminate** secondary address attributes that are not available fully structured



Data pollution

Stakeholders could **co-mingle** various address attributes in incorrect address elements

Misusing and undermining the value of ISO 20022

Decreased level of information triggering friction & human intervention

1. Background > *Hybrid postal address*

Considering the industry challenges, involved costs and in order to facilitate the migration towards structured addresses in ISO 20022 payment messages, the PMPG has come forward with a Change Request (“CR”) to introduce a new **hybrid** (semi-structured) postal address option across CBPR+ usage guidelines for all parties and agents. The change request was approved and became effective in Swift CBPR+ in November 2025.

Definition & Rules

The hybrid address allows **simultaneous usage** of structured elements within PostalAddress and the unstructured “AddressLine” element.



TownName and **Country** are mandatory elements within the PostalAddress when a hybrid address is used, just as they are when a fully structured address is used.

The unstructured AddressLine element within the hybrid address can be **up to 2 lines of 70 characters (2*70)**.

The structured address information provided in the respective structured elements must **not be repeated** in the AddressLine elements.

Example

```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <PstCd>1000</PstCd>
    <TwnNm>BRUSSELS</TwnNm>
    <Ctry>BE</Ctry>
    <AdrLine>HOOGSTRAAT 6, 18th floor</AdrLine>
  </PstlAdr>
</Cdtr>
```



The hybrid address is a practical industry compromise that limits the effort for implementation, whilst ensuring the original goal of increased data quality in the more structured and data-rich ISO 20022 payment standard.

1. Background > Scope of hybrid address

Impacted pacs message types:

Message type	Description
pacs.008	FI-to-FI Customer Credit Transfer
pacs.008 (stp)	FI-to-FI Customer Credit Transfer 'STP'
pacs.009 (core)	Financial Institution Credit Transfer
pacs.009 (cov)	Cover Financial Institution Credit Transfer 'Cover'
pacs.009 (adv)	Advice Financial Institution Credit Transfer 'Advice'
pacs.002	FI-to-FI Payment Status Report
pacs.003	FI-to-FI Customer Direct Debit
pacs.004	Payment Return
pacs.010	Interbank Direct Debit

Impacted pain & camt message types:

Message type	Description
pain.001 (relay)	Customer-to-Bank 'Relay' Credit Transfer
pain.002	Customer Payment Status Report
pain.008	Customer Direct Debit Initiation
camt.029	Resolution of Investigation
camt.055	Customer Payment Cancellation Request
camt.056	FI-to-FI Payment Cancellation Request
camt.057	Notification to Receive
camt.058	Notification to Receive Cancellation Advice
camt.060	Account Reporting Request
camt.105	Charges Payment Notification
camt.106	Charges Payment Request
camt.107	Cheque Presentment Notification
camt.108	Cheque Presentment Cancellation Request
camt.109	Cheque Presentment Cancellation Status Report

Impacted ISO 20022 elements



ISO 20022 element	Type (party or agent)	Structured only structured elements	Fully unstructured only AdrLine elements	Hybrid Mix of structured elements with minimum structured TownName & Country and up to 2 x 70 char AdrLine
Previous Instructing Agent 1	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Previous Instructing Agent 2	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Previous Instructing Agent 3	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Intermediary Agent 1	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Intermediary Agent 2	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Intermediary Agent 3	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Ultimate Debtor	Party	Preferred	Not allowed (new element)	Allowed from NOV25 onwards
Initiating Party	Party	Preferred	Not allowed (new element)	Allowed from NOV25 onwards
Debtor	Party	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Debtor Agent	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Creditor Agent	Agent	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Creditor	Party	Preferred	Pending decommissioning	Allowed from NOV25 onwards
Ultimate Creditor	Party	Preferred	Not allowed (new element)	Allowed from NOV25 onwards

2 Global Policy and Standards-Setting Drivers



2. Global Drivers > Overview

Global Policy & Standards-Setting Bodies



Local legislation & central banks policies




§ EU Reg. 847



US Travel Rules




Etc...



Supporting industry groups & standardization bodies

2. Global Drivers > FATF Recommendation 16



FATF Rec. 16 enhances transparency and trust in cross-border payments through structured, reliable originator and beneficiary data.

Requirement for cross-border payments above threshold (>EUR/USD 1,000):

- Name + address (originator/debtor)
- Name + town name & country (beneficiary/creditor)
- Account number or unique reference
- Legal person: LEI, BIC, or official ID (if available)
- Natural person: Date of birth (DOB) (originator/debtor)

Note :
Implementation
guidance is still under
development

Principles & Flexibility:

- Use structured data where possible (ISO 20022 compatible)
- For beneficiary/creditor address, FATF requires only town name and country
- Allow fallback IDs or year if full DOB unavailable

2. Global Drivers > G20 / BIS / CPMI



CPMI – Committee for Payments & Market Infrastructures
Harmonised ISO 20022 data requirements for enhancing
cross-border payments



Published in October 2023

<https://www.bis.org/cpmi/publ/d218.htm>

The G20 has made faster, cheaper, more transparent and more inclusive cross-border payments a priority and has set targets to achieve this by end-2027.

- ▶ Requirement #9 – To identify all **entities** involved in a cross-border payment in a standardized and structured way
- ▶ Requirement #10 – To identify all **persons** involved in a cross-border payment in a standardized and structured way
- ▶ Requirement #11 – To provide a **common minimum level** of postal address information **structured** to the extent possible

Solution

Provide the name and a minimum of key postal address attributes such as Country and Town Name, using the **appropriate and explicit structured message elements** (see Annex 2 and 3 for minimum data requirement for postal address information). For entities, e.g. corporations, the Name and Postal Address

Link to G20 targets

The use of structured addresses will **speed up** overall processing of cross-border payments, especially where it will facilitate **screening** processes and **prevent the need for manual interventions** (e.g. for sanctions checks), in turn **reducing costs** through enhanced straight through processing (STP). Furthermore, it will provide increased **transparency** about the parties involved in the cross-border payment.

2. Global Drivers > *The Wolfsberg Group*



Updated Wolfsberg Payment Transparency Standards



Published in October 2023
<https://wolfsberg-group.org/news/50>

Ensuring minimum levels of transparency and providing clarity about where these responsibilities lie to all payment service providers.

[...]

Address information **should be sufficient** to identify clearly the location of the party/parties for sanctions screening and AML/CTF monitoring. It should **include country and other aspects of address** in accordance with the resident country conventions such as city, state/province/municipality, street name, building number and building name, and postal code.

Having only a post office (P.O.) box as an address should be avoided except where no alternative exists due to market practices/limitations and is supported by local regulations.

Address should be **fully structured**, when possible, and at a minimum employ a **hybrid structure** (structured town and country name, but potentially unstructured for street name, building number, etc. due to local naming conventions).

[...]


3

Impact

Various stakeholder groups will need to contribute their part to ensure provision and adequate handling & interpretation of hybrid addresses



3. Impact > Overview



The **key success factor** for a global migration to structured customer data in payments is that **all actors are understand their responsibilities and take the required steps to comply with these requirements.**

As high quality data can only be guaranteed at the “source of the information”, it must be **sourced at the origin** of a payment transaction to avoid labor and cost-intensive repair to structure data for subsequent processing.

This underlines the crucial role of the originating parties, i.e., the Debtor and Debtor Agent of a payment:

- The **Debtor** is responsible for the provision of high-quality (structured) information of the Creditor and Ultimate Parties (Ultimate Debtor & Ultimate Creditor). It also has a responsibility for ensuring all required information on Creditor is included.
- The **Debtor Agent** is responsible for delivering the required, accurate and structured customer data of the debtor.

But the journey doesn't end here...

High-quality data will only be as good as the surrounding processes that are consuming the rich data. Systems involved in the validation, processing, screening and monitoring of payments need to be enhanced to embrace the additional data structure. There will be a paradigm shift from interpreting free-text information towards a future to where it is possible to make sense of unambiguous data.

This chapter describes how the different stakeholder groups will be impacted by the new hybrid address along the lifecycle of a payment.

3. Impact > *Financial Institutions*



Financial Institutions

Financial Institutions (FIs) play a pivotal role - not only as payment processing agents, but they also carry the responsibility to proactively educate and guide their clients on adhering to the prescribed target address format.

The degree of impact and obligation differs based on one's position within the payment chain, with the Debtor Agent bearing the most significant responsibility.

Key responsibilities :

Clear Communication and Planning:

- Engage in transparent communication with clients regarding the migration plan.

Client Data Collection and Validation:

- Request Debtors to provide essential details of the counterparty (be it Creditor, Ultimate Debtor, or Ultimate Creditor), including at least the country and town name in a structured format, irrespective of the initiation channel.
- Equip clients with updated payment specifications and interfaces that mandate the inclusion of minimum address data in the prescribed format.
- Scrutinize and validate customer-entered data for accuracy, ensuring alignment, if required, with the ISO 20022 data structure.
- Maintain client static data in an organized format, emphasizing the inclusion of at least the country and town name.

Process Adaptation and Optimization:

- Modify mapping procedures to consistently present Debtor information in outgoing payments in either a fully structured or hybrid format.
- Ensure seamless transmission of Beneficiary/Creditor details to subsequent Parties in the payment chain without alterations.
- Refine processing, screening, and monitoring mechanisms to harness the full potential of structured customer data in payment messages.

Key deliverables:

- **Customer Education:** Inform both customers and vendors about upcoming requirements, associated timelines, and repercussions of non-compliance with payment standards.
- **Customer Testing Support:** Coordinate and oversee customer testing across all payment initiation channels to ensure seamless integration.
- **Data Quality Assurance:** Uphold stringent standards for data accuracy and completeness at payment initiation , encompassing front-end interfaces and client channels.
- **Data Format Alignment:** Verify and align customer data to conform with the specified target format (fully structured or hybrid).
- **Implementation Preparedness:** Allocate adequate time and resources for the seamless integration of necessary system modifications, including channel enhancements, validation tools, formatting guidelines and updates to general terms and conditions.

By prioritizing the dialogue with clients and emphasizing the importance of structured address data, financial institutions can pave the way for a successful migration process.

3. Impact > *Payment Service Providers*



Payment Service Providers (PSPs)

Technological advances and efforts by Regulators to increase competition has seen the emergence of non-bank Payment Service Providers (PSPs) particularly in the retail (P2P) payments space. As such, they play a significant role in the end-to-end payment chain.

Some PSPs operate in a closed-loop system using proprietary formats. These are outside of the scope of this discussion. Other PSPs are direct participants of PMIs with a number recently connecting to Swift. These PSPs have a role similar to Financial Institutions, thus the requirements of FIs would also apply to these entities.

Many PSPs have indirect participation to the PMI through the services of an Agent Bank and play a critical role as they are accountable for the data quality from the debtor client.

Key responsibilities:

Engagement with their Agent Bank:

- To understand the Agent Bank's requirements in order to meet PMI usage guidelines, payment screening and regulatory reporting obligations

Client Data Collection and Validation:

- Educate and require Debtor clients to provide complete details of all parties/agents in the chain, including a minimum of town name and country name in a structured format.
- Where feasible, provide Debtors with an address look-up functionality to minimise manual data input.
- Where there are client inputs, validate these for accuracy, ensuring alignment with the ISO 20022 data structure.
- Maintain client static data in ISO structure as much as possible, recording town name and country.

Update of processes :

- Update procedures to present Party information as complete as possible and in the structured or hybrid format, also taking into consideration the requirements of the Agent Bank.

Key deliverables:

- **Agent Bank Engagement:** work collaboratively with Agent Banks to ensure message instructions meet their requirements for them to comply with PMI usage guidelines, regulatory requirements and those of any downstream Correspondents.
- **Client Engagement –** Educate clients on requirements, associated timelines, and consequences of non-compliance with payment data standards.
- **Data Quality:** Ensure high standards for data accuracy and completeness at client payment initiation. Validate and structure customer inputs of data to conform with either fully structured or hybrid models. Where possible, minimise client manual data input by providing address look-up software or reference files.
- **Implementation:** Ensure sufficient time to updated all impacted systems, business process, and data records as well as for the training of staff.

Active dialogue with Agent Banks and Debtor clients is key to ensuring required data in structured format is provided to ensure seamless end-to-end processing.

3. Impact > *Payment Market Infrastructures*



Payment Market Infrastructures

To foster seamless operations, Payment Market Infrastructures (PMIs) should facilitate the exchange of payments in the ISO 2022 target format (or its equivalent). Recognizing their pivotal role as catalysts for change and compliance in the global economy, PMIs must also promote market preparedness beyond local payment processing.

Key Responsibilities:

Format Enablement:

- Ensure the adoption of the ISO 2022 target format (or its equivalent), aligning with CBPR+ and HVPS+ standards.
- Revise current standards and publish the updated Usage Guidelines.
- Deploy the new standard/Usage Guideline in a timely manner to avoid friction in cross-border payments.

Data Accuracy & Testing Support:

- Deploy network validation mechanisms to verify data accuracy, ensuring alignment with the target format.
- Encourage and facilitate testing for both target formats — fully structured and hybrid — by offering dedicated testing and validation portals.

Advocacy and Progress Monitoring:

- Advocate timely migration towards structured party data and monitor industry readiness
- Provide regular updates and dedicated reports on industry's progress of the compliance.

Payment Market Infrastructures are encouraged to consider adherence to the High-Value Payments Plus (HVPS+) Harmonization Charter. The HVPS+ Group maintains a set of HVPS+ message Usage Guidelines which acts a template for MIs to base their own message collection on to achieve interoperability and harmonization.

Key deliverables:

- **Collaboration and Alignment:** Engage with market to develop a roadmap aligned with CBPR+ and HVPS+ standards.
- **Communication:** Clearly and proactively communicate requirements and timelines to all affected stakeholders, including 3rd party vendors.
- **Updated Usage Guidelines/Standards:** Amend, publish and implement Usage Guidelines/equivalent standards.
- **Testing Support:** Enable, coordinate and oversee industry testing to ensure seamless migration.
- **Community Progress:** Monitor and report on the usage of the different address options

By outlining these responsibilities and addressing potential challenges, the adoption of structured data can be effectively promoted, ensuring a smooth transition and enhanced data management within the financial ecosystem.

3. Impact > Corporate Clients



Corporate clients

Revised timeline under
consultation

Whilst the Debtor Agent data is the responsibility of the FI, corporates and individual payment originators are responsible for sourcing the Creditor data in the required format. FIs need to ensure that channels can support the MX address formats for all parties in the payment.

Whilst address data is a hot topic for banks, end users need to be educated about the new address formats. FIs should have a dialogue with payment originators on how to uplift the name and address data in any preformats that the FI supports via its channels. Special attention should be given to legacy file and message formats.

While the pain.001 V9 supports the structured and hybrid address data, older versions or non-ISO based file format might be a challenge. FIs should analyze the data structure and quality of the address data provided by corporate customers (file and MT 101) and discuss if these need to be upgraded. If payment initiation continues via MT101, a mutually-agreed mapping rule will need to be deployed.

Third-party tools should be considered to enrich Creditor data if the source format in the customer's ERP system cannot be fixed. Use of the LEI and populating the name and address fields for Creditor and Ultimate Parties via the GLEIF database could be another option, depending on the industry.

FIs offering multibank payment initiation services will need to review not only the impact of any data mapping or enrichment to their own systems, but also how it will impact other banks receiving the pain.001 in a relay mode. Testing might not just be required with internal payment processes, but also with downstream banks.

Lastly, API channels will need to be reviewed and upgraded and tested with corporate customers. Pre-validation APIs that also perform address data validation should be considered.


Key points to cover:

- Liaise with house bank(s) on roadmap and formatting requirements
- Analyze data quality of Creditor and Ultimates in database & payments. For records that do not include Town Name and Country, prioritize collecting this information.
- Ensure that minimum structured data elements are mapped into pain.001
- If not using pain.001, review legacy payment format and discuss with house bank(s) if a format upgrade is required.
- Provide a tool and strategy to migrate pre-formats stored on the bank's EB platform to the new format
- Review multi-banking, third-party tools
- Consider moving from MT 101 to pain.001 SCORE
- Avoid over-population of ISO 20022 fields
- If the exact sub-element is not known, use the hybrid format and put it in the unstructured address line (AdrLine)
- Do not duplicate structured data elements in the unstructured data elements

Important for corporates continuing to use FIN channels, including MT 101 and MT 103

Where address information is provided in a FIN party field, Option F should be used. Its semi-structured format supports more reliable preservation and subsequent mapping of name and address information into ISO 20022. Option K, or the no-letter option, should not be relied upon to convey structured address information. The timing of future related translation changes remains subject to confirmation.

3. Impact > *ERP/TSM Software Providers*



ERP / TSM¹ Software Providers

ERP and TSM vendors have created tools to support different address formats, but, as these are optional and require set-up, corporate customers might have opted to implement a simplified address format that captures country (ISO 2-letter code) and town in a structured manner and stores any other address component in two or more free format lines of text.

As with corporate customers, it will be important for FIs to engage with the ERP and TSM vendor community to provide education and discuss a pathway on how legacy address formats can be uplifted to a more structured version.

This also presents an opportunity to build out the Swift pre-validation service to check address data quality or even provide a centralized enrichment service.

➡ <https://www.placekey.io/blog/address-matching>

➡ <https://www.placekey.io/blog/address-matching-python>

➡ <https://www.codeproject.com/Articles/1096978/Smart-TextDiff-Utility-for-Intel-Platform>

Key points to cover:

- Engage with FI's and end clients on roadmap
- Offer validation portals for fully structured and hybrid address
- Roadmap, timing
- Review with ERP/TSM provider what their plan is to support the new data requirements for cross-border payments
- Which versions of the software can support the new format?

Address data validation and structuring is as a critical part of a corporate data management strategy

4


Roadmap

Whilst implementation timelines continue to evolve, the strategic direction toward richer and more structured address data remains unchanged.



4. Roadmap

Revised timeline under consultation



- **No end-date** for hybrid address option
- **Go-live** of hybrid option must happen at the same time in Swift MX (CBPR+) and local RTGS systems (HVPS+)
- **The decommissioning** of fully unstructured addresses should be closely coordinated across Swift MX (CBPR+) and local RTGS systems (HVPS+)
- Proposed changes apply for all **payments MX message types** containing a Postal Address (pacs.008/009/004, pain.001 relay)
- Proposed changes apply for **all elements** in these message types with Postal Address (debtor, creditor, ultimates* and agents*)

* Exception: for the elements 'ultimate debtor', 'ultimate creditor' & 'initiating party', the fully unstructured option will not be allowed

5

Guidelines



5. Mapping principles

Mapping scheme 1

Hybrid address from MX to MT

Summary


Despite the global adoption of ISO 2022 in payments, there are still market infrastructures that will operate on legacy systems based on Swift FIN messages for a given period beyond the sunseting of MT 103 & MT 202 as of November 2025 for cross-border payments.

When these institutions need to interface with modern systems using ISO 2022, a mapping process becomes essential to convert ISO 2022 payments messages into the native Swift FIN format. This applies both for the in-flow translation, where intermediaries must downgrade to local format, and on-premise translation (screening/monitoring, processing). The following mapping principles shall ensure seamless communication and integration between the old and new systems.

Mapping rules

- The Debtor & Creditor hybrid address should be mapped into MT fields using **option F**
- Hybrid addresses of Bank parties should be mapped into MT fields using **option D**
- “**Name**” shall be mapped to the sub-field 1 (suffix: 1/)
- “**AdrLine**” shall be mapped into the sub-field 2 (suffix 2/)
- “**Country**”, “**Post Code**” and “**TownName**” shall be mapped into the sub-field 3 (suffix: 3/)

Please refer to the next page for the mapping priorities of additional structured address attributes for the case where they are available.



5. Mapping principles

Mapping scheme 1

Hybrid address from MX to MT

➤ Priorities

Element description	ISO20022 tag	Occurrences	Data type	Target field/sub-field in SWIFT FIN	Priority fully structured within sub-field	Priority for Hybrid within sub-field
Debtor	<Dbtr>	[1..1]				
Name	<Nm>	[0..1]	text{1,140}	F Option Subfield 1 (two occurrences if no LEI is present, 1 occurrence if LEI is present)	1	1
Postal Address	<PstAdr>	[0..1]				
Department	<Dept>	[0..1]	text{1,70}	F Option Subfield 2	7	8
Sub Department	<SubDept>	[0..1]	text{1,70}	F Option Subfield 2	8	9
Street Name	<StrtNm>	[0..1]	text{1,70}	F Option Subfield 2	1	1
Building Number	<BldgNb>	[0..1]	text{1,16}	F Option Subfield 2	2	2
Building Name	<BldgNm>	[0..1]	text{1,35}	F Option Subfield 2	3	4
Floor	<Flr>	[0..1]	text{1,70}	F Option Subfield 2	4	5
Post Box	<PstBx>	[0..1]	text{1,16}	F Option Subfield 2	5	6
Room	<Room>	[0..1]	text{1,70}	F Option Subfield 2	6	7
Post Code	<PstCd>	[0..1]	text{1,16}	F Option Subfield 3	3	3
Town Name	<TwnNm>	[0..1]	text{1,35}	F Option Subfield 3	2	2
Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	F Option Subfield 3	5	5
District Name	<DstrctNm>	[0..1]	text{1,35}	F Option Subfield 3	6	6
Country Sub Division	<CtrySubDvsn>	[0..1]	text{1,35}	F Option Subfield 3	4	4
Country	<Ctry>	[0..1]	text[A-Z]{2,2}	F Option Subfield 3	1	1
Address Line	<AdrLine>	[0..1]	text{1,70}	F Option Subfield 2	n/a	3
Address Line	<AdrLine>	[0..1]	text{1,70}	F Option Subfield 2	n/a	3

	SWIFT FIN sub-field (option F)
1/	<Nm> (mandatory) (use '+' in case of space limitations)
2/	Prio 1: <StrtNm> Prio 2: <BldgNb> Prio 3: <AdrLine> (first occurrence) Prio 3: <AdrLine> (second occurrence) Prio 4: <BldgNm> Prio 5: <Flr> Prio 6: <PstBx> Prio 7: <Room> Prio 8: <Dept> Prio 9: <SubDept> (use '+' in case of space limitations)
3/	Prio 1: <Ctry> (mandatory) Prio 2: <TwnNm> (mandatory) Prio 3: <PstCd> Prio 4: <CtrySubDvsn> Prio 5: <TwnLctnNm> Prio 6: <DstrctNm> (use '+' in case of space limitations)

5. Mapping principles

Mapping scheme 1 Hybrid address from MX to MT

Example 1A: Long hybrid address mapping from MX to MT



```
<Cdtr>
  <Nm>Acme NV</Nm>
  <PstlAdr>
    <PstCd>9990</PstCd>
    <TwnNm>Maldegem</TwnNm>
    <Ctry>BE</Ctry>
    <AdrLine>Long Building Name West Verdieping 4</AdrLine>
    <AdrLine>Bloemendalelaan 62/3 bus 47</AdrLine>
  </PstlAdr>
</Cdtr>
```

FIN MT

:59F:/BE30001216371411

1/Acme NV

2/LONG BUILDING NAME WEST VERDIEPIN

2/G 4 BLOEMENDALELAAN 62/3 BUS 47

3/BE/MALDEGEM,9990

Country

Town name

Post Code

5. Mapping principles

Mapping scheme 1 Hybrid address from MX to MT

Example 1B: Long name mapping from MX to MT

ISO 20022

```
<Cdtr>
  <Nm>BROKEN ARROW CORPORATION VERY LONG NAME EXCEEDING 35 CHARACTERS</Nm>
  <PstlAdr>
    <PstCd>1000</PstCd>
    <TwnNm>BRUSSELS</TwnNm>
    <Ctry>BE</Ctry>
    <AdrLine>Long Building Name West Verdieping 4</AdrLine>
  </PstlAdr>
</Cdtr>
```

FIN MT

:59F:/BE30001216371411

Name

1/BROKEN ARROW CORPORATION VERY LON
1/G NAME EXCEEDING 35 CHARACTERS

Address Line(s)

2/Long Building Name Westverdiepin+

3/BE/BRUSSELS,1000

Country

Town name

Post Code

5. Mapping principles

Mapping scheme 1

Hybrid address from MX to MT

Example 1C: Prioritization of structured and hybrid address information from MX to MT

ISO 20022

```
<Cdtr>
<Nm>Carol Teo May Lin</Nm>
<PstlAdr>
  <StrtNm>Keppel Bay</StrtNm>
  <BldgNb>34</BldgNb>
  <PstCd>123456</PstCd>
  <TwnNm>Singapore</TwnNm>
  <Ctry>SG</Ctry>
  <AdrLine>Carribean At Keppel Bay</AdrLine>
  <AdrLine>#05-66</AdrLine>
</PstlAdr>
</Cdtr>
```

Name

Street Name

Building Number

Address Line(s)

FIN MT

:59F:/BE30001216371411

1/Carol Teo May Lin

2/Keppel Bay, 34, Carribean At Keppel

2/Bay #05-66

3/SG/SINGAPORE, 123456

Country

Town name

Post Code

5. Mapping principles

Mapping scheme 2

MX hybrid to MX unstructured – where hybrid is not yet supported

Although fully structured and hybrid postal addresses represent the target formats, some market infrastructures or local systems may not yet support hybrid addresses. Financial institutions may therefore be exposed to interoperability issues.

In such cases, mapping rules are required to ensure interoperability and continuity of payment processing until full support of hybrid addresses is achieved across all relevant systems.

Example:

1. A payment initiated via CBPR+ with hybrid postal address data needs to be forwarded to a market infrastructure that does not yet support hybrid address option.

Mapping rules

- As long as the target MX market infrastructure does not yet allow using hybrid, the simultaneous usage of structured elements and AdrLine is not allowed.
- Hence, both the structured and unstructured address elements must be mapped into the **AdrLine elements**
- To ensure cross-border interoperability, use up to 3 occurrences of AdrLine (each max. 35 characters) in the output
- Separate the elements with a “,” (comma)

Please refer to the next page for the mapping priorities of additional structured address attributes for the case where they are available.

5. Mapping principles

Mapping scheme 2

MX hybrid to MX unstructured – where hybrid is not yet supported

Priorities

Element description	ISO20022 tag	Occurrences	Data type	Target AdrLine mapping within MX unstructured	Priority for mapping within AdrLine
Debtor	<Dbtr>	[1..1]			
Name	<Nm>	[0..1]	text{1,140}		
Postal Address	<PstlAdr>	[0..1]			
Department	<Dept>	[0..1]	text{1,70}	3 (or truncate)	7
Sub Department	<SubDept>	[0..1]	text{1,70}	3 (or truncate)	8
Street Name	<StrtNm>	[0..1]	text{1,70}	3 (or truncate)	1
Building Number	<BldgNb>	[0..1]	text{1,16}	3 (or truncate)	2
Building Name	<BldgNm>	[0..1]	text{1,35}	3 (or truncate)	3
Floor	<Flr>	[0..1]	text{1,70}	3 (or truncate)	4
Post Box	<PstBx>	[0..1]	text{1,16}	3 (or truncate)	5
Room	<Room>	[0..1]	text{1,70}	3 (or truncate)	6
Post Code	<PstCd>	[0..1]	text{1,16}	3 (or 2)	3
Town Name	<TwnNm>	[0..1]	text{1,35}	3 (or 2)	2
Town Location Name	<TwnLctnNm>	[0..1]	text{1,35}	3 (or 2)	5
District Name	<DstrctNm>	[0..1]	text{1,35}	3 (or 2)	6
Country Sub-Division	<CtrySubDvsn>	[0..1]	text{1,35}	3 (or 2)	4
Country	<Ctry>	[0..1]	text[A-Z]{2,2}	3 (or 2)	1
Address Line	<AdrLine>	[0..1]	text{1,70}	1	1
Address Line	<AdrLine>	[0..1]	text{1,70}	2	2

MX address elements of output

<Nm> (mandatory)




AdrLine 3 (if not yet filled)	Prio 1: <StrtNm> Prio 2: <BldgNb> Prio 3: <BldgNm> Prio 4: <Flr> Prio 5: <PstBx> Prio 6: <Room> Prio 7: <Dept> Prio 8: <SubDept> (use '+' in case of space limitations)
AdrLine 3 (or 2 if not yet filled)	Prio 1: <Ctry> (mandatory) Prio 2: <TwnNm> (mandatory) Prio 3: <PstCd> Prio 4: <CtrySubDvsn> Prio 5: <TwnLctnNm> Prio 6: <DstrctNm> (use '+' in case of space limitations)
AdrLine 1 (and 2 if available)	Prio 1: <AdrLine> (first occurrence) Prio 2: <AdrLine> (second occurrence) (use '+' in case of space limitations)

5. Mapping principles

Mapping scheme 2

MX hybrid to MX unstructured – where hybrid is not yet supported

Example 2A: Prioritization of hybrid address information from MX hybrid to MX fully unstructured



5. Mapping principles

Mapping scheme 3

Populating Unstructured Address Data in MX Hybrid Ready Format

Unstructured Interoperability


Mapping Rules

- Where address data is received in fully unstructured format, there is a need to enable reconstruction of hybrid address elements.
- As an interoperability approach, **MT-like Option F formatting** (prefixes 1/, 2/, 3/) may be used within AdrLine to embed structure.
- Typical usage:
 - 2/ → Street Name, Building Number, Floor etc.
 - 3/ → /Country Code/Town Name, Post Code
- This supports receiving institutions in reconstructing hybrid or structured address elements, in particular for cross-border processing.
- This is an interim measure, where hybrid is not yet supported end-to-end, and not intended as a target state.

ISO 2002 Postal Address Data Elements*

Name	Town name	AddressLine
Post Code	Country	*Extract - used in the example below

Example:



Structuring Unstructured Address Data for Hybrid Reconstruction (Using MT-like Prefixes)


MT Option F Address	MX Hybrid Address
1/	N/A (always mapped to <Nm>)
2/	Prio 1: <StrtNm> Prio 2: <BldgNb> Prio 3: <AdrLine> (1 st occurrence) Prio 3: <AdrLine> (2 nd occurrence) Prio 4: <BldgNm> Prio 5: <Flr> Prio 6: <PstBx> Prio 7: <Room> Prio 8: <Dept> Prio 9: <SubDept> (use '+' in case of space limitations)
3/	Prio 1: <Ctry> (mandatory) Prio 2: <TwnNm> (mandatory) Prio 3: <PstCd> Prio 4: <CtrySubDvsn> Prio 5: <TwnLctnNm> Prio 6: <DstrctNm> (use '+' in case of space limitations)

5. Mapping principles

Illustration 1: Mapping from pain.001 to inter-bank

General use cases & rules

Where hybrid is not supported




Mapping scheme 1

Mapping scheme 2

Financial institutions allowing such customer-to-bank messages are responsible to ensure appropriate mapping from pain.001 to a valid inter-bank pacs.008 message :

- ➔ if forwarded into a MT-based system: semi-structured (option F)
- ➔ If forwarded to ISO2002: use unstructured AdrLines if hybrid is not supported by target infrastructure

Where is hybrid is supported



Standard ISO2002 mapping (1:1)


Once hybrid is supported by the receiving infrastructure, the hybrid addresses data in pain.001 should be forwarded as hybrid in the inter-bank message.

5. Mapping principles

Illustration 2: Intermediary bank mapping


General use cases & rules

Where hybrid is not supported



Standard mapping
of unstructured
address

Unstructured address data from MT103 should
be forwarded as unstructured MT103 / fully
unstructured pacs.008



Mapping scheme 1

Mapping scheme 2

Financial institutions exposed to market
infrastructures allowing usage of hybrid are
responsible for appropriate mapping from
pacs.008 to a valid inter-bank pacs.008
message :

- ➔ if forwarded into a MT-based system: semi-structured (option F)
- ➔ If forwarded to ISO20022: use unstructured AdrLines if hybrid is not supported by target infrastructure

5. Mapping principles

PMPG Guidance for interoperability with non-compliant market infrastructures

Despite the adoption of structured and hybrid postal addresses as the target standard in CBPR+, HVPS+, some market infrastructures may continue to operate on formats that allow or require fully unstructured address information.

Financial institutions interacting with such infrastructures must ensure appropriate mapping to maintain interoperability while remaining compliant with CBPR+ requirements. This applies in particular where address data needs to be transformed between structured/hybrid and unstructured formats in cross-border payment flows.

Mapping rules


Inbound from non-compliant Market Infrastructure (Unstructured → Hybrid)

- Extract and populate **<TwnNm>** and **<Ctry>** where reliably derivable
- Place remaining content in **<AdrLine>**
- Avoid duplication of structured elements
- Where **<TwnNm>** and/or **<Ctry>** cannot be reliably derived, apply appropriate repair or enrichment processes prior to forwarding

Outbound to non-compliant Market Infrastructures (Hybrid → Unstructured)

- Map structured and unstructured elements to **<AdrLine>**
- Use up to the allowed number of address lines (e.g. 3x35 characters for MT or MI constraints)
- Where supported, use semi-structured formats (e.g. F-option) to preserve address element granularity and facilitate reverse mapping to hybrid
- Ensure no loss of critical address information

Examples : MX Hybrid to Unstructured (Illustrative F-option)




5. Mapping principles


Illustration 3: Intermediary bank mapping

General use cases & rules

Where hybrid is supported



Once the receiving infrastructure supports hybrid, the hybrid address data in the pacs.008 should be forwarded as the hybrid address of the inter-bank message.



These guidelines could help to prevent negative impacts to the payment processing in the payment journey

- MX payments without the correct address format cannot be sent to cross-border CBPR+
- Exceptional or manual amendments could be needed with longer delivery time and incur repair fees
- Payments could be rejected or returned
- Delays could cause missing value dates
- Additional customer enquiries and investigations with counterparty banks

6. Town Name – special cases

1

Town Name *is not available*

How to proceed if no Town Name or City is available?

There are rare certain cases where a town or city name may not be available, particularly in remote areas. To address this, the PMPG suggests allowing a country subdivision (e.g., province, state, region, or county) to serve **as the next smallest identifying entity** when a town name is not clearly defined.

For clarity and consistency, the town name and the country subdivision (even if they have the same value) should be entered respectively if the same name applies at both levels. This ensures accurate geographic identification while accommodating regional variations in address conventions. The repetition of country subdivision indicates this formatting is intentional.

Examples

Sarah Johnson 101 Desert Road		123 Pingan Avenue	
TwnNm	Navajo County	TwnNm	Beijing
CtrySubDvsn	Arizona	CtrySubDvsn	Beijing
Ctry	US	Ctry	CN
Patrick O'Connor 789 Shamrock Lane		Priya Singh 456 Banyan Road	
TwnNm	County Kerry	TwnNm	District Kangra
Ctry	IE	CtrySubDvsn	Himachal Pradesh
		Ctry	IN

2

Town Name *is very long* (exceeding 35 characters)

How to handle very long Town Names?

For Town Name with >35 characters, the PMPG suggests truncating them to **something identifiable**. For example, while Welwyn Garden City is less than 35 characters, it could be abbreviated to “Welwyn Gdn Cty” for clarity. We believe that the industry is likely to move away from using “NOTPROVIDED” for compliance reasons, and it may eventually become a red-flag issue.

With that in mind, we recommend repeating the state/province in the Town Name element. In cases where there’s no clear town or city, the province can serve as the next smallest identifying entity, making it appropriate to list both the Town Name and State. This ensures clarity and emphasizes that both are associated with the address, much like the example “New York NY”.

Example

Full name: LlanfairpwllgwyngyllgogerychwyrndrobwlIantysiliogogogoch

58 characters (!)

Common abbreviations

Llanfairpwllgwyngyll
Llanfair Pwllgwyngyll
Llanfairpwll
Llanfair PG



a village on the Isle of Anglesey, Wales

6. Country mapping

The PMPG country mapping inventory provides a recommended ISO20022 element usage for local addresses



Please download the latest version from the [PMPG Document Centre](#)

Swift Payments Market Practice
Group document centre

All categories

Publication

Market practice guidelines

Documentation

Media

Last update
16 March 2020

Industry guidance on the introduction of the hybrid postal address

Detailed industry guidance on the introduction of the hybrid postal address from November 2020.

[Download >](#)

Last update
16 March 2020

Ultimate Parties in Cross-Border Payments

Master Practice Guidelines on the position of ultimate party data elements within ISO 20022 messages to support on...

[Download >](#)

M

Mandatory by scheme

E

Expected by local market practice

O

Optional element

C

Conditional (-> see comment)

N

No (element should not be used)

Appendix A: Migration Transition Scenarios

The guidance and examples in this appendix are intended **solely for interoperability scenarios between CBPR+ and payment market infrastructures that have implemented, or are implementing, structured address requirements and the removal of fully unstructured postal addresses.**

They should not be applied in payment flows or infrastructures where fully unstructured postal addresses continue to be supported, as this may result in unnecessary data transformation and loss of information. Institutions should follow the requirements of the relevant payment market infrastructure.


7. Migration Transition Scenario

Example: Return and Warehouse Payments Following Address Migration

This example illustrates a scenario where a payment market infrastructure has implemented the removal of fully unstructured postal addresses. A pacs.008 may have been initiated before implementation using a fully unstructured postal address, while the related pacs.004 return is generated after implementation, when fully unstructured postal addresses are no longer permitted by the relevant infrastructure.

The guidance below is intended solely for such migration scenarios and should not be applied in payment flows or infrastructures where fully unstructured postal addresses continue to be supported.

Examples : Illustrative comparison : pre- vs. post-migration format (not a message flow)



Summary

Mapping rules

- Fully unstructured postal addresses must not be used where the relevant payment market infrastructure has implemented their removal.
- Applies to:
 - Return messages (e.g. pacs.004)
 - Warehoused or held-over payments released after implementation of the local migration requirement
 - All parties in the message (including Debtor, Creditor and Agents)

Best effort structuring (primary approach)

- Extract and populate **<TwnNm>** and **<Ctry>** where reliably derivable* from the original message
- Place remaining address content into **<AdrLine>** (max. 2x70 characters)
- Do not duplicate structured elements in **<AdrLine>**

*When not reliably derivable, please see next page (Transitional Bridging)

7. Migration Transition Scenario

Exceptional Migration Bridging Scenario


Summary

In exceptional circumstances, a payment market infrastructure may require a structured or hybrid address format even though the original payment information was initiated using fully unstructured address data.

Where the required structured elements cannot be reliably derived, institutions may consider a temporary migration bridging mechanism to support operational continuity in accordance with the requirements of the relevant payment market infrastructure.

This scenario should only be considered where a payment market infrastructure has implemented the removal of fully unstructured postal addresses and where no alternative approach is available. It should not be applied in payment flows or infrastructures where fully unstructured postal addresses continue to be supported

Examples : Illustrative comparison : pre- vs. post-SR 2026 format (not a message flow)



7. Migration Transition Scenario

Mapping scheme 3 Transitional Bridging (Exceptional & Time-Bound)

Example 3a: Missing Town Name; Country Derived from Creditor Agent BIC (Last-Resort Scenario)

 **ISO 20022**

```
<CdtrAgt>
  <FinInstnId>
    <BICFI>GEBABEBB</BICFI>
  </FinInstnId>
</CdtrAgt>
```

Country Code

```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <AdrLine>2/HOOGSTRAAT 6, 18th FLOOR</AdrLine>
  </PstlAdr>
</Cdtr>
```

Town Name missing

Address Line(s)

 **ISO 20022**

```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <TwnNm>CUTOVER2026</TwnNm>
    <Ctry>BE</Ctry>
    <AdrLine>HOOGSTRAAT 6, 18th FLOOR</AdrLine>
  </PstlAdr>
</Cdtr>
```

This is a strictly temporary, last-resort measure to support operational continuity during a migration event where fully unstructured postal addresses are no longer supported by the relevant payment market infrastructure.

Deriving country information from the Creditor Agent BIC may not reflect the actual party location and may introduce data quality and compliance risks. Institutions remain responsible for any resulting inaccuracies.

This approach must remain time-bound and must not be used as standard market practice.

Illustrative example using migration indicator: CUTOVER2026

7. Migration Transition Scenario

Mapping scheme 3 Transitional Bridging (Exceptional & Time-Bound)

Example 3b: Ambiguous Unstructured Address Content – No Reliable Derivation



```
<CdtrAgt>
  <FinInstnId>
    <BICFI>GEBABEBB</BICFI>
  </FinInstnId>
</CdtrAgt>
```

Country Code

```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <AdrLine>HOOGSTRAAT 6, BELGIQUE 1000 BRUX</AdrLine>
    <AdrLine>18th FLOOR, APT 128</AdrLine>
  </PstlAdr>
</Cdtr>
```

Town Name not derivable

Address Line(s)

Town Name and Country cannot be reliably identified due to ambiguous formatting, language or ordering.

This scenario may require the transitional bridging mechanism as a last-resort measure.

Any derivation of address elements may introduce data quality and compliance risks and remains the responsibility of the institution.

This approach remains time-bound and limited to the relevant migration event. It must not become a permanent market practice.



```
<Cdtr>
  <Nm>JOHN SMITH</Nm>
  <PstlAdr>
    <TwnNm>CUTOVER2026</TwnNm>
    <Ctry>BE</Ctry>
    <AdrLine>HOOGSTRAAT 6, BELGIQUE 1000 BRUX</AdrLine>
    <AdrLine>18TH FLOOR, APT 128</AdrLine>
  </PstlAdr>
</Cdtr>
```

To contact the PMPG or provide feedback on the content of this paper, please email info@pmpg.info



Follow us on

