Modern Data Science with vaex:

A new approach to DataFrames and pipelines

Maarten Breddels & Jovan Veljanoski vaex.io





Maarten Breddels

Former astrophysicist
Freelancer / consultant / data scientist
Core Jupyter-Widgets developer
QuantStack partner
Founder of vaex.io
Principal author of vaex

- ☐ maartenbreddels@gmail.com
- **G** www.maartenbreddels.com
- @maartenbreddels
- github.com/maartenbreddels



Maarten Breddels

Former astrophysicist
Freelancer / consultant / data scientist
Core Jupyter-Widgets developer
QuantStack partner
Founder of vaex.io
Principal author of vaex

G www.maartenbreddels.com **■** @maartenbreddels

github.com/maartenbreddels



Jovan Veljanoski

Former astrophysicist Sr. Data Scientist @ XebiaLabs Co-founder of vaex.io

☑ jovan.veljanoski@gmail.com

in https://www.linkedin.com/in/jovanvel/



Maarten Breddels
Former astrophysicist
Freelancer / consultant / data scientist
Core Jupyter-Widgets developer
QuantStack partner
Founder of vaex.io
Principal author of vaex

☑ maartenbreddels@gmail.com**G** www.maartenbreddels.com

@maartenbreddels

github.com/maartenbreddels



Jovan Veljanoski
Former astrophysicist
Sr. Data Scientist @ XebiaLabs
Co-founder of vaex.io
☑ jovan.veljanoski@gmail.com
in https://www.linkedin.com/in/jovanvel/



Yonatan Alexander
Head of Data Science at BuiltOn

☑ jonathan@xdss.io
in https://www.linkedin.com/in/xdssio/



Mario Buikhuizen

Freelancer / consultant

Front-end / dashboards / widgets specialist


☑ mbuikhuizen@gmail.com

Outline

- What is vaex?
- Why does vaex exist?
- What makes vaex unique?
 - DataFrame: Data + state
 - Expression system
- Live demo from notebook
- Misc
 - AWS s3 support, CUDA, remote data frames, xarray

PyViz landscape

unorganized or choice



Adaptation of Jake VanderPlas graphic about the Python visualization landscape, by Nicolas P. Rougier

Pandas

- Pandas
 - dask.dataframe

- Pandas
 - dask.dataframe
 - Modin (using Ray)

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)
- cudf (nVidia/rapids)

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)
- cudf (nVidia/rapids)
- Kaolas (databricks)

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)
- cudf (nVidia/rapids)
- Kaolas (databricks)
- Vaex (vaex.io)

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)
- cudf (nVidia/rapids)
- Kaolas (databricks)
- Vaex (vaex.io)
- Data format?

- Pandas
 - dask.dataframe
 - Modin (using Ray)
- SFrame (turi/Apple)
- cudf (nVidia/rapids)
- Kaolas (databricks)
- Vaex (vaex.io)
- Data format?
 - Apache Arrow

• DataFrame library (vaex-core) ala Pandas

- DataFrame library (vaex-core) ala Pandas
- Many (domain specific) libraries
 - vaex-hdf5 hdf5 file support
 - vaex-arrow Apache Arrow support
 - vaex-viz (matplotlib) based plotting
 - vaex-server serves remote data frames
 - vaex-ml ML integration (sklearn, annoy, xgboost, lightgbm, catboost) + automatic pipelines

• ...

- DataFrame library (vaex-core) ala Pandas
- Many (domain specific) libraries
 - vaex-hdf5 hdf5 file support
 - vaex-arrow Apache Arrow support
 - vaex-viz (matplotlib) based plotting
 - vaex-server serves remote data frames
 - vaex-ml ML integration (sklearn, annoy, xgboost, lightgbm, catboost) + automatic pipelines
 - ...
- pip install vaex==2 / conda install -c conda-forge vaex

- DataFrame library (vaex-core) ala Pandas
- Many (domain specific) libraries
 - vaex-hdf5 hdf5 file support
 - vaex-arrow Apache Arrow support
 - vaex-viz (matplotlib) based plotting
 - vaex-server serves remote data frames
 - vaex-ml ML integration (sklearn, annoy, xgboost, lightgbm, catboost) + automatic pipelines
 - ...
- pip install vaex==2 / conda install -c conda-forge vaex
- Without the kitchen sink:
 - pip install vaex-core vaex-hdf5 vaex-viz vaex-ml

Very memory efficient due to expression system

- Very memory efficient due to expression system
 - +free pipelines

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping
 - Open a 1.2TB file on your laptop instantly

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping
 - Open a 1.2TB file on your laptop instantly
- No cluster needed

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping
 - Open a 1.2TB file on your laptop instantly
- No cluster needed
 - Handle over 1 billion rows on your laptop

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping
 - Open a 1.2TB file on your laptop instantly
- No cluster needed
 - Handle over 1 billion rows on your laptop
 - 10-1000x string processing speedup (wrt Pandas)

- Very memory efficient due to expression system
 - +free pipelines
 - +free jitting to numba/pythran/CUDA
- Hdf5 + arrow spec (columnar storage) + memory mapping
 - Open a 1.2TB file on your laptop instantly
- No cluster needed
 - Handle over 1 billion rows on your laptop
 - 10-1000x string processing speedup (wrt Pandas)
 - Saves time/money/energy

```
df = {
    'data': {
        'x': np.arange(4),
        'y': np.array([0, np.nan, 5, 1, 1e10])
    },
    'state': {}
}
```

```
df = {
    'data': {
        'x': np.arange(4),
        'y': np.array([0, np.nan, 5, 1, 1e10])
    },
    'state': {}
}
df2 = df[df.y<10]</pre>
```

```
df = {
   'data': {
        'x': np.arange(4),
        'y': np.array([0, np.nan, 5, 1, 1e10])
    },
    'state': {}
df2 = df[df.y<10]
df2 = {
    'data': same_data,
    'state': {
        'filter': 'y < 10'
```

```
df = {
   'data': {
        'x': np.arange(4),
        'y': np.array([0, np.nan, 5, 1, 1e10])
    },
    'state': {}
df2 = df[df.y<10]
df2 = {
    'data': same_data,
    'state': {
        'filter': 'y < 10'
df2['z'] = df.x + df.y*10
```

```
df = {
   'data': {
        'x': np.arange(4),
        'y': np.array([0, np.nan, 5, 1, 1e10])
    },
    'state': {}
df2 = df[df.y<10]
df2 = {
    'data': same data,
    'state': {
        'filter': 'y < 10'
df2['z'] = df.x + df.y*10
df2 = {
    'data': same data
    'state': {
        'filter': 'y < 10'
         'virtual_columns': {
             'z': 'x + y*10'
```

"Never do a live demo"

-Many people

Vaex: A very fast and memory efficient Dataframe library

- Vaex: A very fast and memory efficient Dataframe library
 - 1 billion rows 1TB data on a laptop

- Vaex: A very fast and memory efficient Dataframe library
 - 1 billion rows 1TB data on a laptop
- Concept of data + state (virtual columns, filters)

- Vaex: A very fast and memory efficient Dataframe library
 - 1 billion rows 1TB data on a laptop
- Concept of data + state (virtual columns, filters)
- Expression system allows jitting (numba, pythran, CUDA)

- Vaex: A very fast and memory efficient Dataframe library
 - 1 billion rows 1TB data on a laptop
- Concept of data + state (virtual columns, filters)
- Expression system allows jitting (numba, pythran, CUDA)
- State 'remembers' the 'pipeline', it's an artifact you get for free. Easy deployment.

- Vaex: A very fast and memory efficient Dataframe library
 - 1 billion rows 1TB data on a laptop
- Concept of data + state (virtual columns, filters)
- Expression system allows jitting (numba, pythran, CUDA)
- State 'remembers' the 'pipeline', it's an artifact you get for free. Easy deployment.
- S3 support, remote dataframes.

Resources

- Contact:
 - contact@vaex.io
 - maartenbreddels@gmail.com
 - jovan.veljanoski@gmail.com
 - Twitter: @maartenbreddels / @vaex_io
- vaex.io / docs.vaex.io
- github.com/vaexio/vaex/
- github.com/vaexio/vaex-talks/
- Medium
 - Vaex: Out of Core Dataframes for Python and Fast Visualization
 - Vaex: A DataFrame with super strings