

1) Rate:

INSERT INTO RATE (LowWeight,UpWeight,RatePrice) VALUES(1,10,50);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice) VALUES(1001,11,20,100);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice) VALUES(1002,21,30,150);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice) VALUES(1003,31,40,200);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice)VALUES
(1004,41,50,300);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice) VALUES
(1005,51,60,500);

INSERT INTO RATE (RateID,LowWeight,UpWeight,RatePrice)VALUES
(1006,61,100,1000);

2) Insurance:

Insert INTO Insurance(InsType,InsPrice) VALUES ('1000',15);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (101,'500-1000',10);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (102,'1000-1500',15);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (103,'1500-2000',25);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (104,'2000-5000',50);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (105,'5000-20,000',100);

Insert INTO Insurance(InsID,InsType,InsPrice) VALUES (106,'above
20,000',150);

3) Stamps:

INSERT INTO Stamp(StampType,StampPrice) values ('Green',8);

INSERT INTO Stamp(StampID,StampType,StampPrice) values
(101,'Qingdao',12);

INSERT INTO Stamp(StampID,StampType,StampPrice) values (102,'Sir
Sayyed',5);

INSERT INTO Stamp(StampID,StampType,StampPrice) values (103,'Dr
Ruth',10);

Insert INTO Stamp(StampID,StampType,StampPrice) values (104,'Sayyed',2);

Insert INTO Stamp(StampID,StampType,StampPrice) VALUES(105,'Broad',5);

Insert INTO Stamp(StampID,StampType,StampPrice) VALUES(106,'Mirza
Asad',10);

4) Employee:

INSERT INTO

Employee(EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,Em
pDOB,EmpGender,JobTitle)

Values('Ayesha','2000','61101-8931010-6','0333-2353425','ayesha.abbas@ik.edu.c
om','Bahria town',to_date('1/1/1974', 'DD-MM-YYYY'),'F','Officer');

INSERT INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2000,'Huda

Inam',NULL,'61101-5649782-8','0333-2423433','huda.inam@gmail.com','Chak Shehzad',to_date('17/4/1984', 'DD-MM-YYYY'),'F','Manager');

INSERT INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2001,'M.Ahmed','2000','61101-1818183-7','0321-4334532','m.ahmed@gmail.com','Bani Gala',to_date('17/4/1971', 'DD-MM-YYYY'),'M','Officer');

INSERT INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2002,'Ali

Ahmed','2000','37405-6757635-9','0314-4334532','ali.ahmed@gmail.com','Dhamiy al',to_date('21/9/1982', 'DD-MM-YYYY'),'M','PostBoy');

Insert INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2003,'Wasay

Chaudhry','2000','37405-4141835-1','0333-3380103','wasay@hotmail.com','Orchid Scheme',to_date('11/8/1988', 'DD-MM-YYYY'),'M','PostBoy');

Insert INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2004,'Majeed

Khan','2000','61101-0900127-3','0321-4543534','majeed.@khangmail.com','I-8/4,Isb',to_date('11/4/1964', 'DD-MM-YYYY'),'M','Officer');

Insert INTO

Employee(EmpID,EmpName,EmpMgrID,EmpCNIC,EmpPh#,EmpEmail,EmpAddress,EmpDOB,EmpGender,JobTitle)

Values(2005,'Amna

Azam','2000','37405-4567374-6','0300-4354453','amna.azam@gmail.com','Double Road',to_date('6/11/1958', 'DD-MM-YYYY'),'F','Officer');

5) Post Office:

INSERT INTO PostOffice(GpoBranch#,BranchName,POType,Location) values ('PO804','Pak_Post1','GPO','Islamabad');

INSERT INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location) values (801,'PO801','Pak_Post2','Post office','Islamabad');

INSERT INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location) values (802,'PO801','Pak_Post3','Post office','Islamabad');

INSERT INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location) values (803,'PO802','Pak_Post4','GPO','Lahore');

```
Insert INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location)
Values(804,'PO804','Pak_Post5','Post office','Lahore');
```

```
Insert INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location)
Values(805,'PO807','Pak_Post6','Post office','Lahore');
```

```
Insert INTO PostOffice(Branch#,GpoBranch#,BranchName,POType,Location)
Values(806,'PO804','Pak_Post7','GPO','Rawalpindi');
```

6) Parcel:

```
Insert INTO Parcel(ParType,ParWeight,RateID,TracID,StampID,InsID)
Values('Letters',5,1000,5000,100,100);
```

7) Tracking:

```
Insert INTO Tracking(TravelDate,DeliveryDate,Status) Values (to_date('3/3/2019',
'DD-MM-YYYY'),to_date('3/3/2019', 'DD-MM-YYYY'),'Delivered');
```

8) Tracking History:

```
Insert INTO TrackingHistory(TracID,TracSno,CurrStatus,CurrLocation,TracDate)
Values(5000,1,'Arrived','Islamabad',to_date('3/3/2019', 'DD-MM-YYYY'));
```

```
Insert INTO TrackingHistory(TracID,TracSno,CurrStatus,CurrLocation,TracDate)
Values(5000,2,'Arrived','Lahore',to_date('3/1/2019', 'DD-MM-YYYY'));
```

9) Sender:

```
Insert INTO
Sender(SendName,SendAddress,SendPh#,SendGender,SendCNIC,SendEmail)
```

Values('Shezel Shoaib','DHA Phase
2','0310-9374622','F','61101-8938095-6','Shehzal@gmail.com');

10) Invoice:

Insert INTO

Invoice(InvDate,ParID,TracID,SendID,EmpID,RecName,RecAddress,RecPh#,Service,TotalPrice,Branch#) values (to_date('1/3/2019','DD-MM-YYYY'),1000,5000,1900,1999,'M.Saad Alam','DHA
1,Lhr','0333-2353425','Urgent',150,800);