






design_circular_queue.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
Start here
design_circular_queue.cpp
#include <iostream>
using namespace std;
class MyCircularQueue {
private:
int *arr;
int size;
int front;
int rear;
int count;
public:
MyCircularQueue(int k) {
size = k;
arr = new int[size];
front = 0;
rear = -1;
count = 0;
}
bool enQueue(int value) {
if (isFull()) {
return false;
}
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\design_circular_queue.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 1, Col 1, Pos 0
Insert
Read/Write
default



design_circular_queue.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
MyCircularQueue::
deQueue() : bool
Start here
design_circular_queue.cpp
21 bool enQueue(int value) {
22 if (isFull()) {
23 return false;
24 }
25
26 rear = (rear + 1) % size;
27 arr[rear] = value;
28 count++;
29
30 return true;
31 }
32
33 bool deQueue() {
34 if (isEmpty()) {
35 return false;
36 }
37
38 front = (front + 1) % size;
39 count--;
40
41 return true;
42 }
43
44 int Front() {
45 if (isEmpty()) {
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\design_circular_queue.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 42, Col 1, Pos 693
Insert
Read/Write
default



design_circular_queue.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
MyCircularQueue::
isFull() : bool
Start here
design_circular_queue.cpp
43
44 int Front() {
45 if (isEmpty()) {
46 return -1;
47 }
48
49 return arr[front];
50 }
51
52 int Rear() {
53 if (isEmpty()) {
54 return -1;
55 }
56
57 return arr[rear];
58 }
59
60 bool isEmpty() {
61 return count == 0;
62 }
63
64 bool isFull() {
65 return count == size;
66 }
67
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\design_circular_queue.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 64, Col 1, Pos 997
Insert
Read/Write
default



design_circular_queue.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
MyCircularQueue::
~MyCircularQueue()
Start here
design_circular_queue.cpp
68 ~MyCircularQueue() {
69 delete[] arr;
70 }
71 };
72
73 int main() {
74 MyCircularQueue q(3);
75
76 cout << boolalpha;
77
78 cout << q.enQueue(1) << endl;
79 cout << q.enQueue(2) << endl;
80 cout << q.enQueue(3) << endl;
81 cout << q.enQueue(4) << endl;
82
83 cout << q.Rear() << endl;
84 cout << q.isFull() << endl;
85
86 cout << q.deQueue() << endl;
87 cout << q.enQueue(4) << endl;
88
89 cout << q.Rear() << endl;
90
91 return 0;
92 }
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\design_circular_queue.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 70, Col 1, Pos 1107
Insert
Read/Write
default



C:\Users\HP\Desktop\DSA_lal
true
true
true
false
3
true
true
true
4
Process returned 0 (0x0)   execution time : 0.798 s
Press any key to continue.



range_sum_query.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
Start here
design_circular_queue.cpp
range_sum_query.cpp
#include <iostream>
#include <vector>
using namespace std;
class NumMatrix {
private:
vector<vector<int>> prefix;
public:
NumMatrix(vector<vector<int>>& matrix) {
int m = matrix.size();
int n = matrix[0].size();
prefix.resize(m + 1, vector<int>(n + 1, 0));
for (int i = 1; i <= m; i++) {
for (int j = 1; j <= n; j++) {
prefix[i][j] = matrix[i - 1][j - 1]
+ prefix[i - 1][j]
+ prefix[i][j - 1]
- prefix[i - 1][j - 1];
}
}
}
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\range_sum_query.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 1, Col 1, Pos 0
Insert
Read/Write
default



range_sum_query.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
NumMatrix:
sumRegion(int row1, int col1, int row2, int col2) : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
25
26 int sumRegion(int row1, int col1, int row2, int col2) {
27 row1++;
28 col1++;
29 row2++;
30 col2++;
31
32 return prefix[row2][col2]
33 - prefix[row1 - 1][col2]
34 - prefix[row2][col1 - 1]
35 + prefix[row1 - 1][col1 - 1];
36 }
37 };
38
39 int main() {
40 vector<vector<int>> matrix = {
41 {3, 0, 1, 4, 2},
42 {5, 6, 3, 2, 1},
43 {1, 2, 0, 1, 5},
44 {4, 1, 0, 1, 7},
45 {1, 0, 3, 0, 5}
46 };
47
48 NumMatrix obj(matrix);
49
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\range_sum_query.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 27, Col 1, Pos 693
Insert
Read/Write
default



range_sum_query.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
NumMatrix:
sumRegion(int row1, int col1, int row2, int col2) : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
- prefix[row2][col1 - 1]
+ prefix[row1 - 1][col1 - 1];
}
];
int main() {
vector<vector<int>> matrix = {
{3, 0, 1, 4, 2},
{5, 6, 3, 2, 1},
{1, 2, 0, 1, 5},
{4, 1, 0, 1, 7},
{1, 0, 3, 0, 5}
};
NumMatrix obj(matrix);
cout << obj.sumRegion(2, 1, 4, 3) << endl;
cout << obj.sumRegion(1, 1, 2, 2) << endl;
cout << obj.sumRegion(1, 2, 2, 4) << endl;
return 0;
}
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\range_sum_query.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 27, Col 1, Pos 693
Insert
Read/Write
default



C:\Users\HP\Desktop\DSA_lal
8
11
12
Process returned 0 (0x0)   execution time : 1.037 s
Press any key to continue.



reverse_linked_list.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
#include <iostream>
using namespace std;
struct ListNode {
int val;
ListNode* next;
ListNode(int x) {
val = x;
next = NULL;
}
};
class Solution {
public:
ListNode* reverseBetween(ListNode* head, int left, int right) {
if (head == NULL || left == right) {
return head;
}
ListNode* dummy = new ListNode(0);
dummy->next = head;
ListNode* prev = dummy;
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\reverse_linked_list.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 71, Col 27, Pos 1477
Insert
Read/Write
default



reverse_linked_list.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
for (int i = 1; i < left; i++) {
prev = prev->next;
}
ListNode* curr = prev->next;
for (int i = 0; i < right - left; i++) {
ListNode* temp = curr->next;
curr->next = temp->next;
temp->next = prev->next;
prev->next = temp;
}
ListNode* newHead = dummy->next;
delete dummy;
return newHead;
}
};
int main() {
Solution obj;
ListNode* head = new ListNode(1);
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\reverse_linked_list.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 46, Col 13, Pos 925
Insert
Read/Write
default



reverse_linked_list.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
45
46 int main() {
47 Solution obj;
48
49 ListNode* head = new ListNode(1);
50 head->next = new ListNode(2);
51 head->next->next = new ListNode(3);
52 head->next->next->next = new ListNode(4);
53 head->next->next->next->next = new ListNode(5);
54
55 int left = 2;
56 int right = 4;
57
58 head = obj.reverseBetween(head, left, right);
59
60 cout << "Output: ";
61
62 ListNode* temp = head;
63
64 while (temp != NULL) {
65 cout << temp->val;
66
67 if (temp->next != NULL) {
68 cout << " -> ";
69 }
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\reverse_linked_list.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 66, Col 1, Pos 1372
Insert
Read/Write
default



reverse_linked_list.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
62 ListNode* temp = head;
63
64 while (temp != NULL) {
65 cout << temp->val;
66
67 if (temp->next != NULL) {
68 cout << " -> ";
69 }
70
71 temp = temp->next;
72 }
73
74 cout << endl;
75
76 while (head != NULL) {
77 ListNode* temp = head;
78 head = head->next;
79 delete temp;
80 }
81
82 return 0;
83 }
84
85
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\reverse_linked_list.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 84, Col 1, Pos 1646
Insert
Read/Write
default


C:\Users\HP\Desktop\DSA_lat
Output: 1 -> 4 -> 3 -> 2 -> 5
Process returned 0 (0x0)   execution time : 0.879 s
Press any key to continue.


unique_paths.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
unique_paths.cpp
#include <iostream>
#include <vector>
using namespace std;
int uniquePathsWithObstacles(vector<vector<int>>& obstacleGrid) {
int m = obstacleGrid.size();
int n = obstacleGrid[0].size();
vector<vector<int>> dp(m, vector<int>(n, 0));
if (obstacleGrid[0][0] == 1)
return 0;
dp[0][0] = 1;
for (int i = 0; i < m; i++) {
for (int j = 0; j < n; j++) {
if (obstacleGrid[i][j] == 1) {
dp[i][j] = 0;
}
else if (i == 0 && j == 0) {
continue;
}
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\unique_paths.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 49, Col 2, Pos 1059
Insert
Read/Write
default


unique_paths.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
unique_paths.cpp
24 }
25 else {
26 if (i > 0)
27 dp[i][j] += dp[i - 1][j];
28
29 if (j > 0)
30 dp[i][j] += dp[i][j - 1];
31 }
32 }
33 }
34
35 return dp[m - 1][n - 1];
36 }
37
38 int main() {
39 vector<vector<int>> obstacleGrid = {
40 {0, 0, 0},
41 {0, 1, 0},
42 {0, 0, 0}
43 };
44
45 cout << "Unique Paths: "
46 << uniquePathsWithObstacles(obstacleGrid) << endl;
47
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
Users\HP\Desktop\DSA_lab_assignment\unique_paths.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 44, Col 1, Pos 948
Insert
Read/Write
default


unique_paths.cpp - Code::Blocks 25.03
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
<global>
main() : int
Start here
design_circular_queue.cpp
range_sum_query.cpp
reverse_linked_list.cpp
unique_paths.cpp
28
29 if (j > 0)
30 dp[i][j] += dp[i][j - 1];
31 }
32 }
33 }
34
35 return dp[m - 1][n - 1];
36 }
37
38 int main() {
39 vector<vector<int>> obstacleGrid = {
40 {0, 0, 0},
41 {0, 1, 0},
42 {0, 0, 0}
43 };
44
45 cout << "Unique Paths: "
46 << uniquePathsWithObstacles(obstacleGrid) << endl;
47
48 return 0;
49 }
50
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck/Vera++
CppCheck/Vera++ messages
Cscope
Debugger
DoxyBlocks
Fortran info
Closed files list
Thread search
C:\Users\HP\Desktop\DSA_lab_assignment\unique_paths.cpp
C/C++
Windows (CR+LF)
WINDOWS-1252
Line 49, Col 2, Pos 1059
Insert
Read/Write
default


C:\Users\HP\Desktop\DSA_lal
Unique Paths: 2
Process returned 0 (0x0)   execution time : 0.555 s
Press any key to continue.