

Icons class abstract final



Identifiers for the supported [Material Icons](#).


Use with the [Icon](#) class to show specific icons. Icons are identified by their name as listed below, e.g. [Icons.airplanemode_on](#).

Search and find the perfect icon on the [Google Fonts](#) website.

To use this class, make sure you set `uses-material-design: true` in your project's `pubspec.yaml` file in the `flutter` section. This ensures that the Material Icons font is included in your application. This font is used to display the icons. For example:

```
name: my_awesome_application
flutter:
  uses-material-design: true
```

This example shows how to create a [Row](#) of [Icons](#) in different colors and sizes. The first [Icon](#) uses a [Icon.semanticLabel](#) to announce in accessibility modes like TalkBack and VoiceOver.



```
const Row(
  mainAxisAlignment: MainAxisAlignment.spaceAround,
  children: <Widget>[
    Icon(
      Icons.favorite,
      color: Colors.pink,
      size: 24.0,
```



```

        semanticLabel: 'Text to announce in accessibility modes',
    ),
    Icon(
        Icons.audiotrack,
        color: Colors.green,
        size: 30.0,
    ),
    Icon(
        Icons.beach_access,
        color: Colors.blue,
        size: 36.0,
    ),
  ],
)

```

See also:

- [Icon](#)
- [IconButton](#)
- material.io/resources/icons
- [AnimatedIcons](#), for the list of available animated Material Icons.

Implementers

[PlatformAdaptiveIcons](#)

Annotations

@[staticIconProvider](#)

Properties

hashCode → [int](#)

The hash code for this object.

no setter

inherited

runtimeType → [Type](#)

A representation of the runtime type of the object.

no setter

inherited

Methods

noSuchMethod (*Invocation* invocation) → *dynamic*

Invoked when a nonexistent method or property is accessed.

inherited

toString () → *String*

A string representation of this object.

inherited

Operators

operator == (*Object* other) → *bool*

The equality operator.

inherited

Static Properties

adaptive → *PlatformAdaptiveIcons*

A set of platform-adaptive Material Design icons.

no setter

Constants

abc → const *IconData*

ABC — material icon named "abc".

abc_outlined → const *IconData*

ABC — material icon named "abc" (outlined).

abc_rounded → const *IconData*

ABC — material icon named "abc" (round).

abc_sharp → const IconData

ABC — material icon named "abc" (sharp).

ac_unit → const IconData

 — material icon named "ac unit".

ac_unit_outlined → const IconData

 — material icon named "ac unit" (outlined).

ac_unit_rounded → const IconData

 — material icon named "ac unit" (round).

ac_unit_sharp → const IconData

 — material icon named "ac unit" (sharp).

access_alarm → const IconData

 — material icon named "access alarm".

access_alarm_outlined → const IconData

 — material icon named "access alarm" (outlined).

access_alarm_rounded → const IconData

 — material icon named "access alarm" (round).

access_alarm_sharp → const IconData

 — material icon named "access alarm" (sharp).

access_alarms → const IconData

 — material icon named "access alarms".

[access_alarms_outlined](#) → const IconData

 — material icon named "access alarms" (outlined).

[access_alarms_rounded](#) → const IconData

 — material icon named "access alarms" (round).

[access_alarms_sharp](#) → const IconData

 — material icon named "access alarms" (sharp).

[access_time](#) → const IconData

 — material icon named "access time".

[access_time_filled](#) → const IconData

 — material icon named "access time filled".

[access_time_filled_outlined](#) → const IconData

 — material icon named "access time filled" (outlined).

[access_time_filled_rounded](#) → const IconData

 — material icon named "access time filled" (round).

[access_time_filled_sharp](#) → const IconData

 — material icon named "access time filled" (sharp).

[access_time_outlined](#) → const IconData

 — material icon named "access time" (outlined).

[access_time_rounded](#) → const IconData



— material icon named "access time" (round).

access_time_sharp → const IconData



— material icon named "access time" (sharp).

accessibility → const IconData



— material icon named "accessibility".

accessibility_new → const IconData



— material icon named "accessibility new".

accessibility_new_outlined → const IconData



— material icon named "accessibility new" (outlined).

accessibility_new_rounded → const IconData



— material icon named "accessibility new" (round).

accessibility_new_sharp → const IconData



— material icon named "accessibility new" (sharp).

accessibility_outlined → const IconData



— material icon named "accessibility" (outlined).

accessibility_rounded → const IconData



— material icon named "accessibility" (round).

accessibility_sharp → const IconData



— material icon named "accessibility" (sharp).

accessible → const IconData



— material icon named "accessible".

accessible_forward → const IconData



— material icon named "accessible forward".

accessible_forward_outlined → const IconData



— material icon named "accessible forward" (outlined).

accessible_forward_rounded → const IconData



— material icon named "accessible forward" (round).

accessible_forward_sharp → const IconData



— material icon named "accessible forward" (sharp).

accessible_outlined → const IconData



— material icon named "accessible" (outlined).

accessible_rounded → const IconData



— material icon named "accessible" (round).

accessible_sharp → const IconData



— material icon named "accessible" (sharp).

account_balance → const IconData



— material icon named "account balance".

account_balance_outlined → const IconData



— material icon named "account balance" (outlined).

account_balance_rounded → const IconData



— material icon named "account balance" (round).

[account_balance_sharp](#) → const IconData



— material icon named "account balance" (sharp).

[account_balance_wallet](#) → const IconData



— material icon named "account balance wallet".

[account_balance_wallet_outlined](#) → const IconData



— material icon named "account balance wallet" (outlined).

[account_balance_wallet_rounded](#) → const IconData



— material icon named "account balance wallet" (round).

[account_balance_wallet_sharp](#) → const IconData



— material icon named "account balance wallet" (sharp).

[account_box](#) → const IconData



— material icon named "account box".

[account_box_outlined](#) → const IconData



— material icon named "account box" (outlined).

[account_box_rounded](#) → const IconData



— material icon named "account box" (round).

[account_box_sharp](#) → const IconData



— material icon named "account box" (sharp).

[account_circle](#) → const IconData

 — material icon named "account circle".

[account_circle_outlined](#) → const IconData

 — material icon named "account circle" (outlined).

[account_circle_rounded](#) → const IconData

 — material icon named "account circle" (round).

[account_circle_sharp](#) → const IconData

 — material icon named "account circle" (sharp).

[account_tree](#) → const IconData

 — material icon named "account tree".

[account_tree_outlined](#) → const IconData

 — material icon named "account tree" (outlined).

[account_tree_rounded](#) → const IconData

 — material icon named "account tree" (round).

[account_tree_sharp](#) → const IconData

 — material icon named "account tree" (sharp).

[ad_units](#) → const IconData

 — material icon named "ad units".

[ad_units_outlined](#) → const IconData

 — material icon named "ad units" (outlined).

[ad_units_rounded](#) → const IconData



— material icon named "ad units" (round).

ad_units_sharp → const IconData



— material icon named "ad units" (sharp).

adb → const IconData



— material icon named "adb".

adb_outlined → const IconData



— material icon named "adb" (outlined).

adb_rounded → const IconData



— material icon named "adb" (round).

adb_sharp → const IconData



— material icon named "adb" (sharp).

add → const IconData



— material icon named "add".

add_a_photo → const IconData



— material icon named "add a photo".

add_a_photo_outlined → const IconData



— material icon named "add a photo" (outlined).

add_a_photo_rounded → const IconData



— material icon named "add a photo" (round).

add_a_photo_sharp → const IconData



— material icon named "add a photo" (sharp).

`add_alarm` → const `IconData`



— material icon named "add alarm".

`add_alarm_outlined` → const `IconData`



— material icon named "add alarm" (outlined).

`add_alarm_rounded` → const `IconData`



— material icon named "add alarm" (round).

`add_alarm_sharp` → const `IconData`



— material icon named "add alarm" (sharp).

`add_alert` → const `IconData`



— material icon named "add alert".

`add_alert_outlined` → const `IconData`



— material icon named "add alert" (outlined).

`add_alert_rounded` → const `IconData`



— material icon named "add alert" (round).

`add_alert_sharp` → const `IconData`



— material icon named "add alert" (sharp).

`add_box` → const `IconData`



— material icon named "add box".

`add_box_outlined` → const `IconData`



— material icon named "add box" (outlined).

[add_box_rounded](#) → const [IconData](#)



— material icon named "add box" (round).

[add_box_sharp](#) → const [IconData](#)



— material icon named "add box" (sharp).

[add_business](#) → const [IconData](#)



— material icon named "add business".

[add_business_outlined](#) → const [IconData](#)



— material icon named "add business" (outlined).

[add_business_rounded](#) → const [IconData](#)



— material icon named "add business" (round).

[add_business_sharp](#) → const [IconData](#)



— material icon named "add business" (sharp).

[add_call](#) → const [IconData](#)



— material icon named "add call".

[add_card](#) → const [IconData](#)



— material icon named "add card".

[add_card_outlined](#) → const [IconData](#)



— material icon named "add card" (outlined).

[add_card_rounded](#) → const [IconData](#)

 — material icon named "add card" (round).

`add_card_sharp` → const `IconData`

 — material icon named "add card" (sharp).

`add_chart` → const `IconData`

 — material icon named "add chart".

`add_chart_outlined` → const `IconData`

 — material icon named "add chart" (outlined).

`add_chart_rounded` → const `IconData`

 — material icon named "add chart" (round).

`add_chart_sharp` → const `IconData`

 — material icon named "add chart" (sharp).

`add_circle` → const `IconData`

 — material icon named "add circle".

`add_circle_outline` → const `IconData`

 — material icon named "add circle outline".

`add_circle_outline_outlined` → const `IconData`

 — material icon named "add circle outline" (outlined).

`add_circle_outline_rounded` → const `IconData`

 — material icon named "add circle outline" (round).

`add_circle_outline_sharp` → const `IconData`

 — material icon named "add circle outline" (sharp).

[add_circle_outlined](#) → const IconData

 — material icon named "add circle" (outlined).

[add_circle_rounded](#) → const IconData

 — material icon named "add circle" (round).

[add_circle_sharp](#) → const IconData

 — material icon named "add circle" (sharp).

[add_comment](#) → const IconData

 — material icon named "add comment".

[add_comment_outlined](#) → const IconData

 — material icon named "add comment" (outlined).

[add_comment_rounded](#) → const IconData

 — material icon named "add comment" (round).

[add_comment_sharp](#) → const IconData

 — material icon named "add comment" (sharp).

[add_home](#) → const IconData

 — material icon named "add home".

[add_home_outlined](#) → const IconData

 — material icon named "add home" (outlined).

[add_home_rounded](#) → const IconData



— material icon named "add home" (round).

`add_home_sharp` → const `IconData`



— material icon named "add home" (sharp).

`add_home_work` → const `IconData`



— material icon named "add home work".

`add_home_work_outlined` → const `IconData`



— material icon named "add home work" (outlined).

`add_home_work_rounded` → const `IconData`



— material icon named "add home work" (round).

`add_home_work_sharp` → const `IconData`



— material icon named "add home work" (sharp).

`add_ic_call` → const `IconData`



— material icon named "add ic call".

`add_ic_call_outlined` → const `IconData`



— material icon named "add ic call" (outlined).

`add_ic_call_rounded` → const `IconData`



— material icon named "add ic call" (round).

`add_ic_call_sharp` → const `IconData`



— material icon named "add ic call" (sharp).

`add_link` → const `IconData`

 — material icon named "add link".

`add_link_outlined` → const `IconData`

 — material icon named "add link" (outlined).

`add_link_rounded` → const `IconData`

 — material icon named "add link" (round).

`add_link_sharp` → const `IconData`

 — material icon named "add link" (sharp).

`add_location` → const `IconData`

 — material icon named "add location".

`add_location_alt` → const `IconData`

 — material icon named "add location alt".

`add_location_alt_outlined` → const `IconData`

 — material icon named "add location alt" (outlined).

`add_location_alt_rounded` → const `IconData`

 — material icon named "add location alt" (round).

`add_location_alt_sharp` → const `IconData`

 — material icon named "add location alt" (sharp).

`add_location_outlined` → const `IconData`

 — material icon named "add location" (outlined).

`add_location_rounded` → const `IconData`



— material icon named "add location" (round).

[add_location_sharp](#) → const [IconData](#)



— material icon named "add location" (sharp).

[add_moderator](#) → const [IconData](#)



— material icon named "add moderator".

[add_moderator_outlined](#) → const [IconData](#)



— material icon named "add moderator" (outlined).

[add_moderator_rounded](#) → const [IconData](#)



— material icon named "add moderator" (round).

[add_moderator_sharp](#) → const [IconData](#)



— material icon named "add moderator" (sharp).

[add_outlined](#) → const [IconData](#)



— material icon named "add" (outlined).

[add_photo_alternate](#) → const [IconData](#)



— material icon named "add photo alternate".

[add_photo_alternate_outlined](#) → const [IconData](#)



— material icon named "add photo alternate" (outlined).

[add_photo_alternate_rounded](#) → const [IconData](#)



— material icon named "add photo alternate" (round).

[add_photo_alternate_sharp](#) → const [IconData](#)



— material icon named "add photo alternate" (sharp).

`add_reaction` → const `IconData`



— material icon named "add reaction".

`add_reaction_outlined` → const `IconData`



— material icon named "add reaction" (outlined).

`add_reaction_rounded` → const `IconData`



— material icon named "add reaction" (round).

`add_reaction_sharp` → const `IconData`



— material icon named "add reaction" (sharp).

`add_road` → const `IconData`



— material icon named "add road".

`add_road_outlined` → const `IconData`



— material icon named "add road" (outlined).

`add_road_rounded` → const `IconData`



— material icon named "add road" (round).

`add_road_sharp` → const `IconData`



— material icon named "add road" (sharp).

`add_rounded` → const `IconData`



— material icon named "add" (round).

`add_sharp` → const `IconData`

 — material icon named "add" (sharp).

[add_shopping_cart](#) → const IconData

 — material icon named "add shopping cart".

[add_shopping_cart_outlined](#) → const IconData

 — material icon named "add shopping cart" (outlined).

[add_shopping_cart_rounded](#) → const IconData

 — material icon named "add shopping cart" (round).

[add_shopping_cart_sharp](#) → const IconData

 — material icon named "add shopping cart" (sharp).

[add_task](#) → const IconData

 — material icon named "add task".

[add_task_outlined](#) → const IconData

 — material icon named "add task" (outlined).

[add_task_rounded](#) → const IconData

 — material icon named "add task" (round).

[add_task_sharp](#) → const IconData

 — material icon named "add task" (sharp).

[add_to_drive](#) → const IconData

 — material icon named "add to drive".

[add_to_drive_outlined](#) → const IconData



— material icon named "add to drive" (outlined).

[add_to_drive_rounded](#) → const IconData



— material icon named "add to drive" (round).

[add_to_drive_sharp](#) → const IconData



— material icon named "add to drive" (sharp).

[add_to_home_screen](#) → const IconData



— material icon named "add to home screen".

[add_to_home_screen_outlined](#) → const IconData



— material icon named "add to home screen" (outlined).

[add_to_home_screen_rounded](#) → const IconData



— material icon named "add to home screen" (round).

[add_to_home_screen_sharp](#) → const IconData



— material icon named "add to home screen" (sharp).

[add_to_photos](#) → const IconData



— material icon named "add to photos".

[add_to_photos_outlined](#) → const IconData



— material icon named "add to photos" (outlined).

[add_to_photos_rounded](#) → const IconData



— material icon named "add to photos" (round).

[add_to_photos_sharp](#) → const IconData



— material icon named "add to photos" (sharp).

add_to_queue → const IconData



— material icon named "add to queue".

add_to_queue_outlined → const IconData



— material icon named "add to queue" (outlined).

add_to_queue_rounded → const IconData



— material icon named "add to queue" (round).

add_to_queue_sharp → const IconData



— material icon named "add to queue" (sharp).

addchart → const IconData



— material icon named "addchart".

addchart_outlined → const IconData



— material icon named "addchart" (outlined).

addchart_rounded → const IconData



— material icon named "addchart" (round).

addchart_sharp → const IconData



— material icon named "addchart" (sharp).

adf_scanner → const IconData



— material icon named "adf scanner".

adf_scanner_outlined → const IconData



— material icon named "adf scanner" (outlined).

[adf_scanner_rounded](#) → const IconData



— material icon named "adf scanner" (round).

[adf_scanner_sharp](#) → const IconData



— material icon named "adf scanner" (sharp).

[adjust](#) → const IconData



— material icon named "adjust".

[adjust_outlined](#) → const IconData



— material icon named "adjust" (outlined).

[adjust_rounded](#) → const IconData



— material icon named "adjust" (round).

[adjust_sharp](#) → const IconData



— material icon named "adjust" (sharp).

[admin_panel_settings](#) → const IconData



— material icon named "admin panel settings".

[admin_panel_settings_outlined](#) → const IconData



— material icon named "admin panel settings" (outlined).

[admin_panel_settings_rounded](#) → const IconData



— material icon named "admin panel settings" (round).

[admin_panel_settings_sharp](#) → const IconData



— material icon named "admin panel settings" (sharp).

adobe → const [IconData](#)



— material icon named "adobe".

adobe_outlined → const [IconData](#)



— material icon named "adobe" (outlined).

adobe_rounded → const [IconData](#)



— material icon named "adobe" (round).

adobe_sharp → const [IconData](#)



— material icon named "adobe" (sharp).

ads_click → const [IconData](#)



— material icon named "ads click".

ads_click_outlined → const [IconData](#)



— material icon named "ads click" (outlined).

ads_click_rounded → const [IconData](#)



— material icon named "ads click" (round).

ads_click_sharp → const [IconData](#)



— material icon named "ads click" (sharp).

agriculture → const [IconData](#)



— material icon named "agriculture".

agriculture_outlined → const [IconData](#)

 — material icon named "agriculture" (outlined).

[agriculture_rounded](#) → const IconData

 — material icon named "agriculture" (round).

[agriculture_sharp](#) → const IconData

 — material icon named "agriculture" (sharp).

[air](#) → const IconData

 — material icon named "air".

[air_outlined](#) → const IconData

 — material icon named "air" (outlined).

[air_rounded](#) → const IconData

 — material icon named "air" (round).

[air_sharp](#) → const IconData

 — material icon named "air" (sharp).

[airline_seat_flat](#) → const IconData

 — material icon named "airline seat flat".

[airline_seat_flat_angled](#) → const IconData

 — material icon named "airline seat flat angled".

[airline_seat_flat_angled_outlined](#) → const IconData

 — material icon named "airline seat flat angled" (outlined).

[airline_seat_flat_angled_rounded](#) → const IconData



— material icon named "airline seat flat angled" (round).

[airline_seat_flat_angled_sharp](#) → const IconData



— material icon named "airline seat flat angled" (sharp).

[airline_seat_flat_outlined](#) → const IconData



— material icon named "airline seat flat" (outlined).

[airline_seat_flat_rounded](#) → const IconData



— material icon named "airline seat flat" (round).

[airline_seat_flat_sharp](#) → const IconData



— material icon named "airline seat flat" (sharp).

[airline_seat_individual_suite](#) → const IconData



— material icon named "airline seat individual suite".

[airline_seat_individual_suite_outlined](#) → const IconData



— material icon named "airline seat individual suite" (outlined).

[airline_seat_individual_suite_rounded](#) → const IconData



— material icon named "airline seat individual suite" (round).

[airline_seat_individual_suite_sharp](#) → const IconData



— material icon named "airline seat individual suite" (sharp).

[airline_seat_legroom_extra](#) → const IconData



— material icon named "airline seat legroom extra".

[airline_seat_legroom_extra_outlined](#) → const IconData



— material icon named "airline seat legroom extra" (outlined).

airline_seat_legroom_extra_rounded → const IconData



— material icon named "airline seat legroom extra" (round).

airline_seat_legroom_extra_sharp → const IconData



— material icon named "airline seat legroom extra" (sharp).

airline_seat_legroom_normal → const IconData



— material icon named "airline seat legroom normal".

airline_seat_legroom_normal_outlined → const IconData



— material icon named "airline seat legroom normal" (outlined).

airline_seat_legroom_normal_rounded → const IconData



— material icon named "airline seat legroom normal" (round).

airline_seat_legroom_normal_sharp → const IconData



— material icon named "airline seat legroom normal" (sharp).

airline_seat_legroom_reduced → const IconData



— material icon named "airline seat legroom reduced".

airline_seat_legroom_reduced_outlined → const IconData



— material icon named "airline seat legroom reduced" (outlined).

airline_seat_legroom_reduced_rounded → const IconData



— material icon named "airline seat legroom reduced" (round).

airline_seat_legroom_reduced_sharp → const IconData



— material icon named "airline seat legroom reduced" (sharp).

[airline_seat_recline_extra](#) → const IconData



— material icon named "airline seat recline extra".

[airline_seat_recline_extra_outlined](#) → const IconData



— material icon named "airline seat recline extra" (outlined).

[airline_seat_recline_extra_rounded](#) → const IconData



— material icon named "airline seat recline extra" (round).

[airline_seat_recline_extra_sharp](#) → const IconData



— material icon named "airline seat recline extra" (sharp).

[airline_seat_recline_normal](#) → const IconData



— material icon named "airline seat recline normal".

[airline_seat_recline_normal_outlined](#) → const IconData



— material icon named "airline seat recline normal" (outlined).

[airline_seat_recline_normal_rounded](#) → const IconData



— material icon named "airline seat recline normal" (round).

[airline_seat_recline_normal_sharp](#) → const IconData



— material icon named "airline seat recline normal" (sharp).

[airline_stops](#) → const IconData



— material icon named "airline stops".

[airline_stops_outlined](#) → const IconData

 — material icon named "airline stops" (outlined).

[airline_stops_rounded](#) → const IconData

 — material icon named "airline stops" (round).

[airline_stops_sharp](#) → const IconData

 — material icon named "airline stops" (sharp).

[airlines](#) → const IconData

 — material icon named "airlines".

[airlines_outlined](#) → const IconData

 — material icon named "airlines" (outlined).

[airlines_rounded](#) → const IconData

 — material icon named "airlines" (round).

[airlines_sharp](#) → const IconData

 — material icon named "airlines" (sharp).

[airplane_ticket](#) → const IconData

 — material icon named "airplane ticket".

[airplane_ticket_outlined](#) → const IconData

 — material icon named "airplane ticket" (outlined).

[airplane_ticket_rounded](#) → const IconData

 — material icon named "airplane ticket" (round).

[airplane_ticket_sharp](#) → const IconData



— material icon named "airplane ticket" (sharp).

airplanemode_active → const IconData



— material icon named "airplanemode active".

airplanemode_active_outlined → const IconData



— material icon named "airplanemode active" (outlined).

airplanemode_active_rounded → const IconData



— material icon named "airplanemode active" (round).

airplanemode_active_sharp → const IconData



— material icon named "airplanemode active" (sharp).

airplanemode_inactive → const IconData



— material icon named "airplanemode inactive".

airplanemode_inactive_outlined → const IconData



— material icon named "airplanemode inactive" (outlined).

airplanemode_inactive_rounded → const IconData



— material icon named "airplanemode inactive" (round).

airplanemode_inactive_sharp → const IconData



— material icon named "airplanemode inactive" (sharp).

airplanemode_off → const IconData



— material icon named "airplanemode off".

airplanemode_off_outlined → const IconData



— material icon named "airplanemode off" (outlined).

[airplanemode_off_rounded](#) → const IconData



— material icon named "airplanemode off" (round).

[airplanemode_off_sharp](#) → const IconData



— material icon named "airplanemode off" (sharp).

[airplanemode_on](#) → const IconData



— material icon named "airplanemode on".

[airplanemode_on_outlined](#) → const IconData



— material icon named "airplanemode on" (outlined).

[airplanemode_on_rounded](#) → const IconData



— material icon named "airplanemode on" (round).

[airplanemode_on_sharp](#) → const IconData



— material icon named "airplanemode on" (sharp).

[airplay](#) → const IconData



— material icon named "airplay".

[airplay_outlined](#) → const IconData



— material icon named "airplay" (outlined).

[airplay_rounded](#) → const IconData



— material icon named "airplay" (round).

[airplay_sharp](#) → const IconData

 — material icon named "airplay" (sharp).

airport_shuttle → const IconData

 — material icon named "airport shuttle".

airport_shuttle_outlined → const IconData

 — material icon named "airport shuttle" (outlined).

airport_shuttle_rounded → const IconData

 — material icon named "airport shuttle" (round).

airport_shuttle_sharp → const IconData

 — material icon named "airport shuttle" (sharp).

alarm → const IconData

 — material icon named "alarm".

alarm_add → const IconData

 — material icon named "alarm add".

alarm_add_outlined → const IconData

 — material icon named "alarm add" (outlined).

alarm_add_rounded → const IconData

 — material icon named "alarm add" (round).

alarm_add_sharp → const IconData

 — material icon named "alarm add" (sharp).

alarm_off → const IconData

 — material icon named "alarm off".

alarm_off_outlined → const IconData

 — material icon named "alarm off" (outlined).

alarm_off_rounded → const IconData

 — material icon named "alarm off" (round).

alarm_off_sharp → const IconData

 — material icon named "alarm off" (sharp).

alarm_on → const IconData

 — material icon named "alarm on".

alarm_on_outlined → const IconData

 — material icon named "alarm on" (outlined).

alarm_on_rounded → const IconData

 — material icon named "alarm on" (round).

alarm_on_sharp → const IconData

 — material icon named "alarm on" (sharp).

alarm_outlined → const IconData

 — material icon named "alarm" (outlined).

alarm_rounded → const IconData

 — material icon named "alarm" (round).

alarm_sharp → const IconData

 — material icon named "alarm" (sharp).

album → const IconData

 — material icon named "album".

album_outlined → const IconData

 — material icon named "album" (outlined).

album_rounded → const IconData

 — material icon named "album" (round).

album_sharp → const IconData

 — material icon named "album" (sharp).

align_horizontal_center → const IconData

 — material icon named "align horizontal center".

align_horizontal_center_outlined → const IconData

 — material icon named "align horizontal center" (outlined).

align_horizontal_center_rounded → const IconData

 — material icon named "align horizontal center" (round).

align_horizontal_center_sharp → const IconData

 — material icon named "align horizontal center" (sharp).

align_horizontal_left → const IconData

 — material icon named "align horizontal left".

align_horizontal_left_outlined → const IconData

 — material icon named "align horizontal left" (outlined).

[align_horizontal_left_rounded](#) → const IconData

 — material icon named "align horizontal left" (round).

[align_horizontal_left_sharp](#) → const IconData

 — material icon named "align horizontal left" (sharp).

[align_horizontal_right](#) → const IconData

 — material icon named "align horizontal right".

[align_horizontal_right_outlined](#) → const IconData

 — material icon named "align horizontal right" (outlined).

[align_horizontal_right_rounded](#) → const IconData

 — material icon named "align horizontal right" (round).

[align_horizontal_right_sharp](#) → const IconData

 — material icon named "align horizontal right" (sharp).

[align_vertical_bottom](#) → const IconData

 — material icon named "align vertical bottom".

[align_vertical_bottom_outlined](#) → const IconData

 — material icon named "align vertical bottom" (outlined).

[align_vertical_bottom_rounded](#) → const IconData

 — material icon named "align vertical bottom" (round).

[align_vertical_bottom_sharp](#) → const IconData



— material icon named "align vertical bottom" (sharp).

[align_vertical_center](#) → const IconData



— material icon named "align vertical center".

[align_vertical_center_outlined](#) → const IconData



— material icon named "align vertical center" (outlined).

[align_vertical_center_rounded](#) → const IconData



— material icon named "align vertical center" (round).

[align_vertical_center_sharp](#) → const IconData



— material icon named "align vertical center" (sharp).

[align_vertical_top](#) → const IconData



— material icon named "align vertical top".

[align_vertical_top_outlined](#) → const IconData



— material icon named "align vertical top" (outlined).

[align_vertical_top_rounded](#) → const IconData



— material icon named "align vertical top" (round).

[align_vertical_top_sharp](#) → const IconData



— material icon named "align vertical top" (sharp).

[all_inbox](#) → const IconData



— material icon named "all inbox".

[all_inbox_outlined](#) → const IconData



— material icon named "all inbox" (outlined).

[all_inbox_rounded](#) → const IconData



— material icon named "all inbox" (round).

[all_inbox_sharp](#) → const IconData



— material icon named "all inbox" (sharp).

[all_inclusive](#) → const IconData

— material icon named "all inclusive".

[all_inclusive_outlined](#) → const IconData

— material icon named "all inclusive" (outlined).

[all_inclusive_rounded](#) → const IconData

— material icon named "all inclusive" (round).

[all_inclusive_sharp](#) → const IconData

— material icon named "all inclusive" (sharp).

[all_out](#) → const IconData



— material icon named "all out".

[all_out_outlined](#) → const IconData



— material icon named "all out" (outlined).

[all_out_rounded](#) → const IconData



— material icon named "all out" (round).

[all_out_sharp](#) → const IconData

 — material icon named "all out" (sharp).

alt_route → const IconData

 — material icon named "alt route".

alt_route_outlined → const IconData

 — material icon named "alt route" (outlined).

alt_route_rounded → const IconData

 — material icon named "alt route" (round).

alt_route_sharp → const IconData

 — material icon named "alt route" (sharp).

alternate_email → const IconData

 — material icon named "alternate email".

alternate_email_outlined → const IconData

 — material icon named "alternate email" (outlined).

alternate_email_rounded → const IconData

 — material icon named "alternate email" (round).

alternate_email_sharp → const IconData

 — material icon named "alternate email" (sharp).

amp_stories → const IconData

 — material icon named "amp stories".

amp_stories_outlined → const IconData

 — material icon named "amp stories" (outlined).

[amp_stories_rounded](#) → const [IconData](#)

 — material icon named "amp stories" (round).

[amp_stories_sharp](#) → const [IconData](#)

 — material icon named "amp stories" (sharp).

[analytics](#) → const [IconData](#)

 — material icon named "analytics".

[analytics_outlined](#) → const [IconData](#)

 — material icon named "analytics" (outlined).

[analytics_rounded](#) → const [IconData](#)

 — material icon named "analytics" (round).

[analytics_sharp](#) → const [IconData](#)

 — material icon named "analytics" (sharp).

[anchor](#) → const [IconData](#)

 — material icon named "anchor".

[anchor_outlined](#) → const [IconData](#)

 — material icon named "anchor" (outlined).

[anchor_rounded](#) → const [IconData](#)

 — material icon named "anchor" (round).

[anchor_sharp](#) → const [IconData](#)

 — material icon named "anchor" (sharp).

android → const IconData

 — material icon named "android".

android_outlined → const IconData

 — material icon named "android" (outlined).

android_rounded → const IconData

 — material icon named "android" (round).

android_sharp → const IconData

 — material icon named "android" (sharp).

animation → const IconData

 — material icon named "animation".

animation_outlined → const IconData

 — material icon named "animation" (outlined).

animation_rounded → const IconData

 — material icon named "animation" (round).

animation_sharp → const IconData

 — material icon named "animation" (sharp).

announcement → const IconData

 — material icon named "announcement".

announcement_outlined → const IconData



— material icon named "announcement" (outlined).

announcement_rounded → const IconData



— material icon named "announcement" (round).

announcement_sharp → const IconData



— material icon named "announcement" (sharp).

aod → const IconData



— material icon named "aod".

aod_outlined → const IconData



— material icon named "aod" (outlined).

aod_rounded → const IconData



— material icon named "aod" (round).

aod_sharp → const IconData



— material icon named "aod" (sharp).

apartment → const IconData



— material icon named "apartment".

apartment_outlined → const IconData



— material icon named "apartment" (outlined).

apartment_rounded → const IconData



— material icon named "apartment" (round).

apartment_sharp → const IconData



— material icon named "apartment" (sharp).

[api](#) → const [IconData](#)



— material icon named "api".

[api_outlined](#) → const [IconData](#)



— material icon named "api" (outlined).

[api_rounded](#) → const [IconData](#)



— material icon named "api" (round).

[api_sharp](#) → const [IconData](#)



— material icon named "api" (sharp).

[app_blocking](#) → const [IconData](#)



— material icon named "app blocking".

[app_blocking_outlined](#) → const [IconData](#)



— material icon named "app blocking" (outlined).

[app_blocking_rounded](#) → const [IconData](#)



— material icon named "app blocking" (round).

[app_blocking_sharp](#) → const [IconData](#)



— material icon named "app blocking" (sharp).

[app_registration](#) → const [IconData](#)



— material icon named "app registration".

[app_registration_outlined](#) → const [IconData](#)



— material icon named "app registration" (outlined).

[app_registration_rounded](#) → const IconData



— material icon named "app registration" (round).

[app_registration_sharp](#) → const IconData



— material icon named "app registration" (sharp).

[app_settings_alt](#) → const IconData



— material icon named "app settings alt".

[app_settings_alt_outlined](#) → const IconData



— material icon named "app settings alt" (outlined).

[app_settings_alt_rounded](#) → const IconData



— material icon named "app settings alt" (round).

[app_settings_alt_sharp](#) → const IconData



— material icon named "app settings alt" (sharp).

[app_shortcut](#) → const IconData



— material icon named "app shortcut".

[app_shortcut_outlined](#) → const IconData



— material icon named "app shortcut" (outlined).

[app_shortcut_rounded](#) → const IconData



— material icon named "app shortcut" (round).

[app_shortcut_sharp](#) → const IconData



— material icon named "app shortcut" (sharp).

apple → const IconData



— material icon named "apple".

apple_outlined → const IconData



— material icon named "apple" (outlined).

apple_rounded → const IconData



— material icon named "apple" (round).

apple_sharp → const IconData



— material icon named "apple" (sharp).

approval → const IconData



— material icon named "approval".

approval_outlined → const IconData



— material icon named "approval" (outlined).

approval_rounded → const IconData



— material icon named "approval" (round).

approval_sharp → const IconData



— material icon named "approval" (sharp).

apps → const IconData



— material icon named "apps".

apps_outage → const IconData

 — material icon named "apps outage".

[apps_outage_outlined](#) → const IconData

 — material icon named "apps outage" (outlined).

[apps_outage_rounded](#) → const IconData

 — material icon named "apps outage" (round).

[apps_outage_sharp](#) → const IconData

 — material icon named "apps outage" (sharp).

[apps_outlined](#) → const IconData

 — material icon named "apps" (outlined).

[apps_rounded](#) → const IconData

 — material icon named "apps" (round).

[apps_sharp](#) → const IconData

 — material icon named "apps" (sharp).

[architecture](#) → const IconData

 — material icon named "architecture".

[architecture_outlined](#) → const IconData

 — material icon named "architecture" (outlined).

[architecture_rounded](#) → const IconData

 — material icon named "architecture" (round).

[architecture_sharp](#) → const IconData



— material icon named "architecture" (sharp).

archive → const IconData



— material icon named "archive".

archive_outlined → const IconData



— material icon named "archive" (outlined).

archive_rounded → const IconData



— material icon named "archive" (round).

archive_sharp → const IconData



— material icon named "archive" (sharp).

area_chart → const IconData



— material icon named "area chart".

area_chart_outlined → const IconData



— material icon named "area chart" (outlined).

area_chart_rounded → const IconData



— material icon named "area chart" (round).

area_chart_sharp → const IconData



— material icon named "area chart" (sharp).

arrow_back → const IconData



— material icon named "arrow back".

arrow_back_ios → const IconData

◀ — material icon named "arrow back ios".

[arrow_back_ios_new](#) → const IconData

◀ — material icon named "arrow back ios new".

[arrow_back_ios_new_outlined](#) → const IconData

◀ — material icon named "arrow back ios new" (outlined).

[arrow_back_ios_new_rounded](#) → const IconData

◀ — material icon named "arrow back ios new" (round).

[arrow_back_ios_new_sharp](#) → const IconData

◀ — material icon named "arrow back ios new" (sharp).

[arrow_back_ios_outlined](#) → const IconData

◀ — material icon named "arrow back ios" (outlined).

[arrow_back_ios_rounded](#) → const IconData

◀ — material icon named "arrow back ios" (round).

[arrow_back_ios_sharp](#) → const IconData

◀ — material icon named "arrow back ios" (sharp).

[arrow_back_outlined](#) → const IconData

← — material icon named "arrow back" (outlined).

[arrow_back_rounded](#) → const IconData

← — material icon named "arrow back" (round).

[arrow_back_sharp](#) → const IconData

 — material icon named "arrow back" (sharp).

arrow_circle_down → const IconData

 — material icon named "arrow circle down".

arrow_circle_down_outlined → const IconData

 — material icon named "arrow circle down" (outlined).

arrow_circle_down_rounded → const IconData

 — material icon named "arrow circle down" (round).

arrow_circle_down_sharp → const IconData

 — material icon named "arrow circle down" (sharp).

arrow_circle_left → const IconData

 — material icon named "arrow circle left".

arrow_circle_left_outlined → const IconData

 — material icon named "arrow circle left" (outlined).

arrow_circle_left_rounded → const IconData

 — material icon named "arrow circle left" (round).

arrow_circle_left_sharp → const IconData

 — material icon named "arrow circle left" (sharp).

arrow_circle_right → const IconData

 — material icon named "arrow circle right".

arrow_circle_right_outlined → const IconData

 — material icon named "arrow circle right" (outlined).

[arrow_circle_right_rounded](#) → const IconData

 — material icon named "arrow circle right" (round).

[arrow_circle_right_sharp](#) → const IconData

 — material icon named "arrow circle right" (sharp).

[arrow_circle_up](#) → const IconData

 — material icon named "arrow circle up".

[arrow_circle_up_outlined](#) → const IconData

 — material icon named "arrow circle up" (outlined).

[arrow_circle_up_rounded](#) → const IconData

 — material icon named "arrow circle up" (round).

[arrow_circle_up_sharp](#) → const IconData

 — material icon named "arrow circle up" (sharp).

[arrow_downward](#) → const IconData

 — material icon named "arrow downward".

[arrow_downward_outlined](#) → const IconData

 — material icon named "arrow downward" (outlined).

[arrow_downward_rounded](#) → const IconData

 — material icon named "arrow downward" (round).

[arrow_downward_sharp](#) → const IconData

 — material icon named "arrow downward" (sharp).

`arrow_drop_down` → const IconData

 — material icon named "arrow drop down".

`arrow_drop_down_circle` → const IconData

 — material icon named "arrow drop down circle".

`arrow_drop_down_circle_outlined` → const IconData

 — material icon named "arrow drop down circle" (outlined).

`arrow_drop_down_circle_rounded` → const IconData

 — material icon named "arrow drop down circle" (round).

`arrow_drop_down_circle_sharp` → const IconData

 — material icon named "arrow drop down circle" (sharp).

`arrow_drop_down_outlined` → const IconData

 — material icon named "arrow drop down" (outlined).

`arrow_drop_down_rounded` → const IconData

 — material icon named "arrow drop down" (round).

`arrow_drop_down_sharp` → const IconData

 — material icon named "arrow drop down" (sharp).

`arrow_drop_up` → const IconData

 — material icon named "arrow drop up".

`arrow_drop_up_outlined` → const IconData

▲ — material icon named "arrow drop up" (outlined).

arrow_drop_up_rounded → const IconData

▲ — material icon named "arrow drop up" (round).

arrow_drop_up_sharp → const IconData

▲ — material icon named "arrow drop up" (sharp).

arrow_forward → const IconData

➔ — material icon named "arrow forward".

arrow_forward_ios → const IconData

➤ — material icon named "arrow forward ios".

arrow_forward_ios_outlined → const IconData

➤ — material icon named "arrow forward ios" (outlined).

arrow_forward_ios_rounded → const IconData

➤ — material icon named "arrow forward ios" (round).

arrow_forward_ios_sharp → const IconData

➤ — material icon named "arrow forward ios" (sharp).

arrow_forward_outlined → const IconData

➔ — material icon named "arrow forward" (outlined).

arrow_forward_rounded → const IconData

➔ — material icon named "arrow forward" (round).

arrow_forward_sharp → const IconData

 — material icon named "arrow forward" (sharp).

arrow_left → const IconData

 — material icon named "arrow left".

arrow_left_outlined → const IconData

 — material icon named "arrow left" (outlined).

arrow_left_rounded → const IconData

 — material icon named "arrow left" (round).

arrow_left_sharp → const IconData

 — material icon named "arrow left" (sharp).

arrow_outward → const IconData

 — material icon named "arrow outward".

arrow_outward_outlined → const IconData

 — material icon named "arrow outward" (outlined).

arrow_outward_rounded → const IconData

 — material icon named "arrow outward" (round).

arrow_outward_sharp → const IconData

 — material icon named "arrow outward" (sharp).

arrow_right → const IconData

 — material icon named "arrow right".

arrow_right_alt → const IconData

→ — material icon named "arrow right alt".

arrow_right_alt_outlined → const IconData

→ — material icon named "arrow right alt" (outlined).

arrow_right_alt_rounded → const IconData

→ — material icon named "arrow right alt" (round).

arrow_right_alt_sharp → const IconData

→ — material icon named "arrow right alt" (sharp).

arrow_right_outlined → const IconData

▶ — material icon named "arrow right" (outlined).

arrow_right_rounded → const IconData

▶ — material icon named "arrow right" (round).

arrow_right_sharp → const IconData

▶ — material icon named "arrow right" (sharp).

arrow_upward → const IconData

↑ — material icon named "arrow upward".

arrow_upward_outlined → const IconData

↑ — material icon named "arrow upward" (outlined).

arrow_upward_rounded → const IconData

↑ — material icon named "arrow upward" (round).

arrow_upward_sharp → const IconData

 — material icon named "arrow upward" (sharp).

art_track → const IconData

 — material icon named "art track".

art_track_outlined → const IconData

 — material icon named "art track" (outlined).

art_track_rounded → const IconData

 — material icon named "art track" (round).

art_track_sharp → const IconData

 — material icon named "art track" (sharp).

article → const IconData

 — material icon named "article".

article_outlined → const IconData

 — material icon named "article" (outlined).

article_rounded → const IconData

 — material icon named "article" (round).

article_sharp → const IconData

 — material icon named "article" (sharp).

aspect_ratio → const IconData

 — material icon named "aspect ratio".

aspect_ratio_outlined → const IconData



— material icon named "aspect ratio" (outlined).

aspect_ratio_rounded → const IconData



— material icon named "aspect ratio" (round).

aspect_ratio_sharp → const IconData



— material icon named "aspect ratio" (sharp).

assessment → const IconData



— material icon named "assessment".

assessment_outlined → const IconData



— material icon named "assessment" (outlined).

assessment_rounded → const IconData



— material icon named "assessment" (round).

assessment_sharp → const IconData



— material icon named "assessment" (sharp).

assignment → const IconData



— material icon named "assignment".

assignment_add → const IconData



— material icon named "assignment add".

assignment_ind → const IconData



— material icon named "assignment ind".

assignment_ind_outlined → const IconData



— material icon named "assignment ind" (outlined).

assignment_ind_rounded → const IconData



— material icon named "assignment ind" (round).

assignment_ind_sharp → const IconData



— material icon named "assignment ind" (sharp).

assignment_late → const IconData



— material icon named "assignment late".

assignment_late_outlined → const IconData



— material icon named "assignment late" (outlined).

assignment_late_rounded → const IconData



— material icon named "assignment late" (round).

assignment_late_sharp → const IconData



— material icon named "assignment late" (sharp).

assignment_outlined → const IconData



— material icon named "assignment" (outlined).

assignment_return → const IconData



— material icon named "assignment return".

assignment_return_outlined → const IconData



— material icon named "assignment return" (outlined).

assignment_return_rounded → const IconData



— material icon named "assignment return" (round).

assignment_return_sharp → const IconData



— material icon named "assignment return" (sharp).

assignment_returned → const IconData



— material icon named "assignment returned".

assignment_returned_outlined → const IconData



— material icon named "assignment returned" (outlined).

assignment_returned_rounded → const IconData



— material icon named "assignment returned" (round).

assignment_returned_sharp → const IconData



— material icon named "assignment returned" (sharp).

assignment_rounded → const IconData



— material icon named "assignment" (round).

assignment_sharp → const IconData



— material icon named "assignment" (sharp).

assignment_turned_in → const IconData



— material icon named "assignment turned in".

assignment_turned_in_outlined → const IconData



— material icon named "assignment turned in" (outlined).

assignment_turned_in_rounded → const IconData



— material icon named "assignment turned in" (round).

assignment_turned_in_sharp → const IconData



— material icon named "assignment turned in" (sharp).

assist_walker → const IconData



— material icon named "assist walker".

assist_walker_outlined → const IconData



— material icon named "assist walker" (outlined).

assist_walker_rounded → const IconData



— material icon named "assist walker" (round).

assist_walker_sharp → const IconData



— material icon named "assist walker" (sharp).

assistant → const IconData



— material icon named "assistant".

assistant_direction → const IconData



— material icon named "assistant direction".

assistant_direction_outlined → const IconData



— material icon named "assistant direction" (outlined).

assistant_direction_rounded → const IconData



— material icon named "assistant direction" (round).

assistant_direction_sharp → const IconData



— material icon named "assistant direction" (sharp).

[assistant_navigation](#) → const IconData



— material icon named "assistant navigation".

[assistant_outlined](#) → const IconData



— material icon named "assistant" (outlined).

[assistant_photo](#) → const IconData



— material icon named "assistant photo".

[assistant_photo_outlined](#) → const IconData



— material icon named "assistant photo" (outlined).

[assistant_photo_rounded](#) → const IconData



— material icon named "assistant photo" (round).

[assistant_photo_sharp](#) → const IconData



— material icon named "assistant photo" (sharp).

[assistant_rounded](#) → const IconData



— material icon named "assistant" (round).

[assistant_sharp](#) → const IconData



— material icon named "assistant" (sharp).

[assured_workload](#) → const IconData



— material icon named "assured workload".

[assured_workload_outlined](#) → const IconData



— material icon named "assured workload" (outlined).

assured_workload_rounded → const IconData



— material icon named "assured workload" (round).

assured_workload_sharp → const IconData



— material icon named "assured workload" (sharp).

atm → const IconData

ATM — material icon named "atm".

atm_outlined → const IconData

ATM — material icon named "atm" (outlined).

atm_rounded → const IconData

ATM — material icon named "atm" (round).

atm_sharp → const IconData

ATM — material icon named "atm" (sharp).

attach_email → const IconData



— material icon named "attach email".

attach_email_outlined → const IconData



— material icon named "attach email" (outlined).

attach_email_rounded → const IconData



— material icon named "attach email" (round).

attach_email_sharp → const IconData



— material icon named "attach_email" (sharp).

attach_file → const [IconData](#)



— material icon named "attach_file".

attach_file_outlined → const [IconData](#)



— material icon named "attach_file" (outlined).

attach_file_rounded → const [IconData](#)



— material icon named "attach_file" (round).

attach_file_sharp → const [IconData](#)



— material icon named "attach_file" (sharp).

attach_money → const [IconData](#)



— material icon named "attach_money".

attach_money_outlined → const [IconData](#)



— material icon named "attach_money" (outlined).

attach_money_rounded → const [IconData](#)



— material icon named "attach_money" (round).

attach_money_sharp → const [IconData](#)



— material icon named "attach_money" (sharp).

attachment → const [IconData](#)



— material icon named "attachment".

attachment_outlined → const [IconData](#)

 — material icon named "attachment" (outlined).

attachment_rounded → const IconData

 — material icon named "attachment" (round).

attachment_sharp → const IconData

 — material icon named "attachment" (sharp).

attractions → const IconData

 — material icon named "attractions".

attractions_outlined → const IconData

 — material icon named "attractions" (outlined).

attractions_rounded → const IconData

 — material icon named "attractions" (round).

attractions_sharp → const IconData

 — material icon named "attractions" (sharp).

attribution → const IconData

 — material icon named "attribution".

attribution_outlined → const IconData

 — material icon named "attribution" (outlined).

attribution_rounded → const IconData

 — material icon named "attribution" (round).

attribution_sharp → const IconData



— material icon named "attribution" (sharp).

audio_file → const IconData



— material icon named "audio file".

audio_file_outlined → const IconData



— material icon named "audio file" (outlined).

audio_file_rounded → const IconData



— material icon named "audio file" (round).

audio_file_sharp → const IconData



— material icon named "audio file" (sharp).

audiotrack → const IconData



— material icon named "audiotrack".

audiotrack_outlined → const IconData



— material icon named "audiotrack" (outlined).

audiotrack_rounded → const IconData



— material icon named "audiotrack" (round).

audiotrack_sharp → const IconData



— material icon named "audiotrack" (sharp).

auto_awesome → const IconData



— material icon named "auto awesome".

auto_awesome_mosaic → const IconData



— material icon named "auto awesome mosaic".

[auto_awesome_mosaic_outlined](#) → const IconData



— material icon named "auto awesome mosaic" (outlined).

[auto_awesome_mosaic_rounded](#) → const IconData



— material icon named "auto awesome mosaic" (round).

[auto_awesome_mosaic_sharp](#) → const IconData



— material icon named "auto awesome mosaic" (sharp).

[auto_awesome_motion](#) → const IconData



— material icon named "auto awesome motion".

[auto_awesome_motion_outlined](#) → const IconData



— material icon named "auto awesome motion" (outlined).

[auto_awesome_motion_rounded](#) → const IconData



— material icon named "auto awesome motion" (round).

[auto_awesome_motion_sharp](#) → const IconData



— material icon named "auto awesome motion" (sharp).

[auto_awesome_outlined](#) → const IconData



— material icon named "auto awesome" (outlined).

[auto_awesome_rounded](#) → const IconData



— material icon named "auto awesome" (round).

[auto_awesome_sharp](#) → const IconData

 — material icon named "auto awesome" (sharp).

auto_delete → const IconData



— material icon named "auto delete".

auto_delete_outlined → const IconData



— material icon named "auto delete" (outlined).

auto_delete_rounded → const IconData



— material icon named "auto delete" (round).

auto_delete_sharp → const IconData



— material icon named "auto delete" (sharp).

auto_fix_high → const IconData



— material icon named "auto fix high".

auto_fix_high_outlined → const IconData



— material icon named "auto fix high" (outlined).

auto_fix_high_rounded → const IconData



— material icon named "auto fix high" (round).

auto_fix_high_sharp → const IconData



— material icon named "auto fix high" (sharp).

auto_fix_normal → const IconData



— material icon named "auto fix normal".

auto_fix_normal_outlined → const IconData



— material icon named "auto fix normal" (outlined).

[auto_fix_normal_rounded](#) → const [IconData](#)



— material icon named "auto fix normal" (round).

[auto_fix_normal_sharp](#) → const [IconData](#)



— material icon named "auto fix normal" (sharp).

[auto_fix_off](#) → const [IconData](#)



— material icon named "auto fix off".

[auto_fix_off_outlined](#) → const [IconData](#)



— material icon named "auto fix off" (outlined).

[auto_fix_off_rounded](#) → const [IconData](#)



— material icon named "auto fix off" (round).

[auto_fix_off_sharp](#) → const [IconData](#)



— material icon named "auto fix off" (sharp).

[auto_graph](#) → const [IconData](#)



— material icon named "auto graph".

[auto_graph_outlined](#) → const [IconData](#)



— material icon named "auto graph" (outlined).

[auto_graph_rounded](#) → const [IconData](#)



— material icon named "auto graph" (round).

[auto_graph_sharp](#) → const [IconData](#)

 — material icon named "auto graph" (sharp).

auto_mode → const IconData

 — material icon named "auto mode".

auto_mode_outlined → const IconData

 — material icon named "auto mode" (outlined).

auto_mode_rounded → const IconData

 — material icon named "auto mode" (round).

auto_mode_sharp → const IconData

 — material icon named "auto mode" (sharp).

auto_stories → const IconData

 — material icon named "auto stories".

auto_stories_outlined → const IconData

 — material icon named "auto stories" (outlined).

auto_stories_rounded → const IconData

 — material icon named "auto stories" (round).

auto_stories_sharp → const IconData

 — material icon named "auto stories" (sharp).

autofps_select → const IconData

 — material icon named "autofps select".

autofps_select_outlined → const IconData



— material icon named "autofps select" (outlined).

autofps_select_rounded → const IconData



— material icon named "autofps select" (round).

autofps_select_sharp → const IconData



— material icon named "autofps select" (sharp).

autorenew → const IconData



— material icon named "autorenew".

autorenew_outlined → const IconData



— material icon named "autorenew" (outlined).

autorenew_rounded → const IconData



— material icon named "autorenew" (round).

autorenew_sharp → const IconData



— material icon named "autorenew" (sharp).

av_timer → const IconData



— material icon named "av timer".

av_timer_outlined → const IconData



— material icon named "av timer" (outlined).

av_timer_rounded → const IconData



— material icon named "av timer" (round).

av_timer_sharp → const IconData



— material icon named "av timer" (sharp).

baby_changing_station → const IconData



— material icon named "baby changing station".

baby_changing_station_outlined → const IconData



— material icon named "baby changing station" (outlined).

baby_changing_station_rounded → const IconData



— material icon named "baby changing station" (round).

baby_changing_station_sharp → const IconData



— material icon named "baby changing station" (sharp).

back_hand → const IconData



— material icon named "back hand".

back_hand_outlined → const IconData



— material icon named "back hand" (outlined).

back_hand_rounded → const IconData



— material icon named "back hand" (round).

back_hand_sharp → const IconData



— material icon named "back hand" (sharp).

backpack → const IconData



— material icon named "backpack".

backpack_outlined → const IconData



— material icon named "backpack" (outlined).

backpack_rounded → const IconData



— material icon named "backpack" (round).

backpack_sharp → const IconData



— material icon named "backpack" (sharp).

backspace → const IconData



— material icon named "backspace".

backspace_outlined → const IconData



— material icon named "backspace" (outlined).

backspace_rounded → const IconData



— material icon named "backspace" (round).

backspace_sharp → const IconData



— material icon named "backspace" (sharp).

backup → const IconData



— material icon named "backup".

backup_outlined → const IconData



— material icon named "backup" (outlined).

backup_rounded → const IconData



— material icon named "backup" (round).

backup_sharp → const IconData

 — material icon named "backup" (sharp).

backup_table → const IconData

 — material icon named "backup table".

backup_table_outlined → const IconData

 — material icon named "backup table" (outlined).

backup_table_rounded → const IconData

 — material icon named "backup table" (round).

backup_table_sharp → const IconData

 — material icon named "backup table" (sharp).

badge → const IconData

 — material icon named "badge".

badge_outlined → const IconData

 — material icon named "badge" (outlined).

badge_rounded → const IconData

 — material icon named "badge" (round).

badge_sharp → const IconData

 — material icon named "badge" (sharp).

bakery_dining → const IconData

 — material icon named "bakery dining".

bakery_dining_outlined → const IconData

 — material icon named "bakery dining" (outlined).

bakery_dining_rounded → const IconData

 — material icon named "bakery dining" (round).

bakery_dining_sharp → const IconData

 — material icon named "bakery dining" (sharp).

balance → const IconData

 — material icon named "balance".

balance_outlined → const IconData

 — material icon named "balance" (outlined).

balance_rounded → const IconData

 — material icon named "balance" (round).

balance_sharp → const IconData

 — material icon named "balance" (sharp).

balcony → const IconData

 — material icon named "balcony".

balcony_outlined → const IconData

 — material icon named "balcony" (outlined).

balcony_rounded → const IconData

 — material icon named "balcony" (round).

balcony_sharp → const IconData



— material icon named "balcony" (sharp).

ballot → const [IconData](#)



— material icon named "ballot".

ballot_outlined → const [IconData](#)



— material icon named "ballot" (outlined).

ballot_rounded → const [IconData](#)



— material icon named "ballot" (round).

ballot_sharp → const [IconData](#)



— material icon named "ballot" (sharp).

bar_chart → const [IconData](#)



— material icon named "bar chart".

bar_chart_outlined → const [IconData](#)



— material icon named "bar chart" (outlined).

bar_chart_rounded → const [IconData](#)



— material icon named "bar chart" (round).

bar_chart_sharp → const [IconData](#)



— material icon named "bar chart" (sharp).

barcode_reader → const [IconData](#)



— material icon named "barcode reader".

batch_prediction → const [IconData](#)



— material icon named "batch prediction".

batch_prediction_outlined → const IconData



— material icon named "batch prediction" (outlined).

batch_prediction_rounded → const IconData



— material icon named "batch prediction" (round).

batch_prediction_sharp → const IconData



— material icon named "batch prediction" (sharp).

bathroom → const IconData



— material icon named "bathroom".

bathroom_outlined → const IconData



— material icon named "bathroom" (outlined).

bathroom_rounded → const IconData



— material icon named "bathroom" (round).

bathroom_sharp → const IconData



— material icon named "bathroom" (sharp).

bathtub → const IconData



— material icon named "bathtub".

bathtub_outlined → const IconData



— material icon named "bathtub" (outlined).

bathtub_rounded → const IconData



— material icon named "bathtub" (round).

bathtub_sharp → const IconData



— material icon named "bathtub" (sharp).

battery_0_bar → const IconData



— material icon named "battery 0 bar".

battery_0_bar_outlined → const IconData



— material icon named "battery 0 bar" (outlined).

battery_0_bar_rounded → const IconData



— material icon named "battery 0 bar" (round).

battery_0_bar_sharp → const IconData



— material icon named "battery 0 bar" (sharp).

battery_1_bar → const IconData



— material icon named "battery 1 bar".

battery_1_bar_outlined → const IconData



— material icon named "battery 1 bar" (outlined).

battery_1_bar_rounded → const IconData



— material icon named "battery 1 bar" (round).

battery_1_bar_sharp → const IconData



— material icon named "battery 1 bar" (sharp).

battery_2_bar → const IconData



— material icon named "battery 2 bar".

battery_2_bar_outlined → const [IconData](#)



— material icon named "battery 2 bar" (outlined).

battery_2_bar_rounded → const [IconData](#)



— material icon named "battery 2 bar" (round).

battery_2_bar_sharp → const [IconData](#)



— material icon named "battery 2 bar" (sharp).

battery_3_bar → const [IconData](#)



— material icon named "battery 3 bar".

battery_3_bar_outlined → const [IconData](#)



— material icon named "battery 3 bar" (outlined).

battery_3_bar_rounded → const [IconData](#)



— material icon named "battery 3 bar" (round).

battery_3_bar_sharp → const [IconData](#)



— material icon named "battery 3 bar" (sharp).

battery_4_bar → const [IconData](#)



— material icon named "battery 4 bar".

battery_4_bar_outlined → const [IconData](#)



— material icon named "battery 4 bar" (outlined).

battery_4_bar_rounded → const [IconData](#)



— material icon named "battery 4 bar" (round).

battery_4_bar_sharp → const IconData



— material icon named "battery 4 bar" (sharp).

battery_5_bar → const IconData



— material icon named "battery 5 bar".

battery_5_bar_outlined → const IconData



— material icon named "battery 5 bar" (outlined).

battery_5_bar_rounded → const IconData



— material icon named "battery 5 bar" (round).

battery_5_bar_sharp → const IconData



— material icon named "battery 5 bar" (sharp).

battery_6_bar → const IconData



— material icon named "battery 6 bar".

battery_6_bar_outlined → const IconData



— material icon named "battery 6 bar" (outlined).

battery_6_bar_rounded → const IconData



— material icon named "battery 6 bar" (round).

battery_6_bar_sharp → const IconData



— material icon named "battery 6 bar" (sharp).

battery_alert → const IconData



— material icon named "battery alert".

battery_alert_outlined → const IconData



— material icon named "battery alert" (outlined).

battery_alert_rounded → const IconData



— material icon named "battery alert" (round).

battery_alert_sharp → const IconData



— material icon named "battery alert" (sharp).

battery_charging_full → const IconData



— material icon named "battery charging full".

battery_charging_full_outlined → const IconData



— material icon named "battery charging full" (outlined).

battery_charging_full_rounded → const IconData



— material icon named "battery charging full" (round).

battery_charging_full_sharp → const IconData



— material icon named "battery charging full" (sharp).

battery_full → const IconData



— material icon named "battery full".

battery_full_outlined → const IconData



— material icon named "battery full" (outlined).

battery_full_rounded → const IconData



— material icon named "battery full" (round).

battery_full_sharp → const [IconData](#)



— material icon named "battery full" (sharp).

battery_saver → const [IconData](#)



— material icon named "battery saver".

battery_saver_outlined → const [IconData](#)



— material icon named "battery saver" (outlined).

battery_saver_rounded → const [IconData](#)



— material icon named "battery saver" (round).

battery_saver_sharp → const [IconData](#)



— material icon named "battery saver" (sharp).

battery_std → const [IconData](#)



— material icon named "battery std".

battery_std_outlined → const [IconData](#)



— material icon named "battery std" (outlined).

battery_std_rounded → const [IconData](#)



— material icon named "battery std" (round).

battery_std_sharp → const [IconData](#)



— material icon named "battery std" (sharp).

battery_unknown → const [IconData](#)



— material icon named "battery unknown".

battery_unknown_outlined → const IconData



— material icon named "battery unknown" (outlined).

battery_unknown_rounded → const IconData



— material icon named "battery unknown" (round).

battery_unknown_sharp → const IconData



— material icon named "battery unknown" (sharp).

beach_access → const IconData



— material icon named "beach access".

beach_access_outlined → const IconData



— material icon named "beach access" (outlined).

beach_access_rounded → const IconData



— material icon named "beach access" (round).

beach_access_sharp → const IconData



— material icon named "beach access" (sharp).

bed → const IconData



— material icon named "bed".

bed_outlined → const IconData



— material icon named "bed" (outlined).

bed_rounded → const IconData

 — material icon named "bed" (round).

[bed_sharp](#) → const IconData

 — material icon named "bed" (sharp).

[bedroom_baby](#) → const IconData

 — material icon named "bedroom baby".

[bedroom_baby_outlined](#) → const IconData

 — material icon named "bedroom baby" (outlined).

[bedroom_baby_rounded](#) → const IconData

 — material icon named "bedroom baby" (round).

[bedroom_baby_sharp](#) → const IconData

 — material icon named "bedroom baby" (sharp).

[bedroom_child](#) → const IconData

 — material icon named "bedroom child".

[bedroom_child_outlined](#) → const IconData

 — material icon named "bedroom child" (outlined).

[bedroom_child_rounded](#) → const IconData

 — material icon named "bedroom child" (round).

[bedroom_child_sharp](#) → const IconData

 — material icon named "bedroom child" (sharp).

[bedroom_parent](#) → const IconData



— material icon named "bedroom parent".

bedroom_parent_outlined → const IconData



— material icon named "bedroom parent" (outlined).

bedroom_parent_rounded → const IconData



— material icon named "bedroom parent" (round).

bedroom_parent_sharp → const IconData



— material icon named "bedroom parent" (sharp).

bedtime → const IconData



— material icon named "bedtime".

bedtime_off → const IconData



— material icon named "bedtime off".

bedtime_off_outlined → const IconData



— material icon named "bedtime off" (outlined).

bedtime_off_rounded → const IconData



— material icon named "bedtime off" (round).

bedtime_off_sharp → const IconData



— material icon named "bedtime off" (sharp).

bedtime_outlined → const IconData



— material icon named "bedtime" (outlined).

bedtime_rounded → const IconData



— material icon named "bedtime" (round).

bedtime_sharp → const [IconData](#)



— material icon named "bedtime" (sharp).

beenhere → const [IconData](#)



— material icon named "beenhere".

beenhere_outlined → const [IconData](#)



— material icon named "beenhere" (outlined).

beenhere_rounded → const [IconData](#)



— material icon named "beenhere" (round).

beenhere_sharp → const [IconData](#)



— material icon named "beenhere" (sharp).

bento → const [IconData](#)



— material icon named "bento".

bento_outlined → const [IconData](#)



— material icon named "bento" (outlined).

bento_rounded → const [IconData](#)



— material icon named "bento" (round).

bento_sharp → const [IconData](#)



— material icon named "bento" (sharp).

bike_scooter → const [IconData](#)

 — material icon named "bike scooter".

bike_scooter_outlined → const IconData

 — material icon named "bike scooter" (outlined).

bike_scooter_rounded → const IconData

 — material icon named "bike scooter" (round).

bike_scooter_sharp → const IconData

 — material icon named "bike scooter" (sharp).

biotech → const IconData

 — material icon named "biotech".

biotech_outlined → const IconData

 — material icon named "biotech" (outlined).

biotech_rounded → const IconData

 — material icon named "biotech" (round).

biotech_sharp → const IconData

 — material icon named "biotech" (sharp).

blender → const IconData

 — material icon named "blender".

blender_outlined → const IconData

 — material icon named "blender" (outlined).

blender_rounded → const IconData



— material icon named "blender" (round).

blender_sharp → const [IconData](#)



— material icon named "blender" (sharp).

blind → const [IconData](#)



— material icon named "blind".

blind_outlined → const [IconData](#)



— material icon named "blind" (outlined).

blind_rounded → const [IconData](#)



— material icon named "blind" (round).

blind_sharp → const [IconData](#)



— material icon named "blind" (sharp).

blinds → const [IconData](#)



— material icon named "blinds".

blinds_closed → const [IconData](#)



— material icon named "blinds closed".

blinds_closed_outlined → const [IconData](#)



— material icon named "blinds closed" (outlined).

blinds_closed_rounded → const [IconData](#)



— material icon named "blinds closed" (round).

blinds_closed_sharp → const [IconData](#)



— material icon named "blinds closed" (sharp).

blinds_outlined → const IconData



— material icon named "blinds" (outlined).

blinds_rounded → const IconData



— material icon named "blinds" (round).

blinds_sharp → const IconData



— material icon named "blinds" (sharp).

block → const IconData



— material icon named "block".

block_flipped → const IconData



— material icon named "block flipped".

block_outlined → const IconData



— material icon named "block" (outlined).

block_rounded → const IconData



— material icon named "block" (round).

block_sharp → const IconData



— material icon named "block" (sharp).

bloodtype → const IconData



— material icon named "bloodtype".

bloodtype_outlined → const IconData



— material icon named "bloodtype" (outlined).

bloodtype_rounded → const IconData



— material icon named "bloodtype" (round).

bloodtype_sharp → const IconData



— material icon named "bloodtype" (sharp).

bluetooth → const IconData



— material icon named "bluetooth".

bluetooth_audio → const IconData



— material icon named "bluetooth audio".

bluetooth_audio_outlined → const IconData



— material icon named "bluetooth audio" (outlined).

bluetooth_audio_rounded → const IconData



— material icon named "bluetooth audio" (round).

bluetooth_audio_sharp → const IconData



— material icon named "bluetooth audio" (sharp).

bluetooth_connected → const IconData



— material icon named "bluetooth connected".

bluetooth_connected_outlined → const IconData



— material icon named "bluetooth connected" (outlined).

bluetooth_connected_rounded → const IconData

 — material icon named "bluetooth connected" (round).

bluetooth_connected_sharp → const IconData

 — material icon named "bluetooth connected" (sharp).

bluetooth_disabled → const IconData

 — material icon named "bluetooth disabled".

bluetooth_disabled_outlined → const IconData

 — material icon named "bluetooth disabled" (outlined).

bluetooth_disabled_rounded → const IconData

 — material icon named "bluetooth disabled" (round).

bluetooth_disabled_sharp → const IconData

 — material icon named "bluetooth disabled" (sharp).

bluetooth_drive → const IconData

 — material icon named "bluetooth drive".

bluetooth_drive_outlined → const IconData

 — material icon named "bluetooth drive" (outlined).

bluetooth_drive_rounded → const IconData

 — material icon named "bluetooth drive" (round).

bluetooth_drive_sharp → const IconData

 — material icon named "bluetooth drive" (sharp).

bluetooth_outlined → const IconData

 — material icon named "bluetooth" (outlined).

bluetooth_rounded → const IconData

 — material icon named "bluetooth" (round).

bluetooth_searching → const IconData

 — material icon named "bluetooth searching".

bluetooth_searching_outlined → const IconData

 — material icon named "bluetooth searching" (outlined).

bluetooth_searching_rounded → const IconData

 — material icon named "bluetooth searching" (round).

bluetooth_searching_sharp → const IconData

 — material icon named "bluetooth searching" (sharp).

bluetooth_sharp → const IconData

 — material icon named "bluetooth" (sharp).

blur_circular → const IconData

 — material icon named "blur circular".

blur_circular_outlined → const IconData

 — material icon named "blur circular" (outlined).

blur_circular_rounded → const IconData

 — material icon named "blur circular" (round).

blur_circular_sharp → const IconData



— material icon named "blur circular" (sharp).

blur_linear → const IconData



— material icon named "blur linear".

blur_linear_outlined → const IconData



— material icon named "blur linear" (outlined).

blur_linear_rounded → const IconData



— material icon named "blur linear" (round).

blur_linear_sharp → const IconData



— material icon named "blur linear" (sharp).

blur_off → const IconData



— material icon named "blur off".

blur_off_outlined → const IconData



— material icon named "blur off" (outlined).

blur_off_rounded → const IconData



— material icon named "blur off" (round).

blur_off_sharp → const IconData



— material icon named "blur off" (sharp).

blur_on → const IconData



— material icon named "blur on".

blur_on_outlined → const IconData



— material icon named "blur on" (outlined).

blur_on_rounded → const [IconData](#)



— material icon named "blur on" (round).

blur_on_sharp → const [IconData](#)



— material icon named "blur on" (sharp).

bolt → const [IconData](#)



— material icon named "bolt".

bolt_outlined → const [IconData](#)



— material icon named "bolt" (outlined).

bolt_rounded → const [IconData](#)



— material icon named "bolt" (round).

bolt_sharp → const [IconData](#)



— material icon named "bolt" (sharp).

book → const [IconData](#)



— material icon named "book".

book_online → const [IconData](#)



— material icon named "book online".

book_online_outlined → const [IconData](#)



— material icon named "book online" (outlined).

book_online_rounded → const [IconData](#)



— material icon named "book online" (round).

book_online_sharp → const IconData



— material icon named "book online" (sharp).

book_outlined → const IconData



— material icon named "book" (outlined).

book_rounded → const IconData



— material icon named "book" (round).

book_sharp → const IconData



— material icon named "book" (sharp).

bookmark → const IconData



— material icon named "bookmark".

bookmark_add → const IconData



— material icon named "bookmark add".

bookmark_add_outlined → const IconData



— material icon named "bookmark add" (outlined).

bookmark_add_rounded → const IconData



— material icon named "bookmark add" (round).

bookmark_add_sharp → const IconData



— material icon named "bookmark add" (sharp).

bookmark_added → const IconData

— material icon named "bookmark added".

bookmark_added_outlined → const IconData

— material icon named "bookmark added" (outlined).

bookmark_added_rounded → const IconData

— material icon named "bookmark added" (round).

bookmark_added_sharp → const IconData

— material icon named "bookmark added" (sharp).

bookmark_border → const IconData

— material icon named "bookmark border".

bookmark_border_outlined → const IconData

— material icon named "bookmark border" (outlined).

bookmark_border_rounded → const IconData

— material icon named "bookmark border" (round).

bookmark_border_sharp → const IconData

— material icon named "bookmark border" (sharp).

bookmark_outline → const IconData

— material icon named "bookmark outline".

bookmark_outline_outlined → const IconData

— material icon named "bookmark outline" (outlined).

bookmark_outline_rounded → const IconData

 — material icon named "bookmark outline" (round).

bookmark_outline_sharp → const [IconData](#)

 — material icon named "bookmark outline" (sharp).

bookmark_outlined → const [IconData](#)

 — material icon named "bookmark" (outlined).

bookmark_remove → const [IconData](#)

 — material icon named "bookmark remove".

bookmark_remove_outlined → const [IconData](#)

 — material icon named "bookmark remove" (outlined).

bookmark_remove_rounded → const [IconData](#)

 — material icon named "bookmark remove" (round).

bookmark_remove_sharp → const [IconData](#)

 — material icon named "bookmark remove" (sharp).

bookmark_rounded → const [IconData](#)

 — material icon named "bookmark" (round).

bookmark_sharp → const [IconData](#)

 — material icon named "bookmark" (sharp).

bookmarks → const [IconData](#)

 — material icon named "bookmarks".

bookmarks_outlined → const [IconData](#)



— material icon named "bookmarks" (outlined).

bookmarks_rounded → const [IconData](#)



— material icon named "bookmarks" (round).

bookmarks_sharp → const [IconData](#)



— material icon named "bookmarks" (sharp).

border_all → const [IconData](#)



— material icon named "border all".

border_all_outlined → const [IconData](#)



— material icon named "border all" (outlined).

border_all_rounded → const [IconData](#)



— material icon named "border all" (round).

border_all_sharp → const [IconData](#)



— material icon named "border all" (sharp).

border_bottom → const [IconData](#)



— material icon named "border bottom".

border_bottom_outlined → const [IconData](#)



— material icon named "border bottom" (outlined).

border_bottom_rounded → const [IconData](#)



— material icon named "border bottom" (round).

border_bottom_sharp → const [IconData](#)



— material icon named "border bottom" (sharp).

border_clear → const IconData



— material icon named "border clear".

border_clear_outlined → const IconData



— material icon named "border clear" (outlined).

border_clear_rounded → const IconData



— material icon named "border clear" (round).

border_clear_sharp → const IconData



— material icon named "border clear" (sharp).

border_color → const IconData



— material icon named "border color".

border_color_outlined → const IconData



— material icon named "border color" (outlined).

border_color_rounded → const IconData



— material icon named "border color" (round).

border_color_sharp → const IconData



— material icon named "border color" (sharp).

border_horizontal → const IconData



— material icon named "border horizontal".

border_horizontal_outlined → const IconData



— material icon named "border horizontal" (outlined).

border_horizontal_rounded → const IconData



— material icon named "border horizontal" (round).

border_horizontal_sharp → const IconData



— material icon named "border horizontal" (sharp).

border_inner → const IconData



— material icon named "border inner".

border_inner_outlined → const IconData



— material icon named "border inner" (outlined).

border_inner_rounded → const IconData



— material icon named "border inner" (round).

border_inner_sharp → const IconData



— material icon named "border inner" (sharp).

border_left → const IconData



— material icon named "border left".

border_left_outlined → const IconData



— material icon named "border left" (outlined).

border_left_rounded → const IconData



— material icon named "border left" (round).

border_left_sharp → const IconData

 — material icon named "border left" (sharp).

border_outer → const [IconData](#)

 — material icon named "border outer".

border_outer_outlined → const [IconData](#)

 — material icon named "border outer" (outlined).

border_outer_rounded → const [IconData](#)

 — material icon named "border outer" (round).

border_outer_sharp → const [IconData](#)

 — material icon named "border outer" (sharp).

border_right → const [IconData](#)

 — material icon named "border right".

border_right_outlined → const [IconData](#)

 — material icon named "border right" (outlined).

border_right_rounded → const [IconData](#)

 — material icon named "border right" (round).

border_right_sharp → const [IconData](#)

 — material icon named "border right" (sharp).

border_style → const [IconData](#)

 — material icon named "border style".

border_style_outlined → const [IconData](#)

 — material icon named "border style" (outlined).

border_style_rounded → const IconData

 — material icon named "border style" (round).

border_style_sharp → const IconData

 — material icon named "border style" (sharp).

border_top → const IconData

 — material icon named "border top".

border_top_outlined → const IconData

 — material icon named "border top" (outlined).

border_top_rounded → const IconData

 — material icon named "border top" (round).

border_top_sharp → const IconData

 — material icon named "border top" (sharp).

border_vertical → const IconData

 — material icon named "border vertical".

border_vertical_outlined → const IconData

 — material icon named "border vertical" (outlined).

border_vertical_rounded → const IconData

 — material icon named "border vertical" (round).

border_vertical_sharp → const IconData



— material icon named "border vertical" (sharp).

boy → const IconData



— material icon named "boy".

boy_outlined → const IconData



— material icon named "boy" (outlined).

boy_rounded → const IconData



— material icon named "boy" (round).

boy_sharp → const IconData



— material icon named "boy" (sharp).

branding_watermark → const IconData



— material icon named "branding watermark".

branding_watermark_outlined → const IconData



— material icon named "branding watermark" (outlined).

branding_watermark_rounded → const IconData



— material icon named "branding watermark" (round).

branding_watermark_sharp → const IconData



— material icon named "branding watermark" (sharp).

breakfast_dining → const IconData



— material icon named "breakfast dining".

breakfast_dining_outlined → const IconData



— material icon named "breakfast dining" (outlined).

breakfast_dining_rounded → const IconData



— material icon named "breakfast dining" (round).

breakfast_dining_sharp → const IconData



— material icon named "breakfast dining" (sharp).

brightness_1 → const IconData



— material icon named "brightness 1".

brightness_1_outlined → const IconData



— material icon named "brightness 1" (outlined).

brightness_1_rounded → const IconData



— material icon named "brightness 1" (round).

brightness_1_sharp → const IconData



— material icon named "brightness 1" (sharp).

brightness_2 → const IconData



— material icon named "brightness 2".

brightness_2_outlined → const IconData



— material icon named "brightness 2" (outlined).

brightness_2_rounded → const IconData



— material icon named "brightness 2" (round).

brightness_2_sharp → const IconData

 — material icon named "brightness 2" (sharp).

brightness_3 → const IconData

 — material icon named "brightness 3".

brightness_3_outlined → const IconData

 — material icon named "brightness 3" (outlined).

brightness_3_rounded → const IconData

 — material icon named "brightness 3" (round).

brightness_3_sharp → const IconData

 — material icon named "brightness 3" (sharp).

brightness_4 → const IconData

 — material icon named "brightness 4".

brightness_4_outlined → const IconData

 — material icon named "brightness 4" (outlined).

brightness_4_rounded → const IconData

 — material icon named "brightness 4" (round).

brightness_4_sharp → const IconData

 — material icon named "brightness 4" (sharp).

brightness_5 → const IconData

 — material icon named "brightness 5".

brightness_5_outlined → const IconData

 — material icon named "brightness 5" (outlined).

brightness_5_rounded → const IconData

 — material icon named "brightness 5" (round).

brightness_5_sharp → const IconData

 — material icon named "brightness 5" (sharp).

brightness_6 → const IconData

 — material icon named "brightness 6".

brightness_6_outlined → const IconData

 — material icon named "brightness 6" (outlined).

brightness_6_rounded → const IconData

 — material icon named "brightness 6" (round).

brightness_6_sharp → const IconData

 — material icon named "brightness 6" (sharp).

brightness_7 → const IconData

 — material icon named "brightness 7".

brightness_7_outlined → const IconData

 — material icon named "brightness 7" (outlined).

brightness_7_rounded → const IconData

 — material icon named "brightness 7" (round).

brightness_7_sharp → const IconData

 — material icon named "brightness 7" (sharp).

brightness_auto → const IconData

 — material icon named "brightness auto".

brightness_auto_outlined → const IconData

 — material icon named "brightness auto" (outlined).

brightness_auto_rounded → const IconData

 — material icon named "brightness auto" (round).

brightness_auto_sharp → const IconData

 — material icon named "brightness auto" (sharp).

brightness_high → const IconData

 — material icon named "brightness high".

brightness_high_outlined → const IconData

 — material icon named "brightness high" (outlined).

brightness_high_rounded → const IconData

 — material icon named "brightness high" (round).

brightness_high_sharp → const IconData

 — material icon named "brightness high" (sharp).

brightness_low → const IconData

 — material icon named "brightness low".

brightness_low_outlined → const IconData



— material icon named "brightness low" (outlined).

brightness_low_rounded → const IconData



— material icon named "brightness low" (round).

brightness_low_sharp → const IconData



— material icon named "brightness low" (sharp).

brightness_medium → const IconData



— material icon named "brightness medium".

brightness_medium_outlined → const IconData



— material icon named "brightness medium" (outlined).

brightness_medium_rounded → const IconData



— material icon named "brightness medium" (round).

brightness_medium_sharp → const IconData



— material icon named "brightness medium" (sharp).

broadcast_on_home → const IconData



— material icon named "broadcast on home".

broadcast_on_home_outlined → const IconData



— material icon named "broadcast on home" (outlined).

broadcast_on_home_rounded → const IconData



— material icon named "broadcast on home" (round).

broadcast_on_home_sharp → const IconData



— material icon named "broadcast on home" (sharp).

broadcast_on_personal → const IconData



— material icon named "broadcast on personal".

broadcast_on_personal_outlined → const IconData



— material icon named "broadcast on personal" (outlined).

broadcast_on_personal_rounded → const IconData



— material icon named "broadcast on personal" (round).

broadcast_on_personal_sharp → const IconData



— material icon named "broadcast on personal" (sharp).

broken_image → const IconData



— material icon named "broken image".

broken_image_outlined → const IconData



— material icon named "broken image" (outlined).

broken_image_rounded → const IconData



— material icon named "broken image" (round).

broken_image_sharp → const IconData



— material icon named "broken image" (sharp).

browse_gallery → const IconData



— material icon named "browse gallery".

browse_gallery_outlined → const IconData

 — material icon named "browse gallery" (outlined).

[browse_gallery_rounded](#) → const IconData

 — material icon named "browse gallery" (round).

[browse_gallery_sharp](#) → const IconData

 — material icon named "browse gallery" (sharp).

[browser_not_supported](#) → const IconData

 — material icon named "browser not supported".

[browser_not_supported_outlined](#) → const IconData

 — material icon named "browser not supported" (outlined).

[browser_not_supported_rounded](#) → const IconData

 — material icon named "browser not supported" (round).

[browser_not_supported_sharp](#) → const IconData

 — material icon named "browser not supported" (sharp).

[browser_updated](#) → const IconData

 — material icon named "browser updated".

[browser_updated_outlined](#) → const IconData

 — material icon named "browser updated" (outlined).

[browser_updated_rounded](#) → const IconData

 — material icon named "browser updated" (round).

[browser_updated_sharp](#) → const IconData



— material icon named "browser updated" (sharp).

brunch_dining → const IconData



— material icon named "brunch dining".

brunch_dining_outlined → const IconData



— material icon named "brunch dining" (outlined).

brunch_dining_rounded → const IconData



— material icon named "brunch dining" (round).

brunch_dining_sharp → const IconData



— material icon named "brunch dining" (sharp).

brush → const IconData



— material icon named "brush".

brush_outlined → const IconData



— material icon named "brush" (outlined).

brush_rounded → const IconData



— material icon named "brush" (round).

brush_sharp → const IconData



— material icon named "brush" (sharp).

bubble_chart → const IconData



— material icon named "bubble chart".

bubble_chart_outlined → const IconData

 — material icon named "bubble chart" (outlined).

bubble_chart_rounded → const IconData

 — material icon named "bubble chart" (round).

bubble_chart_sharp → const IconData

 — material icon named "bubble chart" (sharp).

bug_report → const IconData

 — material icon named "bug report".

bug_report_outlined → const IconData

 — material icon named "bug report" (outlined).

bug_report_rounded → const IconData

 — material icon named "bug report" (round).

bug_report_sharp → const IconData

 — material icon named "bug report" (sharp).

build → const IconData

 — material icon named "build".

build_circle → const IconData

 — material icon named "build circle".

build_circle_outlined → const IconData

 — material icon named "build circle" (outlined).

build_circle_rounded → const IconData



— material icon named "build circle" (round).

build_circle_sharp → const IconData



— material icon named "build circle" (sharp).

build_outlined → const IconData



— material icon named "build" (outlined).

build_rounded → const IconData



— material icon named "build" (round).

build_sharp → const IconData



— material icon named "build" (sharp).

bungalow → const IconData



— material icon named "bungalow".

bungalow_outlined → const IconData



— material icon named "bungalow" (outlined).

bungalow_rounded → const IconData



— material icon named "bungalow" (round).

bungalow_sharp → const IconData



— material icon named "bungalow" (sharp).

burst_mode → const IconData



— material icon named "burst mode".

burst_mode_outlined → const IconData

 — material icon named "burst mode" (outlined).

burst_mode_rounded → const IconData

 — material icon named "burst mode" (round).

burst_mode_sharp → const IconData

 — material icon named "burst mode" (sharp).

bus_alert → const IconData



— material icon named "bus alert".

bus_alert_outlined → const IconData



— material icon named "bus alert" (outlined).

bus_alert_rounded → const IconData



— material icon named "bus alert" (round).

bus_alert_sharp → const IconData



— material icon named "bus alert" (sharp).

business → const IconData



— material icon named "business".

business_center → const IconData



— material icon named "business center".

business_center_outlined → const IconData



— material icon named "business center" (outlined).

business_center_rounded → const IconData



— material icon named "business center" (round).

business_center_sharp → const IconData



— material icon named "business center" (sharp).

business_outlined → const IconData



— material icon named "business" (outlined).

business_rounded → const IconData



— material icon named "business" (round).

business_sharp → const IconData



— material icon named "business" (sharp).

cabin → const IconData



— material icon named "cabin".

cabin_outlined → const IconData



— material icon named "cabin" (outlined).

cabin_rounded → const IconData



— material icon named "cabin" (round).

cabin_sharp → const IconData



— material icon named "cabin" (sharp).

cable → const IconData



— material icon named "cable".

cable_outlined → const IconData



— material icon named "cable" (outlined).

cable_rounded → const [IconData](#)



— material icon named "cable" (round).

cable_sharp → const [IconData](#)



— material icon named "cable" (sharp).

cached → const [IconData](#)



— material icon named "cached".

cached_outlined → const [IconData](#)



— material icon named "cached" (outlined).

cached_rounded → const [IconData](#)



— material icon named "cached" (round).

cached_sharp → const [IconData](#)



— material icon named "cached" (sharp).

cake → const [IconData](#)



— material icon named "cake".

cake_outlined → const [IconData](#)



— material icon named "cake" (outlined).

cake_rounded → const [IconData](#)



— material icon named "cake" (round).

cake_sharp → const [IconData](#)



— material icon named "cake" (sharp).

calculate → const [IconData](#)



— material icon named "calculate".

calculate_outlined → const [IconData](#)



— material icon named "calculate" (outlined).

calculate_rounded → const [IconData](#)



— material icon named "calculate" (round).

calculate_sharp → const [IconData](#)



— material icon named "calculate" (sharp).

calendar_month → const [IconData](#)



— material icon named "calendar month".

calendar_month_outlined → const [IconData](#)



— material icon named "calendar month" (outlined).

calendar_month_rounded → const [IconData](#)



— material icon named "calendar month" (round).

calendar_month_sharp → const [IconData](#)



— material icon named "calendar month" (sharp).

calendar_today → const [IconData](#)



— material icon named "calendar today".

calendar_today_outlined → const [IconData](#)



— material icon named "calendar today" (outlined).

calendar_today_rounded → const IconData



— material icon named "calendar today" (round).

calendar_today_sharp → const IconData



— material icon named "calendar today" (sharp).

calendar_view_day → const IconData



— material icon named "calendar view day".

calendar_view_day_outlined → const IconData



— material icon named "calendar view day" (outlined).

calendar_view_day_rounded → const IconData



— material icon named "calendar view day" (round).

calendar_view_day_sharp → const IconData



— material icon named "calendar view day" (sharp).

calendar_view_month → const IconData



— material icon named "calendar view month".

calendar_view_month_outlined → const IconData



— material icon named "calendar view month" (outlined).

calendar_view_month_rounded → const IconData



— material icon named "calendar view month" (round).

calendar_view_month_sharp → const IconData

 — material icon named "calendar view month" (sharp).

[calendar_view_week](#) → const IconData

 — material icon named "calendar view week".

[calendar_view_week_outlined](#) → const IconData

 — material icon named "calendar view week" (outlined).

[calendar_view_week_rounded](#) → const IconData

 — material icon named "calendar view week" (round).

[calendar_view_week_sharp](#) → const IconData

 — material icon named "calendar view week" (sharp).

[call](#) → const IconData

 — material icon named "call".

[call_end](#) → const IconData

 — material icon named "call end".

[call_end_outlined](#) → const IconData

 — material icon named "call end" (outlined).

[call_end_rounded](#) → const IconData

 — material icon named "call end" (round).

[call_end_sharp](#) → const IconData

 — material icon named "call end" (sharp).

[call_made](#) → const IconData

 — material icon named "call made".

[call_made_outlined](#) → const IconData

 — material icon named "call made" (outlined).

[call_made_rounded](#) → const IconData

 — material icon named "call made" (round).

[call_made_sharp](#) → const IconData

 — material icon named "call made" (sharp).

[call_merge](#) → const IconData

 — material icon named "call merge".

[call_merge_outlined](#) → const IconData

 — material icon named "call merge" (outlined).

[call_merge_rounded](#) → const IconData

 — material icon named "call merge" (round).

[call_merge_sharp](#) → const IconData

 — material icon named "call merge" (sharp).

[call_missed](#) → const IconData

 — material icon named "call missed".

[call_missed_outgoing](#) → const IconData

 — material icon named "call missed outgoing".

[call_missed_outgoing_outlined](#) → const IconData

 — material icon named "call missed outgoing" (outlined).

[call_missed_outgoing_rounded](#) → const IconData

 — material icon named "call missed outgoing" (round).

[call_missed_outgoing_sharp](#) → const IconData

 — material icon named "call missed outgoing" (sharp).

[call_missed_outlined](#) → const IconData

 — material icon named "call missed" (outlined).

[call_missed_rounded](#) → const IconData

 — material icon named "call missed" (round).

[call_missed_sharp](#) → const IconData

 — material icon named "call missed" (sharp).

[call_outlined](#) → const IconData

 — material icon named "call" (outlined).

[call_received](#) → const IconData

 — material icon named "call received".

[call_received_outlined](#) → const IconData

 — material icon named "call received" (outlined).

[call_received_rounded](#) → const IconData

 — material icon named "call received" (round).

[call_received_sharp](#) → const IconData

 — material icon named "call received" (sharp).

call_rounded → const IconData

 — material icon named "call" (round).

call_sharp → const IconData

 — material icon named "call" (sharp).

call_split → const IconData

 — material icon named "call split".

call_split_outlined → const IconData

 — material icon named "call split" (outlined).

call_split_rounded → const IconData

 — material icon named "call split" (round).

call_split_sharp → const IconData

 — material icon named "call split" (sharp).

call_to_action → const IconData

 — material icon named "call to action".

call_to_action_outlined → const IconData

 — material icon named "call to action" (outlined).

call_to_action_rounded → const IconData

 — material icon named "call to action" (round).

call_to_action_sharp → const IconData



— material icon named "call to action" (sharp).

camera → const IconData



— material icon named "camera".

camera_alt → const IconData



— material icon named "camera alt".

camera_alt_outlined → const IconData



— material icon named "camera alt" (outlined).

camera_alt_rounded → const IconData



— material icon named "camera alt" (round).

camera_alt_sharp → const IconData



— material icon named "camera alt" (sharp).

camera_enhance → const IconData



— material icon named "camera enhance".

camera_enhance_outlined → const IconData



— material icon named "camera enhance" (outlined).

camera_enhance_rounded → const IconData



— material icon named "camera enhance" (round).

camera_enhance_sharp → const IconData



— material icon named "camera enhance" (sharp).

camera_front → const IconData



— material icon named "camera front".

camera_front_outlined → const IconData



— material icon named "camera front" (outlined).

camera_front_rounded → const IconData



— material icon named "camera front" (round).

camera_front_sharp → const IconData



— material icon named "camera front" (sharp).

camera_indoor → const IconData



— material icon named "camera indoor".

camera_indoor_outlined → const IconData



— material icon named "camera indoor" (outlined).

camera_indoor_rounded → const IconData



— material icon named "camera indoor" (round).

camera_indoor_sharp → const IconData



— material icon named "camera indoor" (sharp).

camera_outdoor → const IconData



— material icon named "camera outdoor".

camera_outdoor_outlined → const IconData



— material icon named "camera outdoor" (outlined).

camera_outdoor_rounded → const IconData



— material icon named "camera outdoor" (round).

[camera_outdoor_sharp](#) → const IconData



— material icon named "camera outdoor" (sharp).

[camera_outlined](#) → const IconData



— material icon named "camera" (outlined).

[camera_rear](#) → const IconData



— material icon named "camera rear".

[camera_rear_outlined](#) → const IconData



— material icon named "camera rear" (outlined).

[camera_rear_rounded](#) → const IconData



— material icon named "camera rear" (round).

[camera_rear_sharp](#) → const IconData



— material icon named "camera rear" (sharp).

[camera_roll](#) → const IconData



— material icon named "camera roll".

[camera_roll_outlined](#) → const IconData



— material icon named "camera roll" (outlined).

[camera_roll_rounded](#) → const IconData



— material icon named "camera roll" (round).

[camera_roll_sharp](#) → const IconData



— material icon named "camera roll" (sharp).

camera_rounded → const [IconData](#)



— material icon named "camera" (round).

camera_sharp → const [IconData](#)



— material icon named "camera" (sharp).

cameraswitch → const [IconData](#)



— material icon named "cameraswitch".

cameraswitch_outlined → const [IconData](#)



— material icon named "cameraswitch" (outlined).

cameraswitch_rounded → const [IconData](#)



— material icon named "cameraswitch" (round).

cameraswitch_sharp → const [IconData](#)



— material icon named "cameraswitch" (sharp).

campaign → const [IconData](#)



— material icon named "campaign".

campaign_outlined → const [IconData](#)



— material icon named "campaign" (outlined).

campaign_rounded → const [IconData](#)



— material icon named "campaign" (round).

campaign_sharp → const [IconData](#)

 — material icon named "campaign" (sharp).

cancel → const IconData

 — material icon named "cancel".

cancel_outlined → const IconData

 — material icon named "cancel" (outlined).

cancel_presentation → const IconData

 — material icon named "cancel presentation".

cancel_presentation_outlined → const IconData

 — material icon named "cancel presentation" (outlined).

cancel_presentation_rounded → const IconData

 — material icon named "cancel presentation" (round).

cancel_presentation_sharp → const IconData

 — material icon named "cancel presentation" (sharp).

cancel_rounded → const IconData

 — material icon named "cancel" (round).

cancel_schedule_send → const IconData

 — material icon named "cancel schedule send".

cancel_schedule_send_outlined → const IconData

 — material icon named "cancel schedule send" (outlined).

cancel_schedule_send_rounded → const IconData



— material icon named "cancel schedule send" (round).

[cancel_schedule_send_sharp](#) → const IconData



— material icon named "cancel schedule send" (sharp).

[cancel_sharp](#) → const IconData



— material icon named "cancel" (sharp).

[candlestick_chart](#) → const IconData



— material icon named "candlestick chart".

[candlestick_chart_outlined](#) → const IconData



— material icon named "candlestick chart" (outlined).

[candlestick_chart_rounded](#) → const IconData



— material icon named "candlestick chart" (round).

[candlestick_chart_sharp](#) → const IconData



— material icon named "candlestick chart" (sharp).

[car_crash](#) → const IconData



— material icon named "car crash".

[car_crash_outlined](#) → const IconData



— material icon named "car crash" (outlined).

[car_crash_rounded](#) → const IconData



— material icon named "car crash" (round).

[car_crash_sharp](#) → const IconData



— material icon named "car crash" (sharp).

car_rental → const IconData



— material icon named "car rental".

car_rental_outlined → const IconData



— material icon named "car rental" (outlined).

car_rental_rounded → const IconData



— material icon named "car rental" (round).

car_rental_sharp → const IconData



— material icon named "car rental" (sharp).

car_repair → const IconData



— material icon named "car repair".

car_repair_outlined → const IconData



— material icon named "car repair" (outlined).

car_repair_rounded → const IconData



— material icon named "car repair" (round).

car_repair_sharp → const IconData



— material icon named "car repair" (sharp).

card_giftcard → const IconData



— material icon named "card giftcard".

card_giftcard_outlined → const IconData



— material icon named "card_giftcard" (outlined).

card_giftcard_rounded → const IconData



— material icon named "card_giftcard" (round).

card_giftcard_sharp → const IconData



— material icon named "card_giftcard" (sharp).

card_membership → const IconData



— material icon named "card_membership".

card_membership_outlined → const IconData



— material icon named "card_membership" (outlined).

card_membership_rounded → const IconData



— material icon named "card_membership" (round).

card_membership_sharp → const IconData



— material icon named "card_membership" (sharp).

card_travel → const IconData



— material icon named "card_travel".

card_travel_outlined → const IconData



— material icon named "card_travel" (outlined).

card_travel_rounded → const IconData



— material icon named "card_travel" (round).

card_travel_sharp → const IconData



— material icon named "card travel" (sharp).

carpenter → const IconData



— material icon named "carpenter".

carpenter_outlined → const IconData



— material icon named "carpenter" (outlined).

carpenter_rounded → const IconData



— material icon named "carpenter" (round).

carpenter_sharp → const IconData



— material icon named "carpenter" (sharp).

cases → const IconData



— material icon named "cases".

cases_outlined → const IconData



— material icon named "cases" (outlined).

cases_rounded → const IconData



— material icon named "cases" (round).

cases_sharp → const IconData



— material icon named "cases" (sharp).

casino → const IconData



— material icon named "casino".

casino_outlined → const IconData



— material icon named "casino" (outlined).

casino_rounded → const IconData



— material icon named "casino" (round).

casino_sharp → const IconData



— material icon named "casino" (sharp).

cast → const IconData



— material icon named "cast".

cast_connected → const IconData



— material icon named "cast connected".

cast_connected_outlined → const IconData



— material icon named "cast connected" (outlined).

cast_connected_rounded → const IconData



— material icon named "cast connected" (round).

cast_connected_sharp → const IconData



— material icon named "cast connected" (sharp).

cast_for_education → const IconData



— material icon named "cast for education".

cast_for_education_outlined → const IconData



— material icon named "cast for education" (outlined).

cast_for_education_rounded → const IconData



— material icon named "cast for education" (round).

[cast_for_education_sharp](#) → const IconData



— material icon named "cast for education" (sharp).

[cast_outlined](#) → const IconData



— material icon named "cast" (outlined).

[cast_rounded](#) → const IconData



— material icon named "cast" (round).

[cast_sharp](#) → const IconData



— material icon named "cast" (sharp).

[castle](#) → const IconData



— material icon named "castle".

[castle_outlined](#) → const IconData



— material icon named "castle" (outlined).

[castle_rounded](#) → const IconData



— material icon named "castle" (round).

[castle_sharp](#) → const IconData



— material icon named "castle" (sharp).

[catching_pokemon](#) → const IconData



— material icon named "catching pokemon".

[catching_pokemon_outlined](#) → const IconData



— material icon named "catching pokemon" (outlined).

[catching_pokemon_rounded](#) → const [IconData](#)



— material icon named "catching pokemon" (round).

[catching_pokemon_sharp](#) → const [IconData](#)



— material icon named "catching pokemon" (sharp).

[category](#) → const [IconData](#)



— material icon named "category".

[category_outlined](#) → const [IconData](#)



— material icon named "category" (outlined).

[category_rounded](#) → const [IconData](#)



— material icon named "category" (round).

[category_sharp](#) → const [IconData](#)



— material icon named "category" (sharp).

[celebration](#) → const [IconData](#)



— material icon named "celebration".

[celebration_outlined](#) → const [IconData](#)



— material icon named "celebration" (outlined).

[celebration_rounded](#) → const [IconData](#)



— material icon named "celebration" (round).

[celebration_sharp](#) → const [IconData](#)



— material icon named "celebration" (sharp).

`cell_tower` → const IconData



— material icon named "cell tower".

`cell_tower_outlined` → const IconData



— material icon named "cell tower" (outlined).

`cell_tower_rounded` → const IconData



— material icon named "cell tower" (round).

`cell_tower_sharp` → const IconData



— material icon named "cell tower" (sharp).

`cell_wifi` → const IconData



— material icon named "cell wifi".

`cell_wifi_outlined` → const IconData



— material icon named "cell wifi" (outlined).

`cell_wifi_rounded` → const IconData



— material icon named "cell wifi" (round).

`cell_wifi_sharp` → const IconData



— material icon named "cell wifi" (sharp).

`center_focus_strong` → const IconData



— material icon named "center focus strong".

`center_focus_strong_outlined` → const IconData



— material icon named "center focus strong" (outlined).

center_focus_strong_rounded → const [IconData](#)



— material icon named "center focus strong" (round).

center_focus_strong_sharp → const [IconData](#)



— material icon named "center focus strong" (sharp).

center_focus_weak → const [IconData](#)



— material icon named "center focus weak".

center_focus_weak_outlined → const [IconData](#)



— material icon named "center focus weak" (outlined).

center_focus_weak_rounded → const [IconData](#)



— material icon named "center focus weak" (round).

center_focus_weak_sharp → const [IconData](#)



— material icon named "center focus weak" (sharp).

chair → const [IconData](#)



— material icon named "chair".

chair_alt → const [IconData](#)



— material icon named "chair alt".

chair_alt_outlined → const [IconData](#)



— material icon named "chair alt" (outlined).

chair_alt_rounded → const [IconData](#)



— material icon named "chair alt" (round).

chair_alt_sharp → const IconData



— material icon named "chair alt" (sharp).

chair_outlined → const IconData



— material icon named "chair" (outlined).

chair_rounded → const IconData



— material icon named "chair" (round).

chair_sharp → const IconData



— material icon named "chair" (sharp).

chalet → const IconData



— material icon named "chalet".

chalet_outlined → const IconData



— material icon named "chalet" (outlined).

chalet_rounded → const IconData



— material icon named "chalet" (round).

chalet_sharp → const IconData



— material icon named "chalet" (sharp).

change_circle → const IconData



— material icon named "change circle".

change_circle_outlined → const IconData



— material icon named "change circle" (outlined).

change_circle_rounded → const IconData



— material icon named "change circle" (round).

change_circle_sharp → const IconData



— material icon named "change circle" (sharp).

change_history → const IconData



— material icon named "change history".

change_history_outlined → const IconData



— material icon named "change history" (outlined).

change_history_rounded → const IconData



— material icon named "change history" (round).

change_history_sharp → const IconData



— material icon named "change history" (sharp).

charging_station → const IconData



— material icon named "charging station".

charging_station_outlined → const IconData



— material icon named "charging station" (outlined).

charging_station_rounded → const IconData



— material icon named "charging station" (round).

charging_station_sharp → const IconData



— material icon named "charging station" (sharp).

chat → const IconData



— material icon named "chat".

chat_bubble → const IconData



— material icon named "chat bubble".

chat_bubble_outline → const IconData



— material icon named "chat bubble outline".

chat_bubble_outline_outlined → const IconData



— material icon named "chat bubble outline" (outlined).

chat_bubble_outline_rounded → const IconData



— material icon named "chat bubble outline" (round).

chat_bubble_outline_sharp → const IconData



— material icon named "chat bubble outline" (sharp).

chat_bubble_outlined → const IconData



— material icon named "chat bubble" (outlined).

chat_bubble_rounded → const IconData



— material icon named "chat bubble" (round).

chat_bubble_sharp → const IconData



— material icon named "chat bubble" (sharp).

chat_outlined → const IconData



— material icon named "chat" (outlined).

chat_rounded → const IconData



— material icon named "chat" (round).

chat_sharp → const IconData



— material icon named "chat" (sharp).

check → const IconData



— material icon named "check".

check_box → const IconData



— material icon named "check box".

check_box_outline_blank → const IconData



— material icon named "check box outline blank".

check_box_outline_blank_outlined → const IconData



— material icon named "check box outline blank" (outlined).

check_box_outline_blank_rounded → const IconData



— material icon named "check box outline blank" (round).

check_box_outline_blank_sharp → const IconData



— material icon named "check box outline blank" (sharp).

check_box_outlined → const IconData



— material icon named "check box" (outlined).

check_box_rounded → const IconData

 — material icon named "check box" (round).

`check_box_sharp` → const `IconData`

 — material icon named "check box" (sharp).

`check_circle` → const `IconData`

 — material icon named "check circle".

`check_circle_outline` → const `IconData`

 — material icon named "check circle outline".

`check_circle_outline_outlined` → const `IconData`

 — material icon named "check circle outline" (outlined).

`check_circle_outline_rounded` → const `IconData`

 — material icon named "check circle outline" (round).

`check_circle_outline_sharp` → const `IconData`

 — material icon named "check circle outline" (sharp).

`check_circle_outlined` → const `IconData`

 — material icon named "check circle" (outlined).

`check_circle_rounded` → const `IconData`

 — material icon named "check circle" (round).

`check_circle_sharp` → const `IconData`

 — material icon named "check circle" (sharp).

`check_outlined` → const `IconData`

✓ — material icon named "check" (outlined).

check_rounded → const IconData

✓ — material icon named "check" (round).

check_sharp → const IconData

✓ — material icon named "check" (sharp).

checklist → const IconData

☑ — material icon named "checklist".

checklist_outlined → const IconData

☑ — material icon named "checklist" (outlined).

checklist_rounded → const IconData

☑ — material icon named "checklist" (round).

checklist_rtl → const IconData

☑ — material icon named "checklist rtl".

checklist_rtl_outlined → const IconData

☑ — material icon named "checklist rtl" (outlined).

checklist_rtl_rounded → const IconData

☑ — material icon named "checklist rtl" (round).

checklist_rtl_sharp → const IconData

☑ — material icon named "checklist rtl" (sharp).

checklist_sharp → const IconData

 — material icon named "checklist" (sharp).

checkroom → const [IconData](#)

 — material icon named "checkroom".

checkroom_outlined → const [IconData](#)

 — material icon named "checkroom" (outlined).

checkroom_rounded → const [IconData](#)

 — material icon named "checkroom" (round).

checkroom_sharp → const [IconData](#)

 — material icon named "checkroom" (sharp).

chevron_left → const [IconData](#)

 — material icon named "chevron left".

chevron_left_outlined → const [IconData](#)

 — material icon named "chevron left" (outlined).

chevron_left_rounded → const [IconData](#)

 — material icon named "chevron left" (round).

chevron_left_sharp → const [IconData](#)

 — material icon named "chevron left" (sharp).

chevron_right → const [IconData](#)

 — material icon named "chevron right".

chevron_right_outlined → const [IconData](#)

➤ — material icon named "chevron right" (outlined).

chevron_right_rounded → const IconData

➤ — material icon named "chevron right" (round).

chevron_right_sharp → const IconData

➤ — material icon named "chevron right" (sharp).

child_care → const IconData



— material icon named "child care".

child_care_outlined → const IconData



— material icon named "child care" (outlined).

child_care_rounded → const IconData



— material icon named "child care" (round).

child_care_sharp → const IconData



— material icon named "child care" (sharp).

child_friendly → const IconData



— material icon named "child friendly".

child_friendly_outlined → const IconData



— material icon named "child friendly" (outlined).

child_friendly_rounded → const IconData



— material icon named "child friendly" (round).

child_friendly_sharp → const IconData



— material icon named "child friendly" (sharp).

chrome_reader_mode → const [IconData](#)



— material icon named "chrome reader mode".

chrome_reader_mode_outlined → const [IconData](#)



— material icon named "chrome reader mode" (outlined).

chrome_reader_mode_rounded → const [IconData](#)



— material icon named "chrome reader mode" (round).

chrome_reader_mode_sharp → const [IconData](#)



— material icon named "chrome reader mode" (sharp).

church → const [IconData](#)



— material icon named "church".

church_outlined → const [IconData](#)



— material icon named "church" (outlined).

church_rounded → const [IconData](#)



— material icon named "church" (round).

church_sharp → const [IconData](#)



— material icon named "church" (sharp).

circle → const [IconData](#)



— material icon named "circle".

circle_notifications → const [IconData](#)



— material icon named "circle notifications".

circle_notifications_outlined → const IconData



— material icon named "circle notifications" (outlined).

circle_notifications_rounded → const IconData



— material icon named "circle notifications" (round).

circle_notifications_sharp → const IconData



— material icon named "circle notifications" (sharp).

circle_outlined → const IconData



— material icon named "circle" (outlined).

circle_rounded → const IconData



— material icon named "circle" (round).

circle_sharp → const IconData



— material icon named "circle" (sharp).

class_ → const IconData



— material icon named "class".

class_outlined → const IconData



— material icon named "class" (outlined).

class_rounded → const IconData



— material icon named "class" (round).

class_sharp → const IconData



— material icon named "class" (sharp).

clean_hands → const IconData



— material icon named "clean hands".

clean_hands_outlined → const IconData



— material icon named "clean hands" (outlined).

clean_hands_rounded → const IconData



— material icon named "clean hands" (round).

clean_hands_sharp → const IconData



— material icon named "clean hands" (sharp).

cleaning_services → const IconData



— material icon named "cleaning services".

cleaning_services_outlined → const IconData



— material icon named "cleaning services" (outlined).

cleaning_services_rounded → const IconData



— material icon named "cleaning services" (round).

cleaning_services_sharp → const IconData



— material icon named "cleaning services" (sharp).

clear → const IconData



— material icon named "clear".

clear_all → const IconData

 — material icon named "clear all".

`clear_all_outlined` → const [IconData](#)

 — material icon named "clear all" (outlined).

`clear_all_rounded` → const [IconData](#)

 — material icon named "clear all" (round).

`clear_all_sharp` → const [IconData](#)

 — material icon named "clear all" (sharp).

`clear_outlined` → const [IconData](#)

 — material icon named "clear" (outlined).

`clear_rounded` → const [IconData](#)

 — material icon named "clear" (round).

`clear_sharp` → const [IconData](#)

 — material icon named "clear" (sharp).

`close` → const [IconData](#)

 — material icon named "close".

`close_fullscreen` → const [IconData](#)

 — material icon named "close fullscreen".

`close_fullscreen_outlined` → const [IconData](#)

 — material icon named "close fullscreen" (outlined).

`close_fullscreen_rounded` → const [IconData](#)



— material icon named "close fullscreen" (round).

close_fullscreen_sharp → const IconData



— material icon named "close fullscreen" (sharp).

close_outlined → const IconData



— material icon named "close" (outlined).

close_rounded → const IconData



— material icon named "close" (round).

close_sharp → const IconData



— material icon named "close" (sharp).

closed_caption → const IconData



— material icon named "closed caption".

closed_caption_disabled → const IconData



— material icon named "closed caption disabled".

closed_caption_disabled_outlined → const IconData



— material icon named "closed caption disabled" (outlined).

closed_caption_disabled_rounded → const IconData



— material icon named "closed caption disabled" (round).

closed_caption_disabled_sharp → const IconData



— material icon named "closed caption disabled" (sharp).

closed_caption_off → const IconData

 — material icon named "closed caption off".

[closed_caption_off_outlined](#) → const [IconData](#)

 — material icon named "closed caption off" (outlined).

[closed_caption_off_rounded](#) → const [IconData](#)

 — material icon named "closed caption off" (round).

[closed_caption_off_sharp](#) → const [IconData](#)

 — material icon named "closed caption off" (sharp).

[closed_caption_outlined](#) → const [IconData](#)

 — material icon named "closed caption" (outlined).

[closed_caption_rounded](#) → const [IconData](#)

 — material icon named "closed caption" (round).

[closed_caption_sharp](#) → const [IconData](#)

 — material icon named "closed caption" (sharp).

[cloud](#) → const [IconData](#)

 — material icon named "cloud".

[cloud_circle](#) → const [IconData](#)

 — material icon named "cloud circle".

[cloud_circle_outlined](#) → const [IconData](#)

 — material icon named "cloud circle" (outlined).

[cloud_circle_rounded](#) → const [IconData](#)



— material icon named "cloud circle" (round).

cloud_circle_sharp → const IconData



— material icon named "cloud circle" (sharp).

cloud_done → const IconData



— material icon named "cloud done".

cloud_done_outlined → const IconData



— material icon named "cloud done" (outlined).

cloud_done_rounded → const IconData



— material icon named "cloud done" (round).

cloud_done_sharp → const IconData



— material icon named "cloud done" (sharp).

cloud_download → const IconData



— material icon named "cloud download".

cloud_download_outlined → const IconData



— material icon named "cloud download" (outlined).

cloud_download_rounded → const IconData



— material icon named "cloud download" (round).

cloud_download_sharp → const IconData



— material icon named "cloud download" (sharp).

cloud_off → const IconData

 — material icon named "cloud off".

cloud_off_outlined → const IconData

 — material icon named "cloud off" (outlined).

cloud_off_rounded → const IconData

 — material icon named "cloud off" (round).

cloud_off_sharp → const IconData

 — material icon named "cloud off" (sharp).

cloud_outlined → const IconData

 — material icon named "cloud" (outlined).

cloud_queue → const IconData

 — material icon named "cloud queue".

cloud_queue_outlined → const IconData

 — material icon named "cloud queue" (outlined).

cloud_queue_rounded → const IconData

 — material icon named "cloud queue" (round).

cloud_queue_sharp → const IconData

 — material icon named "cloud queue" (sharp).

cloud_rounded → const IconData

 — material icon named "cloud" (round).

cloud_sharp → const IconData

 — material icon named "cloud" (sharp).

cloud_sync → const IconData

 — material icon named "cloud sync".

cloud_sync_outlined → const IconData

 — material icon named "cloud sync" (outlined).

cloud_sync_rounded → const IconData

 — material icon named "cloud sync" (round).

cloud_sync_sharp → const IconData

 — material icon named "cloud sync" (sharp).

cloud_upload → const IconData

 — material icon named "cloud upload".

cloud_upload_outlined → const IconData

 — material icon named "cloud upload" (outlined).

cloud_upload_rounded → const IconData

 — material icon named "cloud upload" (round).

cloud_upload_sharp → const IconData

 — material icon named "cloud upload" (sharp).

cloudy_snowing → const IconData

 — material icon named "cloudy snowing".

co2 → const IconData

co₂ — material icon named "co2".

co2_outlined → const [IconData](#)

co₂ — material icon named "co2" (outlined).

co2_rounded → const [IconData](#)

co₂ — material icon named "co2" (round).

co2_sharp → const [IconData](#)

co₂ — material icon named "co2" (sharp).

co_present → const [IconData](#)

 — material icon named "co present".

co_present_outlined → const [IconData](#)

 — material icon named "co present" (outlined).

co_present_rounded → const [IconData](#)

 — material icon named "co present" (round).

co_present_sharp → const [IconData](#)

 — material icon named "co present" (sharp).

code → const [IconData](#)

 — material icon named "code".

code_off → const [IconData](#)

 — material icon named "code off".

code_off_outlined → const [IconData](#)

 — material icon named "code off" (outlined).

`code_off_rounded` → const [IconData](#)

 — material icon named "code off" (round).

`code_off_sharp` → const [IconData](#)

 — material icon named "code off" (sharp).

`code_outlined` → const [IconData](#)

 — material icon named "code" (outlined).

`code_rounded` → const [IconData](#)

 — material icon named "code" (round).

`code_sharp` → const [IconData](#)

 — material icon named "code" (sharp).

`coffee` → const [IconData](#)



— material icon named "coffee".

`coffee_maker` → const [IconData](#)



— material icon named "coffee maker".

`coffee_maker_outlined` → const [IconData](#)



— material icon named "coffee maker" (outlined).

`coffee_maker_rounded` → const [IconData](#)



— material icon named "coffee maker" (round).

`coffee_maker_sharp` → const [IconData](#)



— material icon named "coffee maker" (sharp).

coffee_outlined → const [IconData](#)



— material icon named "coffee" (outlined).

coffee_rounded → const [IconData](#)



— material icon named "coffee" (round).

coffee_sharp → const [IconData](#)



— material icon named "coffee" (sharp).

collections → const [IconData](#)



— material icon named "collections".

collections_bookmark → const [IconData](#)



— material icon named "collections bookmark".

collections_bookmark_outlined → const [IconData](#)



— material icon named "collections bookmark" (outlined).

collections_bookmark_rounded → const [IconData](#)



— material icon named "collections bookmark" (round).

collections_bookmark_sharp → const [IconData](#)



— material icon named "collections bookmark" (sharp).

collections_outlined → const [IconData](#)



— material icon named "collections" (outlined).

collections_rounded → const [IconData](#)



— material icon named "collections" (round).

collections_sharp → const IconData



— material icon named "collections" (sharp).

color_lens → const IconData



— material icon named "color lens".

color_lens_outlined → const IconData



— material icon named "color lens" (outlined).

color_lens_rounded → const IconData



— material icon named "color lens" (round).

color_lens_sharp → const IconData



— material icon named "color lens" (sharp).

colorize → const IconData



— material icon named "colorize".

colorize_outlined → const IconData



— material icon named "colorize" (outlined).

colorize_rounded → const IconData



— material icon named "colorize" (round).

colorize_sharp → const IconData



— material icon named "colorize" (sharp).

comment → const IconData



— material icon named "comment".

comment_bank → const IconData



— material icon named "comment bank".

comment_bank_outlined → const IconData



— material icon named "comment bank" (outlined).

comment_bank_rounded → const IconData



— material icon named "comment bank" (round).

comment_bank_sharp → const IconData



— material icon named "comment bank" (sharp).

comment_outlined → const IconData



— material icon named "comment" (outlined).

comment_rounded → const IconData



— material icon named "comment" (round).

comment_sharp → const IconData



— material icon named "comment" (sharp).

comments_disabled → const IconData



— material icon named "comments disabled".

comments_disabled_outlined → const IconData



— material icon named "comments disabled" (outlined).

comments_disabled_rounded → const IconData



— material icon named "comments disabled" (round).

comments_disabled_sharp → const IconData



— material icon named "comments disabled" (sharp).

commit → const IconData



— material icon named "commit".

commit_outlined → const IconData



— material icon named "commit" (outlined).

commit_rounded → const IconData



— material icon named "commit" (round).

commit_sharp → const IconData



— material icon named "commit" (sharp).

commute → const IconData



— material icon named "commute".

commute_outlined → const IconData



— material icon named "commute" (outlined).

commute_rounded → const IconData



— material icon named "commute" (round).

commute_sharp → const IconData



— material icon named "commute" (sharp).

compare → const IconData



— material icon named "compare".

compare_arrows → const IconData



— material icon named "compare arrows".

compare_arrows_outlined → const IconData



— material icon named "compare arrows" (outlined).

compare_arrows_rounded → const IconData



— material icon named "compare arrows" (round).

compare_arrows_sharp → const IconData



— material icon named "compare arrows" (sharp).

compare_outlined → const IconData



— material icon named "compare" (outlined).

compare_rounded → const IconData



— material icon named "compare" (round).

compare_sharp → const IconData



— material icon named "compare" (sharp).

compass_calibration → const IconData



— material icon named "compass calibration".

compass_calibration_outlined → const IconData



— material icon named "compass calibration" (outlined).

compass_calibration_rounded → const IconData



— material icon named "compass calibration" (round).

compass_calibration_sharp → const IconData



— material icon named "compass calibration" (sharp).

compost → const IconData



— material icon named "compost".

compost_outlined → const IconData



— material icon named "compost" (outlined).

compost_rounded → const IconData



— material icon named "compost" (round).

compost_sharp → const IconData



— material icon named "compost" (sharp).

compress → const IconData



— material icon named "compress".

compress_outlined → const IconData



— material icon named "compress" (outlined).

compress_rounded → const IconData



— material icon named "compress" (round).

compress_sharp → const IconData



— material icon named "compress" (sharp).

computer → const IconData

 — material icon named "computer".

computer_outlined → const IconData

 — material icon named "computer" (outlined).

computer_rounded → const IconData

 — material icon named "computer" (round).

computer_sharp → const IconData

 — material icon named "computer" (sharp).

confirmation_num → const IconData

 — material icon named "confirmation num".

confirmation_num_outlined → const IconData

 — material icon named "confirmation num" (outlined).

confirmation_num_rounded → const IconData

 — material icon named "confirmation num" (round).

confirmation_num_sharp → const IconData

 — material icon named "confirmation num" (sharp).

confirmation_number → const IconData

 — material icon named "confirmation number".

confirmation_number_outlined → const IconData

 — material icon named "confirmation number" (outlined).

confirmation_number_rounded → const IconData



— material icon named "confirmation number" (round).

confirmation_number_sharp → const IconData



— material icon named "confirmation number" (sharp).

connect_without_contact → const IconData



— material icon named "connect without contact".

connect_without_contact_outlined → const IconData



— material icon named "connect without contact" (outlined).

connect_without_contact_rounded → const IconData



— material icon named "connect without contact" (round).

connect_without_contact_sharp → const IconData



— material icon named "connect without contact" (sharp).

connected_tv → const IconData



— material icon named "connected tv".

connected_tv_outlined → const IconData



— material icon named "connected tv" (outlined).

connected_tv_rounded → const IconData



— material icon named "connected tv" (round).

connected_tv_sharp → const IconData



— material icon named "connected tv" (sharp).

connecting_airports → const IconData



— material icon named "connecting airports".

connecting_airports_outlined → const IconData



— material icon named "connecting airports" (outlined).

connecting_airports_rounded → const IconData



— material icon named "connecting airports" (round).

connecting_airports_sharp → const IconData



— material icon named "connecting airports" (sharp).

construction → const IconData



— material icon named "construction".

construction_outlined → const IconData



— material icon named "construction" (outlined).

construction_rounded → const IconData



— material icon named "construction" (round).

construction_sharp → const IconData



— material icon named "construction" (sharp).

contact_emergency → const IconData



— material icon named "contact emergency".

contact_emergency_outlined → const IconData



— material icon named "contact emergency" (outlined).

contact_emergency_rounded → const IconData



— material icon named "contact emergency" (round).

[contact_emergency_sharp](#) → const IconData



— material icon named "contact emergency" (sharp).

[contact_mail](#) → const IconData



— material icon named "contact mail".

[contact_mail_outlined](#) → const IconData



— material icon named "contact mail" (outlined).

[contact_mail_rounded](#) → const IconData



— material icon named "contact mail" (round).

[contact_mail_sharp](#) → const IconData



— material icon named "contact mail" (sharp).

[contact_page](#) → const IconData



— material icon named "contact page".

[contact_page_outlined](#) → const IconData



— material icon named "contact page" (outlined).

[contact_page_rounded](#) → const IconData



— material icon named "contact page" (round).

[contact_page_sharp](#) → const IconData



— material icon named "contact page" (sharp).

[contact_phone](#) → const IconData



— material icon named "contact phone".

contact_phone_outlined → const IconData



— material icon named "contact phone" (outlined).

contact_phone_rounded → const IconData



— material icon named "contact phone" (round).

contact_phone_sharp → const IconData



— material icon named "contact phone" (sharp).

contact_support → const IconData



— material icon named "contact support".

contact_support_outlined → const IconData



— material icon named "contact support" (outlined).

contact_support_rounded → const IconData



— material icon named "contact support" (round).

contact_support_sharp → const IconData



— material icon named "contact support" (sharp).

contactless → const IconData



— material icon named "contactless".

contactless_outlined → const IconData



— material icon named "contactless" (outlined).

contactless_rounded → const IconData



— material icon named "contactless" (round).

contactless_sharp → const IconData



— material icon named "contactless" (sharp).

contacts → const IconData



— material icon named "contacts".

contacts_outlined → const IconData



— material icon named "contacts" (outlined).

contacts_rounded → const IconData



— material icon named "contacts" (round).

contacts_sharp → const IconData



— material icon named "contacts" (sharp).

content_copy → const IconData



— material icon named "content copy".

content_copy_outlined → const IconData



— material icon named "content copy" (outlined).

content_copy_rounded → const IconData



— material icon named "content copy" (round).

content_copy_sharp → const IconData



— material icon named "content copy" (sharp).

content_cut → const IconData



— material icon named "content cut".

content_cut_outlined → const IconData



— material icon named "content cut" (outlined).

content_cut_rounded → const IconData



— material icon named "content cut" (round).

content_cut_sharp → const IconData



— material icon named "content cut" (sharp).

content_paste → const IconData



— material icon named "content paste".

content_paste_go → const IconData



— material icon named "content paste go".

content_paste_go_outlined → const IconData



— material icon named "content paste go" (outlined).

content_paste_go_rounded → const IconData



— material icon named "content paste go" (round).

content_paste_go_sharp → const IconData



— material icon named "content paste go" (sharp).

content_paste_off → const IconData



— material icon named "content paste off".

content_paste_off_outlined → const IconData



— material icon named "content paste off" (outlined).

content_paste_off_rounded → const IconData



— material icon named "content paste off" (round).

content_paste_off_sharp → const IconData



— material icon named "content paste off" (sharp).

content_paste_outlined → const IconData



— material icon named "content paste" (outlined).

content_paste_rounded → const IconData



— material icon named "content paste" (round).

content_paste_search → const IconData



— material icon named "content paste search".

content_paste_search_outlined → const IconData



— material icon named "content paste search" (outlined).

content_paste_search_rounded → const IconData



— material icon named "content paste search" (round).

content_paste_search_sharp → const IconData



— material icon named "content paste search" (sharp).

content_paste_sharp → const IconData



— material icon named "content paste" (sharp).

contrast → const IconData

 — material icon named "contrast".

contrast_outlined → const IconData

 — material icon named "contrast" (outlined).

contrast_rounded → const IconData

 — material icon named "contrast" (round).

contrast_sharp → const IconData

 — material icon named "contrast" (sharp).

control_camera → const IconData

 — material icon named "control camera".

control_camera_outlined → const IconData

 — material icon named "control camera" (outlined).

control_camera_rounded → const IconData

 — material icon named "control camera" (round).

control_camera_sharp → const IconData

 — material icon named "control camera" (sharp).

control_point → const IconData

 — material icon named "control point".

control_point_duplicate → const IconData

 — material icon named "control point duplicate".

control_point_duplicate_outlined → const IconData

 — material icon named "control point duplicate" (outlined).

[control_point_duplicate_rounded](#) → const IconData

 — material icon named "control point duplicate" (round).

[control_point_duplicate_sharp](#) → const IconData

 — material icon named "control point duplicate" (sharp).

[control_point_outlined](#) → const IconData

 — material icon named "control point" (outlined).

[control_point_rounded](#) → const IconData

 — material icon named "control point" (round).

[control_point_sharp](#) → const IconData

 — material icon named "control point" (sharp).

[conveyor_belt](#) → const IconData

 — material icon named "conveyor belt".

[cookie](#) → const IconData

 — material icon named "cookie".

[cookie_outlined](#) → const IconData

 — material icon named "cookie" (outlined).

[cookie_rounded](#) → const IconData

 — material icon named "cookie" (round).

[cookie_sharp](#) → const IconData

 — material icon named "cookie" (sharp).

copy → const IconData
— material icon named "copy".

copy_all → const IconData
 — material icon named "copy all".

copy_all_outlined → const IconData
 — material icon named "copy all" (outlined).

copy_all_rounded → const IconData
 — material icon named "copy all" (round).

copy_all_sharp → const IconData
 — material icon named "copy all" (sharp).

copy_outlined → const IconData
 — material icon named "copy" (outlined).

copy_rounded → const IconData
 — material icon named "copy" (round).

copy_sharp → const IconData
 — material icon named "copy" (sharp).

copyright → const IconData
 — material icon named "copyright".

copyright_outlined → const IconData

 — material icon named "copyright" (outlined).

copyright_rounded → const IconData

 — material icon named "copyright" (round).

copyright_sharp → const IconData

 — material icon named "copyright" (sharp).

coronavirus → const IconData

 — material icon named "coronavirus".

coronavirus_outlined → const IconData

 — material icon named "coronavirus" (outlined).

coronavirus_rounded → const IconData

 — material icon named "coronavirus" (round).

coronavirus_sharp → const IconData

 — material icon named "coronavirus" (sharp).

corporate_fare → const IconData

 — material icon named "corporate fare".

corporate_fare_outlined → const IconData

 — material icon named "corporate fare" (outlined).

corporate_fare_rounded → const IconData

 — material icon named "corporate fare" (round).

corporate_fare_sharp → const IconData



— material icon named "corporate fare" (sharp).

cottage → const [IconData](#)



— material icon named "cottage".

cottage_outlined → const [IconData](#)



— material icon named "cottage" (outlined).

cottage_rounded → const [IconData](#)



— material icon named "cottage" (round).

cottage_sharp → const [IconData](#)



— material icon named "cottage" (sharp).

countertops → const [IconData](#)



— material icon named "countertops".

countertops_outlined → const [IconData](#)



— material icon named "countertops" (outlined).

countertops_rounded → const [IconData](#)



— material icon named "countertops" (round).

countertops_sharp → const [IconData](#)



— material icon named "countertops" (sharp).

create → const [IconData](#)



— material icon named "create".

create_new_folder → const [IconData](#)

 — material icon named "create new folder".

[create_new_folder_outlined](#) → const IconData

 — material icon named "create new folder" (outlined).

[create_new_folder_rounded](#) → const IconData

 — material icon named "create new folder" (round).

[create_new_folder_sharp](#) → const IconData

 — material icon named "create new folder" (sharp).

[create_outlined](#) → const IconData

 — material icon named "create" (outlined).

[create_rounded](#) → const IconData

 — material icon named "create" (round).

[create_sharp](#) → const IconData

 — material icon named "create" (sharp).

[credit_card](#) → const IconData

 — material icon named "credit card".

[credit_card_off](#) → const IconData

 — material icon named "credit card off".

[credit_card_off_outlined](#) → const IconData

 — material icon named "credit card off" (outlined).

[credit_card_off_rounded](#) → const IconData



— material icon named "credit card off" (round).

`credit_card_off_sharp` → const IconData



— material icon named "credit card off" (sharp).

`credit_card_outlined` → const IconData



— material icon named "credit card" (outlined).

`credit_card_rounded` → const IconData



— material icon named "credit card" (round).

`credit_card_sharp` → const IconData



— material icon named "credit card" (sharp).

`credit_score` → const IconData



— material icon named "credit score".

`credit_score_outlined` → const IconData



— material icon named "credit score" (outlined).

`credit_score_rounded` → const IconData



— material icon named "credit score" (round).

`credit_score_sharp` → const IconData



— material icon named "credit score" (sharp).

`crib` → const IconData



— material icon named "crib".

`crib_outlined` → const IconData

 — material icon named "crib" (outlined).

crib_rounded → const IconData

 — material icon named "crib" (round).

crib_sharp → const IconData

 — material icon named "crib" (sharp).

crisis_alert → const IconData

 — material icon named "crisis alert".

crisis_alert_outlined → const IconData

 — material icon named "crisis alert" (outlined).

crisis_alert_rounded → const IconData

 — material icon named "crisis alert" (round).

crisis_alert_sharp → const IconData

 — material icon named "crisis alert" (sharp).

crop → const IconData

 — material icon named "crop".

crop_3_2 → const IconData

 — material icon named "crop 3 2".

crop_3_2_outlined → const IconData

 — material icon named "crop 3 2" (outlined).

crop_3_2_rounded → const IconData

 — material icon named "crop 3 2" (round).

crop_3_2_sharp → const IconData

 — material icon named "crop 3 2" (sharp).

crop_5_4 → const IconData

 — material icon named "crop 5 4".

crop_5_4_outlined → const IconData

 — material icon named "crop 5 4" (outlined).

crop_5_4_rounded → const IconData

 — material icon named "crop 5 4" (round).

crop_5_4_sharp → const IconData

 — material icon named "crop 5 4" (sharp).

crop_7_5 → const IconData

 — material icon named "crop 7 5".

crop_7_5_outlined → const IconData

 — material icon named "crop 7 5" (outlined).

crop_7_5_rounded → const IconData

 — material icon named "crop 7 5" (round).

crop_7_5_sharp → const IconData

 — material icon named "crop 7 5" (sharp).

crop_16_9 → const IconData

 — material icon named "crop 16 9".

[crop_16_9_outlined](#) → const [IconData](#)

 — material icon named "crop 16 9" (outlined).

[crop_16_9_rounded](#) → const [IconData](#)

 — material icon named "crop 16 9" (round).

[crop_16_9_sharp](#) → const [IconData](#)

 — material icon named "crop 16 9" (sharp).

[crop_din](#) → const [IconData](#)

 — material icon named "crop din".

[crop_din_outlined](#) → const [IconData](#)

 — material icon named "crop din" (outlined).

[crop_din_rounded](#) → const [IconData](#)

 — material icon named "crop din" (round).

[crop_din_sharp](#) → const [IconData](#)

 — material icon named "crop din" (sharp).

[crop_free](#) → const [IconData](#)

 — material icon named "crop free".

[crop_free_outlined](#) → const [IconData](#)

 — material icon named "crop free" (outlined).

[crop_free_rounded](#) → const [IconData](#)

 — material icon named "crop free" (round).

[crop_free_sharp](#) → const IconData

 — material icon named "crop free" (sharp).

[crop_landscape](#) → const IconData

 — material icon named "crop landscape".

[crop_landscape_outlined](#) → const IconData

 — material icon named "crop landscape" (outlined).

[crop_landscape_rounded](#) → const IconData

 — material icon named "crop landscape" (round).

[crop_landscape_sharp](#) → const IconData

 — material icon named "crop landscape" (sharp).

[crop_original](#) → const IconData

 — material icon named "crop original".

[crop_original_outlined](#) → const IconData

 — material icon named "crop original" (outlined).

[crop_original_rounded](#) → const IconData

 — material icon named "crop original" (round).

[crop_original_sharp](#) → const IconData

 — material icon named "crop original" (sharp).

[crop_outlined](#) → const IconData

 — material icon named "crop" (outlined).

crop_portrait → const IconData

 — material icon named "crop portrait".

crop_portrait_outlined → const IconData

 — material icon named "crop portrait" (outlined).

crop_portrait_rounded → const IconData

 — material icon named "crop portrait" (round).

crop_portrait_sharp → const IconData

 — material icon named "crop portrait" (sharp).

crop_rotate → const IconData

 — material icon named "crop rotate".

crop_rotate_outlined → const IconData

 — material icon named "crop rotate" (outlined).

crop_rotate_rounded → const IconData

 — material icon named "crop rotate" (round).

crop_rotate_sharp → const IconData

 — material icon named "crop rotate" (sharp).

crop_rounded → const IconData

 — material icon named "crop" (round).

crop_sharp → const IconData

 — material icon named "crop" (sharp).

crop_square → const IconData

 — material icon named "crop square".

crop_square_outlined → const IconData

 — material icon named "crop square" (outlined).

crop_square_rounded → const IconData

 — material icon named "crop square" (round).

crop_square_sharp → const IconData

 — material icon named "crop square" (sharp).

cruelty_free → const IconData

 — material icon named "cruelty free".

cruelty_free_outlined → const IconData

 — material icon named "cruelty free" (outlined).

cruelty_free_rounded → const IconData

 — material icon named "cruelty free" (round).

cruelty_free_sharp → const IconData

 — material icon named "cruelty free" (sharp).

CSS → const IconData

css — material icon named "css".

css_outlined → const IconData

css — material icon named "css" (outlined).

css_rounded → const IconData

css — material icon named "css" (round).

css_sharp → const IconData

css — material icon named "css" (sharp).

currency_bitcoin → const IconData

 — material icon named "currency bitcoin".

currency_bitcoin_outlined → const IconData

 — material icon named "currency bitcoin" (outlined).

currency_bitcoin_rounded → const IconData

 — material icon named "currency bitcoin" (round).

currency_bitcoin_sharp → const IconData

 — material icon named "currency bitcoin" (sharp).

currency_exchange → const IconData

 — material icon named "currency exchange".

currency_exchange_outlined → const IconData

 — material icon named "currency exchange" (outlined).

currency_exchange_rounded → const IconData

 — material icon named "currency exchange" (round).

currency_exchange_sharp → const IconData



— material icon named "currency exchange" (sharp).

currency_franc → const [IconData](#)



— material icon named "currency franc".

currency_franc_outlined → const [IconData](#)



— material icon named "currency franc" (outlined).

currency_franc_rounded → const [IconData](#)



— material icon named "currency franc" (round).

currency_franc_sharp → const [IconData](#)



— material icon named "currency franc" (sharp).

currency_lira → const [IconData](#)



— material icon named "currency lira".

currency_lira_outlined → const [IconData](#)



— material icon named "currency lira" (outlined).

currency_lira_rounded → const [IconData](#)



— material icon named "currency lira" (round).

currency_lira_sharp → const [IconData](#)



— material icon named "currency lira" (sharp).

currency_pound → const [IconData](#)



— material icon named "currency pound".

currency_pound_outlined → const [IconData](#)

£ — material icon named "currency pound" (outlined).

currency_pound_rounded → const IconData

£ — material icon named "currency pound" (round).

currency_pound_sharp → const IconData

£ — material icon named "currency pound" (sharp).

currency_ruble → const IconData

₽ — material icon named "currency ruble".

currency_ruble_outlined → const IconData

₽ — material icon named "currency ruble" (outlined).

currency_ruble_rounded → const IconData

₽ — material icon named "currency ruble" (round).

currency_ruble_sharp → const IconData

₽ — material icon named "currency ruble" (sharp).

currency_rupee → const IconData

₹ — material icon named "currency rupee".

currency_rupee_outlined → const IconData

₹ — material icon named "currency rupee" (outlined).

currency_rupee_rounded → const IconData

₹ — material icon named "currency rupee" (round).

currency_rupee_sharp → const IconData



— material icon named "currency rupee" (sharp).

currency_yen → const [IconData](#)



— material icon named "currency yen".

currency_yen_outlined → const [IconData](#)



— material icon named "currency yen" (outlined).

currency_yen_rounded → const [IconData](#)



— material icon named "currency yen" (round).

currency_yen_sharp → const [IconData](#)



— material icon named "currency yen" (sharp).

currency_yuan → const [IconData](#)



— material icon named "currency yuan".

currency_yuan_outlined → const [IconData](#)



— material icon named "currency yuan" (outlined).

currency_yuan_rounded → const [IconData](#)



— material icon named "currency yuan" (round).

currency_yuan_sharp → const [IconData](#)



— material icon named "currency yuan" (sharp).

curtains → const [IconData](#)



— material icon named "curtains".

curtains_closed → const [IconData](#)

 — material icon named "curtains closed".

`curtains_closed_outlined` → const IconData

 — material icon named "curtains closed" (outlined).

`curtains_closed_rounded` → const IconData

 — material icon named "curtains closed" (round).

`curtains_closed_sharp` → const IconData

 — material icon named "curtains closed" (sharp).

`curtains_outlined` → const IconData

 — material icon named "curtains" (outlined).

`curtains_rounded` → const IconData

 — material icon named "curtains" (round).

`curtains_sharp` → const IconData

 — material icon named "curtains" (sharp).

`cut` → const IconData

— material icon named "cut".

`cut_outlined` → const IconData

 — material icon named "cut" (outlined).

`cut_rounded` → const IconData

 — material icon named "cut" (round).

`cut_sharp` → const IconData

 — material icon named "cut" (sharp).

cyclone → const IconData

 — material icon named "cyclone".

cyclone_outlined → const IconData

 — material icon named "cyclone" (outlined).

cyclone_rounded → const IconData

 — material icon named "cyclone" (round).

cyclone_sharp → const IconData

 — material icon named "cyclone" (sharp).

dangerous → const IconData

 — material icon named "dangerous".

dangerous_outlined → const IconData

 — material icon named "dangerous" (outlined).

dangerous_rounded → const IconData

 — material icon named "dangerous" (round).

dangerous_sharp → const IconData

 — material icon named "dangerous" (sharp).

dark_mode → const IconData

 — material icon named "dark mode".

dark_mode_outlined → const IconData

 — material icon named "dark mode" (outlined).

[dark_mode_rounded](#) → const [IconData](#)

 — material icon named "dark mode" (round).

[dark_mode_sharp](#) → const [IconData](#)

 — material icon named "dark mode" (sharp).

[dashboard](#) → const [IconData](#)

 — material icon named "dashboard".

[dashboard_customize](#) → const [IconData](#)

 — material icon named "dashboard customize".

[dashboard_customize_outlined](#) → const [IconData](#)

 — material icon named "dashboard customize" (outlined).

[dashboard_customize_rounded](#) → const [IconData](#)

 — material icon named "dashboard customize" (round).

[dashboard_customize_sharp](#) → const [IconData](#)

 — material icon named "dashboard customize" (sharp).

[dashboard_outlined](#) → const [IconData](#)

 — material icon named "dashboard" (outlined).

[dashboard_rounded](#) → const [IconData](#)

 — material icon named "dashboard" (round).

[dashboard_sharp](#) → const [IconData](#)



— material icon named "dashboard" (sharp).

data_array → const IconData



— material icon named "data array".

data_array_outlined → const IconData



— material icon named "data array" (outlined).

data_array_rounded → const IconData



— material icon named "data array" (round).

data_array_sharp → const IconData



— material icon named "data array" (sharp).

data_exploration → const IconData



— material icon named "data exploration".

data_exploration_outlined → const IconData



— material icon named "data exploration" (outlined).

data_exploration_rounded → const IconData



— material icon named "data exploration" (round).

data_exploration_sharp → const IconData



— material icon named "data exploration" (sharp).

data_object → const IconData



— material icon named "data object".

data_object_outlined → const IconData

 — material icon named "data object" (outlined).

[data_object_rounded](#) → const IconData

 — material icon named "data object" (round).

[data_object_sharp](#) → const IconData

 — material icon named "data object" (sharp).

[data_saver_off](#) → const IconData



— material icon named "data saver off".

[data_saver_off_outlined](#) → const IconData



— material icon named "data saver off" (outlined).

[data_saver_off_rounded](#) → const IconData



— material icon named "data saver off" (round).

[data_saver_off_sharp](#) → const IconData



— material icon named "data saver off" (sharp).

[data_saver_on](#) → const IconData



— material icon named "data saver on".

[data_saver_on_outlined](#) → const IconData



— material icon named "data saver on" (outlined).

[data_saver_on_rounded](#) → const IconData



— material icon named "data saver on" (round).

[data_saver_on_sharp](#) → const IconData



— material icon named "data saver on" (sharp).

[data_thresholding](#) → const IconData



— material icon named "data thresholding".

[data_thresholding_outlined](#) → const IconData



— material icon named "data thresholding" (outlined).

[data_thresholding_rounded](#) → const IconData



— material icon named "data thresholding" (round).

[data_thresholding_sharp](#) → const IconData



— material icon named "data thresholding" (sharp).

[data_usage](#) → const IconData



— material icon named "data usage".

[data_usage_outlined](#) → const IconData



— material icon named "data usage" (outlined).

[data_usage_rounded](#) → const IconData



— material icon named "data usage" (round).

[data_usage_sharp](#) → const IconData



— material icon named "data usage" (sharp).

[dataset](#) → const IconData



— material icon named "dataset".

[dataset_linked](#) → const IconData



— material icon named "dataset linked".

dataset_linked_outlined → const IconData



— material icon named "dataset linked" (outlined).

dataset_linked_rounded → const IconData



— material icon named "dataset linked" (round).

dataset_linked_sharp → const IconData



— material icon named "dataset linked" (sharp).

dataset_outlined → const IconData



— material icon named "dataset" (outlined).

dataset_rounded → const IconData



— material icon named "dataset" (round).

dataset_sharp → const IconData



— material icon named "dataset" (sharp).

date_range → const IconData



— material icon named "date range".

date_range_outlined → const IconData



— material icon named "date range" (outlined).

date_range_rounded → const IconData



— material icon named "date range" (round).

date_range_sharp → const IconData



— material icon named "date range" (sharp).

deblur → const [IconData](#)



— material icon named "deblur".

deblur_outlined → const [IconData](#)



— material icon named "deblur" (outlined).

deblur_rounded → const [IconData](#)



— material icon named "deblur" (round).

deblur_sharp → const [IconData](#)



— material icon named "deblur" (sharp).

deck → const [IconData](#)



— material icon named "deck".

deck_outlined → const [IconData](#)



— material icon named "deck" (outlined).

deck_rounded → const [IconData](#)



— material icon named "deck" (round).

deck_sharp → const [IconData](#)



— material icon named "deck" (sharp).

dehaze → const [IconData](#)



— material icon named "dehaze".

dehaze_outlined → const [IconData](#)

 — material icon named "dehaze" (outlined).

dehaze_rounded → const [IconData](#)

 — material icon named "dehaze" (round).

dehaze_sharp → const [IconData](#)

 — material icon named "dehaze" (sharp).

delete → const [IconData](#)

 — material icon named "delete".

delete_forever → const [IconData](#)

 — material icon named "delete forever".

delete_forever_outlined → const [IconData](#)

 — material icon named "delete forever" (outlined).

delete_forever_rounded → const [IconData](#)

 — material icon named "delete forever" (round).

delete_forever_sharp → const [IconData](#)

 — material icon named "delete forever" (sharp).

delete_outline → const [IconData](#)

 — material icon named "delete outline".

delete_outline_outlined → const [IconData](#)

 — material icon named "delete outline" (outlined).

delete_outline_rounded → const [IconData](#)



— material icon named "delete outline" (round).

delete_outline_sharp → const IconData



— material icon named "delete outline" (sharp).

delete_outlined → const IconData



— material icon named "delete" (outlined).

delete_rounded → const IconData



— material icon named "delete" (round).

delete_sharp → const IconData



— material icon named "delete" (sharp).

delete_sweep → const IconData



— material icon named "delete sweep".

delete_sweep_outlined → const IconData



— material icon named "delete sweep" (outlined).

delete_sweep_rounded → const IconData



— material icon named "delete sweep" (round).

delete_sweep_sharp → const IconData



— material icon named "delete sweep" (sharp).

delivery_dining → const IconData



— material icon named "delivery dining".

delivery_dining_outlined → const IconData

 — material icon named "delivery dining" (outlined).

[delivery_dining_rounded](#) → const IconData

 — material icon named "delivery dining" (round).

[delivery_dining_sharp](#) → const IconData

 — material icon named "delivery dining" (sharp).

[density_large](#) → const IconData

 — material icon named "density large".

[density_large_outlined](#) → const IconData

 — material icon named "density large" (outlined).

[density_large_rounded](#) → const IconData

 — material icon named "density large" (round).

[density_large_sharp](#) → const IconData

 — material icon named "density large" (sharp).

[density_medium](#) → const IconData

 — material icon named "density medium".

[density_medium_outlined](#) → const IconData

 — material icon named "density medium" (outlined).

[density_medium_rounded](#) → const IconData

 — material icon named "density medium" (round).

[density_medium_sharp](#) → const IconData



— material icon named "density medium" (sharp).

density_small → const IconData



— material icon named "density small".

density_small_outlined → const IconData



— material icon named "density small" (outlined).

density_small_rounded → const IconData



— material icon named "density small" (round).

density_small_sharp → const IconData



— material icon named "density small" (sharp).

departure_board → const IconData



— material icon named "departure board".

departure_board_outlined → const IconData



— material icon named "departure board" (outlined).

departure_board_rounded → const IconData



— material icon named "departure board" (round).

departure_board_sharp → const IconData



— material icon named "departure board" (sharp).

description → const IconData



— material icon named "description".

description_outlined → const IconData



— material icon named "description" (outlined).

description_rounded → const [IconData](#)



— material icon named "description" (round).

description_sharp → const [IconData](#)



— material icon named "description" (sharp).

deselect → const [IconData](#)



— material icon named "deselect".

deselect_outlined → const [IconData](#)



— material icon named "deselect" (outlined).

deselect_rounded → const [IconData](#)



— material icon named "deselect" (round).

deselect_sharp → const [IconData](#)



— material icon named "deselect" (sharp).

design_services → const [IconData](#)



— material icon named "design services".

design_services_outlined → const [IconData](#)



— material icon named "design services" (outlined).

design_services_rounded → const [IconData](#)



— material icon named "design services" (round).

design_services_sharp → const [IconData](#)



— material icon named "design services" (sharp).

desk → const IconData



— material icon named "desk".

desk_outlined → const IconData



— material icon named "desk" (outlined).

desk_rounded → const IconData



— material icon named "desk" (round).

desk_sharp → const IconData



— material icon named "desk" (sharp).

desktop_access_disabled → const IconData



— material icon named "desktop access disabled".

desktop_access_disabled_outlined → const IconData



— material icon named "desktop access disabled" (outlined).

desktop_access_disabled_rounded → const IconData



— material icon named "desktop access disabled" (round).

desktop_access_disabled_sharp → const IconData



— material icon named "desktop access disabled" (sharp).

desktop_mac → const IconData



— material icon named "desktop mac".

desktop_mac_outlined → const IconData



— material icon named "desktop mac" (outlined).

desktop_mac_rounded → const IconData



— material icon named "desktop mac" (round).

desktop_mac_sharp → const IconData



— material icon named "desktop mac" (sharp).

desktop_windows → const IconData



— material icon named "desktop windows".

desktop_windows_outlined → const IconData



— material icon named "desktop windows" (outlined).

desktop_windows_rounded → const IconData



— material icon named "desktop windows" (round).

desktop_windows_sharp → const IconData



— material icon named "desktop windows" (sharp).

details → const IconData



— material icon named "details".

details_outlined → const IconData



— material icon named "details" (outlined).

details_rounded → const IconData



— material icon named "details" (round).

details_sharp → const IconData

 — material icon named "details" (sharp).

developer_board → const IconData

 — material icon named "developer board".

developer_board_off → const IconData

 — material icon named "developer board off".

developer_board_off_outlined → const IconData

 — material icon named "developer board off" (outlined).

developer_board_off_rounded → const IconData

 — material icon named "developer board off" (round).

developer_board_off_sharp → const IconData

 — material icon named "developer board off" (sharp).

developer_board_outlined → const IconData

 — material icon named "developer board" (outlined).

developer_board_rounded → const IconData

 — material icon named "developer board" (round).

developer_board_sharp → const IconData

 — material icon named "developer board" (sharp).

developer_mode → const IconData

 — material icon named "developer mode".

developer_mode_outlined → const IconData



— material icon named "developer mode" (outlined).

developer_mode_rounded → const IconData



— material icon named "developer mode" (round).

developer_mode_sharp → const IconData



— material icon named "developer mode" (sharp).

device_hub → const IconData



— material icon named "device hub".

device_hub_outlined → const IconData



— material icon named "device hub" (outlined).

device_hub_rounded → const IconData



— material icon named "device hub" (round).

device_hub_sharp → const IconData



— material icon named "device hub" (sharp).

device_thermostat → const IconData



— material icon named "device thermostat".

device_thermostat_outlined → const IconData



— material icon named "device thermostat" (outlined).

device_thermostat_rounded → const IconData



— material icon named "device thermostat" (round).

device_thermostat_sharp → const IconData



— material icon named "device thermostat" (sharp).

device_unknown → const IconData



— material icon named "device unknown".

device_unknown_outlined → const IconData



— material icon named "device unknown" (outlined).

device_unknown_rounded → const IconData



— material icon named "device unknown" (round).

device_unknown_sharp → const IconData



— material icon named "device unknown" (sharp).

devices → const IconData



— material icon named "devices".

devices_fold → const IconData



— material icon named "devices fold".

devices_fold_outlined → const IconData



— material icon named "devices fold" (outlined).

devices_fold_rounded → const IconData



— material icon named "devices fold" (round).

devices_fold_sharp → const IconData



— material icon named "devices fold" (sharp).

devices_other → const IconData

 — material icon named "devices other".

[devices_other_outlined](#) → const [IconData](#)

 — material icon named "devices other" (outlined).

[devices_other_rounded](#) → const [IconData](#)

 — material icon named "devices other" (round).

[devices_other_sharp](#) → const [IconData](#)

 — material icon named "devices other" (sharp).

[devices_outlined](#) → const [IconData](#)

 — material icon named "devices" (outlined).

[devices_rounded](#) → const [IconData](#)

 — material icon named "devices" (round).

[devices_sharp](#) → const [IconData](#)

 — material icon named "devices" (sharp).

[dew_point](#) → const [IconData](#)

 — material icon named "dew point".

[dialer_sip](#) → const [IconData](#)

 — material icon named "dialer sip".

[dialer_sip_outlined](#) → const [IconData](#)

 — material icon named "dialer sip" (outlined).

[dialer_sip_rounded](#) → const [IconData](#)



— material icon named "dialer sip" (round).

dialer_sip_sharp → const [IconData](#)



— material icon named "dialer sip" (sharp).

dialpad → const [IconData](#)



— material icon named "dialpad".

dialpad_outlined → const [IconData](#)



— material icon named "dialpad" (outlined).

dialpad_rounded → const [IconData](#)



— material icon named "dialpad" (round).

dialpad_sharp → const [IconData](#)



— material icon named "dialpad" (sharp).

diamond → const [IconData](#)



— material icon named "diamond".

diamond_outlined → const [IconData](#)



— material icon named "diamond" (outlined).

diamond_rounded → const [IconData](#)



— material icon named "diamond" (round).

diamond_sharp → const [IconData](#)



— material icon named "diamond" (sharp).

difference → const [IconData](#)



— material icon named "difference".

difference_outlined → const [IconData](#)



— material icon named "difference" (outlined).

difference_rounded → const [IconData](#)



— material icon named "difference" (round).

difference_sharp → const [IconData](#)



— material icon named "difference" (sharp).

dining → const [IconData](#)



— material icon named "dining".

dining_outlined → const [IconData](#)



— material icon named "dining" (outlined).

dining_rounded → const [IconData](#)



— material icon named "dining" (round).

dining_sharp → const [IconData](#)



— material icon named "dining" (sharp).

dinner_dining → const [IconData](#)



— material icon named "dinner dining".

dinner_dining_outlined → const [IconData](#)



— material icon named "dinner dining" (outlined).

dinner_dining_rounded → const [IconData](#)



— material icon named "dinner dining" (round).

[dinner_dining_sharp](#) → const [IconData](#)



— material icon named "dinner dining" (sharp).

[directions](#) → const [IconData](#)



— material icon named "directions".

[directions_bike](#) → const [IconData](#)



— material icon named "directions bike".

[directions_bike_outlined](#) → const [IconData](#)



— material icon named "directions bike" (outlined).

[directions_bike_rounded](#) → const [IconData](#)



— material icon named "directions bike" (round).

[directions_bike_sharp](#) → const [IconData](#)



— material icon named "directions bike" (sharp).

[directions_boat](#) → const [IconData](#)



— material icon named "directions boat".

[directions_boat_filled](#) → const [IconData](#)



— material icon named "directions boat filled".

[directions_boat_filled_outlined](#) → const [IconData](#)



— material icon named "directions boat filled" (outlined).

[directions_boat_filled_rounded](#) → const [IconData](#)



— material icon named "directions boat filled" (round).

directions_boat_filled_sharp → const IconData



— material icon named "directions boat filled" (sharp).

directions_boat_outlined → const IconData



— material icon named "directions boat" (outlined).

directions_boat_rounded → const IconData



— material icon named "directions boat" (round).

directions_boat_sharp → const IconData



— material icon named "directions boat" (sharp).

directions_bus → const IconData



— material icon named "directions bus".

directions_bus_filled → const IconData



— material icon named "directions bus filled".

directions_bus_filled_outlined → const IconData



— material icon named "directions bus filled" (outlined).

directions_bus_filled_rounded → const IconData



— material icon named "directions bus filled" (round).

directions_bus_filled_sharp → const IconData



— material icon named "directions bus filled" (sharp).

directions_bus_outlined → const IconData



— material icon named "directions bus" (outlined).

directions_bus_rounded → const IconData



— material icon named "directions bus" (round).

directions_bus_sharp → const IconData



— material icon named "directions bus" (sharp).

directions_car → const IconData



— material icon named "directions car".

directions_car_filled → const IconData



— material icon named "directions car filled".

directions_car_filled_outlined → const IconData



— material icon named "directions car filled" (outlined).

directions_car_filled_rounded → const IconData



— material icon named "directions car filled" (round).

directions_car_filled_sharp → const IconData



— material icon named "directions car filled" (sharp).

directions_car_outlined → const IconData



— material icon named "directions car" (outlined).

directions_car_rounded → const IconData



— material icon named "directions car" (round).

directions_car_sharp → const IconData



— material icon named "directions car" (sharp).

directions_ferry → const IconData



— material icon named "directions ferry".

directions_ferry_outlined → const IconData



— material icon named "directions ferry" (outlined).

directions_ferry_rounded → const IconData



— material icon named "directions ferry" (round).

directions_ferry_sharp → const IconData



— material icon named "directions ferry" (sharp).

directions_off → const IconData



— material icon named "directions off".

directions_off_outlined → const IconData



— material icon named "directions off" (outlined).

directions_off_rounded → const IconData



— material icon named "directions off" (round).

directions_off_sharp → const IconData



— material icon named "directions off" (sharp).

directions_outlined → const IconData



— material icon named "directions" (outlined).

directions_railway → const IconData



— material icon named "directions railway".

directions_railway_filled → const IconData



— material icon named "directions railway filled".

directions_railway_filled_outlined → const IconData



— material icon named "directions railway filled" (outlined).

directions_railway_filled_rounded → const IconData



— material icon named "directions railway filled" (round).

directions_railway_filled_sharp → const IconData



— material icon named "directions railway filled" (sharp).

directions_railway_outlined → const IconData



— material icon named "directions railway" (outlined).

directions_railway_rounded → const IconData



— material icon named "directions railway" (round).

directions_railway_sharp → const IconData



— material icon named "directions railway" (sharp).

directions_rounded → const IconData



— material icon named "directions" (round).

directions_run → const IconData



— material icon named "directions run".

directions_run_outlined → const IconData



— material icon named "directions run" (outlined).

directions_run_rounded → const IconData



— material icon named "directions run" (round).

directions_run_sharp → const IconData



— material icon named "directions run" (sharp).

directions_sharp → const IconData



— material icon named "directions" (sharp).

directions_subway → const IconData



— material icon named "directions subway".

directions_subway_filled → const IconData



— material icon named "directions subway filled".

directions_subway_filled_outlined → const IconData



— material icon named "directions subway filled" (outlined).

directions_subway_filled_rounded → const IconData



— material icon named "directions subway filled" (round).

directions_subway_filled_sharp → const IconData



— material icon named "directions subway filled" (sharp).

directions_subway_outlined → const IconData



— material icon named "directions subway" (outlined).

directions_subway_rounded → const IconData



— material icon named "directions subway" (round).

directions_subway_sharp → const IconData



— material icon named "directions subway" (sharp).

directions_train → const IconData



— material icon named "directions train".

directions_train_outlined → const IconData



— material icon named "directions train" (outlined).

directions_train_rounded → const IconData



— material icon named "directions train" (round).

directions_train_sharp → const IconData



— material icon named "directions train" (sharp).

directions_transit → const IconData



— material icon named "directions transit".

directions_transit_filled → const IconData



— material icon named "directions transit filled".

directions_transit_filled_outlined → const IconData



— material icon named "directions transit filled" (outlined).

directions_transit_filled_rounded → const IconData



— material icon named "directions transit filled" (round).

directions_transit_filled_sharp → const IconData



— material icon named "directions transit filled" (sharp).

directions_transit_outlined → const IconData



— material icon named "directions transit" (outlined).

directions_transit_rounded → const IconData



— material icon named "directions transit" (round).

directions_transit_sharp → const IconData



— material icon named "directions transit" (sharp).

directions_walk → const IconData



— material icon named "directions walk".

directions_walk_outlined → const IconData



— material icon named "directions walk" (outlined).

directions_walk_rounded → const IconData



— material icon named "directions walk" (round).

directions_walk_sharp → const IconData



— material icon named "directions walk" (sharp).

dirty_lens → const IconData



— material icon named "dirty lens".

dirty_lens_outlined → const IconData



— material icon named "dirty lens" (outlined).

dirty_lens_rounded → const IconData



— material icon named "dirty lens" (round).

dirty_lens_sharp → const IconData



— material icon named "dirty lens" (sharp).

disabled_by_default → const IconData



— material icon named "disabled by default".

disabled_by_default_outlined → const IconData



— material icon named "disabled by default" (outlined).

disabled_by_default_rounded → const IconData



— material icon named "disabled by default" (round).

disabled_by_default_sharp → const IconData



— material icon named "disabled by default" (sharp).

disabled_visible → const IconData



— material icon named "disabled visible".

disabled_visible_outlined → const IconData



— material icon named "disabled visible" (outlined).

disabled_visible_rounded → const IconData



— material icon named "disabled visible" (round).

disabled_visible_sharp → const IconData



— material icon named "disabled visible" (sharp).

disc_full → const IconData

 — material icon named "disc full".

`disc_full_outlined` → const [IconData](#)

 — material icon named "disc full" (outlined).

`disc_full_rounded` → const [IconData](#)

 — material icon named "disc full" (round).

`disc_full_sharp` → const [IconData](#)

 — material icon named "disc full" (sharp).

`discord` → const [IconData](#)

 — material icon named "discord".

`discord_outlined` → const [IconData](#)

 — material icon named "discord" (outlined).

`discord_rounded` → const [IconData](#)

 — material icon named "discord" (round).

`discord_sharp` → const [IconData](#)

 — material icon named "discord" (sharp).

`discount` → const [IconData](#)

 — material icon named "discount".

`discount_outlined` → const [IconData](#)

 — material icon named "discount" (outlined).

`discount_rounded` → const [IconData](#)



— material icon named "discount" (round).

discount_sharp → const IconData



— material icon named "discount" (sharp).

display_settings → const IconData



— material icon named "display settings".

display_settings_outlined → const IconData



— material icon named "display settings" (outlined).

display_settings_rounded → const IconData



— material icon named "display settings" (round).

display_settings_sharp → const IconData



— material icon named "display settings" (sharp).

diversity_1 → const IconData



— material icon named "diversity 1".

diversity_1_outlined → const IconData



— material icon named "diversity 1" (outlined).

diversity_1_rounded → const IconData



— material icon named "diversity 1" (round).

diversity_1_sharp → const IconData



— material icon named "diversity 1" (sharp).

diversity_2 → const IconData



— material icon named "diversity 2".

diversity_2_outlined → const IconData



— material icon named "diversity 2" (outlined).

diversity_2_rounded → const IconData



— material icon named "diversity 2" (round).

diversity_2_sharp → const IconData



— material icon named "diversity 2" (sharp).

diversity_3 → const IconData



— material icon named "diversity 3".

diversity_3_outlined → const IconData



— material icon named "diversity 3" (outlined).

diversity_3_rounded → const IconData



— material icon named "diversity 3" (round).

diversity_3_sharp → const IconData



— material icon named "diversity 3" (sharp).

dnd_forwardslash → const IconData



— material icon named "dnd forwardslash".

dnd_forwardslash_outlined → const IconData



— material icon named "dnd forwardslash" (outlined).

dnd_forwardslash_rounded → const IconData

 — material icon named "dnd forwardslash" (round).

[dnd_forwardslash_sharp](#) → const IconData

 — material icon named "dnd forwardslash" (sharp).

[dns](#) → const IconData

 — material icon named "dns".

[dns_outlined](#) → const IconData

 — material icon named "dns" (outlined).

[dns_rounded](#) → const IconData

 — material icon named "dns" (round).

[dns_sharp](#) → const IconData

 — material icon named "dns" (sharp).

[do_disturb](#) → const IconData

 — material icon named "do disturb".

[do_disturb_alt](#) → const IconData

 — material icon named "do disturb alt".

[do_disturb_alt_outlined](#) → const IconData

 — material icon named "do disturb alt" (outlined).

[do_disturb_alt_rounded](#) → const IconData

 — material icon named "do disturb alt" (round).

[do_disturb_alt_sharp](#) → const IconData

 — material icon named "do disturb alt" (sharp).

`do_disturb_off` → const [IconData](#)

 — material icon named "do disturb off".

`do_disturb_off_outlined` → const [IconData](#)

 — material icon named "do disturb off" (outlined).

`do_disturb_off_rounded` → const [IconData](#)

 — material icon named "do disturb off" (round).

`do_disturb_off_sharp` → const [IconData](#)

 — material icon named "do disturb off" (sharp).

`do_disturb_on` → const [IconData](#)

 — material icon named "do disturb on".

`do_disturb_on_outlined` → const [IconData](#)

 — material icon named "do disturb on" (outlined).

`do_disturb_on_rounded` → const [IconData](#)

 — material icon named "do disturb on" (round).

`do_disturb_on_sharp` → const [IconData](#)

 — material icon named "do disturb on" (sharp).

`do_disturb_outlined` → const [IconData](#)

 — material icon named "do disturb" (outlined).

`do_disturb_rounded` → const [IconData](#)

 — material icon named "do disturb" (round).

[do_disturb_sharp](#) → const IconData

 — material icon named "do disturb" (sharp).

[do_not_disturb](#) → const IconData

 — material icon named "do not disturb".

[do_not_disturb_alt](#) → const IconData

 — material icon named "do not disturb alt".

[do_not_disturb_alt_outlined](#) → const IconData

 — material icon named "do not disturb alt" (outlined).

[do_not_disturb_alt_rounded](#) → const IconData

 — material icon named "do not disturb alt" (round).

[do_not_disturb_alt_sharp](#) → const IconData

 — material icon named "do not disturb alt" (sharp).

[do_not_disturb_off](#) → const IconData

 — material icon named "do not disturb off".

[do_not_disturb_off_outlined](#) → const IconData

 — material icon named "do not disturb off" (outlined).

[do_not_disturb_off_rounded](#) → const IconData

 — material icon named "do not disturb off" (round).

[do_not_disturb_off_sharp](#) → const IconData



— material icon named "do not disturb off" (sharp).

`do_not_disturb_on` → const IconData



— material icon named "do not disturb on".

`do_not_disturb_on_outlined` → const IconData



— material icon named "do not disturb on" (outlined).

`do_not_disturb_on_rounded` → const IconData



— material icon named "do not disturb on" (round).

`do_not_disturb_on_sharp` → const IconData



— material icon named "do not disturb on" (sharp).

`do_not_disturb_on_total_silence` → const IconData



— material icon named "do not disturb on total silence".

`do_not_disturb_on_total_silence_outlined` → const IconData



— material icon named "do not disturb on total silence" (outlined).

`do_not_disturb_on_total_silence_rounded` → const IconData



— material icon named "do not disturb on total silence" (round).

`do_not_disturb_on_total_silence_sharp` → const IconData



— material icon named "do not disturb on total silence" (sharp).

`do_not_disturb_outlined` → const IconData



— material icon named "do not disturb" (outlined).

`do_not_disturb_rounded` → const IconData



— material icon named "do not disturb" (round).

`do_not_disturb_sharp` → const IconData



— material icon named "do not disturb" (sharp).

`do_not_step` → const IconData



— material icon named "do not step".

`do_not_step_outlined` → const IconData



— material icon named "do not step" (outlined).

`do_not_step_rounded` → const IconData



— material icon named "do not step" (round).

`do_not_step_sharp` → const IconData



— material icon named "do not step" (sharp).

`do_not_touch` → const IconData



— material icon named "do not touch".

`do_not_touch_outlined` → const IconData



— material icon named "do not touch" (outlined).

`do_not_touch_rounded` → const IconData



— material icon named "do not touch" (round).

`do_not_touch_sharp` → const IconData



— material icon named "do not touch" (sharp).

`dock` → const IconData



— material icon named "dock".

dock_outlined → const [IconData](#)



— material icon named "dock" (outlined).

dock_rounded → const [IconData](#)



— material icon named "dock" (round).

dock_sharp → const [IconData](#)



— material icon named "dock" (sharp).

document_scanner → const [IconData](#)



— material icon named "document scanner".

document_scanner_outlined → const [IconData](#)



— material icon named "document scanner" (outlined).

document_scanner_rounded → const [IconData](#)



— material icon named "document scanner" (round).

document_scanner_sharp → const [IconData](#)



— material icon named "document scanner" (sharp).

domain → const [IconData](#)



— material icon named "domain".

domain_add → const [IconData](#)



— material icon named "domain add".

domain_add_outlined → const [IconData](#)



— material icon named "domain add" (outlined).

domain_add_rounded → const IconData



— material icon named "domain add" (round).

domain_add_sharp → const IconData



— material icon named "domain add" (sharp).

domain_disabled → const IconData



— material icon named "domain disabled".

domain_disabled_outlined → const IconData



— material icon named "domain disabled" (outlined).

domain_disabled_rounded → const IconData



— material icon named "domain disabled" (round).

domain_disabled_sharp → const IconData



— material icon named "domain disabled" (sharp).

domain_outlined → const IconData



— material icon named "domain" (outlined).

domain_rounded → const IconData



— material icon named "domain" (round).

domain_sharp → const IconData



— material icon named "domain" (sharp).

domain_verification → const IconData



— material icon named "domain verification".

domain_verification_outlined → const IconData



— material icon named "domain verification" (outlined).

domain_verification_rounded → const IconData



— material icon named "domain verification" (round).

domain_verification_sharp → const IconData



— material icon named "domain verification" (sharp).

done → const IconData



— material icon named "done".

done_all → const IconData



— material icon named "done all".

done_all_outlined → const IconData



— material icon named "done all" (outlined).

done_all_rounded → const IconData



— material icon named "done all" (round).

done_all_sharp → const IconData



— material icon named "done all" (sharp).

done_outline → const IconData



— material icon named "done outline".

done_outline_outlined → const IconData

 — material icon named "done outline" (outlined).

done_outline_rounded → const IconData

 — material icon named "done outline" (round).

done_outline_sharp → const IconData

 — material icon named "done outline" (sharp).

done_outlined → const IconData

 — material icon named "done" (outlined).

done_rounded → const IconData

 — material icon named "done" (round).

done_sharp → const IconData

 — material icon named "done" (sharp).

donut_large → const IconData

 — material icon named "donut large".

donut_large_outlined → const IconData

 — material icon named "donut large" (outlined).

donut_large_rounded → const IconData

 — material icon named "donut large" (round).

donut_large_sharp → const IconData

 — material icon named "donut large" (sharp).

donut_small → const IconData



— material icon named "donut small".

donut_small_outlined → const IconData



— material icon named "donut small" (outlined).

donut_small_rounded → const IconData



— material icon named "donut small" (round).

donut_small_sharp → const IconData



— material icon named "donut small" (sharp).

door_back_door → const IconData



— material icon named "door back".

door_back_door_outlined → const IconData



— material icon named "door back" (outlined).

door_back_door_rounded → const IconData



— material icon named "door back" (round).

door_back_door_sharp → const IconData



— material icon named "door back" (sharp).

door_front_door → const IconData



— material icon named "door front".

door_front_door_outlined → const IconData



— material icon named "door front" (outlined).

door_front_door_rounded → const IconData



— material icon named "door front" (round).

door_front_door_sharp → const IconData



— material icon named "door front" (sharp).

door_sliding → const IconData



— material icon named "door sliding".

door_sliding_outlined → const IconData



— material icon named "door sliding" (outlined).

door_sliding_rounded → const IconData



— material icon named "door sliding" (round).

door_sliding_sharp → const IconData



— material icon named "door sliding" (sharp).

doorbell → const IconData



— material icon named "doorbell".

doorbell_outlined → const IconData



— material icon named "doorbell" (outlined).

doorbell_rounded → const IconData



— material icon named "doorbell" (round).

doorbell_sharp → const IconData



— material icon named "doorbell" (sharp).

double_arrow → const IconData

» — material icon named "double arrow".

double_arrow_outlined → const IconData

» — material icon named "double arrow" (outlined).

double_arrow_rounded → const IconData

» — material icon named "double arrow" (round).

double_arrow_sharp → const IconData

» — material icon named "double arrow" (sharp).

downhill_skiing → const IconData

🏂 — material icon named "downhill skiing".

downhill_skiing_outlined → const IconData

🏂 — material icon named "downhill skiing" (outlined).

downhill_skiing_rounded → const IconData

🏂 — material icon named "downhill skiing" (round).

downhill_skiing_sharp → const IconData

🏂 — material icon named "downhill skiing" (sharp).

download → const IconData

⬇️ — material icon named "download".

download_done → const IconData

✓ — material icon named "download done".

download_done_outlined → const IconData

 — material icon named "download done" (outlined).

[download_done_rounded](#) → const IconData

 — material icon named "download done" (round).

[download_done_sharp](#) → const IconData

 — material icon named "download done" (sharp).

[download_for_offline](#) → const IconData

 — material icon named "download for offline".

[download_for_offline_outlined](#) → const IconData

 — material icon named "download for offline" (outlined).

[download_for_offline_rounded](#) → const IconData

 — material icon named "download for offline" (round).

[download_for_offline_sharp](#) → const IconData

 — material icon named "download for offline" (sharp).

[download_outlined](#) → const IconData

 — material icon named "download" (outlined).

[download_rounded](#) → const IconData

 — material icon named "download" (round).

[download_sharp](#) → const IconData

 — material icon named "download" (sharp).

[downloading](#) → const IconData



— material icon named "downloading".

downloading_outlined → const IconData



— material icon named "downloading" (outlined).

downloading_rounded → const IconData



— material icon named "downloading" (round).

downloading_sharp → const IconData



— material icon named "downloading" (sharp).

drafts → const IconData



— material icon named "drafts".

drafts_outlined → const IconData



— material icon named "drafts" (outlined).

drafts_rounded → const IconData



— material icon named "drafts" (round).

drafts_sharp → const IconData



— material icon named "drafts" (sharp).

drag_handle → const IconData



— material icon named "drag handle".

drag_handle_outlined → const IconData



— material icon named "drag handle" (outlined).

drag_handle_rounded → const IconData

 — material icon named "drag handle" (round).

[drag_handle_sharp](#) → const IconData

 — material icon named "drag handle" (sharp).

[drag_indicator](#) → const IconData

 — material icon named "drag indicator".

[drag_indicator_outlined](#) → const IconData

 — material icon named "drag indicator" (outlined).

[drag_indicator_rounded](#) → const IconData

 — material icon named "drag indicator" (round).

[drag_indicator_sharp](#) → const IconData

 — material icon named "drag indicator" (sharp).

[draw](#) → const IconData

 — material icon named "draw".

[draw_outlined](#) → const IconData

 — material icon named "draw" (outlined).

[draw_rounded](#) → const IconData

 — material icon named "draw" (round).

[draw_sharp](#) → const IconData

 — material icon named "draw" (sharp).

[drive_eta](#) → const IconData



— material icon named "drive eta".

drive_eta_outlined → const IconData



— material icon named "drive eta" (outlined).

drive_eta_rounded → const IconData



— material icon named "drive eta" (round).

drive_eta_sharp → const IconData



— material icon named "drive eta" (sharp).

drive_file_move → const IconData



— material icon named "drive file move".

drive_file_move_outline → const IconData



— material icon named "drive file move outline".

drive_file_move_outlined → const IconData



— material icon named "drive file move" (outlined).

drive_file_move_rounded → const IconData



— material icon named "drive file move" (round).

drive_file_move_rtl → const IconData



— material icon named "drive file move rtl".

drive_file_move_rtl_outlined → const IconData



— material icon named "drive file move rtl" (outlined).

drive_file_move_rtl_rounded → const IconData



— material icon named "drive file move rtl" (round).

[drive_file_move_rtl_sharp](#) → const IconData



— material icon named "drive file move rtl" (sharp).

[drive_file_move_sharp](#) → const IconData



— material icon named "drive file move" (sharp).

[drive_file_rename_outline](#) → const IconData



— material icon named "drive file rename outline".

[drive_file_rename_outline_outlined](#) → const IconData



— material icon named "drive file rename outline" (outlined).

[drive_file_rename_outline_rounded](#) → const IconData



— material icon named "drive file rename outline" (round).

[drive_file_rename_outline_sharp](#) → const IconData



— material icon named "drive file rename outline" (sharp).

[drive_folder_upload](#) → const IconData



— material icon named "drive folder upload".

[drive_folder_upload_outlined](#) → const IconData



— material icon named "drive folder upload" (outlined).

[drive_folder_upload_rounded](#) → const IconData



— material icon named "drive folder upload" (round).

[drive_folder_upload_sharp](#) → const IconData

 — material icon named "drive folder upload" (sharp).

dry → const [IconData](#)

 — material icon named "dry".

dry_cleaning → const [IconData](#)

 — material icon named "dry cleaning".

dry_cleaning_outlined → const [IconData](#)

 — material icon named "dry cleaning" (outlined).

dry_cleaning_rounded → const [IconData](#)

 — material icon named "dry cleaning" (round).

dry_cleaning_sharp → const [IconData](#)

 — material icon named "dry cleaning" (sharp).

dry_outlined → const [IconData](#)

 — material icon named "dry" (outlined).

dry_rounded → const [IconData](#)

 — material icon named "dry" (round).

dry_sharp → const [IconData](#)

 — material icon named "dry" (sharp).

duo → const [IconData](#)

 — material icon named "duo".

duo_outlined → const [IconData](#)



— material icon named "duo" (outlined).

duo_rounded → const [IconData](#)



— material icon named "duo" (round).

duo_sharp → const [IconData](#)



— material icon named "duo" (sharp).

dvr → const [IconData](#)



— material icon named "dvr".

dvr_outlined → const [IconData](#)



— material icon named "dvr" (outlined).

dvr_rounded → const [IconData](#)



— material icon named "dvr" (round).

dvr_sharp → const [IconData](#)



— material icon named "dvr" (sharp).

dynamic_feed → const [IconData](#)



— material icon named "dynamic feed".

dynamic_feed_outlined → const [IconData](#)



— material icon named "dynamic feed" (outlined).

dynamic_feed_rounded → const [IconData](#)



— material icon named "dynamic feed" (round).

dynamic_feed_sharp → const [IconData](#)



— material icon named "dynamic feed" (sharp).

dynamic_form → const IconData



— material icon named "dynamic form".

dynamic_form_outlined → const IconData



— material icon named "dynamic form" (outlined).

dynamic_form_rounded → const IconData



— material icon named "dynamic form" (round).

dynamic_form_sharp → const IconData



— material icon named "dynamic form" (sharp).

e_mobiledata → const IconData



— material icon named "e mobiledata".

e_mobiledata_outlined → const IconData



— material icon named "e mobiledata" (outlined).

e_mobiledata_rounded → const IconData



— material icon named "e mobiledata" (round).

e_mobiledata_sharp → const IconData



— material icon named "e mobiledata" (sharp).

earbuds → const IconData



— material icon named "earbuds".

earbuds_battery → const IconData

 — material icon named "earbuds battery".

[earbuds_battery_outlined](#) → const IconData

 — material icon named "earbuds battery" (outlined).

[earbuds_battery_rounded](#) → const IconData

 — material icon named "earbuds battery" (round).

[earbuds_battery_sharp](#) → const IconData

 — material icon named "earbuds battery" (sharp).

[earbuds_outlined](#) → const IconData

 — material icon named "earbuds" (outlined).

[earbuds_rounded](#) → const IconData

 — material icon named "earbuds" (round).

[earbuds_sharp](#) → const IconData

 — material icon named "earbuds" (sharp).

[east](#) → const IconData

 — material icon named "east".

[east_outlined](#) → const IconData

 — material icon named "east" (outlined).

[east_rounded](#) → const IconData

 — material icon named "east" (round).

[east_sharp](#) → const IconData

 — material icon named "east" (sharp).

eco → const [IconData](#)

 — material icon named "eco".

eco_outlined → const [IconData](#)

 — material icon named "eco" (outlined).

eco_rounded → const [IconData](#)

 — material icon named "eco" (round).

eco_sharp → const [IconData](#)

 — material icon named "eco" (sharp).

edgesensor_high → const [IconData](#)

 — material icon named "edgesensor high".

edgesensor_high_outlined → const [IconData](#)

 — material icon named "edgesensor high" (outlined).

edgesensor_high_rounded → const [IconData](#)

 — material icon named "edgesensor high" (round).

edgesensor_high_sharp → const [IconData](#)

 — material icon named "edgesensor high" (sharp).

edgesensor_low → const [IconData](#)

 — material icon named "edgesensor low".

edgesensor_low_outlined → const [IconData](#)



— material icon named "edgesensor low" (outlined).

edgesensor_low_rounded → const IconData



— material icon named "edgesensor low" (round).

edgesensor_low_sharp → const IconData



— material icon named "edgesensor low" (sharp).

edit → const IconData



— material icon named "edit".

edit_attributes → const IconData



— material icon named "edit attributes".

edit_attributes_outlined → const IconData



— material icon named "edit attributes" (outlined).

edit_attributes_rounded → const IconData



— material icon named "edit attributes" (round).

edit_attributes_sharp → const IconData



— material icon named "edit attributes" (sharp).

edit_calendar → const IconData



— material icon named "edit calendar".

edit_calendar_outlined → const IconData



— material icon named "edit calendar" (outlined).

edit_calendar_rounded → const IconData



— material icon named "edit calendar" (round).

edit_calendar_sharp → const IconData



— material icon named "edit calendar" (sharp).

edit_document → const IconData



— material icon named "edit document".

edit_location → const IconData



— material icon named "edit location".

edit_location_alt → const IconData



— material icon named "edit location alt".

edit_location_alt_outlined → const IconData



— material icon named "edit location alt" (outlined).

edit_location_alt_rounded → const IconData



— material icon named "edit location alt" (round).

edit_location_alt_sharp → const IconData



— material icon named "edit location alt" (sharp).

edit_location_outlined → const IconData



— material icon named "edit location" (outlined).

edit_location_rounded → const IconData



— material icon named "edit location" (round).

edit_location_sharp → const IconData



— material icon named "edit location" (sharp).

edit_note → const [IconData](#)



— material icon named "edit note".

edit_note_outlined → const [IconData](#)



— material icon named "edit note" (outlined).

edit_note_rounded → const [IconData](#)



— material icon named "edit note" (round).

edit_note_sharp → const [IconData](#)



— material icon named "edit note" (sharp).

edit_notifications → const [IconData](#)



— material icon named "edit notifications".

edit_notifications_outlined → const [IconData](#)



— material icon named "edit notifications" (outlined).

edit_notifications_rounded → const [IconData](#)



— material icon named "edit notifications" (round).

edit_notifications_sharp → const [IconData](#)



— material icon named "edit notifications" (sharp).

edit_off → const [IconData](#)



— material icon named "edit off".

edit_off_outlined → const [IconData](#)

 — material icon named "edit off" (outlined).

`edit_off_rounded` → const `IconData`

 — material icon named "edit off" (round).

`edit_off_sharp` → const `IconData`

 — material icon named "edit off" (sharp).

`edit_outlined` → const `IconData`

 — material icon named "edit" (outlined).

`edit_road` → const `IconData`

 — material icon named "edit road".

`edit_road_outlined` → const `IconData`

 — material icon named "edit road" (outlined).

`edit_road_rounded` → const `IconData`

 — material icon named "edit road" (round).

`edit_road_sharp` → const `IconData`

 — material icon named "edit road" (sharp).

`edit_rounded` → const `IconData`

 — material icon named "edit" (round).

`edit_sharp` → const `IconData`

 — material icon named "edit" (sharp).

`edit_square` → const `IconData`



— material icon named "edit square".

`egg` → const `IconData`



— material icon named "egg".

`egg_alt` → const `IconData`



— material icon named "egg alt".

`egg_alt_outlined` → const `IconData`



— material icon named "egg alt" (outlined).

`egg_alt_rounded` → const `IconData`



— material icon named "egg alt" (round).

`egg_alt_sharp` → const `IconData`



— material icon named "egg alt" (sharp).

`egg_outlined` → const `IconData`



— material icon named "egg" (outlined).

`egg_rounded` → const `IconData`



— material icon named "egg" (round).

`egg_sharp` → const `IconData`



— material icon named "egg" (sharp).

`eight_k` → const `IconData`



— material icon named "8k".

`eight_k_outlined` → const `IconData`

 — material icon named "8k" (outlined).

`eight_k_plus` → const [IconData](#)

 — material icon named "8k plus".

`eight_k_plus_outlined` → const [IconData](#)

 — material icon named "8k plus" (outlined).

`eight_k_plus_rounded` → const [IconData](#)

 — material icon named "8k plus" (round).

`eight_k_plus_sharp` → const [IconData](#)

 — material icon named "8k plus" (sharp).

`eight_k_rounded` → const [IconData](#)

 — material icon named "8k" (round).

`eight_k_sharp` → const [IconData](#)

 — material icon named "8k" (sharp).

`eight_mp` → const [IconData](#)

 — material icon named "8mp".

`eight_mp_outlined` → const [IconData](#)

 — material icon named "8mp" (outlined).

`eight_mp_rounded` → const [IconData](#)

 — material icon named "8mp" (round).

`eight_mp_sharp` → const [IconData](#)



— material icon named "8mp" (sharp).

eighteen_mp → const IconData



— material icon named "18mp".

eighteen_mp_outlined → const IconData



— material icon named "18mp" (outlined).

eighteen_mp_rounded → const IconData



— material icon named "18mp" (round).

eighteen_mp_sharp → const IconData



— material icon named "18mp" (sharp).

eighteen_up_rating → const IconData



— material icon named "18 up rating".

eighteen_up_rating_outlined → const IconData



— material icon named "18 up rating" (outlined).

eighteen_up_rating_rounded → const IconData



— material icon named "18 up rating" (round).

eighteen_up_rating_sharp → const IconData



— material icon named "18 up rating" (sharp).

eject → const IconData



— material icon named "eject".

eject_outlined → const IconData

 — material icon named "eject" (outlined).

eject_rounded → const [IconData](#)

 — material icon named "eject" (round).

eject_sharp → const [IconData](#)

 — material icon named "eject" (sharp).

elderly → const [IconData](#)

 — material icon named "elderly".

elderly_outlined → const [IconData](#)

 — material icon named "elderly" (outlined).

elderly_rounded → const [IconData](#)

 — material icon named "elderly" (round).

elderly_sharp → const [IconData](#)

 — material icon named "elderly" (sharp).

elderly_woman → const [IconData](#)

 — material icon named "elderly woman".

elderly_woman_outlined → const [IconData](#)

 — material icon named "elderly woman" (outlined).

elderly_woman_rounded → const [IconData](#)

 — material icon named "elderly woman" (round).

elderly_woman_sharp → const [IconData](#)



— material icon named "elderly woman" (sharp).

electric_bike → const IconData



— material icon named "electric bike".

electric_bike_outlined → const IconData



— material icon named "electric bike" (outlined).

electric_bike_rounded → const IconData



— material icon named "electric bike" (round).

electric_bike_sharp → const IconData



— material icon named "electric bike" (sharp).

electric_bolt → const IconData



— material icon named "electric bolt".

electric_bolt_outlined → const IconData



— material icon named "electric bolt" (outlined).

electric_bolt_rounded → const IconData



— material icon named "electric bolt" (round).

electric_bolt_sharp → const IconData



— material icon named "electric bolt" (sharp).

electric_car → const IconData



— material icon named "electric car".

electric_car_outlined → const IconData



— material icon named "electric car" (outlined).

electric_car_rounded → const [IconData](#)



— material icon named "electric car" (round).

electric_car_sharp → const [IconData](#)



— material icon named "electric car" (sharp).

electric_meter → const [IconData](#)



— material icon named "electric meter".

electric_meter_outlined → const [IconData](#)



— material icon named "electric meter" (outlined).

electric_meter_rounded → const [IconData](#)



— material icon named "electric meter" (round).

electric_meter_sharp → const [IconData](#)



— material icon named "electric meter" (sharp).

electric_moped → const [IconData](#)



— material icon named "electric moped".

electric_moped_outlined → const [IconData](#)



— material icon named "electric moped" (outlined).

electric_moped_rounded → const [IconData](#)



— material icon named "electric moped" (round).

electric_moped_sharp → const [IconData](#)



— material icon named "electric moped" (sharp).

electric_rickshaw → const [IconData](#)



— material icon named "electric rickshaw".

electric_rickshaw_outlined → const [IconData](#)



— material icon named "electric rickshaw" (outlined).

electric_rickshaw_rounded → const [IconData](#)



— material icon named "electric rickshaw" (round).

electric_rickshaw_sharp → const [IconData](#)



— material icon named "electric rickshaw" (sharp).

electric_scooter → const [IconData](#)



— material icon named "electric scooter".

electric_scooter_outlined → const [IconData](#)



— material icon named "electric scooter" (outlined).

electric_scooter_rounded → const [IconData](#)



— material icon named "electric scooter" (round).

electric_scooter_sharp → const [IconData](#)



— material icon named "electric scooter" (sharp).

electrical_services → const [IconData](#)



— material icon named "electrical services".

electrical_services_outlined → const [IconData](#)

 — material icon named "electrical services" (outlined).

[electrical_services_rounded](#) → const IconData

 — material icon named "electrical services" (round).

[electrical_services_sharp](#) → const IconData

 — material icon named "electrical services" (sharp).

[elevator](#) → const IconData

 — material icon named "elevator".

[elevator_outlined](#) → const IconData

 — material icon named "elevator" (outlined).

[elevator_rounded](#) → const IconData

 — material icon named "elevator" (round).

[elevator_sharp](#) → const IconData

 — material icon named "elevator" (sharp).

[eleven_mp](#) → const IconData

 — material icon named "11mp".

[eleven_mp_outlined](#) → const IconData

 — material icon named "11mp" (outlined).

[eleven_mp_rounded](#) → const IconData

 — material icon named "11mp" (round).

[eleven_mp_sharp](#) → const IconData



— material icon named "11mp" (sharp).

email → const IconData



— material icon named "email".

email_outlined → const IconData



— material icon named "email" (outlined).

email_rounded → const IconData



— material icon named "email" (round).

email_sharp → const IconData



— material icon named "email" (sharp).

emergency → const IconData



— material icon named "emergency".

emergency_outlined → const IconData



— material icon named "emergency" (outlined).

emergency_recording → const IconData



— material icon named "emergency recording".

emergency_recording_outlined → const IconData



— material icon named "emergency recording" (outlined).

emergency_recording_rounded → const IconData



— material icon named "emergency recording" (round).

emergency_recording_sharp → const IconData

 — material icon named "emergency recording" (sharp).

emergency_rounded → const IconData

 — material icon named "emergency" (round).

emergency_share → const IconData

 — material icon named "emergency share".

emergency_share_outlined → const IconData

 — material icon named "emergency share" (outlined).

emergency_share_rounded → const IconData

 — material icon named "emergency share" (round).

emergency_share_sharp → const IconData

 — material icon named "emergency share" (sharp).

emergency_sharp → const IconData

 — material icon named "emergency" (sharp).

emoji_emotions → const IconData

 — material icon named "emoji emotions".

emoji_emotions_outlined → const IconData

 — material icon named "emoji emotions" (outlined).

emoji_emotions_rounded → const IconData

 — material icon named "emoji emotions" (round).

emoji_emotions_sharp → const IconData



— material icon named "emoji emotions" (sharp).

emoji_events → const IconData



— material icon named "emoji events".

emoji_events_outlined → const IconData



— material icon named "emoji events" (outlined).

emoji_events_rounded → const IconData



— material icon named "emoji events" (round).

emoji_events_sharp → const IconData



— material icon named "emoji events" (sharp).

emoji_flags → const IconData



— material icon named "emoji flags".

emoji_flags_outlined → const IconData



— material icon named "emoji flags" (outlined).

emoji_flags_rounded → const IconData



— material icon named "emoji flags" (round).

emoji_flags_sharp → const IconData



— material icon named "emoji flags" (sharp).

emoji_food_beverage → const IconData



— material icon named "emoji food beverage".

emoji_food_beverage_outlined → const IconData



— material icon named "emoji food beverage" (outlined).

emoji_food_beverage_rounded → const IconData



— material icon named "emoji food beverage" (round).

emoji_food_beverage_sharp → const IconData



— material icon named "emoji food beverage" (sharp).

emoji_nature → const IconData



— material icon named "emoji nature".

emoji_nature_outlined → const IconData



— material icon named "emoji nature" (outlined).

emoji_nature_rounded → const IconData



— material icon named "emoji nature" (round).

emoji_nature_sharp → const IconData



— material icon named "emoji nature" (sharp).

emoji_objects → const IconData



— material icon named "emoji objects".

emoji_objects_outlined → const IconData



— material icon named "emoji objects" (outlined).

emoji_objects_rounded → const IconData



— material icon named "emoji objects" (round).

emoji_objects_sharp → const IconData



— material icon named "emoji objects" (sharp).

emoji_people → const IconData



— material icon named "emoji people".

emoji_people_outlined → const IconData



— material icon named "emoji people" (outlined).

emoji_people_rounded → const IconData



— material icon named "emoji people" (round).

emoji_people_sharp → const IconData



— material icon named "emoji people" (sharp).

emoji_symbols → const IconData



— material icon named "emoji symbols".

emoji_symbols_outlined → const IconData



— material icon named "emoji symbols" (outlined).

emoji_symbols_rounded → const IconData



— material icon named "emoji symbols" (round).

emoji_symbols_sharp → const IconData



— material icon named "emoji symbols" (sharp).

emoji_transportation → const IconData



— material icon named "emoji transportation".

emoji_transportation_outlined → const IconData



— material icon named "emoji transportation" (outlined).

emoji_transportation_rounded → const IconData



— material icon named "emoji transportation" (round).

emoji_transportation_sharp → const IconData



— material icon named "emoji transportation" (sharp).

energy_savings_leaf → const IconData



— material icon named "energy savings leaf".

energy_savings_leaf_outlined → const IconData



— material icon named "energy savings leaf" (outlined).

energy_savings_leaf_rounded → const IconData



— material icon named "energy savings leaf" (round).

energy_savings_leaf_sharp → const IconData



— material icon named "energy savings leaf" (sharp).

engineering → const IconData



— material icon named "engineering".

engineering_outlined → const IconData



— material icon named "engineering" (outlined).

engineering_rounded → const IconData



— material icon named "engineering" (round).

engineering_sharp → const IconData



— material icon named "engineering" (sharp).

[enhance_photo_translate](#) → const IconData



— material icon named "enhance photo translate".

[enhance_photo_translate_outlined](#) → const IconData



— material icon named "enhance photo translate" (outlined).

[enhance_photo_translate_rounded](#) → const IconData



— material icon named "enhance photo translate" (round).

[enhance_photo_translate_sharp](#) → const IconData



— material icon named "enhance photo translate" (sharp).

[enhanced_encryption](#) → const IconData



— material icon named "enhanced encryption".

[enhanced_encryption_outlined](#) → const IconData



— material icon named "enhanced encryption" (outlined).

[enhanced_encryption_rounded](#) → const IconData



— material icon named "enhanced encryption" (round).

[enhanced_encryption_sharp](#) → const IconData



— material icon named "enhanced encryption" (sharp).

[equalizer](#) → const IconData



— material icon named "equalizer".

[equalizer_outlined](#) → const IconData



— material icon named "equalizer" (outlined).

equalizer_rounded → const IconData



— material icon named "equalizer" (round).

equalizer_sharp → const IconData



— material icon named "equalizer" (sharp).

error → const IconData



— material icon named "error".

error_outline → const IconData



— material icon named "error outline".

error_outline_outlined → const IconData



— material icon named "error outline" (outlined).

error_outline_rounded → const IconData



— material icon named "error outline" (round).

error_outline_sharp → const IconData



— material icon named "error outline" (sharp).

error_outlined → const IconData



— material icon named "error" (outlined).

error_rounded → const IconData



— material icon named "error" (round).

error_sharp → const IconData

 — material icon named "error" (sharp).

escalator → const IconData

 — material icon named "escalator".

escalator_outlined → const IconData

 — material icon named "escalator" (outlined).

escalator_rounded → const IconData

 — material icon named "escalator" (round).

escalator_sharp → const IconData

 — material icon named "escalator" (sharp).

escalator_warning → const IconData

 — material icon named "escalator warning".

escalator_warning_outlined → const IconData

 — material icon named "escalator warning" (outlined).

escalator_warning_rounded → const IconData

 — material icon named "escalator warning" (round).

escalator_warning_sharp → const IconData

 — material icon named "escalator warning" (sharp).

euro → const IconData

 — material icon named "euro".

euro_outlined → const IconData

 — material icon named "euro" (outlined).

[euro_rounded](#) → const [IconData](#)

 — material icon named "euro" (round).

[euro_sharp](#) → const [IconData](#)

 — material icon named "euro" (sharp).

[euro_symbol](#) → const [IconData](#)

 — material icon named "euro symbol".

[euro_symbol_outlined](#) → const [IconData](#)

 — material icon named "euro symbol" (outlined).

[euro_symbol_rounded](#) → const [IconData](#)

 — material icon named "euro symbol" (round).

[euro_symbol_sharp](#) → const [IconData](#)

 — material icon named "euro symbol" (sharp).

[ev_station](#) → const [IconData](#)

 — material icon named "ev station".

[ev_station_outlined](#) → const [IconData](#)

 — material icon named "ev station" (outlined).

[ev_station_rounded](#) → const [IconData](#)

 — material icon named "ev station" (round).

[ev_station_sharp](#) → const [IconData](#)



— material icon named "ev station" (sharp).

event → const [IconData](#)



— material icon named "event".

event_available → const [IconData](#)



— material icon named "event available".

event_available_outlined → const [IconData](#)



— material icon named "event available" (outlined).

event_available_rounded → const [IconData](#)



— material icon named "event available" (round).

event_available_sharp → const [IconData](#)



— material icon named "event available" (sharp).

event_busy → const [IconData](#)



— material icon named "event busy".

event_busy_outlined → const [IconData](#)



— material icon named "event busy" (outlined).

event_busy_rounded → const [IconData](#)



— material icon named "event busy" (round).

event_busy_sharp → const [IconData](#)



— material icon named "event busy" (sharp).

event_note → const [IconData](#)



— material icon named "event note".

event_note_outlined → const [IconData](#)



— material icon named "event note" (outlined).

event_note_rounded → const [IconData](#)



— material icon named "event note" (round).

event_note_sharp → const [IconData](#)



— material icon named "event note" (sharp).

event_outlined → const [IconData](#)



— material icon named "event" (outlined).

event_repeat → const [IconData](#)



— material icon named "event repeat".

event_repeat_outlined → const [IconData](#)



— material icon named "event repeat" (outlined).

event_repeat_rounded → const [IconData](#)



— material icon named "event repeat" (round).

event_repeat_sharp → const [IconData](#)



— material icon named "event repeat" (sharp).

event_rounded → const [IconData](#)



— material icon named "event" (round).

event_seat → const [IconData](#)



— material icon named "event seat".

event_seat_outlined → const IconData



— material icon named "event seat" (outlined).

event_seat_rounded → const IconData



— material icon named "event seat" (round).

event_seat_sharp → const IconData



— material icon named "event seat" (sharp).

event_sharp → const IconData



— material icon named "event" (sharp).

exit_to_app → const IconData



— material icon named "exit to app".

exit_to_app_outlined → const IconData



— material icon named "exit to app" (outlined).

exit_to_app_rounded → const IconData



— material icon named "exit to app" (round).

exit_to_app_sharp → const IconData



— material icon named "exit to app" (sharp).

expand → const IconData



— material icon named "expand".

expand_circle_down → const IconData

 — material icon named "expand circle down".

expand_circle_down_outlined → const IconData

 — material icon named "expand circle down" (outlined).

expand_circle_down_rounded → const IconData

 — material icon named "expand circle down" (round).

expand_circle_down_sharp → const IconData

 — material icon named "expand circle down" (sharp).

expand_less → const IconData

 — material icon named "expand less".

expand_less_outlined → const IconData

 — material icon named "expand less" (outlined).

expand_less_rounded → const IconData

 — material icon named "expand less" (round).

expand_less_sharp → const IconData

 — material icon named "expand less" (sharp).

expand_more → const IconData

 — material icon named "expand more".

expand_more_outlined → const IconData

 — material icon named "expand more" (outlined).

expand_more_rounded → const IconData

▼ — material icon named "expand more" (round).

expand_more_sharp → const IconData

▼ — material icon named "expand more" (sharp).

expand_outlined → const IconData



— material icon named "expand" (outlined).

expand_rounded → const IconData



— material icon named "expand" (round).

expand_sharp → const IconData



— material icon named "expand" (sharp).

explicit → const IconData



— material icon named "explicit".

explicit_outlined → const IconData



— material icon named "explicit" (outlined).

explicit_rounded → const IconData



— material icon named "explicit" (round).

explicit_sharp → const IconData



— material icon named "explicit" (sharp).

explore → const IconData



— material icon named "explore".

explore_off → const IconData



— material icon named "explore off".

explore_off_outlined → const IconData



— material icon named "explore off" (outlined).

explore_off_rounded → const IconData



— material icon named "explore off" (round).

explore_off_sharp → const IconData



— material icon named "explore off" (sharp).

explore_outlined → const IconData



— material icon named "explore" (outlined).

explore_rounded → const IconData



— material icon named "explore" (round).

explore_sharp → const IconData



— material icon named "explore" (sharp).

exposure → const IconData



— material icon named "exposure".

exposure_minus_1 → const IconData



— material icon named "exposure minus 1".

exposure_minus_1_outlined → const IconData



— material icon named "exposure minus 1" (outlined).

exposure_minus_1_rounded → const IconData

-1 — material icon named "exposure minus 1" (round).

exposure_minus_1_sharp → const IconData

-1 — material icon named "exposure minus 1" (sharp).

exposure_minus_2 → const IconData

-2 — material icon named "exposure minus 2".

exposure_minus_2_outlined → const IconData

-2 — material icon named "exposure minus 2" (outlined).

exposure_minus_2_rounded → const IconData

-2 — material icon named "exposure minus 2" (round).

exposure_minus_2_sharp → const IconData

-2 — material icon named "exposure minus 2" (sharp).

exposure_neg_1 → const IconData

-1 — material icon named "exposure neg 1".

exposure_neg_1_outlined → const IconData

-1 — material icon named "exposure neg 1" (outlined).

exposure_neg_1_rounded → const IconData

-1 — material icon named "exposure neg 1" (round).

exposure_neg_1_sharp → const IconData

-1 — material icon named "exposure neg 1" (sharp).

exposure_neg_2 → const IconData

-2 — material icon named "exposure neg 2".

exposure_neg_2_outlined → const IconData

-2 — material icon named "exposure neg 2" (outlined).

exposure_neg_2_rounded → const IconData

-2 — material icon named "exposure neg 2" (round).

exposure_neg_2_sharp → const IconData

-2 — material icon named "exposure neg 2" (sharp).

exposure_outlined → const IconData



— material icon named "exposure" (outlined).

exposure_plus_1 → const IconData

+1 — material icon named "exposure plus 1".

exposure_plus_1_outlined → const IconData

+1 — material icon named "exposure plus 1" (outlined).

exposure_plus_1_rounded → const IconData

+1 — material icon named "exposure plus 1" (round).

exposure_plus_1_sharp → const IconData

+1 — material icon named "exposure plus 1" (sharp).

exposure_plus_2 → const IconData

+2 — material icon named "exposure plus 2".

exposure_plus_2_outlined → const IconData

+2 — material icon named "exposure plus 2" (outlined).

exposure_plus_2_rounded → const IconData

+2 — material icon named "exposure plus 2" (round).

exposure_plus_2_sharp → const IconData

+2 — material icon named "exposure plus 2" (sharp).

exposure_rounded → const IconData



— material icon named "exposure" (round).

exposure_sharp → const IconData



— material icon named "exposure" (sharp).

exposure_zero → const IconData

0 — material icon named "exposure zero".

exposure_zero_outlined → const IconData

0 — material icon named "exposure zero" (outlined).

exposure_zero_rounded → const IconData

0 — material icon named "exposure zero" (round).

exposure_zero_sharp → const IconData

0 — material icon named "exposure zero" (sharp).

extension → const IconData



— material icon named "extension".

extension_off → const IconData



— material icon named "extension off".

extension_off_outlined → const IconData



— material icon named "extension off" (outlined).

extension_off_rounded → const IconData



— material icon named "extension off" (round).

extension_off_sharp → const IconData



— material icon named "extension off" (sharp).

extension_outlined → const IconData



— material icon named "extension" (outlined).

extension_rounded → const IconData



— material icon named "extension" (round).

extension_sharp → const IconData



— material icon named "extension" (sharp).

face → const IconData



— material icon named "face".

face_2 → const IconData



— material icon named "face 2".

face_2_outlined → const IconData



— material icon named "face 2" (outlined).

face_2_rounded → const IconData



— material icon named "face 2" (round).

face_2_sharp → const IconData



— material icon named "face 2" (sharp).

face_3 → const IconData



— material icon named "face 3".

face_3_outlined → const IconData



— material icon named "face 3" (outlined).

face_3_rounded → const IconData



— material icon named "face 3" (round).

face_3_sharp → const IconData



— material icon named "face 3" (sharp).

face_4 → const IconData



— material icon named "face 4".

face_4_outlined → const IconData



— material icon named "face 4" (outlined).

face_4_rounded → const IconData



— material icon named "face 4" (round).

face_4_sharp → const IconData



— material icon named "face 4" (sharp).

face_5 → const IconData



— material icon named "face 5".

face_5_outlined → const IconData



— material icon named "face 5" (outlined).

face_5_rounded → const IconData



— material icon named "face 5" (round).

face_5_sharp → const IconData



— material icon named "face 5" (sharp).

face_6 → const IconData



— material icon named "face 6".

face_6_outlined → const IconData



— material icon named "face 6" (outlined).

face_6_rounded → const IconData



— material icon named "face 6" (round).

face_6_sharp → const IconData



— material icon named "face 6" (sharp).

face_outlined → const IconData



— material icon named "face" (outlined).

face_retouching_natural → const IconData



— material icon named "face retouching natural".

face_retouching_natural_outlined → const IconData



— material icon named "face retouching natural" (outlined).

face_retouching_natural_rounded → const IconData



— material icon named "face retouching natural" (round).

face_retouching_natural_sharp → const IconData



— material icon named "face retouching natural" (sharp).

face_retouching_off → const IconData



— material icon named "face retouching off".

face_retouching_off_outlined → const IconData



— material icon named "face retouching off" (outlined).

face_retouching_off_rounded → const IconData



— material icon named "face retouching off" (round).

face_retouching_off_sharp → const IconData



— material icon named "face retouching off" (sharp).

face_rounded → const IconData



— material icon named "face" (round).

face_sharp → const IconData



— material icon named "face" (sharp).

face_unlock_outlined → const IconData



— material icon named "face unlock" (outlined).

face_unlock_rounded → const IconData



— material icon named "face unlock" (round).

face_unlock_sharp → const IconData



— material icon named "face unlock" (sharp).

facebook → const IconData



— material icon named "facebook".

facebook_outlined → const IconData



— material icon named "facebook" (outlined).

facebook_rounded → const IconData



— material icon named "facebook" (round).

facebook_sharp → const IconData



— material icon named "facebook" (sharp).

fact_check → const IconData



— material icon named "fact check".

fact_check_outlined → const IconData



— material icon named "fact check" (outlined).

fact_check_rounded → const IconData



— material icon named "fact check" (round).

fact_check_sharp → const IconData



— material icon named "fact check" (sharp).

factory → const IconData



— material icon named "factory".

factory_outlined → const [IconData](#)



— material icon named "factory" (outlined).

factory_rounded → const [IconData](#)



— material icon named "factory" (round).

factory_sharp → const [IconData](#)



— material icon named "factory" (sharp).

family_restroom → const [IconData](#)



— material icon named "family restroom".

family_restroom_outlined → const [IconData](#)



— material icon named "family restroom" (outlined).

family_restroom_rounded → const [IconData](#)



— material icon named "family restroom" (round).

family_restroom_sharp → const [IconData](#)



— material icon named "family restroom" (sharp).

fast_forward → const [IconData](#)



— material icon named "fast forward".

fast_forward_outlined → const [IconData](#)



— material icon named "fast forward" (outlined).

fast_forward_rounded → const [IconData](#)

▶▶ — material icon named "fast forward" (round).

fast_forward_sharp → const IconData

▶▶ — material icon named "fast forward" (sharp).

fast_rewind → const IconData

◀◀ — material icon named "fast rewind".

fast_rewind_outlined → const IconData

◀◀ — material icon named "fast rewind" (outlined).

fast_rewind_rounded → const IconData

◀◀ — material icon named "fast rewind" (round).

fast_rewind_sharp → const IconData

◀◀ — material icon named "fast rewind" (sharp).

fastfood → const IconData

 — material icon named "fastfood".

fastfood_outlined → const IconData

 — material icon named "fastfood" (outlined).

fastfood_rounded → const IconData

 — material icon named "fastfood" (round).

fastfood_sharp → const IconData

 — material icon named "fastfood" (sharp).

favorite → const IconData

 — material icon named "favorite".

favorite_border → const IconData

 — material icon named "favorite border".

favorite_border_outlined → const IconData

 — material icon named "favorite border" (outlined).

favorite_border_rounded → const IconData

 — material icon named "favorite border" (round).

favorite_border_sharp → const IconData

 — material icon named "favorite border" (sharp).

favorite_outline → const IconData

 — material icon named "favorite outline".

favorite_outline_outlined → const IconData

 — material icon named "favorite outline" (outlined).

favorite_outline_rounded → const IconData

 — material icon named "favorite outline" (round).

favorite_outline_sharp → const IconData

 — material icon named "favorite outline" (sharp).

favorite_outlined → const IconData

 — material icon named "favorite" (outlined).

favorite_rounded → const IconData



— material icon named "favorite" (round).

favorite_sharp → const IconData



— material icon named "favorite" (sharp).

fax → const IconData



— material icon named "fax".

fax_outlined → const IconData



— material icon named "fax" (outlined).

fax_rounded → const IconData



— material icon named "fax" (round).

fax_sharp → const IconData



— material icon named "fax" (sharp).

featured_play_list → const IconData



— material icon named "featured play list".

featured_play_list_outlined → const IconData



— material icon named "featured play list" (outlined).

featured_play_list_rounded → const IconData



— material icon named "featured play list" (round).

featured_play_list_sharp → const IconData



— material icon named "featured play list" (sharp).

featured_video → const IconData

 — material icon named "featured video".

featured_video_outlined → const IconData

 — material icon named "featured video" (outlined).

featured_video_rounded → const IconData

 — material icon named "featured video" (round).

featured_video_sharp → const IconData

 — material icon named "featured video" (sharp).

feed → const IconData

 — material icon named "feed".

feed_outlined → const IconData

 — material icon named "feed" (outlined).

feed_rounded → const IconData

 — material icon named "feed" (round).

feed_sharp → const IconData

 — material icon named "feed" (sharp).

feedback → const IconData

 — material icon named "feedback".

feedback_outlined → const IconData

 — material icon named "feedback" (outlined).

feedback_rounded → const IconData



— material icon named "feedback" (round).

feedback_sharp → const IconData



— material icon named "feedback" (sharp).

female → const IconData



— material icon named "female".

female_outlined → const IconData



— material icon named "female" (outlined).

female_rounded → const IconData



— material icon named "female" (round).

female_sharp → const IconData



— material icon named "female" (sharp).

fence → const IconData



— material icon named "fence".

fence_outlined → const IconData



— material icon named "fence" (outlined).

fence_rounded → const IconData



— material icon named "fence" (round).

fence_sharp → const IconData



— material icon named "fence" (sharp).

festival → const IconData



— material icon named "festival".

festival_outlined → const IconData



— material icon named "festival" (outlined).

festival_rounded → const IconData



— material icon named "festival" (round).

festival_sharp → const IconData



— material icon named "festival" (sharp).

fiber_dvr → const IconData



— material icon named "fiber dvr".

fiber_dvr_outlined → const IconData

DVR — material icon named "fiber dvr" (outlined).

fiber_dvr_rounded → const IconData



— material icon named "fiber dvr" (round).

fiber_dvr_sharp → const IconData



— material icon named "fiber dvr" (sharp).

fiber_manual_record → const IconData



— material icon named "fiber manual record".

fiber_manual_record_outlined → const IconData



— material icon named "fiber manual record" (outlined).

fiber_manual_record_rounded → const IconData

 — material icon named "fiber manual record" (round).

fiber_manual_record_sharp → const IconData

 — material icon named "fiber manual record" (sharp).

fiber_new → const IconData

NEW — material icon named "fiber new".

fiber_new_outlined → const IconData

NEW — material icon named "fiber new" (outlined).

fiber_new_rounded → const IconData

NEW — material icon named "fiber new" (round).

fiber_new_sharp → const IconData

NEW — material icon named "fiber new" (sharp).

fiber_pin → const IconData

PIN — material icon named "fiber pin".

fiber_pin_outlined → const IconData

PIN — material icon named "fiber pin" (outlined).

fiber_pin_rounded → const IconData

PIN — material icon named "fiber pin" (round).

fiber_pin_sharp → const IconData

PIN — material icon named "fiber pin" (sharp).

fiber_smart_record → const IconData

 — material icon named "fiber smart record".

[fiber_smart_record_outlined](#) → const IconData

 — material icon named "fiber smart record" (outlined).

[fiber_smart_record_rounded](#) → const IconData

 — material icon named "fiber smart record" (round).

[fiber_smart_record_sharp](#) → const IconData

 — material icon named "fiber smart record" (sharp).

[fifteen_mp](#) → const IconData

 — material icon named "15mp".

[fifteen_mp_outlined](#) → const IconData

 — material icon named "15mp" (outlined).

[fifteen_mp_rounded](#) → const IconData

 — material icon named "15mp" (round).

[fifteen_mp_sharp](#) → const IconData

 — material icon named "15mp" (sharp).

[file_copy](#) → const IconData

 — material icon named "file copy".

[file_copy_outlined](#) → const IconData

 — material icon named "file copy" (outlined).

[file_copy_rounded](#) → const IconData



— material icon named "file copy" (round).

`file_copy_sharp` → const `IconData`



— material icon named "file copy" (sharp).

`file_download` → const `IconData`



— material icon named "file download".

`file_download_done` → const `IconData`



— material icon named "file download done".

`file_download_done_outlined` → const `IconData`



— material icon named "file download done" (outlined).

`file_download_done_rounded` → const `IconData`



— material icon named "file download done" (round).

`file_download_done_sharp` → const `IconData`



— material icon named "file download done" (sharp).

`file_download_off` → const `IconData`



— material icon named "file download off".

`file_download_off_outlined` → const `IconData`



— material icon named "file download off" (outlined).

`file_download_off_rounded` → const `IconData`



— material icon named "file download off" (round).

`file_download_off_sharp` → const `IconData`



— material icon named "file download off" (sharp).

[file_download_outlined](#) → const IconData



— material icon named "file download" (outlined).

[file_download_rounded](#) → const IconData



— material icon named "file download" (round).

[file_download_sharp](#) → const IconData



— material icon named "file download" (sharp).

[file_open](#) → const IconData



— material icon named "file open".

[file_open_outlined](#) → const IconData



— material icon named "file open" (outlined).

[file_open_rounded](#) → const IconData



— material icon named "file open" (round).

[file_open_sharp](#) → const IconData



— material icon named "file open" (sharp).

[file_present](#) → const IconData



— material icon named "file present".

[file_present_outlined](#) → const IconData



— material icon named "file present" (outlined).

[file_present_rounded](#) → const IconData



— material icon named "file present" (round).

`file_present_sharp` → const `IconData`



— material icon named "file present" (sharp).

`file_upload` → const `IconData`



— material icon named "file upload".

`file_upload_off` → const `IconData`



— material icon named "file upload off".

`file_upload_outlined` → const `IconData`



— material icon named "file upload" (outlined).

`file_upload_rounded` → const `IconData`



— material icon named "file upload" (round).

`file_upload_sharp` → const `IconData`



— material icon named "file upload" (sharp).

`filter` → const `IconData`



— material icon named "filter".

`filter_1` → const `IconData`



— material icon named "filter 1".

`filter_1_outlined` → const `IconData`



— material icon named "filter 1" (outlined).

`filter_1_rounded` → const `IconData`

 — material icon named "filter 1" (round).

`filter_1_sharp` → const IconData

 — material icon named "filter 1" (sharp).

`filter_2` → const IconData

 — material icon named "filter 2".

`filter_2_outlined` → const IconData

 — material icon named "filter 2" (outlined).

`filter_2_rounded` → const IconData

 — material icon named "filter 2" (round).

`filter_2_sharp` → const IconData

 — material icon named "filter 2" (sharp).

`filter_3` → const IconData

 — material icon named "filter 3".

`filter_3_outlined` → const IconData

 — material icon named "filter 3" (outlined).

`filter_3_rounded` → const IconData

 — material icon named "filter 3" (round).

`filter_3_sharp` → const IconData

 — material icon named "filter 3" (sharp).

`filter_4` → const IconData

 — material icon named "filter 4".

[filter_4_outlined](#) → const IconData

 — material icon named "filter 4" (outlined).

[filter_4_rounded](#) → const IconData

 — material icon named "filter 4" (round).

[filter_4_sharp](#) → const IconData

 — material icon named "filter 4" (sharp).

[filter_5](#) → const IconData

 — material icon named "filter 5".

[filter_5_outlined](#) → const IconData

 — material icon named "filter 5" (outlined).

[filter_5_rounded](#) → const IconData

 — material icon named "filter 5" (round).

[filter_5_sharp](#) → const IconData

 — material icon named "filter 5" (sharp).

[filter_6](#) → const IconData

 — material icon named "filter 6".

[filter_6_outlined](#) → const IconData

 — material icon named "filter 6" (outlined).

[filter_6_rounded](#) → const IconData

 — material icon named "filter 6" (round).

`filter_6_sharp` → const `IconData`

 — material icon named "filter 6" (sharp).

`filter_7` → const `IconData`

 — material icon named "filter 7".

`filter_7_outlined` → const `IconData`

 — material icon named "filter 7" (outlined).

`filter_7_rounded` → const `IconData`

 — material icon named "filter 7" (round).

`filter_7_sharp` → const `IconData`

 — material icon named "filter 7" (sharp).

`filter_8` → const `IconData`

 — material icon named "filter 8".

`filter_8_outlined` → const `IconData`

 — material icon named "filter 8" (outlined).

`filter_8_rounded` → const `IconData`

 — material icon named "filter 8" (round).

`filter_8_sharp` → const `IconData`

 — material icon named "filter 8" (sharp).

`filter_9` → const `IconData`

 — material icon named "filter 9".

[filter_9_outlined](#) → const IconData

 — material icon named "filter 9" (outlined).

[filter_9_plus](#) → const IconData

 — material icon named "filter 9 plus".

[filter_9_plus_outlined](#) → const IconData

 — material icon named "filter 9 plus" (outlined).

[filter_9_plus_rounded](#) → const IconData

 — material icon named "filter 9 plus" (round).

[filter_9_plus_sharp](#) → const IconData

 — material icon named "filter 9 plus" (sharp).

[filter_9_rounded](#) → const IconData

 — material icon named "filter 9" (round).

[filter_9_sharp](#) → const IconData

 — material icon named "filter 9" (sharp).

[filter_alt](#) → const IconData

 — material icon named "filter alt".

[filter_alt_off](#) → const IconData

 — material icon named "filter alt off".

[filter_alt_off_outlined](#) → const IconData



— material icon named "filter alt off" (outlined).

[filter_alt_off_rounded](#) → const IconData



— material icon named "filter alt off" (round).

[filter_alt_off_sharp](#) → const IconData



— material icon named "filter alt off" (sharp).

[filter_alt_outlined](#) → const IconData



— material icon named "filter alt" (outlined).

[filter_alt_rounded](#) → const IconData



— material icon named "filter alt" (round).

[filter_alt_sharp](#) → const IconData



— material icon named "filter alt" (sharp).

[filter_b_and_w](#) → const IconData



— material icon named "filter b and w".

[filter_b_and_w_outlined](#) → const IconData



— material icon named "filter b and w" (outlined).

[filter_b_and_w_rounded](#) → const IconData



— material icon named "filter b and w" (round).

[filter_b_and_w_sharp](#) → const IconData



— material icon named "filter b and w" (sharp).

[filter_center_focus](#) → const IconData



— material icon named "filter center focus".

[filter_center_focus_outlined](#) → const IconData



— material icon named "filter center focus" (outlined).

[filter_center_focus_rounded](#) → const IconData



— material icon named "filter center focus" (round).

[filter_center_focus_sharp](#) → const IconData



— material icon named "filter center focus" (sharp).

[filter_drama](#) → const IconData



— material icon named "filter drama".

[filter_drama_outlined](#) → const IconData



— material icon named "filter drama" (outlined).

[filter_drama_rounded](#) → const IconData



— material icon named "filter drama" (round).

[filter_drama_sharp](#) → const IconData



— material icon named "filter drama" (sharp).

[filter_frames](#) → const IconData



— material icon named "filter frames".

[filter_frames_outlined](#) → const IconData



— material icon named "filter frames" (outlined).

[filter_frames_rounded](#) → const IconData



— material icon named "filter frames" (round).

[filter_frames_sharp](#) → const IconData



— material icon named "filter frames" (sharp).

[filter_hdr](#) → const IconData



— material icon named "filter hdr".

[filter_hdr_outlined](#) → const IconData



— material icon named "filter hdr" (outlined).

[filter_hdr_rounded](#) → const IconData



— material icon named "filter hdr" (round).

[filter_hdr_sharp](#) → const IconData



— material icon named "filter hdr" (sharp).

[filter_list](#) → const IconData



— material icon named "filter list".

[filter_list_alt](#) → const IconData



— material icon named "filter list alt".

[filter_list_off](#) → const IconData



— material icon named "filter list off".

[filter_list_off_outlined](#) → const IconData



— material icon named "filter list off" (outlined).

[filter_list_off_rounded](#) → const IconData



— material icon named "filter list off" (round).

`filter_list_off_sharp` → const IconData



— material icon named "filter list off" (sharp).

`filter_list_outlined` → const IconData



— material icon named "filter list" (outlined).

`filter_list_rounded` → const IconData



— material icon named "filter list" (round).

`filter_list_sharp` → const IconData



— material icon named "filter list" (sharp).

`filter_none` → const IconData



— material icon named "filter none".

`filter_none_outlined` → const IconData



— material icon named "filter none" (outlined).

`filter_none_rounded` → const IconData



— material icon named "filter none" (round).

`filter_none_sharp` → const IconData



— material icon named "filter none" (sharp).

`filter_outlined` → const IconData



— material icon named "filter" (outlined).

`filter_rounded` → const IconData



— material icon named "filter" (round).

filter_sharp → const IconData



— material icon named "filter" (sharp).

filter_tilt_shift → const IconData



— material icon named "filter tilt shift".

filter_tilt_shift_outlined → const IconData



— material icon named "filter tilt shift" (outlined).

filter_tilt_shift_rounded → const IconData



— material icon named "filter tilt shift" (round).

filter_tilt_shift_sharp → const IconData



— material icon named "filter tilt shift" (sharp).

filter_vintage → const IconData



— material icon named "filter vintage".

filter_vintage_outlined → const IconData



— material icon named "filter vintage" (outlined).

filter_vintage_rounded → const IconData



— material icon named "filter vintage" (round).

filter_vintage_sharp → const IconData



— material icon named "filter vintage" (sharp).

find_in_page → const IconData



— material icon named "find in page".

find_in_page_outlined → const [IconData](#)



— material icon named "find in page" (outlined).

find_in_page_rounded → const [IconData](#)



— material icon named "find in page" (round).

find_in_page_sharp → const [IconData](#)



— material icon named "find in page" (sharp).

find_replace → const [IconData](#)



— material icon named "find replace".

find_replace_outlined → const [IconData](#)



— material icon named "find replace" (outlined).

find_replace_rounded → const [IconData](#)



— material icon named "find replace" (round).

find_replace_sharp → const [IconData](#)



— material icon named "find replace" (sharp).

fingerprint → const [IconData](#)



— material icon named "fingerprint".

fingerprint_outlined → const [IconData](#)



— material icon named "fingerprint" (outlined).

fingerprint_rounded → const [IconData](#)



— material icon named "fingerprint" (round).

fingerprint_sharp → const IconData



— material icon named "fingerprint" (sharp).

fire_extinguisher → const IconData



— material icon named "fire extinguisher".

fire_extinguisher_outlined → const IconData



— material icon named "fire extinguisher" (outlined).

fire_extinguisher_rounded → const IconData



— material icon named "fire extinguisher" (round).

fire_extinguisher_sharp → const IconData



— material icon named "fire extinguisher" (sharp).

fire_hydrant → const IconData



— material icon named "fire hydrant".

fire_hydrant_alt → const IconData



— material icon named "fire hydrant alt".

fire_hydrant_alt_outlined → const IconData



— material icon named "fire hydrant alt" (outlined).

fire_hydrant_alt_rounded → const IconData



— material icon named "fire hydrant alt" (round).

fire_hydrant_alt_sharp → const IconData



— material icon named "fire hydrant alt" (sharp).

fire_truck → const IconData



— material icon named "fire truck".

fire_truck_outlined → const IconData



— material icon named "fire truck" (outlined).

fire_truck_rounded → const IconData



— material icon named "fire truck" (round).

fire_truck_sharp → const IconData



— material icon named "fire truck" (sharp).

fireplace → const IconData



— material icon named "fireplace".

fireplace_outlined → const IconData



— material icon named "fireplace" (outlined).

fireplace_rounded → const IconData



— material icon named "fireplace" (round).

fireplace_sharp → const IconData



— material icon named "fireplace" (sharp).

first_page → const IconData



— material icon named "first page".

first_page_outlined → const IconData

 — material icon named "first page" (outlined).

first_page_rounded → const IconData

 — material icon named "first page" (round).

first_page_sharp → const IconData

 — material icon named "first page" (sharp).

fit_screen → const IconData

 — material icon named "fit screen".

fit_screen_outlined → const IconData

 — material icon named "fit screen" (outlined).

fit_screen_rounded → const IconData

 — material icon named "fit screen" (round).

fit_screen_sharp → const IconData

 — material icon named "fit screen" (sharp).

fitbit → const IconData

 — material icon named "fitbit".

fitbit_outlined → const IconData

 — material icon named "fitbit" (outlined).

fitbit_rounded → const IconData

 — material icon named "fitbit" (round).

fitbit_sharp → const IconData



— material icon named "fitbit" (sharp).

fitness_center → const [IconData](#)



— material icon named "fitness center".

fitness_center_outlined → const [IconData](#)



— material icon named "fitness center" (outlined).

fitness_center_rounded → const [IconData](#)



— material icon named "fitness center" (round).

fitness_center_sharp → const [IconData](#)



— material icon named "fitness center" (sharp).

five_g → const [IconData](#)



— material icon named "5g".

five_g_outlined → const [IconData](#)



— material icon named "5g" (outlined).

five_g_rounded → const [IconData](#)



— material icon named "5g" (round).

five_g_sharp → const [IconData](#)



— material icon named "5g" (sharp).

five_k → const [IconData](#)



— material icon named "5k".

five_k_outlined → const [IconData](#)

 — material icon named "5k" (outlined).

`five_k_plus` → const [IconData](#)

 — material icon named "5k plus".

`five_k_plus_outlined` → const [IconData](#)

 — material icon named "5k plus" (outlined).

`five_k_plus_rounded` → const [IconData](#)

 — material icon named "5k plus" (round).

`five_k_plus_sharp` → const [IconData](#)

 — material icon named "5k plus" (sharp).

`five_k_rounded` → const [IconData](#)

 — material icon named "5k" (round).

`five_k_sharp` → const [IconData](#)

 — material icon named "5k" (sharp).

`five_mp` → const [IconData](#)

 — material icon named "5mp".

`five_mp_outlined` → const [IconData](#)

 — material icon named "5mp" (outlined).

`five_mp_rounded` → const [IconData](#)

 — material icon named "5mp" (round).

`five_mp_sharp` → const [IconData](#)



— material icon named "5mp" (sharp).

flag → const IconData



— material icon named "flag".

flag_circle → const IconData



— material icon named "flag circle".

flag_circle_outlined → const IconData



— material icon named "flag circle" (outlined).

flag_circle_rounded → const IconData



— material icon named "flag circle" (round).

flag_circle_sharp → const IconData



— material icon named "flag circle" (sharp).

flag_outlined → const IconData



— material icon named "flag" (outlined).

flag_rounded → const IconData



— material icon named "flag" (round).

flag_sharp → const IconData



— material icon named "flag" (sharp).

flaky → const IconData



— material icon named "flaky".

flaky_outlined → const IconData



— material icon named "flaky" (outlined).

flaky_rounded → const [IconData](#)



— material icon named "flaky" (round).

flaky_sharp → const [IconData](#)



— material icon named "flaky" (sharp).

flare → const [IconData](#)



— material icon named "flare".

flare_outlined → const [IconData](#)



— material icon named "flare" (outlined).

flare_rounded → const [IconData](#)



— material icon named "flare" (round).

flare_sharp → const [IconData](#)



— material icon named "flare" (sharp).

flash_auto → const [IconData](#)



— material icon named "flash auto".

flash_auto_outlined → const [IconData](#)



— material icon named "flash auto" (outlined).

flash_auto_rounded → const [IconData](#)



— material icon named "flash auto" (round).

flash_auto_sharp → const [IconData](#)

 — material icon named "flash auto" (sharp).

flash_off → const IconData

 — material icon named "flash off".

flash_off_outlined → const IconData

 — material icon named "flash off" (outlined).

flash_off_rounded → const IconData

 — material icon named "flash off" (round).

flash_off_sharp → const IconData

 — material icon named "flash off" (sharp).

flash_on → const IconData

 — material icon named "flash on".

flash_on_outlined → const IconData

 — material icon named "flash on" (outlined).

flash_on_rounded → const IconData

 — material icon named "flash on" (round).

flash_on_sharp → const IconData

 — material icon named "flash on" (sharp).

flashlight_off → const IconData

 — material icon named "flashlight off".

flashlight_off_outlined → const IconData



— material icon named "flashlight off" (outlined).

flashlight_off_rounded → const IconData



— material icon named "flashlight off" (round).

flashlight_off_sharp → const IconData



— material icon named "flashlight off" (sharp).

flashlight_on → const IconData



— material icon named "flashlight on".

flashlight_on_outlined → const IconData



— material icon named "flashlight on" (outlined).

flashlight_on_rounded → const IconData



— material icon named "flashlight on" (round).

flashlight_on_sharp → const IconData



— material icon named "flashlight on" (sharp).

flatware → const IconData



— material icon named "flatware".

flatware_outlined → const IconData



— material icon named "flatware" (outlined).

flatware_rounded → const IconData



— material icon named "flatware" (round).

flatware_sharp → const IconData



— material icon named "flatware" (sharp).

flight → const IconData



— material icon named "flight".

flight_class → const IconData



— material icon named "flight class".

flight_class_outlined → const IconData



— material icon named "flight class" (outlined).

flight_class_rounded → const IconData



— material icon named "flight class" (round).

flight_class_sharp → const IconData



— material icon named "flight class" (sharp).

flight_land → const IconData



— material icon named "flight land".

flight_land_outlined → const IconData



— material icon named "flight land" (outlined).

flight_land_rounded → const IconData



— material icon named "flight land" (round).

flight_land_sharp → const IconData



— material icon named "flight land" (sharp).

flight_outlined → const IconData

 — material icon named "flight" (outlined).

flight_rounded → const IconData

 — material icon named "flight" (round).

flight_sharp → const IconData

 — material icon named "flight" (sharp).

flight_takeoff → const IconData

 — material icon named "flight takeoff".

flight_takeoff_outlined → const IconData

 — material icon named "flight takeoff" (outlined).

flight_takeoff_rounded → const IconData

 — material icon named "flight takeoff" (round).

flight_takeoff_sharp → const IconData

 — material icon named "flight takeoff" (sharp).

flip → const IconData

 — material icon named "flip".

flip_camera_android → const IconData

 — material icon named "flip camera android".

flip_camera_android_outlined → const IconData

 — material icon named "flip camera android" (outlined).

flip_camera_android_rounded → const IconData



— material icon named "flip camera android" (round).

[flip_camera_android_sharp](#) → const IconData



— material icon named "flip camera android" (sharp).

[flip_camera_ios](#) → const IconData



— material icon named "flip camera ios".

[flip_camera_ios_outlined](#) → const IconData



— material icon named "flip camera ios" (outlined).

[flip_camera_ios_rounded](#) → const IconData



— material icon named "flip camera ios" (round).

[flip_camera_ios_sharp](#) → const IconData



— material icon named "flip camera ios" (sharp).

[flip_outlined](#) → const IconData



— material icon named "flip" (outlined).

[flip_rounded](#) → const IconData



— material icon named "flip" (round).

[flip_sharp](#) → const IconData



— material icon named "flip" (sharp).

[flip_to_back](#) → const IconData



— material icon named "flip to back".

[flip_to_back_outlined](#) → const IconData



— material icon named "flip to back" (outlined).

flip_to_back_rounded → const IconData



— material icon named "flip to back" (round).

flip_to_back_sharp → const IconData



— material icon named "flip to back" (sharp).

flip_to_front → const IconData



— material icon named "flip to front".

flip_to_front_outlined → const IconData



— material icon named "flip to front" (outlined).

flip_to_front_rounded → const IconData



— material icon named "flip to front" (round).

flip_to_front_sharp → const IconData



— material icon named "flip to front" (sharp).

flood → const IconData



— material icon named "flood".

flood_outlined → const IconData



— material icon named "flood" (outlined).

flood_rounded → const IconData



— material icon named "flood" (round).

flood_sharp → const IconData



— material icon named "flood" (sharp).

flourescent → const IconData



— material icon named "flourescent".

flourescent_outlined → const IconData



— material icon named "flourescent" (outlined).

flourescent_rounded → const IconData



— material icon named "flourescent" (round).

flourescent_sharp → const IconData



— material icon named "flourescent" (sharp).

fluorescent → const IconData



— material icon named "fluorescent".

fluorescent_outlined → const IconData



— material icon named "fluorescent" (outlined).

fluorescent_rounded → const IconData



— material icon named "fluorescent" (round).

fluorescent_sharp → const IconData



— material icon named "fluorescent" (sharp).

flutter_dash → const IconData



— material icon named "flutter dash".

flutter_dash_outlined → const IconData



— material icon named "flutter dash" (outlined).

flutter_dash_rounded → const IconData



— material icon named "flutter dash" (round).

flutter_dash_sharp → const IconData



— material icon named "flutter dash" (sharp).

fmd_bad → const IconData



— material icon named "fmd bad".

fmd_bad_outlined → const IconData



— material icon named "fmd bad" (outlined).

fmd_bad_rounded → const IconData



— material icon named "fmd bad" (round).

fmd_bad_sharp → const IconData



— material icon named "fmd bad" (sharp).

fmd_good → const IconData



— material icon named "fmd good".

fmd_good_outlined → const IconData



— material icon named "fmd good" (outlined).

fmd_good_rounded → const IconData



— material icon named "fmd good" (round).

fmd_good_sharp → const IconData



— material icon named "fmd good" (sharp).

foggy → const [IconData](#)



— material icon named "foggy".

folder → const [IconData](#)



— material icon named "folder".

folder_copy → const [IconData](#)



— material icon named "folder copy".

folder_copy_outlined → const [IconData](#)



— material icon named "folder copy" (outlined).

folder_copy_rounded → const [IconData](#)



— material icon named "folder copy" (round).

folder_copy_sharp → const [IconData](#)



— material icon named "folder copy" (sharp).

folder_delete → const [IconData](#)



— material icon named "folder delete".

folder_delete_outlined → const [IconData](#)



— material icon named "folder delete" (outlined).

folder_delete_rounded → const [IconData](#)



— material icon named "folder delete" (round).

folder_delete_sharp → const [IconData](#)

 — material icon named "folder delete" (sharp).

folder_off → const [IconData](#)

 — material icon named "folder off".

folder_off_outlined → const [IconData](#)

 — material icon named "folder off" (outlined).

folder_off_rounded → const [IconData](#)

 — material icon named "folder off" (round).

folder_off_sharp → const [IconData](#)

 — material icon named "folder off" (sharp).

folder_open → const [IconData](#)

 — material icon named "folder open".

folder_open_outlined → const [IconData](#)

 — material icon named "folder open" (outlined).

folder_open_rounded → const [IconData](#)

 — material icon named "folder open" (round).

folder_open_sharp → const [IconData](#)

 — material icon named "folder open" (sharp).

folder_outlined → const [IconData](#)

 — material icon named "folder" (outlined).

folder_rounded → const [IconData](#)

 — material icon named "folder" (round).

folder_shared → const [IconData](#)

 — material icon named "folder shared".

folder_shared_outlined → const [IconData](#)

 — material icon named "folder shared" (outlined).

folder_shared_rounded → const [IconData](#)

 — material icon named "folder shared" (round).

folder_shared_sharp → const [IconData](#)

 — material icon named "folder shared" (sharp).

folder_sharp → const [IconData](#)

 — material icon named "folder" (sharp).

folder_special → const [IconData](#)

 — material icon named "folder special".

folder_special_outlined → const [IconData](#)

 — material icon named "folder special" (outlined).

folder_special_rounded → const [IconData](#)

 — material icon named "folder special" (round).

folder_special_sharp → const [IconData](#)

 — material icon named "folder special" (sharp).

folder_zip → const [IconData](#)



— material icon named "folder zip".

folder_zip_outlined → const IconData



— material icon named "folder zip" (outlined).

folder_zip_rounded → const IconData



— material icon named "folder zip" (round).

folder_zip_sharp → const IconData



— material icon named "folder zip" (sharp).

follow_the_signs → const IconData



— material icon named "follow the signs".

follow_the_signs_outlined → const IconData



— material icon named "follow the signs" (outlined).

follow_the_signs_rounded → const IconData



— material icon named "follow the signs" (round).

follow_the_signs_sharp → const IconData



— material icon named "follow the signs" (sharp).

font_download → const IconData



— material icon named "font download".

font_download_off → const IconData



— material icon named "font download off".

font_download_off_outlined → const IconData



— material icon named "font download off" (outlined).

font_download_off_rounded → const [IconData](#)



— material icon named "font download off" (round).

font_download_off_sharp → const [IconData](#)



— material icon named "font download off" (sharp).

font_download_outlined → const [IconData](#)



— material icon named "font download" (outlined).

font_download_rounded → const [IconData](#)



— material icon named "font download" (round).

font_download_sharp → const [IconData](#)



— material icon named "font download" (sharp).

food_bank → const [IconData](#)



— material icon named "food bank".

food_bank_outlined → const [IconData](#)



— material icon named "food bank" (outlined).

food_bank_rounded → const [IconData](#)



— material icon named "food bank" (round).

food_bank_sharp → const [IconData](#)



— material icon named "food bank" (sharp).

forest → const [IconData](#)



— material icon named "forest".

forest_outlined → const IconData



— material icon named "forest" (outlined).

forest_rounded → const IconData



— material icon named "forest" (round).

forest_sharp → const IconData



— material icon named "forest" (sharp).

fork_left → const IconData



— material icon named "fork left".

fork_left_outlined → const IconData



— material icon named "fork left" (outlined).

fork_left_rounded → const IconData



— material icon named "fork left" (round).

fork_left_sharp → const IconData



— material icon named "fork left" (sharp).

fork_right → const IconData



— material icon named "fork right".

fork_right_outlined → const IconData



— material icon named "fork right" (outlined).

fork_right_rounded → const IconData

 — material icon named "fork right" (round).

`fork_right_sharp` → const `IconData`

 — material icon named "fork right" (sharp).

`forklift` → const `IconData`

 — material icon named "forklift".

`format_align_center` → const `IconData`

 — material icon named "format align center".

`format_align_center_outlined` → const `IconData`

 — material icon named "format align center" (outlined).

`format_align_center_rounded` → const `IconData`

 — material icon named "format align center" (round).

`format_align_center_sharp` → const `IconData`

 — material icon named "format align center" (sharp).

`format_align_justify` → const `IconData`

 — material icon named "format align justify".

`format_align_justify_outlined` → const `IconData`

 — material icon named "format align justify" (outlined).

`format_align_justify_rounded` → const `IconData`

 — material icon named "format align justify" (round).

`format_align_justify_sharp` → const `IconData`



— material icon named "format align justify" (sharp).

format_align_left → const IconData



— material icon named "format align left".

format_align_left_outlined → const IconData



— material icon named "format align left" (outlined).

format_align_left_rounded → const IconData



— material icon named "format align left" (round).

format_align_left_sharp → const IconData



— material icon named "format align left" (sharp).

format_align_right → const IconData



— material icon named "format align right".

format_align_right_outlined → const IconData



— material icon named "format align right" (outlined).

format_align_right_rounded → const IconData



— material icon named "format align right" (round).

format_align_right_sharp → const IconData



— material icon named "format align right" (sharp).

format_bold → const IconData



— material icon named "format bold".

format_bold_outlined → const IconData

B — material icon named "format bold" (outlined).

format_bold_rounded → const IconData

B — material icon named "format bold" (round).

format_bold_sharp → const IconData

B — material icon named "format bold" (sharp).

format_clear → const IconData

 — material icon named "format clear".

format_clear_outlined → const IconData

 — material icon named "format clear" (outlined).

format_clear_rounded → const IconData

 — material icon named "format clear" (round).

format_clear_sharp → const IconData

 — material icon named "format clear" (sharp).

format_color_fill → const IconData

 — material icon named "format color fill".

format_color_fill_outlined → const IconData

 — material icon named "format color fill" (outlined).

format_color_fill_rounded → const IconData

 — material icon named "format color fill" (round).

format_color_fill_sharp → const IconData



— material icon named "format color fill" (sharp).

format_color_reset → const IconData



— material icon named "format color reset".

format_color_reset_outlined → const IconData



— material icon named "format color reset" (outlined).

format_color_reset_rounded → const IconData



— material icon named "format color reset" (round).

format_color_reset_sharp → const IconData



— material icon named "format color reset" (sharp).

format_color_text → const IconData



— material icon named "format color text".

format_color_text_outlined → const IconData



— material icon named "format color text" (outlined).

format_color_text_rounded → const IconData



— material icon named "format color text" (round).

format_color_text_sharp → const IconData



— material icon named "format color text" (sharp).

format_indent_decrease → const IconData



— material icon named "format indent decrease".

format_indent_decrease_outlined → const IconData



— material icon named "format indent decrease" (outlined).

format_indent_decrease_rounded → const IconData



— material icon named "format indent decrease" (round).

format_indent_decrease_sharp → const IconData



— material icon named "format indent decrease" (sharp).

format_indent_increase → const IconData



— material icon named "format indent increase".

format_indent_increase_outlined → const IconData



— material icon named "format indent increase" (outlined).

format_indent_increase_rounded → const IconData



— material icon named "format indent increase" (round).

format_indent_increase_sharp → const IconData



— material icon named "format indent increase" (sharp).

format_italic → const IconData



— material icon named "format italic".

format_italic_outlined → const IconData



— material icon named "format italic" (outlined).

format_italic_rounded → const IconData



— material icon named "format italic" (round).

format_italic_sharp → const IconData

I — material icon named "format italic" (sharp).

format_line_spacing → const IconData

 — material icon named "format line spacing".

format_line_spacing_outlined → const IconData

 — material icon named "format line spacing" (outlined).

format_line_spacing_rounded → const IconData

 — material icon named "format line spacing" (round).

format_line_spacing_sharp → const IconData

 — material icon named "format line spacing" (sharp).

format_list_bulleted → const IconData

 — material icon named "format list bulleted".

format_list_bulleted_add → const IconData

 — material icon named "format list bulleted add".

format_list_bulleted_outlined → const IconData

 — material icon named "format list bulleted" (outlined).

format_list_bulleted_rounded → const IconData

 — material icon named "format list bulleted" (round).

format_list_bulleted_sharp → const IconData

 — material icon named "format list bulleted" (sharp).

format_list_numbered → const IconData

 — material icon named "format list numbered".

[format_list_numbered_outlined](#) → const IconData

 — material icon named "format list numbered" (outlined).

[format_list_numbered_rounded](#) → const IconData

 — material icon named "format list numbered" (round).

[format_list_numbered_rtl](#) → const IconData

 — material icon named "format list numbered rtl".

[format_list_numbered_rtl_outlined](#) → const IconData

 — material icon named "format list numbered rtl" (outlined).

[format_list_numbered_rtl_rounded](#) → const IconData

 — material icon named "format list numbered rtl" (round).

[format_list_numbered_rtl_sharp](#) → const IconData

 — material icon named "format list numbered rtl" (sharp).

[format_list_numbered_sharp](#) → const IconData

 — material icon named "format list numbered" (sharp).

[format_overline](#) → const IconData

 — material icon named "format overline".

[format_overline_outlined](#) → const IconData

 — material icon named "format overline" (outlined).

[format_overline_rounded](#) → const IconData

 — material icon named "format overline" (round).

[format_overline_sharp](#) → const [IconData](#)

 — material icon named "format overline" (sharp).

[format_paint](#) → const [IconData](#)

 — material icon named "format paint".

[format_paint_outlined](#) → const [IconData](#)

 — material icon named "format paint" (outlined).

[format_paint_rounded](#) → const [IconData](#)

 — material icon named "format paint" (round).

[format_paint_sharp](#) → const [IconData](#)

 — material icon named "format paint" (sharp).

[format_quote](#) → const [IconData](#)

 — material icon named "format quote".

[format_quote_outlined](#) → const [IconData](#)

 — material icon named "format quote" (outlined).

[format_quote_rounded](#) → const [IconData](#)

 — material icon named "format quote" (round).

[format_quote_sharp](#) → const [IconData](#)

 — material icon named "format quote" (sharp).

[format_shapes](#) → const [IconData](#)



— material icon named "format shapes".

[format_shapes_outlined](#) → const [IconData](#)



— material icon named "format shapes" (outlined).

[format_shapes_rounded](#) → const [IconData](#)



— material icon named "format shapes" (round).

[format_shapes_sharp](#) → const [IconData](#)



— material icon named "format shapes" (sharp).

[format_size](#) → const [IconData](#)



— material icon named "format size".

[format_size_outlined](#) → const [IconData](#)



— material icon named "format size" (outlined).

[format_size_rounded](#) → const [IconData](#)



— material icon named "format size" (round).

[format_size_sharp](#) → const [IconData](#)



— material icon named "format size" (sharp).

[format_strikethrough](#) → const [IconData](#)



— material icon named "format strikethrough".

[format_strikethrough_outlined](#) → const [IconData](#)



— material icon named "format strikethrough" (outlined).

[format_strikethrough_rounded](#) → const [IconData](#)



— material icon named "format strikethrough" (round).

[format_strikethrough_sharp](#) → const IconData



— material icon named "format strikethrough" (sharp).

[format_textdirection_l_to_r](#) → const IconData



— material icon named "format textdirection l to r".

[format_textdirection_l_to_r_outlined](#) → const IconData



— material icon named "format textdirection l to r" (outlined).

[format_textdirection_l_to_r_rounded](#) → const IconData



— material icon named "format textdirection l to r" (round).

[format_textdirection_l_to_r_sharp](#) → const IconData



— material icon named "format textdirection l to r" (sharp).

[format_textdirection_r_to_l](#) → const IconData



— material icon named "format textdirection r to l".

[format_textdirection_r_to_l_outlined](#) → const IconData



— material icon named "format textdirection r to l" (outlined).

[format_textdirection_r_to_l_rounded](#) → const IconData



— material icon named "format textdirection r to l" (round).

[format_textdirection_r_to_l_sharp](#) → const IconData



— material icon named "format textdirection r to l" (sharp).

[format_underline](#) → const IconData

 — material icon named "format underline".

[format_underline_outlined](#) → const [IconData](#)

 — material icon named "format underline" (outlined).

[format_underline_rounded](#) → const [IconData](#)

 — material icon named "format underline" (round).

[format_underline_sharp](#) → const [IconData](#)

 — material icon named "format underline" (sharp).

[format_underlined](#) → const [IconData](#)

 — material icon named "format underlined".

[format_underlined_outlined](#) → const [IconData](#)

 — material icon named "format underlined" (outlined).

[format_underlined_rounded](#) → const [IconData](#)

 — material icon named "format underlined" (round).

[format_underlined_sharp](#) → const [IconData](#)

 — material icon named "format underlined" (sharp).

[fort](#) → const [IconData](#)

 — material icon named "fort".

[fort_outlined](#) → const [IconData](#)

 — material icon named "fort" (outlined).

[fort_rounded](#) → const [IconData](#)



— material icon named "fort" (round).

fort_sharp → const [IconData](#)



— material icon named "fort" (sharp).

forum → const [IconData](#)



— material icon named "forum".

forum_outlined → const [IconData](#)



— material icon named "forum" (outlined).

forum_rounded → const [IconData](#)



— material icon named "forum" (round).

forum_sharp → const [IconData](#)



— material icon named "forum" (sharp).

forward → const [IconData](#)



— material icon named "forward".

forward_5 → const [IconData](#)



— material icon named "forward 5".

forward_5_outlined → const [IconData](#)



— material icon named "forward 5" (outlined).

forward_5_rounded → const [IconData](#)



— material icon named "forward 5" (round).

forward_5_sharp → const [IconData](#)

 — material icon named "forward 5" (sharp).

forward_10 → const IconData

 — material icon named "forward 10".

forward_10_outlined → const IconData

 — material icon named "forward 10" (outlined).

forward_10_rounded → const IconData

 — material icon named "forward 10" (round).

forward_10_sharp → const IconData

 — material icon named "forward 10" (sharp).

forward_30 → const IconData

 — material icon named "forward 30".

forward_30_outlined → const IconData

 — material icon named "forward 30" (outlined).

forward_30_rounded → const IconData

 — material icon named "forward 30" (round).

forward_30_sharp → const IconData

 — material icon named "forward 30" (sharp).

forward_outlined → const IconData

 — material icon named "forward" (outlined).

forward_rounded → const IconData

 — material icon named "forward" (round).

forward_sharp → const IconData

 — material icon named "forward" (sharp).

forward_to_inbox → const IconData

 — material icon named "forward to inbox".

forward_to_inbox_outlined → const IconData

 — material icon named "forward to inbox" (outlined).

forward_to_inbox_rounded → const IconData

 — material icon named "forward to inbox" (round).

forward_to_inbox_sharp → const IconData

 — material icon named "forward to inbox" (sharp).

foundation → const IconData

 — material icon named "foundation".

foundation_outlined → const IconData

 — material icon named "foundation" (outlined).

foundation_rounded → const IconData

 — material icon named "foundation" (round).

foundation_sharp → const IconData

 — material icon named "foundation" (sharp).

four_g_mobiledata → const IconData

4G — material icon named "4g mobiledata".

four_g_mobiledata_outlined → const IconData

4G — material icon named "4g mobiledata" (outlined).

four_g_mobiledata_rounded → const IconData

4G — material icon named "4g mobiledata" (round).

four_g_mobiledata_sharp → const IconData

4G — material icon named "4g mobiledata" (sharp).

four_g_plus_mobiledata → const IconData

4G+ — material icon named "4g plus mobiledata".

four_g_plus_mobiledata_outlined → const IconData

4G+ — material icon named "4g plus mobiledata" (outlined).

four_g_plus_mobiledata_rounded → const IconData

4G+ — material icon named "4g plus mobiledata" (round).

four_g_plus_mobiledata_sharp → const IconData

4G+ — material icon named "4g plus mobiledata" (sharp).

four_k → const IconData

4K — material icon named "4k".

four_k_outlined → const IconData

4K — material icon named "4k" (outlined).

four_k_plus → const IconData

 — material icon named "4k plus".

four_k_plus_outlined → const IconData

 — material icon named "4k plus" (outlined).

four_k_plus_rounded → const IconData

 — material icon named "4k plus" (round).

four_k_plus_sharp → const IconData

 — material icon named "4k plus" (sharp).

four_k_rounded → const IconData

 — material icon named "4k" (round).

four_k_sharp → const IconData

 — material icon named "4k" (sharp).

four_mp → const IconData

 — material icon named "4mp".

four_mp_outlined → const IconData

 — material icon named "4mp" (outlined).

four_mp_rounded → const IconData

 — material icon named "4mp" (round).

four_mp_sharp → const IconData

 — material icon named "4mp" (sharp).

fourteen_mp → const IconData



— material icon named "14mp".

fourteen_mp_outlined → const IconData



— material icon named "14mp" (outlined).

fourteen_mp_rounded → const IconData



— material icon named "14mp" (round).

fourteen_mp_sharp → const IconData



— material icon named "14mp" (sharp).

free_breakfast → const IconData



— material icon named "free breakfast".

free_breakfast_outlined → const IconData



— material icon named "free breakfast" (outlined).

free_breakfast_rounded → const IconData



— material icon named "free breakfast" (round).

free_breakfast_sharp → const IconData



— material icon named "free breakfast" (sharp).

free_cancellation → const IconData



— material icon named "free cancellation".

free_cancellation_outlined → const IconData



— material icon named "free cancellation" (outlined).

free_cancellation_rounded → const IconData



— material icon named "free cancellation" (round).

free_cancellation_sharp → const IconData



— material icon named "free cancellation" (sharp).

front_hand → const IconData



— material icon named "front hand".

front_hand_outlined → const IconData



— material icon named "front hand" (outlined).

front_hand_rounded → const IconData



— material icon named "front hand" (round).

front_hand_sharp → const IconData



— material icon named "front hand" (sharp).

front_loader → const IconData



— material icon named "front loader".

fullscreen → const IconData



— material icon named "fullscreen".

fullscreen_exit → const IconData



— material icon named "fullscreen exit".

fullscreen_exit_outlined → const IconData



— material icon named "fullscreen exit" (outlined).

fullscreen_exit_rounded → const IconData

 — material icon named "fullscreen exit" (round).

fullscreen_exit_sharp → const IconData

 — material icon named "fullscreen exit" (sharp).

fullscreen_outlined → const IconData

 — material icon named "fullscreen" (outlined).

fullscreen_rounded → const IconData

 — material icon named "fullscreen" (round).

fullscreen_sharp → const IconData

 — material icon named "fullscreen" (sharp).

functions → const IconData

 — material icon named "functions".

functions_outlined → const IconData

 — material icon named "functions" (outlined).

functions_rounded → const IconData

 — material icon named "functions" (round).

functions_sharp → const IconData

 — material icon named "functions" (sharp).

g_mobiledata → const IconData

 — material icon named "g mobiledata".

g_mobiledata_outlined → const IconData

 — material icon named "g mobiledata" (outlined).

[g_mobiledata_rounded](#) → const [IconData](#)

 — material icon named "g mobiledata" (round).

[g_mobiledata_sharp](#) → const [IconData](#)

 — material icon named "g mobiledata" (sharp).

[g_translate](#) → const [IconData](#)

 — material icon named "g translate".

[g_translate_outlined](#) → const [IconData](#)

 — material icon named "g translate" (outlined).

[g_translate_rounded](#) → const [IconData](#)

 — material icon named "g translate" (round).

[g_translate_sharp](#) → const [IconData](#)

 — material icon named "g translate" (sharp).

[gamepad](#) → const [IconData](#)

 — material icon named "gamepad".

[gamepad_outlined](#) → const [IconData](#)

 — material icon named "gamepad" (outlined).

[gamepad_rounded](#) → const [IconData](#)

 — material icon named "gamepad" (round).

[gamepad_sharp](#) → const [IconData](#)



— material icon named "gamepad" (sharp).

games → const [IconData](#)



— material icon named "games".

games_outlined → const [IconData](#)



— material icon named "games" (outlined).

games_rounded → const [IconData](#)



— material icon named "games" (round).

games_sharp → const [IconData](#)



— material icon named "games" (sharp).

garage → const [IconData](#)



— material icon named "garage".

garage_outlined → const [IconData](#)



— material icon named "garage" (outlined).

garage_rounded → const [IconData](#)



— material icon named "garage" (round).

garage_sharp → const [IconData](#)



— material icon named "garage" (sharp).

gas_meter → const [IconData](#)



— material icon named "gas meter".

gas_meter_outlined → const [IconData](#)



— material icon named "gas meter" (outlined).

[gas_meter_rounded](#) → const IconData



— material icon named "gas meter" (round).

[gas_meter_sharp](#) → const IconData



— material icon named "gas meter" (sharp).

[gavel](#) → const IconData



— material icon named "gavel".

[gavel_outlined](#) → const IconData



— material icon named "gavel" (outlined).

[gavel_rounded](#) → const IconData



— material icon named "gavel" (round).

[gavel_sharp](#) → const IconData



— material icon named "gavel" (sharp).

[generating_tokens](#) → const IconData



— material icon named "generating tokens".

[generating_tokens_outlined](#) → const IconData



— material icon named "generating tokens" (outlined).

[generating_tokens_rounded](#) → const IconData



— material icon named "generating tokens" (round).

[generating_tokens_sharp](#) → const IconData

 — material icon named "generating tokens" (sharp).

gesture → const IconData

 — material icon named "gesture".

gesture_outlined → const IconData

 — material icon named "gesture" (outlined).

gesture_rounded → const IconData

 — material icon named "gesture" (round).

gesture_sharp → const IconData

 — material icon named "gesture" (sharp).

get_app → const IconData

 — material icon named "get app".

get_app_outlined → const IconData

 — material icon named "get app" (outlined).

get_app_rounded → const IconData

 — material icon named "get app" (round).

get_app_sharp → const IconData

 — material icon named "get app" (sharp).

gif → const IconData

 — material icon named "gif".

gif_box → const IconData

 — material icon named "gif box".

[gif_box_outlined](#) → const [IconData](#)

 — material icon named "gif box" (outlined).

[gif_box_rounded](#) → const [IconData](#)

 — material icon named "gif box" (round).

[gif_box_sharp](#) → const [IconData](#)

 — material icon named "gif box" (sharp).

[gif_outlined](#) → const [IconData](#)

 — material icon named "gif" (outlined).

[gif_rounded](#) → const [IconData](#)

 — material icon named "gif" (round).

[gif_sharp](#) → const [IconData](#)

 — material icon named "gif" (sharp).

[girl](#) → const [IconData](#)

 — material icon named "girl".

[girl_outlined](#) → const [IconData](#)

 — material icon named "girl" (outlined).

[girl_rounded](#) → const [IconData](#)

 — material icon named "girl" (round).

[girl_sharp](#) → const [IconData](#)

 — material icon named "girl" (sharp).

gite → const IconData

 — material icon named "gite".

gite_outlined → const IconData

 — material icon named "gite" (outlined).

gite_rounded → const IconData

 — material icon named "gite" (round).

gite_sharp → const IconData

 — material icon named "gite" (sharp).

golf_course → const IconData

 — material icon named "golf course".

golf_course_outlined → const IconData

 — material icon named "golf course" (outlined).

golf_course_rounded → const IconData

 — material icon named "golf course" (round).

golf_course_sharp → const IconData

 — material icon named "golf course" (sharp).

gpp_bad → const IconData

 — material icon named "gpp bad".

gpp_bad_outlined → const IconData

 — material icon named "gpp bad" (outlined).

gpp_bad_rounded → const [IconData](#)

 — material icon named "gpp bad" (round).

gpp_bad_sharp → const [IconData](#)

 — material icon named "gpp bad" (sharp).

gpp_good → const [IconData](#)

 — material icon named "gpp good".

gpp_good_outlined → const [IconData](#)

 — material icon named "gpp good" (outlined).

gpp_good_rounded → const [IconData](#)

 — material icon named "gpp good" (round).

gpp_good_sharp → const [IconData](#)

 — material icon named "gpp good" (sharp).

gpp_maybe → const [IconData](#)

 — material icon named "gpp maybe".

gpp_maybe_outlined → const [IconData](#)

 — material icon named "gpp maybe" (outlined).

gpp_maybe_rounded → const [IconData](#)

 — material icon named "gpp maybe" (round).

gpp_maybe_sharp → const [IconData](#)



— material icon named "gpp maybe" (sharp).

[gps_fixed](#) → const [IconData](#)



— material icon named "gps fixed".

[gps_fixed_outlined](#) → const [IconData](#)



— material icon named "gps fixed" (outlined).

[gps_fixed_rounded](#) → const [IconData](#)



— material icon named "gps fixed" (round).

[gps_fixed_sharp](#) → const [IconData](#)



— material icon named "gps fixed" (sharp).

[gps_not_fixed](#) → const [IconData](#)



— material icon named "gps not fixed".

[gps_not_fixed_outlined](#) → const [IconData](#)



— material icon named "gps not fixed" (outlined).

[gps_not_fixed_rounded](#) → const [IconData](#)



— material icon named "gps not fixed" (round).

[gps_not_fixed_sharp](#) → const [IconData](#)



— material icon named "gps not fixed" (sharp).

[gps_off](#) → const [IconData](#)



— material icon named "gps off".

[gps_off_outlined](#) → const [IconData](#)

 — material icon named "gps off" (outlined).

[gps_off_rounded](#) → const [IconData](#)

 — material icon named "gps off" (round).

[gps_off_sharp](#) → const [IconData](#)

 — material icon named "gps off" (sharp).

[grade](#) → const [IconData](#)

 — material icon named "grade".

[grade_outlined](#) → const [IconData](#)

 — material icon named "grade" (outlined).

[grade_rounded](#) → const [IconData](#)

 — material icon named "grade" (round).

[grade_sharp](#) → const [IconData](#)

 — material icon named "grade" (sharp).

[gradient](#) → const [IconData](#)

 — material icon named "gradient".

[gradient_outlined](#) → const [IconData](#)

 — material icon named "gradient" (outlined).

[gradient_rounded](#) → const [IconData](#)

 — material icon named "gradient" (round).

[gradient_sharp](#) → const [IconData](#)



— material icon named "gradient" (sharp).

grading → const IconData



— material icon named "grading".

grading_outlined → const IconData



— material icon named "grading" (outlined).

grading_rounded → const IconData



— material icon named "grading" (round).

grading_sharp → const IconData



— material icon named "grading" (sharp).

grain → const IconData



— material icon named "grain".

grain_outlined → const IconData



— material icon named "grain" (outlined).

grain_rounded → const IconData



— material icon named "grain" (round).

grain_sharp → const IconData



— material icon named "grain" (sharp).

graphic_eq → const IconData



— material icon named "graphic eq".

graphic_eq_outlined → const IconData

 — material icon named "graphic eq" (outlined).

graphic_eq_rounded → const IconData

 — material icon named "graphic eq" (round).

graphic_eq_sharp → const IconData

 — material icon named "graphic eq" (sharp).

grass → const IconData

 — material icon named "grass".

grass_outlined → const IconData

 — material icon named "grass" (outlined).

grass_rounded → const IconData

 — material icon named "grass" (round).

grass_sharp → const IconData

 — material icon named "grass" (sharp).

grid_3x3 → const IconData

 — material icon named "grid 3x3".

grid_3x3_outlined → const IconData

 — material icon named "grid 3x3" (outlined).

grid_3x3_rounded → const IconData

 — material icon named "grid 3x3" (round).

grid_3x3_sharp → const IconData

 — material icon named "grid 3x3" (sharp).

[grid_4x4](#) → const [IconData](#)

 — material icon named "grid 4x4".

[grid_4x4_outlined](#) → const [IconData](#)

 — material icon named "grid 4x4" (outlined).

[grid_4x4_rounded](#) → const [IconData](#)

 — material icon named "grid 4x4" (round).

[grid_4x4_sharp](#) → const [IconData](#)

 — material icon named "grid 4x4" (sharp).

[grid_goldenratio](#) → const [IconData](#)

 — material icon named "grid goldenratio".

[grid_goldenratio_outlined](#) → const [IconData](#)

 — material icon named "grid goldenratio" (outlined).

[grid_goldenratio_rounded](#) → const [IconData](#)

 — material icon named "grid goldenratio" (round).

[grid_goldenratio_sharp](#) → const [IconData](#)

 — material icon named "grid goldenratio" (sharp).

[grid_off](#) → const [IconData](#)

 — material icon named "grid off".

[grid_off_outlined](#) → const [IconData](#)



— material icon named "grid off" (outlined).

`grid_off_rounded` → const [IconData](#)



— material icon named "grid off" (round).

`grid_off_sharp` → const [IconData](#)



— material icon named "grid off" (sharp).

`grid_on` → const [IconData](#)



— material icon named "grid on".

`grid_on_outlined` → const [IconData](#)



— material icon named "grid on" (outlined).

`grid_on_rounded` → const [IconData](#)



— material icon named "grid on" (round).

`grid_on_sharp` → const [IconData](#)



— material icon named "grid on" (sharp).

`grid_view` → const [IconData](#)



— material icon named "grid view".

`grid_view_outlined` → const [IconData](#)



— material icon named "grid view" (outlined).

`grid_view_rounded` → const [IconData](#)



— material icon named "grid view" (round).

`grid_view_sharp` → const [IconData](#)



— material icon named "grid view" (sharp).

group → const [IconData](#)



— material icon named "group".

group_add → const [IconData](#)



— material icon named "group add".

group_add_outlined → const [IconData](#)



— material icon named "group add" (outlined).

group_add_rounded → const [IconData](#)



— material icon named "group add" (round).

group_add_sharp → const [IconData](#)



— material icon named "group add" (sharp).

group_off → const [IconData](#)



— material icon named "group off".

group_off_outlined → const [IconData](#)



— material icon named "group off" (outlined).

group_off_rounded → const [IconData](#)



— material icon named "group off" (round).

group_off_sharp → const [IconData](#)



— material icon named "group off" (sharp).

group_outlined → const [IconData](#)

 — material icon named "group" (outlined).

group_remove → const IconData

 — material icon named "group remove".

group_remove_outlined → const IconData

 — material icon named "group remove" (outlined).

group_remove_rounded → const IconData

 — material icon named "group remove" (round).

group_remove_sharp → const IconData

 — material icon named "group remove" (sharp).

group_rounded → const IconData

 — material icon named "group" (round).

group_sharp → const IconData

 — material icon named "group" (sharp).

group_work → const IconData

 — material icon named "group work".

group_work_outlined → const IconData

 — material icon named "group work" (outlined).

group_work_rounded → const IconData

 — material icon named "group work" (round).

group_work_sharp → const IconData



— material icon named "group work" (sharp).

groups → const [IconData](#)



— material icon named "groups".

groups_2 → const [IconData](#)



— material icon named "groups 2".

groups_2_outlined → const [IconData](#)



— material icon named "groups 2" (outlined).

groups_2_rounded → const [IconData](#)



— material icon named "groups 2" (round).

groups_2_sharp → const [IconData](#)



— material icon named "groups 2" (sharp).

groups_3 → const [IconData](#)



— material icon named "groups 3".

groups_3_outlined → const [IconData](#)



— material icon named "groups 3" (outlined).

groups_3_rounded → const [IconData](#)



— material icon named "groups 3" (round).

groups_3_sharp → const [IconData](#)



— material icon named "groups 3" (sharp).

groups_outlined → const [IconData](#)

 — material icon named "groups" (outlined).

groups_rounded → const IconData

 — material icon named "groups" (round).

groups_sharp → const IconData

 — material icon named "groups" (sharp).

h_mobiledata → const IconData

H — material icon named "h mobiledata".

h_mobiledata_outlined → const IconData

H — material icon named "h mobiledata" (outlined).

h_mobiledata_rounded → const IconData

H — material icon named "h mobiledata" (round).

h_mobiledata_sharp → const IconData

H — material icon named "h mobiledata" (sharp).

h_plus_mobiledata → const IconData

H+ — material icon named "h plus mobiledata".

h_plus_mobiledata_outlined → const IconData

H+ — material icon named "h plus mobiledata" (outlined).

h_plus_mobiledata_rounded → const IconData

H+ — material icon named "h plus mobiledata" (round).

h_plus_mobiledata_sharp → const IconData

H+ — material icon named "h plus mobiledata" (sharp).

hail → const IconData



— material icon named "hail".

hail_outlined → const IconData



— material icon named "hail" (outlined).

hail_rounded → const IconData



— material icon named "hail" (round).

hail_sharp → const IconData



— material icon named "hail" (sharp).

handshake → const IconData



— material icon named "handshake".

handshake_outlined → const IconData



— material icon named "handshake" (outlined).

handshake_rounded → const IconData



— material icon named "handshake" (round).

handshake_sharp → const IconData



— material icon named "handshake" (sharp).

handyman → const IconData



— material icon named "handyman".

handyman_outlined → const IconData



— material icon named "handyman" (outlined).

handyman_rounded → const IconData



— material icon named "handyman" (round).

handyman_sharp → const IconData



— material icon named "handyman" (sharp).

hardware → const IconData



— material icon named "hardware".

hardware_outlined → const IconData



— material icon named "hardware" (outlined).

hardware_rounded → const IconData



— material icon named "hardware" (round).

hardware_sharp → const IconData



— material icon named "hardware" (sharp).

hd → const IconData



— material icon named "hd".

hd_outlined → const IconData



— material icon named "hd" (outlined).

hd_rounded → const IconData



— material icon named "hd" (round).

hd_sharp → const IconData

 — material icon named "hd" (sharp).

[hdr_auto](#) → const [IconData](#)

 — material icon named "hdr auto".

[hdr_auto_outlined](#) → const [IconData](#)

 — material icon named "hdr auto" (outlined).

[hdr_auto_rounded](#) → const [IconData](#)

 — material icon named "hdr auto" (round).

[hdr_auto_select](#) → const [IconData](#)

 — material icon named "hdr auto select".
HDR+

[hdr_auto_select_outlined](#) → const [IconData](#)

 — material icon named "hdr auto select" (outlined).
HDR+

[hdr_auto_select_rounded](#) → const [IconData](#)

 — material icon named "hdr auto select" (round).
HDR+

[hdr_auto_select_sharp](#) → const [IconData](#)

 — material icon named "hdr auto select" (sharp).
HDR+

[hdr_auto_sharp](#) → const [IconData](#)

 — material icon named "hdr auto" (sharp).

[hdr_enhanced_select](#) → const [IconData](#)

 — material icon named "hdr enhanced select".
HDR+

[hdr_enhanced_select_outlined](#) → const [IconData](#)

 — material icon named "hdr enhanced select" (outlined).

[hdr_enhanced_select_rounded](#) → const [IconData](#)

 — material icon named "hdr enhanced select" (round).

[hdr_enhanced_select_sharp](#) → const [IconData](#)

 — material icon named "hdr enhanced select" (sharp).

[hdr_off](#) → const [IconData](#)

 — material icon named "hdr off".

[hdr_off_outlined](#) → const [IconData](#)

 — material icon named "hdr off" (outlined).

[hdr_off_rounded](#) → const [IconData](#)

 — material icon named "hdr off" (round).

[hdr_off_select](#) → const [IconData](#)

 — material icon named "hdr off select".

[hdr_off_select_outlined](#) → const [IconData](#)

 — material icon named "hdr off select" (outlined).

[hdr_off_select_rounded](#) → const [IconData](#)

 — material icon named "hdr off select" (round).

[hdr_off_select_sharp](#) → const [IconData](#)

 — material icon named "hdr off select" (sharp).

[hdr_off_sharp](#) → const [IconData](#)

 — material icon named "hdr off" (sharp).

[hdr_on](#) → const [IconData](#)

HDR — material icon named "hdr on".

[hdr_on_outlined](#) → const [IconData](#)

HDR — material icon named "hdr on" (outlined).

[hdr_on_rounded](#) → const [IconData](#)

HDR — material icon named "hdr on" (round).

[hdr_on_select](#) → const [IconData](#)

 — material icon named "hdr on select".

[hdr_on_select_outlined](#) → const [IconData](#)

 — material icon named "hdr on select" (outlined).

[hdr_on_select_rounded](#) → const [IconData](#)

 — material icon named "hdr on select" (round).

[hdr_on_select_sharp](#) → const [IconData](#)

 — material icon named "hdr on select" (sharp).

[hdr_on_sharp](#) → const [IconData](#)

HDR — material icon named "hdr on" (sharp).

[hdr_plus](#) → const [IconData](#)

 — material icon named "hdr plus".

[hdr_plus_outlined](#) → const [IconData](#)



— material icon named "hdr plus" (outlined).

hdr_plus_rounded → const IconData



— material icon named "hdr plus" (round).

hdr_plus_sharp → const IconData



— material icon named "hdr plus" (sharp).

hdr_strong → const IconData



— material icon named "hdr strong".

hdr_strong_outlined → const IconData



— material icon named "hdr strong" (outlined).

hdr_strong_rounded → const IconData



— material icon named "hdr strong" (round).

hdr_strong_sharp → const IconData



— material icon named "hdr strong" (sharp).

hdr_weak → const IconData



— material icon named "hdr weak".

hdr_weak_outlined → const IconData



— material icon named "hdr weak" (outlined).

hdr_weak_rounded → const IconData



— material icon named "hdr weak" (round).

hdr_weak_sharp → const IconData

●○ — material icon named "hdr weak" (sharp).

headphones → const IconData

 — material icon named "headphones".

headphones_battery → const IconData

 — material icon named "headphones battery".

headphones_battery_outlined → const IconData

 — material icon named "headphones battery" (outlined).

headphones_battery_rounded → const IconData

 — material icon named "headphones battery" (round).

headphones_battery_sharp → const IconData

 — material icon named "headphones battery" (sharp).

headphones_outlined → const IconData

 — material icon named "headphones" (outlined).

headphones_rounded → const IconData

 — material icon named "headphones" (round).

headphones_sharp → const IconData

 — material icon named "headphones" (sharp).

headset → const IconData

 — material icon named "headset".

headset_mic → const IconData



— material icon named "headset mic".

headset_mic_outlined → const IconData



— material icon named "headset mic" (outlined).

headset_mic_rounded → const IconData



— material icon named "headset mic" (round).

headset_mic_sharp → const IconData



— material icon named "headset mic" (sharp).

headset_off → const IconData



— material icon named "headset off".

headset_off_outlined → const IconData



— material icon named "headset off" (outlined).

headset_off_rounded → const IconData



— material icon named "headset off" (round).

headset_off_sharp → const IconData



— material icon named "headset off" (sharp).

headset_outlined → const IconData



— material icon named "headset" (outlined).

headset_rounded → const IconData



— material icon named "headset" (round).

headset_sharp → const IconData



— material icon named "headset" (sharp).

healing → const IconData



— material icon named "healing".

healing_outlined → const IconData



— material icon named "healing" (outlined).

healing_rounded → const IconData



— material icon named "healing" (round).

healing_sharp → const IconData



— material icon named "healing" (sharp).

health_and_safety → const IconData



— material icon named "health and safety".

health_and_safety_outlined → const IconData



— material icon named "health and safety" (outlined).

health_and_safety_rounded → const IconData



— material icon named "health and safety" (round).

health_and_safety_sharp → const IconData



— material icon named "health and safety" (sharp).

hearing → const IconData



— material icon named "hearing".

hearing_disabled → const IconData



— material icon named "hearing disabled".

[hearing_disabled_outlined](#) → const IconData



— material icon named "hearing disabled" (outlined).

[hearing_disabled_rounded](#) → const IconData



— material icon named "hearing disabled" (round).

[hearing_disabled_sharp](#) → const IconData



— material icon named "hearing disabled" (sharp).

[hearing_outlined](#) → const IconData



— material icon named "hearing" (outlined).

[hearing_rounded](#) → const IconData



— material icon named "hearing" (round).

[hearing_sharp](#) → const IconData



— material icon named "hearing" (sharp).

[heart_broken](#) → const IconData



— material icon named "heart broken".

[heart_broken_outlined](#) → const IconData



— material icon named "heart broken" (outlined).

[heart_broken_rounded](#) → const IconData



— material icon named "heart broken" (round).

[heart_broken_sharp](#) → const IconData

 — material icon named "heart broken" (sharp).

heat_pump → const IconData

 — material icon named "heat pump".

heat_pump_outlined → const IconData

 — material icon named "heat pump" (outlined).

heat_pump_rounded → const IconData

 — material icon named "heat pump" (round).

heat_pump_sharp → const IconData

 — material icon named "heat pump" (sharp).

height → const IconData

 — material icon named "height".

height_outlined → const IconData

 — material icon named "height" (outlined).

height_rounded → const IconData

 — material icon named "height" (round).

height_sharp → const IconData

 — material icon named "height" (sharp).

help → const IconData

 — material icon named "help".

help_center → const IconData

 — material icon named "help center".

`help_center_outlined` → const IconData

 — material icon named "help center" (outlined).

`help_center_rounded` → const IconData

 — material icon named "help center" (round).

`help_center_sharp` → const IconData

 — material icon named "help center" (sharp).

`help_outline` → const IconData

 — material icon named "help outline".

`help_outline_outlined` → const IconData

 — material icon named "help outline" (outlined).

`help_outline_rounded` → const IconData

 — material icon named "help outline" (round).

`help_outline_sharp` → const IconData

 — material icon named "help outline" (sharp).

`help_outlined` → const IconData

 — material icon named "help" (outlined).

`help_rounded` → const IconData

 — material icon named "help" (round).

`help_sharp` → const IconData



— material icon named "help" (sharp).

hevc → const IconData

HEVC — material icon named "hevc".

hevc_outlined → const IconData

HEVC — material icon named "hevc" (outlined).

hevc_rounded → const IconData

HEVC — material icon named "hevc" (round).

hevc_sharp → const IconData

HEVC — material icon named "hevc" (sharp).

hexagon → const IconData



— material icon named "hexagon".

hexagon_outlined → const IconData



— material icon named "hexagon" (outlined).

hexagon_rounded → const IconData



— material icon named "hexagon" (round).

hexagon_sharp → const IconData



— material icon named "hexagon" (sharp).

hide_image → const IconData



— material icon named "hide image".

hide_image_outlined → const IconData



— material icon named "hide image" (outlined).

`hide_image_rounded` → const IconData



— material icon named "hide image" (round).

`hide_image_sharp` → const IconData



— material icon named "hide image" (sharp).

`hide_source` → const IconData



— material icon named "hide source".

`hide_source_outlined` → const IconData



— material icon named "hide source" (outlined).

`hide_source_rounded` → const IconData



— material icon named "hide source" (round).

`hide_source_sharp` → const IconData



— material icon named "hide source" (sharp).

`high_quality` → const IconData



— material icon named "high quality".

`high_quality_outlined` → const IconData



— material icon named "high quality" (outlined).

`high_quality_rounded` → const IconData



— material icon named "high quality" (round).

`high_quality_sharp` → const IconData



— material icon named "high quality" (sharp).

highlight → const [IconData](#)



— material icon named "highlight".

highlight_alt → const [IconData](#)



— material icon named "highlight alt".

highlight_alt_outlined → const [IconData](#)



— material icon named "highlight alt" (outlined).

highlight_alt_rounded → const [IconData](#)



— material icon named "highlight alt" (round).

highlight_alt_sharp → const [IconData](#)



— material icon named "highlight alt" (sharp).

highlight_off → const [IconData](#)



— material icon named "highlight off".

highlight_off_outlined → const [IconData](#)



— material icon named "highlight off" (outlined).

highlight_off_rounded → const [IconData](#)



— material icon named "highlight off" (round).

highlight_off_sharp → const [IconData](#)



— material icon named "highlight off" (sharp).

highlight_outlined → const [IconData](#)



— material icon named "highlight" (outlined).

highlight_remove → const IconData



— material icon named "highlight remove".

highlight_remove_outlined → const IconData



— material icon named "highlight remove" (outlined).

highlight_remove_rounded → const IconData



— material icon named "highlight remove" (round).

highlight_remove_sharp → const IconData



— material icon named "highlight remove" (sharp).

highlight_rounded → const IconData



— material icon named "highlight" (round).

highlight_sharp → const IconData



— material icon named "highlight" (sharp).

hiking → const IconData



— material icon named "hiking".

hiking_outlined → const IconData



— material icon named "hiking" (outlined).

hiking_rounded → const IconData



— material icon named "hiking" (round).

hiking_sharp → const IconData

 — material icon named "hiking" (sharp).

history → const IconData

 — material icon named "history".

history_edu → const IconData

 — material icon named "history edu".

history_edu_outlined → const IconData

 — material icon named "history edu" (outlined).

history_edu_rounded → const IconData

 — material icon named "history edu" (round).

history_edu_sharp → const IconData

 — material icon named "history edu" (sharp).

history_outlined → const IconData

 — material icon named "history" (outlined).

history_rounded → const IconData

 — material icon named "history" (round).

history_sharp → const IconData

 — material icon named "history" (sharp).

history_toggle_off → const IconData

 — material icon named "history toggle off".

history_toggle_off_outlined → const IconData



— material icon named "history toggle off" (outlined).

[history_toggle_off_rounded](#) → const [IconData](#)



— material icon named "history toggle off" (round).

[history_toggle_off_sharp](#) → const [IconData](#)



— material icon named "history toggle off" (sharp).

[hive](#) → const [IconData](#)



— material icon named "hive".

[hive_outlined](#) → const [IconData](#)



— material icon named "hive" (outlined).

[hive_rounded](#) → const [IconData](#)



— material icon named "hive" (round).

[hive_sharp](#) → const [IconData](#)



— material icon named "hive" (sharp).

[hls](#) → const [IconData](#)



— material icon named "hls".

[hls_off](#) → const [IconData](#)



— material icon named "hls off".

[hls_off_outlined](#) → const [IconData](#)



— material icon named "hls off" (outlined).

[hls_off_rounded](#) → const [IconData](#)

 — material icon named "hls off" (round).

[hls_off_sharp](#) → const IconData

 — material icon named "hls off" (sharp).

[hls_outlined](#) → const IconData

HLS — material icon named "hls" (outlined).

[hls_rounded](#) → const IconData

HLS — material icon named "hls" (round).

[hls_sharp](#) → const IconData

HLS — material icon named "hls" (sharp).

[holiday_village](#) → const IconData

 — material icon named "holiday village".

[holiday_village_outlined](#) → const IconData

 — material icon named "holiday village" (outlined).

[holiday_village_rounded](#) → const IconData

 — material icon named "holiday village" (round).

[holiday_village_sharp](#) → const IconData

 — material icon named "holiday village" (sharp).

[home](#) → const IconData

 — material icon named "home".

[home_filled](#) → const IconData



— material icon named "home filled".

home_max → const IconData



— material icon named "home max".

home_max_outlined → const IconData



— material icon named "home max" (outlined).

home_max_rounded → const IconData



— material icon named "home max" (round).

home_max_sharp → const IconData



— material icon named "home max" (sharp).

home_mini → const IconData



— material icon named "home mini".

home_mini_outlined → const IconData



— material icon named "home mini" (outlined).

home_mini_rounded → const IconData



— material icon named "home mini" (round).

home_mini_sharp → const IconData



— material icon named "home mini" (sharp).

home_outlined → const IconData



— material icon named "home" (outlined).

home_repair_service → const IconData



— material icon named "home repair service".

[home_repair_service_outlined](#) → const IconData



— material icon named "home repair service" (outlined).

[home_repair_service_rounded](#) → const IconData



— material icon named "home repair service" (round).

[home_repair_service_sharp](#) → const IconData



— material icon named "home repair service" (sharp).

[home_rounded](#) → const IconData



— material icon named "home" (round).

[home_sharp](#) → const IconData



— material icon named "home" (sharp).

[home_work](#) → const IconData



— material icon named "home work".

[home_work_outlined](#) → const IconData



— material icon named "home work" (outlined).

[home_work_rounded](#) → const IconData



— material icon named "home work" (round).

[home_work_sharp](#) → const IconData



— material icon named "home work" (sharp).

[horizontal_distribute](#) → const IconData

— material icon named "horizontal distribute".

[horizontal_distribute_outlined](#) → const IconData

— material icon named "horizontal distribute" (outlined).

[horizontal_distribute_rounded](#) → const IconData

— material icon named "horizontal distribute" (round).

[horizontal_distribute_sharp](#) → const IconData

— material icon named "horizontal distribute" (sharp).

[horizontal_rule](#) → const IconData

— material icon named "horizontal rule".

[horizontal_rule_outlined](#) → const IconData

— material icon named "horizontal rule" (outlined).

[horizontal_rule_rounded](#) → const IconData

— material icon named "horizontal rule" (round).

[horizontal_rule_sharp](#) → const IconData

— material icon named "horizontal rule" (sharp).

[horizontal_split](#) → const IconData

— material icon named "horizontal split".

[horizontal_split_outlined](#) → const IconData

— material icon named "horizontal split" (outlined).

[horizontal_split_rounded](#) → const IconData



— material icon named "horizontal split" (round).

[horizontal_split_sharp](#) → const [IconData](#)



— material icon named "horizontal split" (sharp).

[hot_tub](#) → const [IconData](#)



— material icon named "hot tub".

[hot_tub_outlined](#) → const [IconData](#)



— material icon named "hot tub" (outlined).

[hot_tub_rounded](#) → const [IconData](#)



— material icon named "hot tub" (round).

[hot_tub_sharp](#) → const [IconData](#)



— material icon named "hot tub" (sharp).

[hotel](#) → const [IconData](#)



— material icon named "hotel".

[hotel_class](#) → const [IconData](#)



— material icon named "hotel class".

[hotel_class_outlined](#) → const [IconData](#)



— material icon named "hotel class" (outlined).

[hotel_class_rounded](#) → const [IconData](#)



— material icon named "hotel class" (round).

[hotel_class_sharp](#) → const [IconData](#)

 — material icon named "hotel class" (sharp).

[hotel_outlined](#) → const [IconData](#)

 — material icon named "hotel" (outlined).

[hotel_rounded](#) → const [IconData](#)

 — material icon named "hotel" (round).

[hotel_sharp](#) → const [IconData](#)

 — material icon named "hotel" (sharp).

[hourglass_bottom](#) → const [IconData](#)

 — material icon named "hourglass bottom".

[hourglass_bottom_outlined](#) → const [IconData](#)

 — material icon named "hourglass bottom" (outlined).

[hourglass_bottom_rounded](#) → const [IconData](#)

 — material icon named "hourglass bottom" (round).

[hourglass_bottom_sharp](#) → const [IconData](#)

 — material icon named "hourglass bottom" (sharp).

[hourglass_disabled](#) → const [IconData](#)

 — material icon named "hourglass disabled".

[hourglass_disabled_outlined](#) → const [IconData](#)

 — material icon named "hourglass disabled" (outlined).

[hourglass_disabled_rounded](#) → const [IconData](#)

 — material icon named "hourglass disabled" (round).

[hourglass_disabled_sharp](#) → const IconData

 — material icon named "hourglass disabled" (sharp).

[hourglass_empty](#) → const IconData

 — material icon named "hourglass empty".

[hourglass_empty_outlined](#) → const IconData

 — material icon named "hourglass empty" (outlined).

[hourglass_empty_rounded](#) → const IconData

 — material icon named "hourglass empty" (round).

[hourglass_empty_sharp](#) → const IconData

 — material icon named "hourglass empty" (sharp).

[hourglass_full](#) → const IconData

 — material icon named "hourglass full".

[hourglass_full_outlined](#) → const IconData

 — material icon named "hourglass full" (outlined).

[hourglass_full_rounded](#) → const IconData

 — material icon named "hourglass full" (round).

[hourglass_full_sharp](#) → const IconData

 — material icon named "hourglass full" (sharp).

[hourglass_top](#) → const IconData



— material icon named "hourglass top".

hourglass_top_outlined → const IconData



— material icon named "hourglass top" (outlined).

hourglass_top_rounded → const IconData



— material icon named "hourglass top" (round).

hourglass_top_sharp → const IconData



— material icon named "hourglass top" (sharp).

house → const IconData



— material icon named "house".

house_outlined → const IconData



— material icon named "house" (outlined).

house_rounded → const IconData



— material icon named "house" (round).

house_sharp → const IconData



— material icon named "house" (sharp).

house_siding → const IconData



— material icon named "house siding".

house_siding_outlined → const IconData



— material icon named "house siding" (outlined).

house_siding_rounded → const IconData

 — material icon named "house siding" (round).

[house_siding_sharp](#) → const IconData

 — material icon named "house siding" (sharp).

[houseboat](#) → const IconData

 — material icon named "houseboat".

[houseboat_outlined](#) → const IconData

 — material icon named "houseboat" (outlined).

[houseboat_rounded](#) → const IconData

 — material icon named "houseboat" (round).

[houseboat_sharp](#) → const IconData

 — material icon named "houseboat" (sharp).

[how_to_reg](#) → const IconData

 — material icon named "how to reg".

[how_to_reg_outlined](#) → const IconData

 — material icon named "how to reg" (outlined).

[how_to_reg_rounded](#) → const IconData

 — material icon named "how to reg" (round).

[how_to_reg_sharp](#) → const IconData

 — material icon named "how to reg" (sharp).

[how_to_vote](#) → const IconData



— material icon named "how to vote".

[how_to_vote_outlined](#) → const [IconData](#)



— material icon named "how to vote" (outlined).

[how_to_vote_rounded](#) → const [IconData](#)



— material icon named "how to vote" (round).

[how_to_vote_sharp](#) → const [IconData](#)



— material icon named "how to vote" (sharp).

[html](#) → const [IconData](#)

HTML — material icon named "html".

[html_outlined](#) → const [IconData](#)

HTML — material icon named "html" (outlined).

[html_rounded](#) → const [IconData](#)

HTML — material icon named "html" (round).

[html_sharp](#) → const [IconData](#)

HTML — material icon named "html" (sharp).

[http](#) → const [IconData](#)

HTTP — material icon named "http".

[http_outlined](#) → const [IconData](#)

HTTP — material icon named "http" (outlined).

[http_rounded](#) → const [IconData](#)

HTTP — material icon named "http" (round).

http_sharp → const IconData

HTTP — material icon named "http" (sharp).

https → const IconData



— material icon named "https".

https_outlined → const IconData



— material icon named "https" (outlined).

https_rounded → const IconData



— material icon named "https" (round).

https_sharp → const IconData



— material icon named "https" (sharp).

hub → const IconData



— material icon named "hub".

hub_outlined → const IconData



— material icon named "hub" (outlined).

hub_rounded → const IconData



— material icon named "hub" (round).

hub_sharp → const IconData



— material icon named "hub" (sharp).

hvac → const IconData



— material icon named "hvac".

hvac_outlined → const [IconData](#)



— material icon named "hvac" (outlined).

hvac_rounded → const [IconData](#)



— material icon named "hvac" (round).

hvac_sharp → const [IconData](#)



— material icon named "hvac" (sharp).

ice_skating → const [IconData](#)



— material icon named "ice skating".

ice_skating_outlined → const [IconData](#)



— material icon named "ice skating" (outlined).

ice_skating_rounded → const [IconData](#)



— material icon named "ice skating" (round).

ice_skating_sharp → const [IconData](#)



— material icon named "ice skating" (sharp).

icecream → const [IconData](#)



— material icon named "icecream".

icecream_outlined → const [IconData](#)



— material icon named "icecream" (outlined).

icecream_rounded → const [IconData](#)



— material icon named "icecream" (round).

icecream_sharp → const IconData



— material icon named "icecream" (sharp).

image → const IconData



— material icon named "image".

image_aspect_ratio → const IconData



— material icon named "image aspect ratio".

image_aspect_ratio_outlined → const IconData



— material icon named "image aspect ratio" (outlined).

image_aspect_ratio_rounded → const IconData



— material icon named "image aspect ratio" (round).

image_aspect_ratio_sharp → const IconData



— material icon named "image aspect ratio" (sharp).

image_not_supported → const IconData



— material icon named "image not supported".

image_not_supported_outlined → const IconData



— material icon named "image not supported" (outlined).

image_not_supported_rounded → const IconData



— material icon named "image not supported" (round).

image_not_supported_sharp → const IconData



— material icon named "image not supported" (sharp).

image_outlined → const IconData



— material icon named "image" (outlined).

image_rounded → const IconData



— material icon named "image" (round).

image_search → const IconData



— material icon named "image search".

image_search_outlined → const IconData



— material icon named "image search" (outlined).

image_search_rounded → const IconData



— material icon named "image search" (round).

image_search_sharp → const IconData



— material icon named "image search" (sharp).

image_sharp → const IconData



— material icon named "image" (sharp).

imagesearch_roller → const IconData



— material icon named "imagesearch roller".

imagesearch_roller_outlined → const IconData



— material icon named "imagesearch roller" (outlined).

imagesearch_roller_rounded → const IconData



— material icon named "imagesearch roller" (round).

[imagesearch_roller_sharp](#) → const IconData



— material icon named "imagesearch roller" (sharp).

[import_contacts](#) → const IconData



— material icon named "import contacts".

[import_contacts_outlined](#) → const IconData



— material icon named "import contacts" (outlined).

[import_contacts_rounded](#) → const IconData



— material icon named "import contacts" (round).

[import_contacts_sharp](#) → const IconData



— material icon named "import contacts" (sharp).

[import_export](#) → const IconData



— material icon named "import export".

[import_export_outlined](#) → const IconData



— material icon named "import export" (outlined).

[import_export_rounded](#) → const IconData



— material icon named "import export" (round).

[import_export_sharp](#) → const IconData



— material icon named "import export" (sharp).

[important_devices](#) → const IconData



— material icon named "important devices".

important_devices_outlined → const IconData



— material icon named "important devices" (outlined).

important_devices_rounded → const IconData



— material icon named "important devices" (round).

important_devices_sharp → const IconData



— material icon named "important devices" (sharp).

inbox → const IconData



— material icon named "inbox".

inbox_outlined → const IconData



— material icon named "inbox" (outlined).

inbox_rounded → const IconData



— material icon named "inbox" (round).

inbox_sharp → const IconData



— material icon named "inbox" (sharp).

incomplete_circle → const IconData



— material icon named "incomplete circle".

incomplete_circle_outlined → const IconData



— material icon named "incomplete circle" (outlined).

incomplete_circle_rounded → const IconData



— material icon named "incomplete circle" (round).

incomplete_circle_sharp → const IconData



— material icon named "incomplete circle" (sharp).

indeterminate_check_box → const IconData



— material icon named "indeterminate check box".

indeterminate_check_box_outlined → const IconData



— material icon named "indeterminate check box" (outlined).

indeterminate_check_box_rounded → const IconData



— material icon named "indeterminate check box" (round).

indeterminate_check_box_sharp → const IconData



— material icon named "indeterminate check box" (sharp).

info → const IconData



— material icon named "info".

info_outline → const IconData



— material icon named "info outline".

info_outline_rounded → const IconData



— material icon named "info outline" (round).

info_outline_sharp → const IconData



— material icon named "info outline" (sharp).

info_outlined → const IconData

 — material icon named "info" (outlined).

info_rounded → const IconData

 — material icon named "info" (round).

info_sharp → const IconData

 — material icon named "info" (sharp).

input → const IconData

 — material icon named "input".

input_outlined → const IconData

 — material icon named "input" (outlined).

input_rounded → const IconData

 — material icon named "input" (round).

input_sharp → const IconData

 — material icon named "input" (sharp).

insert_chart → const IconData

 — material icon named "insert chart".

insert_chart_outlined → const IconData

 — material icon named "insert chart".

insert_chart_outlined_outlined → const IconData

 — material icon named "insert chart outlined" (outlined).

insert_chart_outlined_rounded → const IconData



— material icon named "insert chart outlined" (round).

[insert_chart_outlined_sharp](#) → const [IconData](#)



— material icon named "insert chart outlined" (sharp).

[insert_chart_rounded](#) → const [IconData](#)



— material icon named "insert chart" (round).

[insert_chart_sharp](#) → const [IconData](#)



— material icon named "insert chart" (sharp).

[insert_comment](#) → const [IconData](#)



— material icon named "insert comment".

[insert_comment_outlined](#) → const [IconData](#)



— material icon named "insert comment" (outlined).

[insert_comment_rounded](#) → const [IconData](#)



— material icon named "insert comment" (round).

[insert_comment_sharp](#) → const [IconData](#)



— material icon named "insert comment" (sharp).

[insert_drive_file](#) → const [IconData](#)



— material icon named "insert drive file".

[insert_drive_file_outlined](#) → const [IconData](#)



— material icon named "insert drive file" (outlined).

[insert_drive_file_rounded](#) → const [IconData](#)



— material icon named "insert drive file" (round).

insert_drive_file_sharp → const IconData



— material icon named "insert drive file" (sharp).

insert_emoticon → const IconData



— material icon named "insert emoticon".

insert_emoticon_outlined → const IconData



— material icon named "insert emoticon" (outlined).

insert_emoticon_rounded → const IconData



— material icon named "insert emoticon" (round).

insert_emoticon_sharp → const IconData



— material icon named "insert emoticon" (sharp).

insert_invitation → const IconData



— material icon named "insert invitation".

insert_invitation_outlined → const IconData



— material icon named "insert invitation" (outlined).

insert_invitation_rounded → const IconData



— material icon named "insert invitation" (round).

insert_invitation_sharp → const IconData



— material icon named "insert invitation" (sharp).

insert_link → const IconData

 — material icon named "insert link".

[insert_link_outlined](#) → const [IconData](#)

 — material icon named "insert link" (outlined).

[insert_link_rounded](#) → const [IconData](#)

 — material icon named "insert link" (round).

[insert_link_sharp](#) → const [IconData](#)

 — material icon named "insert link" (sharp).

[insert_page_break](#) → const [IconData](#)

 — material icon named "insert page break".

[insert_page_break_outlined](#) → const [IconData](#)

 — material icon named "insert page break" (outlined).

[insert_page_break_rounded](#) → const [IconData](#)

 — material icon named "insert page break" (round).

[insert_page_break_sharp](#) → const [IconData](#)

 — material icon named "insert page break" (sharp).

[insert_photo](#) → const [IconData](#)

 — material icon named "insert photo".

[insert_photo_outlined](#) → const [IconData](#)

 — material icon named "insert photo" (outlined).

[insert_photo_rounded](#) → const [IconData](#)



— material icon named "insert photo" (round).

insert_photo_sharp → const IconData



— material icon named "insert photo" (sharp).

insights → const IconData



— material icon named "insights".

insights_outlined → const IconData



— material icon named "insights" (outlined).

insights_rounded → const IconData



— material icon named "insights" (round).

insights_sharp → const IconData



— material icon named "insights" (sharp).

install_desktop → const IconData



— material icon named "install desktop".

install_desktop_outlined → const IconData



— material icon named "install desktop" (outlined).

install_desktop_rounded → const IconData



— material icon named "install desktop" (round).

install_desktop_sharp → const IconData



— material icon named "install desktop" (sharp).

install_mobile → const IconData

 — material icon named "install mobile".

[install_mobile_outlined](#) → const IconData

 — material icon named "install mobile" (outlined).

[install_mobile_rounded](#) → const IconData

 — material icon named "install mobile" (round).

[install_mobile_sharp](#) → const IconData

 — material icon named "install mobile" (sharp).

[integration_instructions](#) → const IconData

 — material icon named "integration instructions".

[integration_instructions_outlined](#) → const IconData

 — material icon named "integration instructions" (outlined).

[integration_instructions_rounded](#) → const IconData

 — material icon named "integration instructions" (round).

[integration_instructions_sharp](#) → const IconData

 — material icon named "integration instructions" (sharp).

[interests](#) → const IconData

 — material icon named "interests".

[interests_outlined](#) → const IconData

 — material icon named "interests" (outlined).

[interests_rounded](#) → const IconData



— material icon named "interests" (round).

interests_sharp → const IconData



— material icon named "interests" (sharp).

interpreter_mode → const IconData



— material icon named "interpreter mode".

interpreter_mode_outlined → const IconData



— material icon named "interpreter mode" (outlined).

interpreter_mode_rounded → const IconData



— material icon named "interpreter mode" (round).

interpreter_mode_sharp → const IconData



— material icon named "interpreter mode" (sharp).

inventory → const IconData



— material icon named "inventory".

inventory_2 → const IconData



— material icon named "inventory 2".

inventory_2_outlined → const IconData



— material icon named "inventory 2" (outlined).

inventory_2_rounded → const IconData



— material icon named "inventory 2" (round).

inventory_2_sharp → const IconData



— material icon named "inventory 2" (sharp).

inventory_outlined → const [IconData](#)



— material icon named "inventory" (outlined).

inventory_rounded → const [IconData](#)



— material icon named "inventory" (round).

inventory_sharp → const [IconData](#)



— material icon named "inventory" (sharp).

invert_colors → const [IconData](#)



— material icon named "invert colors".

invert_colors_off → const [IconData](#)



— material icon named "invert colors off".

invert_colors_off_outlined → const [IconData](#)



— material icon named "invert colors off" (outlined).

invert_colors_off_rounded → const [IconData](#)



— material icon named "invert colors off" (round).

invert_colors_off_sharp → const [IconData](#)



— material icon named "invert colors off" (sharp).

invert_colors_on → const [IconData](#)



— material icon named "invert colors on".

invert_colors_on_outlined → const [IconData](#)

 — material icon named "invert colors on" (outlined).

[invert_colors_on_rounded](#) → const [IconData](#)

 — material icon named "invert colors on" (round).

[invert_colors_on_sharp](#) → const [IconData](#)

 — material icon named "invert colors on" (sharp).

[invert_colors_outlined](#) → const [IconData](#)

 — material icon named "invert colors" (outlined).

[invert_colors_rounded](#) → const [IconData](#)

 — material icon named "invert colors" (round).

[invert_colors_sharp](#) → const [IconData](#)

 — material icon named "invert colors" (sharp).

[ios_share](#) → const [IconData](#)

 — material icon named "ios share".

[ios_share_outlined](#) → const [IconData](#)

 — material icon named "ios share" (outlined).

[ios_share_rounded](#) → const [IconData](#)

 — material icon named "ios share" (round).

[ios_share_sharp](#) → const [IconData](#)

 — material icon named "ios share" (sharp).

[iron](#) → const [IconData](#)

 — material icon named "iron".

iron_outlined → const [IconData](#)

 — material icon named "iron" (outlined).

iron_rounded → const [IconData](#)

 — material icon named "iron" (round).

iron_sharp → const [IconData](#)

 — material icon named "iron" (sharp).

iso → const [IconData](#)

 — material icon named "iso".

iso_outlined → const [IconData](#)

 — material icon named "iso" (outlined).

iso_rounded → const [IconData](#)

 — material icon named "iso" (round).

iso_sharp → const [IconData](#)

 — material icon named "iso" (sharp).

javascript → const [IconData](#)

 — material icon named "javascript".

javascript_outlined → const [IconData](#)

 — material icon named "javascript" (outlined).

javascript_rounded → const [IconData](#)

JS — material icon named "javascript" (round).

javascript_sharp → const IconData

JS — material icon named "javascript" (sharp).

join_full → const IconData

 — material icon named "join full".

join_full_outlined → const IconData

 — material icon named "join full" (outlined).

join_full_rounded → const IconData

 — material icon named "join full" (round).

join_full_sharp → const IconData

 — material icon named "join full" (sharp).

join_inner → const IconData

 — material icon named "join inner".

join_inner_outlined → const IconData

 — material icon named "join inner" (outlined).

join_inner_rounded → const IconData

 — material icon named "join inner" (round).

join_inner_sharp → const IconData

 — material icon named "join inner" (sharp).

join_left → const IconData

 — material icon named "join left".

[join_left_outlined](#) → const IconData

 — material icon named "join left" (outlined).

[join_left_rounded](#) → const IconData

 — material icon named "join left" (round).

[join_left_sharp](#) → const IconData

 — material icon named "join left" (sharp).

[join_right](#) → const IconData

 — material icon named "join right".

[join_right_outlined](#) → const IconData

 — material icon named "join right" (outlined).

[join_right_rounded](#) → const IconData

 — material icon named "join right" (round).

[join_right_sharp](#) → const IconData

 — material icon named "join right" (sharp).

[kayaking](#) → const IconData



— material icon named "kayaking".

[kayaking_outlined](#) → const IconData



— material icon named "kayaking" (outlined).

[kayaking_rounded](#) → const IconData



— material icon named "kayaking" (round).

kayaking_sharp → const IconData



— material icon named "kayaking" (sharp).

kebab_dining → const IconData



— material icon named "kebab dining".

kebab_dining_outlined → const IconData



— material icon named "kebab dining" (outlined).

kebab_dining_rounded → const IconData



— material icon named "kebab dining" (round).

kebab_dining_sharp → const IconData



— material icon named "kebab dining" (sharp).

key → const IconData



— material icon named "key".

key_off → const IconData



— material icon named "key off".

key_off_outlined → const IconData



— material icon named "key off" (outlined).

key_off_rounded → const IconData



— material icon named "key off" (round).

key_off_sharp → const IconData

 — material icon named "key off" (sharp).

key_outlined → const IconData

 — material icon named "key" (outlined).

key_rounded → const IconData

 — material icon named "key" (round).

key_sharp → const IconData

 — material icon named "key" (sharp).

keyboard → const IconData

 — material icon named "keyboard".

keyboard_alt → const IconData

 — material icon named "keyboard alt".

keyboard_alt_outlined → const IconData

 — material icon named "keyboard alt" (outlined).

keyboard_alt_rounded → const IconData

 — material icon named "keyboard alt" (round).

keyboard_alt_sharp → const IconData

 — material icon named "keyboard alt" (sharp).

keyboard_arrow_down → const IconData

 — material icon named "keyboard arrow down".

keyboard_arrow_down_outlined → const IconData

▼ — material icon named "keyboard arrow down" (outlined).

keyboard_arrow_down_rounded → const IconData

▼ — material icon named "keyboard arrow down" (round).

keyboard_arrow_down_sharp → const IconData

▼ — material icon named "keyboard arrow down" (sharp).

keyboard_arrow_left → const IconData

◀ — material icon named "keyboard arrow left".

keyboard_arrow_left_outlined → const IconData

◀ — material icon named "keyboard arrow left" (outlined).

keyboard_arrow_left_rounded → const IconData

◀ — material icon named "keyboard arrow left" (round).

keyboard_arrow_left_sharp → const IconData

◀ — material icon named "keyboard arrow left" (sharp).

keyboard_arrow_right → const IconData

▶ — material icon named "keyboard arrow right".

keyboard_arrow_right_outlined → const IconData

▶ — material icon named "keyboard arrow right" (outlined).

keyboard_arrow_right_rounded → const IconData

▶ — material icon named "keyboard arrow right" (round).

keyboard_arrow_right_sharp → const IconData

➤ — material icon named "keyboard arrow right" (sharp).

keyboard_arrow_up → const IconData

⤴ — material icon named "keyboard arrow up".

keyboard_arrow_up_outlined → const IconData

⤴ — material icon named "keyboard arrow up" (outlined).

keyboard_arrow_up_rounded → const IconData

⤴ — material icon named "keyboard arrow up" (round).

keyboard_arrow_up_sharp → const IconData

⤴ — material icon named "keyboard arrow up" (sharp).

keyboard_backspace → const IconData

⬅ — material icon named "keyboard backspace".

keyboard_backspace_outlined → const IconData

⬅ — material icon named "keyboard backspace" (outlined).

keyboard_backspace_rounded → const IconData

⬅ — material icon named "keyboard backspace" (round).

keyboard_backspace_sharp → const IconData

⬅ — material icon named "keyboard backspace" (sharp).

keyboard_capslock → const IconData

⤵ — material icon named "keyboard capslock".

keyboard_capslock_outlined → const IconData

 — material icon named "keyboard capslock" (outlined).

[keyboard_capslock_rounded](#) → const IconData

 — material icon named "keyboard capslock" (round).

[keyboard_capslock_sharp](#) → const IconData

 — material icon named "keyboard capslock" (sharp).

[keyboard_command_key](#) → const IconData

 — material icon named "keyboard command key".

[keyboard_command_key_outlined](#) → const IconData

 — material icon named "keyboard command key" (outlined).

[keyboard_command_key_rounded](#) → const IconData

 — material icon named "keyboard command key" (round).

[keyboard_command_key_sharp](#) → const IconData

 — material icon named "keyboard command key" (sharp).

[keyboard_control](#) → const IconData

••• — material icon named "keyboard control".

[keyboard_control_key](#) → const IconData

 — material icon named "keyboard control key".

[keyboard_control_key_outlined](#) → const IconData

 — material icon named "keyboard control key" (outlined).

[keyboard_control_key_rounded](#) → const IconData

⤴ — material icon named "keyboard control key" (round).

keyboard_control_key_sharp → const IconData

⤴ — material icon named "keyboard control key" (sharp).

keyboard_control_outlined → const IconData

⤴ — material icon named "keyboard control" (outlined).

keyboard_control_rounded → const IconData

⤴ — material icon named "keyboard control" (round).

keyboard_control_sharp → const IconData

⤴ — material icon named "keyboard control" (sharp).

keyboard_double_arrow_down → const IconData

⤵ — material icon named "keyboard double arrow down".

keyboard_double_arrow_down_outlined → const IconData

⤵ — material icon named "keyboard double arrow down" (outlined).

keyboard_double_arrow_down_rounded → const IconData

⤵ — material icon named "keyboard double arrow down" (round).

keyboard_double_arrow_down_sharp → const IconData

⤵ — material icon named "keyboard double arrow down" (sharp).

keyboard_double_arrow_left → const IconData

⤵ — material icon named "keyboard double arrow left".

keyboard_double_arrow_left_outlined → const IconData

⬅ — material icon named "keyboard double arrow left" (outlined).

keyboard_double_arrow_left_rounded → const IconData

⬅ — material icon named "keyboard double arrow left" (round).

keyboard_double_arrow_left_sharp → const IconData

⬅ — material icon named "keyboard double arrow left" (sharp).

keyboard_double_arrow_right → const IconData

➡ — material icon named "keyboard double arrow right".

keyboard_double_arrow_right_outlined → const IconData

➡ — material icon named "keyboard double arrow right" (outlined).

keyboard_double_arrow_right_rounded → const IconData

➡ — material icon named "keyboard double arrow right" (round).

keyboard_double_arrow_right_sharp → const IconData

➡ — material icon named "keyboard double arrow right" (sharp).

keyboard_double_arrow_up → const IconData

⬆ — material icon named "keyboard double arrow up".

keyboard_double_arrow_up_outlined → const IconData

⬆ — material icon named "keyboard double arrow up" (outlined).

keyboard_double_arrow_up_rounded → const IconData

⬆ — material icon named "keyboard double arrow up" (round).

keyboard_double_arrow_up_sharp → const IconData

⏮ — material icon named "keyboard double arrow up" (sharp).

keyboard_hide → const IconData

🖱 — material icon named "keyboard hide".

keyboard_hide_outlined → const IconData

🖱 — material icon named "keyboard hide" (outlined).

keyboard_hide_rounded → const IconData

🖱 — material icon named "keyboard hide" (round).

keyboard_hide_sharp → const IconData

🖱 — material icon named "keyboard hide" (sharp).

keyboard_option_key → const IconData

⌘ — material icon named "keyboard option key".

keyboard_option_key_outlined → const IconData

⌘ — material icon named "keyboard option key" (outlined).

keyboard_option_key_rounded → const IconData

⌘ — material icon named "keyboard option key" (round).

keyboard_option_key_sharp → const IconData

⌘ — material icon named "keyboard option key" (sharp).

keyboard_outlined → const IconData

🖱 — material icon named "keyboard" (outlined).

keyboard_return → const IconData

 — material icon named "keyboard return".

keyboard_return_outlined → const IconData

 — material icon named "keyboard return" (outlined).

keyboard_return_rounded → const IconData

 — material icon named "keyboard return" (round).

keyboard_return_sharp → const IconData

 — material icon named "keyboard return" (sharp).

keyboard_rounded → const IconData

 — material icon named "keyboard" (round).

keyboard_sharp → const IconData

 — material icon named "keyboard" (sharp).

keyboard_tab → const IconData

 — material icon named "keyboard tab".

keyboard_tab_outlined → const IconData

 — material icon named "keyboard tab" (outlined).

keyboard_tab_rounded → const IconData

 — material icon named "keyboard tab" (round).

keyboard_tab_sharp → const IconData

 — material icon named "keyboard tab" (sharp).

keyboard_voice → const IconData



— material icon named "keyboard voice".

keyboard_voice_outlined → const IconData



— material icon named "keyboard voice" (outlined).

keyboard_voice_rounded → const IconData



— material icon named "keyboard voice" (round).

keyboard_voice_sharp → const IconData



— material icon named "keyboard voice" (sharp).

king_bed → const IconData



— material icon named "king bed".

king_bed_outlined → const IconData



— material icon named "king bed" (outlined).

king_bed_rounded → const IconData



— material icon named "king bed" (round).

king_bed_sharp → const IconData



— material icon named "king bed" (sharp).

kitchen → const IconData



— material icon named "kitchen".

kitchen_outlined → const IconData



— material icon named "kitchen" (outlined).

kitchen_rounded → const IconData



— material icon named "kitchen" (round).

kitchen_sharp → const IconData



— material icon named "kitchen" (sharp).

kitesurfing → const IconData



— material icon named "kitesurfing".

kitesurfing_outlined → const IconData



— material icon named "kitesurfing" (outlined).

kitesurfing_rounded → const IconData



— material icon named "kitesurfing" (rounded).

kitesurfing_sharp → const IconData



— material icon named "kitesurfing" (sharp).

label → const IconData



— material icon named "label".

label_important → const IconData



— material icon named "label important".

label_important_outline → const IconData



— material icon named "label important outline".

label_important_outline_rounded → const IconData



— material icon named "label important outline" (round).

label_important_outline_sharp → const IconData

 — material icon named "label important outline" (sharp).

label_important_outlined → const IconData

 — material icon named "label important" (outlined).

label_important_rounded → const IconData

 — material icon named "label important" (round).

label_important_sharp → const IconData

 — material icon named "label important" (sharp).

label_off → const IconData

 — material icon named "label off".

label_off_outlined → const IconData

 — material icon named "label off" (outlined).

label_off_rounded → const IconData

 — material icon named "label off" (round).

label_off_sharp → const IconData

 — material icon named "label off" (sharp).

label_outline → const IconData

 — material icon named "label outline".

label_outline_rounded → const IconData

 — material icon named "label outline" (round).

label_outline_sharp → const IconData

 — material icon named "label outline" (sharp).

label_outlined → const [IconData](#)

 — material icon named "label" (outlined).

label_rounded → const [IconData](#)

 — material icon named "label" (round).

label_sharp → const [IconData](#)

 — material icon named "label" (sharp).

lan → const [IconData](#)

 — material icon named "lan".

lan_outlined → const [IconData](#)

 — material icon named "lan" (outlined).

lan_rounded → const [IconData](#)

 — material icon named "lan" (round).

lan_sharp → const [IconData](#)

 — material icon named "lan" (sharp).

landscape → const [IconData](#)

 — material icon named "landscape".

landscape_outlined → const [IconData](#)

 — material icon named "landscape" (outlined).

landscape_rounded → const [IconData](#)

 — material icon named "landscape" (round).

landscape_sharp → const IconData

 — material icon named "landscape" (sharp).

landslide → const IconData

 — material icon named "landslide".

landslide_outlined → const IconData

 — material icon named "landslide" (outlined).

landslide_rounded → const IconData

 — material icon named "landslide" (round).

landslide_sharp → const IconData

 — material icon named "landslide" (sharp).

language → const IconData

 — material icon named "language".

language_outlined → const IconData

 — material icon named "language" (outlined).

language_rounded → const IconData

 — material icon named "language" (round).

language_sharp → const IconData

 — material icon named "language" (sharp).

laptop → const IconData

 — material icon named "laptop".

laptop_chromebook → const IconData

 — material icon named "laptop chromebook".

laptop_chromebook_outlined → const IconData

 — material icon named "laptop chromebook" (outlined).

laptop_chromebook_rounded → const IconData

 — material icon named "laptop chromebook" (round).

laptop_chromebook_sharp → const IconData

 — material icon named "laptop chromebook" (sharp).

laptop_mac → const IconData

 — material icon named "laptop mac".

laptop_mac_outlined → const IconData

 — material icon named "laptop mac" (outlined).

laptop_mac_rounded → const IconData

 — material icon named "laptop mac" (round).

laptop_mac_sharp → const IconData

 — material icon named "laptop mac" (sharp).

laptop_outlined → const IconData

 — material icon named "laptop" (outlined).

laptop_rounded → const IconData

 — material icon named "laptop" (round).

laptop_sharp → const IconData

 — material icon named "laptop" (sharp).

laptop_windows → const IconData

 — material icon named "laptop windows".

laptop_windows_outlined → const IconData

 — material icon named "laptop windows" (outlined).

laptop_windows_rounded → const IconData

 — material icon named "laptop windows" (round).

laptop_windows_sharp → const IconData

 — material icon named "laptop windows" (sharp).

last_page → const IconData

 — material icon named "last page".

last_page_outlined → const IconData

 — material icon named "last page" (outlined).

last_page_rounded → const IconData

 — material icon named "last page" (round).

last_page_sharp → const IconData

 — material icon named "last page" (sharp).

launch → const IconData



— material icon named "launch".

launch_outlined → const IconData



— material icon named "launch" (outlined).

launch_rounded → const IconData



— material icon named "launch" (round).

launch_sharp → const IconData



— material icon named "launch" (sharp).

layers → const IconData



— material icon named "layers".

layers_clear → const IconData



— material icon named "layers clear".

layers_clear_outlined → const IconData



— material icon named "layers clear" (outlined).

layers_clear_rounded → const IconData



— material icon named "layers clear" (round).

layers_clear_sharp → const IconData



— material icon named "layers clear" (sharp).

layers_outlined → const IconData



— material icon named "layers" (outlined).

layers_rounded → const IconData

 — material icon named "layers" (round).

layers_sharp → const [IconData](#)

 — material icon named "layers" (sharp).

leaderboard → const [IconData](#)

 — material icon named "leaderboard".

leaderboard_outlined → const [IconData](#)

 — material icon named "leaderboard" (outlined).

leaderboard_rounded → const [IconData](#)

 — material icon named "leaderboard" (round).

leaderboard_sharp → const [IconData](#)

 — material icon named "leaderboard" (sharp).

leak_add → const [IconData](#)

 — material icon named "leak add".

leak_add_outlined → const [IconData](#)

 — material icon named "leak add" (outlined).

leak_add_rounded → const [IconData](#)

 — material icon named "leak add" (round).

leak_add_sharp → const [IconData](#)

 — material icon named "leak add" (sharp).

leak_remove → const [IconData](#)

 — material icon named "leak remove".

[leak_remove_outlined](#) → const IconData

 — material icon named "leak remove" (outlined).

[leak_remove_rounded](#) → const IconData

 — material icon named "leak remove" (round).

[leak_remove_sharp](#) → const IconData

 — material icon named "leak remove" (sharp).

[leave_bags_at_home](#) → const IconData

 — material icon named "leave bags at home".

[leave_bags_at_home_outlined](#) → const IconData

 — material icon named "leave bags at home" (outlined).

[leave_bags_at_home_rounded](#) → const IconData

 — material icon named "leave bags at home" (round).

[leave_bags_at_home_sharp](#) → const IconData

 — material icon named "leave bags at home" (sharp).

[legend_toggle](#) → const IconData

 — material icon named "legend toggle".

[legend_toggle_outlined](#) → const IconData

 — material icon named "legend toggle" (outlined).

[legend_toggle_rounded](#) → const IconData



— material icon named "legend toggle" (round).

legend_toggle_sharp → const IconData



— material icon named "legend toggle" (sharp).

lens → const IconData



— material icon named "lens".

lens_blur → const IconData



— material icon named "lens blur".

lens_blur_outlined → const IconData



— material icon named "lens blur" (outlined).

lens_blur_rounded → const IconData



— material icon named "lens blur" (round).

lens_blur_sharp → const IconData



— material icon named "lens blur" (sharp).

lens_outlined → const IconData



— material icon named "lens" (outlined).

lens_rounded → const IconData



— material icon named "lens" (round).

lens_sharp → const IconData



— material icon named "lens" (sharp).

library_add → const IconData

 — material icon named "library add".

library_add_check → const IconData

 — material icon named "library add check".

library_add_check_outlined → const IconData

 — material icon named "library add check" (outlined).

library_add_check_rounded → const IconData

 — material icon named "library add check" (round).

library_add_check_sharp → const IconData

 — material icon named "library add check" (sharp).

library_add_outlined → const IconData

 — material icon named "library add" (outlined).

library_add_rounded → const IconData

 — material icon named "library add" (round).

library_add_sharp → const IconData

 — material icon named "library add" (sharp).

library_books → const IconData

 — material icon named "library books".

library_books_outlined → const IconData

 — material icon named "library books" (outlined).

library_books_rounded → const IconData



— material icon named "library books" (round).

library_books_sharp → const IconData



— material icon named "library books" (sharp).

library_music → const IconData



— material icon named "library music".

library_music_outlined → const IconData



— material icon named "library music" (outlined).

library_music_rounded → const IconData



— material icon named "library music" (round).

library_music_sharp → const IconData



— material icon named "library music" (sharp).

light → const IconData



— material icon named "light".

light_mode → const IconData



— material icon named "light mode".

light_mode_outlined → const IconData



— material icon named "light mode" (outlined).

light_mode_rounded → const IconData



— material icon named "light mode" (round).

light_mode_sharp → const IconData

 — material icon named "light mode" (sharp).

light_outlined → const IconData

 — material icon named "light" (outlined).

light_rounded → const IconData

 — material icon named "light" (round).

light_sharp → const IconData

 — material icon named "light" (sharp).

lightbulb → const IconData

 — material icon named "lightbulb".

lightbulb_circle → const IconData

 — material icon named "lightbulb circle".

lightbulb_circle_outlined → const IconData

 — material icon named "lightbulb circle" (outlined).

lightbulb_circle_rounded → const IconData

 — material icon named "lightbulb circle" (round).

lightbulb_circle_sharp → const IconData

 — material icon named "lightbulb circle" (sharp).

lightbulb_outline → const IconData

 — material icon named "lightbulb outline".

lightbulb_outline_rounded → const IconData



— material icon named "lightbulb outline" (round).

lightbulb_outline_sharp → const IconData



— material icon named "lightbulb outline" (sharp).

lightbulb_outlined → const IconData



— material icon named "lightbulb" (outlined).

lightbulb_rounded → const IconData



— material icon named "lightbulb" (round).

lightbulb_sharp → const IconData



— material icon named "lightbulb" (sharp).

line_axis → const IconData



— material icon named "line axis".

line_axis_outlined → const IconData



— material icon named "line axis" (outlined).

line_axis_rounded → const IconData



— material icon named "line axis" (round).

line_axis_sharp → const IconData



— material icon named "line axis" (sharp).

line_style → const IconData



— material icon named "line style".

line_style_outlined → const IconData



— material icon named "line style" (outlined).

line_style_rounded → const IconData



— material icon named "line style" (round).

line_style_sharp → const IconData



— material icon named "line style" (sharp).

line_weight → const IconData



— material icon named "line weight".

line_weight_outlined → const IconData



— material icon named "line weight" (outlined).

line_weight_rounded → const IconData



— material icon named "line weight" (round).

line_weight_sharp → const IconData



— material icon named "line weight" (sharp).

linear_scale → const IconData



— material icon named "linear scale".

linear_scale_outlined → const IconData



— material icon named "linear scale" (outlined).

linear_scale_rounded → const IconData



— material icon named "linear scale" (round).

linear_scale_sharp → const IconData

 — material icon named "linear scale" (sharp).

[link](#) → const IconData

 — material icon named "link".

[link_off](#) → const IconData

 — material icon named "link off".

[link_off_outlined](#) → const IconData

 — material icon named "link off" (outlined).

[link_off_rounded](#) → const IconData

 — material icon named "link off" (round).

[link_off_sharp](#) → const IconData

 — material icon named "link off" (sharp).

[link_outlined](#) → const IconData

 — material icon named "link" (outlined).

[link_rounded](#) → const IconData

 — material icon named "link" (round).

[link_sharp](#) → const IconData

 — material icon named "link" (sharp).

[linked_camera](#) → const IconData

 — material icon named "linked camera".

[linked_camera_outlined](#) → const IconData



— material icon named "linked camera" (outlined).

linked_camera_rounded → const IconData



— material icon named "linked camera" (round).

linked_camera_sharp → const IconData



— material icon named "linked camera" (sharp).

liquor → const IconData



— material icon named "liquor".

liquor_outlined → const IconData



— material icon named "liquor" (outlined).

liquor_rounded → const IconData



— material icon named "liquor" (round).

liquor_sharp → const IconData



— material icon named "liquor" (sharp).

list → const IconData



— material icon named "list".

list_alt → const IconData



— material icon named "list alt".

list_alt_outlined → const IconData



— material icon named "list alt" (outlined).

list_alt_rounded → const IconData



— material icon named "list alt" (round).

[list_alt_sharp](#) → const [IconData](#)



— material icon named "list alt" (sharp).

[list_outlined](#) → const [IconData](#)



— material icon named "list" (outlined).

[list_rounded](#) → const [IconData](#)



— material icon named "list" (round).

[list_sharp](#) → const [IconData](#)



— material icon named "list" (sharp).

[live_help](#) → const [IconData](#)



— material icon named "live help".

[live_help_outlined](#) → const [IconData](#)



— material icon named "live help" (outlined).

[live_help_rounded](#) → const [IconData](#)



— material icon named "live help" (round).

[live_help_sharp](#) → const [IconData](#)



— material icon named "live help" (sharp).

[live_tv](#) → const [IconData](#)



— material icon named "live tv".

[live_tv_outlined](#) → const [IconData](#)



— material icon named "live tv" (outlined).

[live_tv_rounded](#) → const [IconData](#)



— material icon named "live tv" (round).

[live_tv_sharp](#) → const [IconData](#)



— material icon named "live tv" (sharp).

[living](#) → const [IconData](#)



— material icon named "living".

[living_outlined](#) → const [IconData](#)



— material icon named "living" (outlined).

[living_rounded](#) → const [IconData](#)



— material icon named "living" (round).

[living_sharp](#) → const [IconData](#)



— material icon named "living" (sharp).

[local_activity](#) → const [IconData](#)



— material icon named "local activity".

[local_activity_outlined](#) → const [IconData](#)



— material icon named "local activity" (outlined).

[local_activity_rounded](#) → const [IconData](#)



— material icon named "local activity" (round).

[local_activity_sharp](#) → const [IconData](#)



— material icon named "local activity" (sharp).

local_airport → const IconData



— material icon named "local airport".

local_airport_outlined → const IconData



— material icon named "local airport" (outlined).

local_airport_rounded → const IconData



— material icon named "local airport" (round).

local_airport_sharp → const IconData



— material icon named "local airport" (sharp).

local_atm → const IconData



— material icon named "local atm".

local_atm_outlined → const IconData



— material icon named "local atm" (outlined).

local_atm_rounded → const IconData



— material icon named "local atm" (round).

local_atm_sharp → const IconData



— material icon named "local atm" (sharp).

local_attraction → const IconData



— material icon named "local attraction".

local_attraction_outlined → const IconData



— material icon named "local attraction" (outlined).

local_attraction_rounded → const IconData



— material icon named "local attraction" (round).

local_attraction_sharp → const IconData



— material icon named "local attraction" (sharp).

local_bar → const IconData



— material icon named "local bar".

local_bar_outlined → const IconData



— material icon named "local bar" (outlined).

local_bar_rounded → const IconData



— material icon named "local bar" (round).

local_bar_sharp → const IconData



— material icon named "local bar" (sharp).

local_cafe → const IconData



— material icon named "local cafe".

local_cafe_outlined → const IconData



— material icon named "local cafe" (outlined).

local_cafe_rounded → const IconData



— material icon named "local cafe" (round).

local_cafe_sharp → const IconData



— material icon named "local cafe" (sharp).

local_car_wash → const IconData



— material icon named "local car wash".

local_car_wash_outlined → const IconData



— material icon named "local car wash" (outlined).

local_car_wash_rounded → const IconData



— material icon named "local car wash" (round).

local_car_wash_sharp → const IconData



— material icon named "local car wash" (sharp).

local_convenience_store → const IconData



— material icon named "local convenience store".

local_convenience_store_outlined → const IconData



— material icon named "local convenience store" (outlined).

local_convenience_store_rounded → const IconData



— material icon named "local convenience store" (round).

local_convenience_store_sharp → const IconData



— material icon named "local convenience store" (sharp).

local_dining → const IconData



— material icon named "local dining".

local_dining_outlined → const IconData



— material icon named "local dining" (outlined).

local_dining_rounded → const IconData



— material icon named "local dining" (round).

local_dining_sharp → const IconData



— material icon named "local dining" (sharp).

local_drink → const IconData



— material icon named "local drink".

local_drink_outlined → const IconData



— material icon named "local drink" (outlined).

local_drink_rounded → const IconData



— material icon named "local drink" (round).

local_drink_sharp → const IconData



— material icon named "local drink" (sharp).

local_fire_department → const IconData



— material icon named "local fire department".

local_fire_department_outlined → const IconData



— material icon named "local fire department" (outlined).

local_fire_department_rounded → const IconData



— material icon named "local fire department" (round).

local_fire_department_sharp → const IconData



— material icon named "local fire department" (sharp).

local_florist → const IconData



— material icon named "local florist".

local_florist_outlined → const IconData



— material icon named "local florist" (outlined).

local_florist_rounded → const IconData



— material icon named "local florist" (round).

local_florist_sharp → const IconData



— material icon named "local florist" (sharp).

local_gas_station → const IconData



— material icon named "local gas station".

local_gas_station_outlined → const IconData



— material icon named "local gas station" (outlined).

local_gas_station_rounded → const IconData



— material icon named "local gas station" (round).

local_gas_station_sharp → const IconData



— material icon named "local gas station" (sharp).

local_grocery_store → const IconData



— material icon named "local grocery store".

local_grocery_store_outlined → const IconData



— material icon named "local grocery store" (outlined).

local_grocery_store_rounded → const IconData



— material icon named "local grocery store" (round).

local_grocery_store_sharp → const IconData



— material icon named "local grocery store" (sharp).

local_hospital → const IconData



— material icon named "local hospital".

local_hospital_outlined → const IconData



— material icon named "local hospital" (outlined).

local_hospital_rounded → const IconData



— material icon named "local hospital" (round).

local_hospital_sharp → const IconData



— material icon named "local hospital" (sharp).

local_hotel → const IconData



— material icon named "local hotel".

local_hotel_outlined → const IconData



— material icon named "local hotel" (outlined).

local_hotel_rounded → const IconData



— material icon named "local hotel" (round).

local_hotel_sharp → const IconData

 — material icon named "local hotel" (sharp).

[local_laundry_service](#) → const IconData

 — material icon named "local laundry service".

[local_laundry_service_outlined](#) → const IconData

 — material icon named "local laundry service" (outlined).

[local_laundry_service_rounded](#) → const IconData

 — material icon named "local laundry service" (round).

[local_laundry_service_sharp](#) → const IconData

 — material icon named "local laundry service" (sharp).

[local_library](#) → const IconData

 — material icon named "local library".

[local_library_outlined](#) → const IconData

 — material icon named "local library" (outlined).

[local_library_rounded](#) → const IconData

 — material icon named "local library" (round).

[local_library_sharp](#) → const IconData

 — material icon named "local library" (sharp).

[local_mall](#) → const IconData

 — material icon named "local mall".

[local_mall_outlined](#) → const IconData



— material icon named "local mall" (outlined).

local_mall_rounded → const [IconData](#)



— material icon named "local mall" (round).

local_mall_sharp → const [IconData](#)



— material icon named "local mall" (sharp).

local_movies → const [IconData](#)



— material icon named "local movies".

local_movies_outlined → const [IconData](#)



— material icon named "local movies" (outlined).

local_movies_rounded → const [IconData](#)



— material icon named "local movies" (round).

local_movies_sharp → const [IconData](#)



— material icon named "local movies" (sharp).

local_offer → const [IconData](#)



— material icon named "local offer".

local_offer_outlined → const [IconData](#)



— material icon named "local offer" (outlined).

local_offer_rounded → const [IconData](#)



— material icon named "local offer" (round).

local_offer_sharp → const [IconData](#)



— material icon named "local offer" (sharp).

local_parking → const [IconData](#)



— material icon named "local parking".

local_parking_outlined → const [IconData](#)



— material icon named "local parking" (outlined).

local_parking_rounded → const [IconData](#)



— material icon named "local parking" (round).

local_parking_sharp → const [IconData](#)



— material icon named "local parking" (sharp).

local_pharmacy → const [IconData](#)



— material icon named "local pharmacy".

local_pharmacy_outlined → const [IconData](#)



— material icon named "local pharmacy" (outlined).

local_pharmacy_rounded → const [IconData](#)



— material icon named "local pharmacy" (round).

local_pharmacy_sharp → const [IconData](#)



— material icon named "local pharmacy" (sharp).

local_phone → const [IconData](#)



— material icon named "local phone".

local_phone_outlined → const [IconData](#)



— material icon named "local phone" (outlined).

local_phone_rounded → const IconData



— material icon named "local phone" (round).

local_phone_sharp → const IconData



— material icon named "local phone" (sharp).

local_pizza → const IconData



— material icon named "local pizza".

local_pizza_outlined → const IconData



— material icon named "local pizza" (outlined).

local_pizza_rounded → const IconData



— material icon named "local pizza" (round).

local_pizza_sharp → const IconData



— material icon named "local pizza" (sharp).

local_play → const IconData



— material icon named "local play".

local_play_outlined → const IconData



— material icon named "local play" (outlined).

local_play_rounded → const IconData



— material icon named "local play" (round).

local_play_sharp → const IconData

 — material icon named "local play" (sharp).

[local_police](#) → const [IconData](#)

 — material icon named "local police".

[local_police_outlined](#) → const [IconData](#)

 — material icon named "local police" (outlined).

[local_police_rounded](#) → const [IconData](#)

 — material icon named "local police" (round).

[local_police_sharp](#) → const [IconData](#)

 — material icon named "local police" (sharp).

[local_post_office](#) → const [IconData](#)

 — material icon named "local post office".

[local_post_office_outlined](#) → const [IconData](#)

 — material icon named "local post office" (outlined).

[local_post_office_rounded](#) → const [IconData](#)

 — material icon named "local post office" (round).

[local_post_office_sharp](#) → const [IconData](#)

 — material icon named "local post office" (sharp).

[local_print_shop](#) → const [IconData](#)

 — material icon named "local print shop".

[local_print_shop_outlined](#) → const [IconData](#)



— material icon named "local print shop" (outlined).

[local_print_shop_rounded](#) → const [IconData](#)



— material icon named "local print shop" (round).

[local_print_shop_sharp](#) → const [IconData](#)



— material icon named "local print shop" (sharp).

[local_printshop](#) → const [IconData](#)



— material icon named "local printshop".

[local_printshop_outlined](#) → const [IconData](#)



— material icon named "local printshop" (outlined).

[local_printshop_rounded](#) → const [IconData](#)



— material icon named "local printshop" (round).

[local_printshop_sharp](#) → const [IconData](#)



— material icon named "local printshop" (sharp).

[local_restaurant](#) → const [IconData](#)



— material icon named "local restaurant".

[local_restaurant_outlined](#) → const [IconData](#)



— material icon named "local restaurant" (outlined).

[local_restaurant_rounded](#) → const [IconData](#)



— material icon named "local restaurant" (round).

[local_restaurant_sharp](#) → const [IconData](#)

 — material icon named "local restaurant" (sharp).

local_see → const [IconData](#)

 — material icon named "local see".

local_see_outlined → const [IconData](#)

 — material icon named "local see" (outlined).

local_see_rounded → const [IconData](#)

 — material icon named "local see" (round).

local_see_sharp → const [IconData](#)

 — material icon named "local see" (sharp).

local_shipping → const [IconData](#)

 — material icon named "local shipping".

local_shipping_outlined → const [IconData](#)

 — material icon named "local shipping" (outlined).

local_shipping_rounded → const [IconData](#)

 — material icon named "local shipping" (round).

local_shipping_sharp → const [IconData](#)

 — material icon named "local shipping" (sharp).

local_taxi → const [IconData](#)

 — material icon named "local taxi".

local_taxi_outlined → const [IconData](#)



— material icon named "local taxi" (outlined).

local_taxi_rounded → const IconData



— material icon named "local taxi" (round).

local_taxi_sharp → const IconData



— material icon named "local taxi" (sharp).

location_city → const IconData



— material icon named "location city".

location_city_outlined → const IconData



— material icon named "location city" (outlined).

location_city_rounded → const IconData



— material icon named "location city" (round).

location_city_sharp → const IconData



— material icon named "location city" (sharp).

location_disabled → const IconData



— material icon named "location disabled".

location_disabled_outlined → const IconData



— material icon named "location disabled" (outlined).

location_disabled_rounded → const IconData



— material icon named "location disabled" (round).

location_disabled_sharp → const IconData

 — material icon named "location disabled" (sharp).

location_history → const IconData

 — material icon named "location history".

location_history_outlined → const IconData

 — material icon named "location history" (outlined).

location_history_rounded → const IconData

 — material icon named "location history" (round).

location_history_sharp → const IconData

 — material icon named "location history" (sharp).

location_off → const IconData

 — material icon named "location off".

location_off_outlined → const IconData

 — material icon named "location off" (outlined).

location_off_rounded → const IconData

 — material icon named "location off" (round).

location_off_sharp → const IconData

 — material icon named "location off" (sharp).

location_on → const IconData

 — material icon named "location on".

location_on_outlined → const IconData



— material icon named "location on" (outlined).

location_on_rounded → const IconData



— material icon named "location on" (round).

location_on_sharp → const IconData



— material icon named "location on" (sharp).

location_pin → const IconData



— material icon named "location pin".

location_searching → const IconData



— material icon named "location searching".

location_searching_outlined → const IconData



— material icon named "location searching" (outlined).

location_searching_rounded → const IconData



— material icon named "location searching" (round).

location_searching_sharp → const IconData



— material icon named "location searching" (sharp).

lock → const IconData



— material icon named "lock".

lock_clock → const IconData



— material icon named "lock clock".

lock_clock_outlined → const IconData



— material icon named "lock clock" (outlined).

[lock_clock_rounded](#) → const [IconData](#)



— material icon named "lock clock" (round).

[lock_clock_sharp](#) → const [IconData](#)



— material icon named "lock clock" (sharp).

[lock_open](#) → const [IconData](#)



— material icon named "lock open".

[lock_open_outlined](#) → const [IconData](#)



— material icon named "lock open" (outlined).

[lock_open_rounded](#) → const [IconData](#)



— material icon named "lock open" (round).

[lock_open_sharp](#) → const [IconData](#)



— material icon named "lock open" (sharp).

[lock_outline](#) → const [IconData](#)



— material icon named "lock outline".

[lock_outline_rounded](#) → const [IconData](#)



— material icon named "lock outline" (round).

[lock_outline_sharp](#) → const [IconData](#)



— material icon named "lock outline" (sharp).

[lock_outlined](#) → const [IconData](#)



— material icon named "lock" (outlined).

lock_person → const IconData



— material icon named "lock person".

lock_person_outlined → const IconData



— material icon named "lock person" (outlined).

lock_person_rounded → const IconData



— material icon named "lock person" (round).

lock_person_sharp → const IconData



— material icon named "lock person" (sharp).

lock_reset → const IconData



— material icon named "lock reset".

lock_reset_outlined → const IconData



— material icon named "lock reset" (outlined).

lock_reset_rounded → const IconData



— material icon named "lock reset" (round).

lock_reset_sharp → const IconData



— material icon named "lock reset" (sharp).

lock_rounded → const IconData



— material icon named "lock" (round).

lock_sharp → const IconData



— material icon named "lock" (sharp).

login → const [IconData](#)



— material icon named "login".

login_outlined → const [IconData](#)



— material icon named "login" (outlined).

login_rounded → const [IconData](#)



— material icon named "login" (round).

login_sharp → const [IconData](#)



— material icon named "login" (sharp).

logo_dev → const [IconData](#)



— material icon named "logo dev".

logo_dev_outlined → const [IconData](#)



— material icon named "logo dev" (outlined).

logo_dev_rounded → const [IconData](#)



— material icon named "logo dev" (round).

logo_dev_sharp → const [IconData](#)



— material icon named "logo dev" (sharp).

logout → const [IconData](#)



— material icon named "logout".

logout_outlined → const [IconData](#)

 — material icon named "logout" (outlined).

logout_rounded → const IconData

 — material icon named "logout" (round).

logout_sharp → const IconData

 — material icon named "logout" (sharp).

looks → const IconData

 — material icon named "looks".

looks_3 → const IconData

 — material icon named "looks 3".

looks_3_outlined → const IconData

 — material icon named "looks 3" (outlined).

looks_3_rounded → const IconData

 — material icon named "looks 3" (round).

looks_3_sharp → const IconData

 — material icon named "looks 3" (sharp).

looks_4 → const IconData

 — material icon named "looks 4".

looks_4_outlined → const IconData

 — material icon named "looks 4" (outlined).

looks_4_rounded → const IconData

4 — material icon named "looks 4" (round).

looks_4_sharp → const IconData

4 — material icon named "looks 4" (sharp).

looks_5 → const IconData

5 — material icon named "looks 5".

looks_5_outlined → const IconData

5 — material icon named "looks 5" (outlined).

looks_5_rounded → const IconData

5 — material icon named "looks 5" (round).

looks_5_sharp → const IconData

5 — material icon named "looks 5" (sharp).

looks_6 → const IconData

6 — material icon named "looks 6".

looks_6_outlined → const IconData

6 — material icon named "looks 6" (outlined).

looks_6_rounded → const IconData

6 — material icon named "looks 6" (round).

looks_6_sharp → const IconData

6 — material icon named "looks 6" (sharp).

looks_one → const IconData

1 — material icon named "looks one".

looks_one_outlined → const IconData

1 — material icon named "looks one" (outlined).

looks_one_rounded → const IconData

1 — material icon named "looks one" (round).

looks_one_sharp → const IconData

1 — material icon named "looks one" (sharp).

looks_outlined → const IconData



— material icon named "looks" (outlined).

looks_rounded → const IconData



— material icon named "looks" (round).

looks_sharp → const IconData



— material icon named "looks" (sharp).

looks_two → const IconData

2 — material icon named "looks two".

looks_two_outlined → const IconData

2 — material icon named "looks two" (outlined).

looks_two_rounded → const IconData

2 — material icon named "looks two" (round).

looks_two_sharp → const IconData

 — material icon named "looks two" (sharp).

loop → const IconData

 — material icon named "loop".

loop_outlined → const IconData

 — material icon named "loop" (outlined).

loop_rounded → const IconData

 — material icon named "loop" (round).

loop_sharp → const IconData

 — material icon named "loop" (sharp).

loupe → const IconData

 — material icon named "loupe".

loupe_outlined → const IconData

 — material icon named "loupe" (outlined).

loupe_rounded → const IconData

 — material icon named "loupe" (round).

loupe_sharp → const IconData

 — material icon named "loupe" (sharp).

low_priority → const IconData

 — material icon named "low priority".

low_priority_outlined → const IconData

 — material icon named "low priority" (outlined).

low_priority_rounded → const [IconData](#)

 — material icon named "low priority" (round).

low_priority_sharp → const [IconData](#)

 — material icon named "low priority" (sharp).

loyalty → const [IconData](#)



— material icon named "loyalty".

loyalty_outlined → const [IconData](#)



— material icon named "loyalty" (outlined).

loyalty_rounded → const [IconData](#)



— material icon named "loyalty" (round).

loyalty_sharp → const [IconData](#)



— material icon named "loyalty" (sharp).

lte_mobiledata → const [IconData](#)

LTE — material icon named "lte mobiledata".

lte_mobiledata_outlined → const [IconData](#)

LTE — material icon named "lte mobiledata" (outlined).

lte_mobiledata_rounded → const [IconData](#)

LTE — material icon named "lte mobiledata" (round).

lte_mobiledata_sharp → const [IconData](#)

LTE — material icon named "lte mobiledata" (sharp).

lte_plus_mobiledata → const IconData

LTE+ — material icon named "lte plus mobiledata".

lte_plus_mobiledata_outlined → const IconData

LTE+ — material icon named "lte plus mobiledata" (outlined).

lte_plus_mobiledata_rounded → const IconData

LTE+ — material icon named "lte plus mobiledata" (round).

lte_plus_mobiledata_sharp → const IconData

LTE+ — material icon named "lte plus mobiledata" (sharp).

luggage → const IconData



— material icon named "luggage".

luggage_outlined → const IconData



— material icon named "luggage" (outlined).

luggage_rounded → const IconData



— material icon named "luggage" (round).

luggage_sharp → const IconData



— material icon named "luggage" (sharp).

lunch_dining → const IconData



— material icon named "lunch dining".

lunch_dining_outlined → const IconData



— material icon named "lunch dining" (outlined).

lunch_dining_rounded → const IconData



— material icon named "lunch dining" (round).

lunch_dining_sharp → const IconData



— material icon named "lunch dining" (sharp).

lyrics → const IconData



— material icon named "lyrics".

lyrics_outlined → const IconData



— material icon named "lyrics" (outlined).

lyrics_rounded → const IconData



— material icon named "lyrics" (round).

lyrics_sharp → const IconData



— material icon named "lyrics" (sharp).

macro_off → const IconData



— material icon named "macro off".

macro_off_outlined → const IconData



— material icon named "macro off" (outlined).

macro_off_rounded → const IconData



— material icon named "macro off" (round).

macro_off_sharp → const IconData



— material icon named "macro off" (sharp).

mail → const [IconData](#)



— material icon named "mail".

mail_lock → const [IconData](#)



— material icon named "mail lock".

mail_lock_outlined → const [IconData](#)



— material icon named "mail lock" (outlined).

mail_lock_rounded → const [IconData](#)



— material icon named "mail lock" (round).

mail_lock_sharp → const [IconData](#)



— material icon named "mail lock" (sharp).

mail_outline → const [IconData](#)



— material icon named "mail outline".

mail_outline_outlined → const [IconData](#)



— material icon named "mail outline" (outlined).

mail_outline_rounded → const [IconData](#)



— material icon named "mail outline" (round).

mail_outline_sharp → const [IconData](#)



— material icon named "mail outline" (sharp).

mail_outlined → const [IconData](#)

 — material icon named "mail" (outlined).

mail_rounded → const IconData

 — material icon named "mail" (round).

mail_sharp → const IconData

 — material icon named "mail" (sharp).

male → const IconData

 — material icon named "male".

male_outlined → const IconData

 — material icon named "male" (outlined).

male_rounded → const IconData

 — material icon named "male" (round).

male_sharp → const IconData

 — material icon named "male" (sharp).

man → const IconData

 — material icon named "man".

man_2 → const IconData

 — material icon named "man 2".

man_2_outlined → const IconData

 — material icon named "man 2" (outlined).

man_2_rounded → const IconData

 — material icon named "man 2" (round).

man_2_sharp → const IconData

 — material icon named "man 2" (sharp).

man_3 → const IconData

 — material icon named "man 3".

man_3_outlined → const IconData

 — material icon named "man 3" (outlined).

man_3_rounded → const IconData

 — material icon named "man 3" (round).

man_3_sharp → const IconData

 — material icon named "man 3" (sharp).

man_4 → const IconData

 — material icon named "man 4".

man_4_outlined → const IconData

 — material icon named "man 4" (outlined).

man_4_rounded → const IconData

 — material icon named "man 4" (round).

man_4_sharp → const IconData

 — material icon named "man 4" (sharp).

man_outlined → const IconData



— material icon named "man" (outlined).

man_rounded → const IconData



— material icon named "man" (round).

man_sharp → const IconData



— material icon named "man" (sharp).

manage_accounts → const IconData



— material icon named "manage accounts".

manage_accounts_outlined → const IconData



— material icon named "manage accounts" (outlined).

manage_accounts_rounded → const IconData



— material icon named "manage accounts" (round).

manage_accounts_sharp → const IconData



— material icon named "manage accounts" (sharp).

manage_history → const IconData



— material icon named "manage history".

manage_history_outlined → const IconData



— material icon named "manage history" (outlined).

manage_history_rounded → const IconData



— material icon named "manage history" (round).

manage_history_sharp → const IconData



— material icon named "manage history" (sharp).

manage_search → const IconData



— material icon named "manage search".

manage_search_outlined → const IconData



— material icon named "manage search" (outlined).

manage_search_rounded → const IconData



— material icon named "manage search" (round).

manage_search_sharp → const IconData



— material icon named "manage search" (sharp).

map → const IconData



— material icon named "map".

map_outlined → const IconData



— material icon named "map" (outlined).

map_rounded → const IconData



— material icon named "map" (round).

map_sharp → const IconData



— material icon named "map" (sharp).

maps_home_work → const IconData



— material icon named "maps home work".

maps_home_work_outlined → const IconData



— material icon named "maps home work" (outlined).

[maps_home_work_rounded](#) → const IconData



— material icon named "maps home work" (round).

[maps_home_work_sharp](#) → const IconData



— material icon named "maps home work" (sharp).

[maps_ugc](#) → const IconData



— material icon named "maps ugc".

[maps_ugc_outlined](#) → const IconData



— material icon named "maps ugc" (outlined).

[maps_ugc_rounded](#) → const IconData



— material icon named "maps ugc" (round).

[maps_ugc_sharp](#) → const IconData



— material icon named "maps ugc" (sharp).

[margin](#) → const IconData



— material icon named "margin".

[margin_outlined](#) → const IconData



— material icon named "margin" (outlined).

[margin_rounded](#) → const IconData



— material icon named "margin" (round).

[margin_sharp](#) → const IconData



— material icon named "margin" (sharp).

mark_as_unread → const IconData



— material icon named "mark as unread".

mark_as_unread_outlined → const IconData



— material icon named "mark as unread" (outlined).

mark_as_unread_rounded → const IconData



— material icon named "mark as unread" (round).

mark_as_unread_sharp → const IconData



— material icon named "mark as unread" (sharp).

mark_chat_read → const IconData



— material icon named "mark chat read".

mark_chat_read_outlined → const IconData



— material icon named "mark chat read" (outlined).

mark_chat_read_rounded → const IconData



— material icon named "mark chat read" (round).

mark_chat_read_sharp → const IconData



— material icon named "mark chat read" (sharp).

mark_chat_unread → const IconData



— material icon named "mark chat unread".

mark_chat_unread_outlined → const IconData



— material icon named "mark chat unread" (outlined).

[mark_chat_unread_rounded](#) → const IconData



— material icon named "mark chat unread" (round).

[mark_chat_unread_sharp](#) → const IconData



— material icon named "mark chat unread" (sharp).

[mark_email_read](#) → const IconData



— material icon named "mark email read".

[mark_email_read_outlined](#) → const IconData



— material icon named "mark email read" (outlined).

[mark_email_read_rounded](#) → const IconData



— material icon named "mark email read" (round).

[mark_email_read_sharp](#) → const IconData



— material icon named "mark email read" (sharp).

[mark_email_unread](#) → const IconData



— material icon named "mark email unread".

[mark_email_unread_outlined](#) → const IconData



— material icon named "mark email unread" (outlined).

[mark_email_unread_rounded](#) → const IconData



— material icon named "mark email unread" (round).

[mark_email_unread_sharp](#) → const IconData



— material icon named "mark email unread" (sharp).

[mark_unread_chat_alt](#) → const [IconData](#)



— material icon named "mark unread chat alt".

[mark_unread_chat_alt_outlined](#) → const [IconData](#)



— material icon named "mark unread chat alt" (outlined).

[mark_unread_chat_alt_rounded](#) → const [IconData](#)



— material icon named "mark unread chat alt" (round).

[mark_unread_chat_alt_sharp](#) → const [IconData](#)



— material icon named "mark unread chat alt" (sharp).

[markunread](#) → const [IconData](#)



— material icon named "markunread".

[markunread_mailbox](#) → const [IconData](#)



— material icon named "markunread mailbox".

[markunread_mailbox_outlined](#) → const [IconData](#)



— material icon named "markunread mailbox" (outlined).

[markunread_mailbox_rounded](#) → const [IconData](#)



— material icon named "markunread mailbox" (round).

[markunread_mailbox_sharp](#) → const [IconData](#)



— material icon named "markunread mailbox" (sharp).

[markunread_outlined](#) → const [IconData](#)



— material icon named "markunread" (outlined).

markunread_rounded → const IconData



— material icon named "markunread" (round).

markunread_sharp → const IconData



— material icon named "markunread" (sharp).

masks → const IconData



— material icon named "masks".

masks_outlined → const IconData



— material icon named "masks" (outlined).

masks_rounded → const IconData



— material icon named "masks" (round).

masks_sharp → const IconData



— material icon named "masks" (sharp).

maximize → const IconData



— material icon named "maximize".

maximize_outlined → const IconData



— material icon named "maximize" (outlined).

maximize_rounded → const IconData



— material icon named "maximize" (round).

maximize_sharp → const IconData

— material icon named "maximize" (sharp).

[media_bluetooth_off](#) → const IconData

 — material icon named "media bluetooth off".

[media_bluetooth_off_outlined](#) → const IconData

 — material icon named "media bluetooth off" (outlined).

[media_bluetooth_off_rounded](#) → const IconData

 — material icon named "media bluetooth off" (round).

[media_bluetooth_off_sharp](#) → const IconData

 — material icon named "media bluetooth off" (sharp).

[media_bluetooth_on](#) → const IconData

 — material icon named "media bluetooth on".

[media_bluetooth_on_outlined](#) → const IconData

 — material icon named "media bluetooth on" (outlined).

[media_bluetooth_on_rounded](#) → const IconData

 — material icon named "media bluetooth on" (round).

[media_bluetooth_on_sharp](#) → const IconData

 — material icon named "media bluetooth on" (sharp).

[mediation](#) → const IconData

 — material icon named "mediation".

[mediation_outlined](#) → const IconData



— material icon named "mediation" (outlined).

mediation_rounded → const IconData



— material icon named "mediation" (round).

mediation_sharp → const IconData



— material icon named "mediation" (sharp).

medical_information → const IconData



— material icon named "medical information".

medical_information_outlined → const IconData



— material icon named "medical information" (outlined).

medical_information_rounded → const IconData



— material icon named "medical information" (round).

medical_information_sharp → const IconData



— material icon named "medical information" (sharp).

medical_services → const IconData



— material icon named "medical services".

medical_services_outlined → const IconData



— material icon named "medical services" (outlined).

medical_services_rounded → const IconData



— material icon named "medical services" (round).

medical_services_sharp → const IconData



— material icon named "medical services" (sharp).

medication → const [IconData](#)



— material icon named "medication".

medication_liquid → const [IconData](#)



— material icon named "medication liquid".

medication_liquid_outlined → const [IconData](#)



— material icon named "medication liquid" (outlined).

medication_liquid_rounded → const [IconData](#)



— material icon named "medication liquid" (round).

medication_liquid_sharp → const [IconData](#)



— material icon named "medication liquid" (sharp).

medication_outlined → const [IconData](#)



— material icon named "medication" (outlined).

medication_rounded → const [IconData](#)



— material icon named "medication" (round).

medication_sharp → const [IconData](#)



— material icon named "medication" (sharp).

meeting_room → const [IconData](#)



— material icon named "meeting room".

meeting_room_outlined → const [IconData](#)



— material icon named "meeting room" (outlined).

meeting_room_rounded → const IconData



— material icon named "meeting room" (round).

meeting_room_sharp → const IconData



— material icon named "meeting room" (sharp).

memory → const IconData



— material icon named "memory".

memory_outlined → const IconData



— material icon named "memory" (outlined).

memory_rounded → const IconData



— material icon named "memory" (round).

memory_sharp → const IconData



— material icon named "memory" (sharp).

menu → const IconData



— material icon named "menu".

menu_book → const IconData



— material icon named "menu book".

menu_book_outlined → const IconData



— material icon named "menu book" (outlined).

menu_book_rounded → const IconData

 — material icon named "menu book" (round).

[menu_book_sharp](#) → const [IconData](#)

 — material icon named "menu book" (sharp).

[menu_open](#) → const [IconData](#)

 — material icon named "menu open".

[menu_open_outlined](#) → const [IconData](#)

 — material icon named "menu open" (outlined).

[menu_open_rounded](#) → const [IconData](#)

 — material icon named "menu open" (round).

[menu_open_sharp](#) → const [IconData](#)

 — material icon named "menu open" (sharp).

[menu_outlined](#) → const [IconData](#)

 — material icon named "menu" (outlined).

[menu_rounded](#) → const [IconData](#)

 — material icon named "menu" (round).

[menu_sharp](#) → const [IconData](#)

 — material icon named "menu" (sharp).

[merge](#) → const [IconData](#)

 — material icon named "merge".

[merge_outlined](#) → const [IconData](#)



— material icon named "merge" (outlined).

merge_rounded → const IconData



— material icon named "merge" (round).

merge_sharp → const IconData



— material icon named "merge" (sharp).

merge_type → const IconData



— material icon named "merge type".

merge_type_outlined → const IconData



— material icon named "merge type" (outlined).

merge_type_rounded → const IconData



— material icon named "merge type" (round).

merge_type_sharp → const IconData



— material icon named "merge type" (sharp).

message → const IconData



— material icon named "message".

message_outlined → const IconData



— material icon named "message" (outlined).

message_rounded → const IconData



— material icon named "message" (round).

message_sharp → const IconData



— material icon named "message" (sharp).

messenger → const IconData



— material icon named "messenger".

messenger_outline → const IconData



— material icon named "messenger outline".

messenger_outline_outlined → const IconData



— material icon named "messenger outline" (outlined).

messenger_outline_rounded → const IconData



— material icon named "messenger outline" (round).

messenger_outline_sharp → const IconData



— material icon named "messenger outline" (sharp).

messenger_outlined → const IconData



— material icon named "messenger" (outlined).

messenger_rounded → const IconData



— material icon named "messenger" (round).

messenger_sharp → const IconData



— material icon named "messenger" (sharp).

mic → const IconData



— material icon named "mic".

mic_external_off → const IconData



— material icon named "mic external off".

[mic_external_off_outlined](#) → const IconData



— material icon named "mic external off" (outlined).

[mic_external_off_rounded](#) → const IconData



— material icon named "mic external off" (round).

[mic_external_off_sharp](#) → const IconData



— material icon named "mic external off" (sharp).

[mic_external_on](#) → const IconData



— material icon named "mic external on".

[mic_external_on_outlined](#) → const IconData



— material icon named "mic external on" (outlined).

[mic_external_on_rounded](#) → const IconData



— material icon named "mic external on" (round).

[mic_external_on_sharp](#) → const IconData



— material icon named "mic external on" (sharp).

[mic_none](#) → const IconData



— material icon named "mic none".

[mic_none_outlined](#) → const IconData



— material icon named "mic none" (outlined).

[mic_none_rounded](#) → const IconData



— material icon named "mic none" (round).

mic_none_sharp → const [IconData](#)



— material icon named "mic none" (sharp).

mic_off → const [IconData](#)



— material icon named "mic off".

mic_off_outlined → const [IconData](#)



— material icon named "mic off" (outlined).

mic_off_rounded → const [IconData](#)



— material icon named "mic off" (round).

mic_off_sharp → const [IconData](#)



— material icon named "mic off" (sharp).

mic_outlined → const [IconData](#)



— material icon named "mic" (outlined).

mic_rounded → const [IconData](#)



— material icon named "mic" (round).

mic_sharp → const [IconData](#)



— material icon named "mic" (sharp).

microwave → const [IconData](#)



— material icon named "microwave".

microwave_outlined → const [IconData](#)

 — material icon named "microwave" (outlined).

microwave_rounded → const [IconData](#)

 — material icon named "microwave" (round).

microwave_sharp → const [IconData](#)

 — material icon named "microwave" (sharp).

military_tech → const [IconData](#)

 — material icon named "military tech".

military_tech_outlined → const [IconData](#)

 — material icon named "military tech" (outlined).

military_tech_rounded → const [IconData](#)

 — material icon named "military tech" (round).

military_tech_sharp → const [IconData](#)

 — material icon named "military tech" (sharp).

minimize → const [IconData](#)

 — material icon named "minimize".

minimize_outlined → const [IconData](#)

 — material icon named "minimize" (outlined).

minimize_rounded → const [IconData](#)

 — material icon named "minimize" (round).

minimize_sharp → const [IconData](#)

 — material icon named "minimize" (sharp).

minor_crash → const IconData



— material icon named "minor crash".

minor_crash_outlined → const IconData



— material icon named "minor crash" (outlined).

minor_crash_rounded → const IconData



— material icon named "minor crash" (round).

minor_crash_sharp → const IconData



— material icon named "minor crash" (sharp).

miscellaneous_services → const IconData



— material icon named "miscellaneous services".

miscellaneous_services_outlined → const IconData



— material icon named "miscellaneous services" (outlined).

miscellaneous_services_rounded → const IconData



— material icon named "miscellaneous services" (round).

miscellaneous_services_sharp → const IconData



— material icon named "miscellaneous services" (sharp).

missed_video_call → const IconData



— material icon named "missed video call".

missed_video_call_outlined → const IconData

 — material icon named "missed video call" (outlined).

[missed_video_call_rounded](#) → const IconData

 — material icon named "missed video call" (round).

[missed_video_call_sharp](#) → const IconData

 — material icon named "missed video call" (sharp).

[mms](#) → const IconData

 — material icon named "mms".

[mms_outlined](#) → const IconData

 — material icon named "mms" (outlined).

[mms_rounded](#) → const IconData

 — material icon named "mms" (round).

[mms_sharp](#) → const IconData

 — material icon named "mms" (sharp).

[mobile_friendly](#) → const IconData

 — material icon named "mobile friendly".

[mobile_friendly_outlined](#) → const IconData

 — material icon named "mobile friendly" (outlined).

[mobile_friendly_rounded](#) → const IconData

 — material icon named "mobile friendly" (round).

[mobile_friendly_sharp](#) → const IconData



— material icon named "mobile friendly" (sharp).

mobile_off → const IconData



— material icon named "mobile off".

mobile_off_outlined → const IconData



— material icon named "mobile off" (outlined).

mobile_off_rounded → const IconData



— material icon named "mobile off" (round).

mobile_off_sharp → const IconData



— material icon named "mobile off" (sharp).

mobile_screen_share → const IconData



— material icon named "mobile screen share".

mobile_screen_share_outlined → const IconData



— material icon named "mobile screen share" (outlined).

mobile_screen_share_rounded → const IconData



— material icon named "mobile screen share" (round).

mobile_screen_share_sharp → const IconData



— material icon named "mobile screen share" (sharp).

mobiledata_off → const IconData



— material icon named "mobiledata off".

mobiledata_off_outlined → const IconData



— material icon named "mobiledata off" (outlined).

mobiledata_off_rounded → const IconData



— material icon named "mobiledata off" (round).

mobiledata_off_sharp → const IconData



— material icon named "mobiledata off" (sharp).

mode → const IconData



— material icon named "mode".

mode_comment → const IconData



— material icon named "mode comment".

mode_comment_outlined → const IconData



— material icon named "mode comment" (outlined).

mode_comment_rounded → const IconData



— material icon named "mode comment" (round).

mode_comment_sharp → const IconData



— material icon named "mode comment" (sharp).

mode_edit → const IconData



— material icon named "mode edit".

mode_edit_outline → const IconData



— material icon named "mode edit outline".

mode_edit_outline_outlined → const IconData



— material icon named "mode edit outline" (outlined).

mode_edit_outline_rounded → const IconData



— material icon named "mode edit outline" (round).

mode_edit_outline_sharp → const IconData



— material icon named "mode edit outline" (sharp).

mode_edit_outlined → const IconData



— material icon named "mode edit" (outlined).

mode_edit_rounded → const IconData



— material icon named "mode edit" (round).

mode_edit_sharp → const IconData



— material icon named "mode edit" (sharp).

mode_fan_off → const IconData



— material icon named "mode fan off".

mode_fan_off_outlined → const IconData



— material icon named "mode fan off" (outlined).

mode_fan_off_rounded → const IconData



— material icon named "mode fan off" (round).

mode_fan_off_sharp → const IconData



— material icon named "mode fan off" (sharp).

mode_night → const IconData

 — material icon named "mode night".

mode_night_outlined → const IconData

 — material icon named "mode night" (outlined).

mode_night_rounded → const IconData

 — material icon named "mode night" (round).

mode_night_sharp → const IconData

 — material icon named "mode night" (sharp).

mode_of_travel → const IconData

 — material icon named "mode of travel".

mode_of_travel_outlined → const IconData

 — material icon named "mode of travel" (outlined).

mode_of_travel_rounded → const IconData

 — material icon named "mode of travel" (round).

mode_of_travel_sharp → const IconData

 — material icon named "mode of travel" (sharp).

mode_outlined → const IconData

 — material icon named "mode" (outlined).

mode_rounded → const IconData

 — material icon named "mode" (round).

mode_sharp → const IconData



— material icon named "mode" (sharp).

mode_standby → const IconData



— material icon named "mode standby".

mode_standby_outlined → const IconData



— material icon named "mode standby" (outlined).

mode_standby_rounded → const IconData



— material icon named "mode standby" (round).

mode_standby_sharp → const IconData



— material icon named "mode standby" (sharp).

model_training → const IconData



— material icon named "model training".

model_training_outlined → const IconData



— material icon named "model training" (outlined).

model_training_rounded → const IconData



— material icon named "model training" (round).

model_training_sharp → const IconData



— material icon named "model training" (sharp).

monetization_on → const IconData



— material icon named "monetization on".

monetization_on_outlined → const IconData

 — material icon named "monetization on" (outlined).

monetization_on_rounded → const IconData

 — material icon named "monetization on" (round).

monetization_on_sharp → const IconData

 — material icon named "monetization on" (sharp).

money → const IconData

 — material icon named "money".

money_off → const IconData

 — material icon named "money off".

money_off_csred → const IconData

 — material icon named "money off csred".

money_off_csred_outlined → const IconData

 — material icon named "money off csred" (outlined).

money_off_csred_rounded → const IconData

 — material icon named "money off csred" (round).

money_off_csred_sharp → const IconData

 — material icon named "money off csred" (sharp).

money_off_outlined → const IconData

 — material icon named "money off" (outlined).

money_off_rounded → const IconData

 — material icon named "money off" (round).

money_off_sharp → const IconData

 — material icon named "money off" (sharp).

money_outlined → const IconData

 — material icon named "money" (outlined).

money_rounded → const IconData

 — material icon named "money" (round).

money_sharp → const IconData

 — material icon named "money" (sharp).

monitor → const IconData

 — material icon named "monitor".

monitor_heart → const IconData

 — material icon named "monitor heart".

monitor_heart_outlined → const IconData

 — material icon named "monitor heart" (outlined).

monitor_heart_rounded → const IconData

 — material icon named "monitor heart" (round).

monitor_heart_sharp → const IconData

 — material icon named "monitor heart" (sharp).

monitor_outlined → const IconData

 — material icon named "monitor" (outlined).

monitor_rounded → const IconData

 — material icon named "monitor" (round).

monitor_sharp → const IconData

 — material icon named "monitor" (sharp).

monitor_weight → const IconData

 — material icon named "monitor weight".

monitor_weight_outlined → const IconData

 — material icon named "monitor weight" (outlined).

monitor_weight_rounded → const IconData

 — material icon named "monitor weight" (round).

monitor_weight_sharp → const IconData

 — material icon named "monitor weight" (sharp).

monochrome_photos → const IconData

 — material icon named "monochrome photos".

monochrome_photos_outlined → const IconData

 — material icon named "monochrome photos" (outlined).

monochrome_photos_rounded → const IconData

 — material icon named "monochrome photos" (round).

monochrome_photos_sharp → const IconData



— material icon named "monochrome photos" (sharp).

mood → const IconData



— material icon named "mood".

mood_bad → const IconData



— material icon named "mood bad".

mood_bad_outlined → const IconData



— material icon named "mood bad" (outlined).

mood_bad_rounded → const IconData



— material icon named "mood bad" (round).

mood_bad_sharp → const IconData



— material icon named "mood bad" (sharp).

mood_outlined → const IconData



— material icon named "mood" (outlined).

mood_rounded → const IconData



— material icon named "mood" (round).

mood_sharp → const IconData



— material icon named "mood" (sharp).

moped → const IconData



— material icon named "moped".

moped_outlined → const IconData

 — material icon named "moped" (outlined).

moped_rounded → const IconData

 — material icon named "moped" (round).

moped_sharp → const IconData

 — material icon named "moped" (sharp).

more → const IconData

 — material icon named "more".

more_horiz → const IconData

... — material icon named "more horiz".

more_horiz_outlined → const IconData

... — material icon named "more horiz" (outlined).

more_horiz_rounded → const IconData

... — material icon named "more horiz" (round).

more_horiz_sharp → const IconData

... — material icon named "more horiz" (sharp).

more_outlined → const IconData

 — material icon named "more" (outlined).

more_rounded → const IconData

 — material icon named "more" (round).

more_sharp → const IconData



— material icon named "more" (sharp).

more_time → const [IconData](#)



— material icon named "more time".

more_time_outlined → const [IconData](#)



— material icon named "more time" (outlined).

more_time_rounded → const [IconData](#)



— material icon named "more time" (round).

more_time_sharp → const [IconData](#)



— material icon named "more time" (sharp).

more_vert → const [IconData](#)



— material icon named "more vert".

more_vert_outlined → const [IconData](#)



— material icon named "more vert" (outlined).

more_vert_rounded → const [IconData](#)



— material icon named "more vert" (round).

more_vert_sharp → const [IconData](#)



— material icon named "more vert" (sharp).

mosque → const [IconData](#)



— material icon named "mosque".

mosque_outlined → const [IconData](#)



— material icon named "mosque" (outlined).

mosque_rounded → const IconData



— material icon named "mosque" (round).

mosque_sharp → const IconData



— material icon named "mosque" (sharp).

motion_photos_auto → const IconData



— material icon named "motion photos auto".

motion_photos_auto_outlined → const IconData



— material icon named "motion photos auto" (outlined).

motion_photos_auto_rounded → const IconData



— material icon named "motion photos auto" (round).

motion_photos_auto_sharp → const IconData



— material icon named "motion photos auto" (sharp).

motion_photos_off → const IconData



— material icon named "motion photos off".

motion_photos_off_outlined → const IconData



— material icon named "motion photos off" (outlined).

motion_photos_off_rounded → const IconData



— material icon named "motion photos off" (round).

motion_photos_off_sharp → const IconData



— material icon named "motion photos off" (sharp).

motion_photos_on → const IconData



— material icon named "motion photos on".

motion_photos_on_outlined → const IconData



— material icon named "motion photos on" (outlined).

motion_photos_on_rounded → const IconData



— material icon named "motion photos on" (round).

motion_photos_on_sharp → const IconData



— material icon named "motion photos on" (sharp).

motion_photos_pause → const IconData



— material icon named "motion photos pause".

motion_photos_pause_outlined → const IconData



— material icon named "motion photos pause" (outlined).

motion_photos_pause_rounded → const IconData



— material icon named "motion photos pause" (round).

motion_photos_pause_sharp → const IconData



— material icon named "motion photos pause" (sharp).

motion_photos_paused → const IconData



— material icon named "motion photos paused".

motion_photos_paused_outlined → const IconData

 — material icon named "motion photos paused" (outlined).

motion_photos_paused_rounded → const IconData

 — material icon named "motion photos paused" (round).

motion_photos_paused_sharp → const IconData

 — material icon named "motion photos paused" (sharp).

motorcycle → const IconData

 — material icon named "motorcycle".

motorcycle_outlined → const IconData

 — material icon named "motorcycle" (outlined).

motorcycle_rounded → const IconData

 — material icon named "motorcycle" (round).

motorcycle_sharp → const IconData

 — material icon named "motorcycle" (sharp).

mouse → const IconData

 — material icon named "mouse".

mouse_outlined → const IconData

 — material icon named "mouse" (outlined).

mouse_rounded → const IconData

 — material icon named "mouse" (round).

mouse_sharp → const IconData



— material icon named "mouse" (sharp).

move_down → const IconData



— material icon named "move down".

move_down_outlined → const IconData



— material icon named "move down" (outlined).

move_down_rounded → const IconData



— material icon named "move down" (round).

move_down_sharp → const IconData



— material icon named "move down" (sharp).

move_to_inbox → const IconData



— material icon named "move to inbox".

move_to_inbox_outlined → const IconData



— material icon named "move to inbox" (outlined).

move_to_inbox_rounded → const IconData



— material icon named "move to inbox" (round).

move_to_inbox_sharp → const IconData



— material icon named "move to inbox" (sharp).

move_up → const IconData



— material icon named "move up".

move_up_outlined → const IconData

 — material icon named "move up" (outlined).

move_up_rounded → const IconData

 — material icon named "move up" (round).

move_up_sharp → const IconData

 — material icon named "move up" (sharp).

movie → const IconData

 — material icon named "movie".

movie_creation → const IconData

 — material icon named "movie creation".

movie_creation_outlined → const IconData

 — material icon named "movie creation" (outlined).

movie_creation_rounded → const IconData

 — material icon named "movie creation" (round).

movie_creation_sharp → const IconData

 — material icon named "movie creation" (sharp).

movie_edit → const IconData

 — material icon named "movie edit".

movie_filter → const IconData

 — material icon named "movie filter".

movie_filter_outlined → const IconData



— material icon named "movie filter" (outlined).

movie_filter_rounded → const IconData



— material icon named "movie filter" (round).

movie_filter_sharp → const IconData



— material icon named "movie filter" (sharp).

movie_outlined → const IconData



— material icon named "movie" (outlined).

movie_rounded → const IconData



— material icon named "movie" (round).

movie_sharp → const IconData



— material icon named "movie" (sharp).

moving → const IconData



— material icon named "moving".

moving_outlined → const IconData



— material icon named "moving" (outlined).

moving_rounded → const IconData



— material icon named "moving" (round).

moving_sharp → const IconData



— material icon named "moving" (sharp).

mp → const IconData

 — material icon named "mp".

mp_outlined → const [IconData](#)

 — material icon named "mp" (outlined).

mp_rounded → const [IconData](#)

 — material icon named "mp" (round).

mp_sharp → const [IconData](#)

 — material icon named "mp" (sharp).

multiline_chart → const [IconData](#)

 — material icon named "multiline chart".

multiline_chart_outlined → const [IconData](#)

 — material icon named "multiline chart" (outlined).

multiline_chart_rounded → const [IconData](#)

 — material icon named "multiline chart" (round).

multiline_chart_sharp → const [IconData](#)

 — material icon named "multiline chart" (sharp).

multiple_stop → const [IconData](#)

 — material icon named "multiple stop".

multiple_stop_outlined → const [IconData](#)

 — material icon named "multiple stop" (outlined).

multiple_stop_rounded → const [IconData](#)

 — material icon named "multiple stop" (round).

multiple_stop_sharp → const IconData

 — material icon named "multiple stop" (sharp).

multitrack_audio → const IconData

 — material icon named "multitrack audio".

multitrack_audio_outlined → const IconData

 — material icon named "multitrack audio" (outlined).

multitrack_audio_rounded → const IconData

 — material icon named "multitrack audio" (round).

multitrack_audio_sharp → const IconData

 — material icon named "multitrack audio" (sharp).

museum → const IconData

 — material icon named "museum".

museum_outlined → const IconData

 — material icon named "museum" (outlined).

museum_rounded → const IconData

 — material icon named "museum" (round).

museum_sharp → const IconData

 — material icon named "museum" (sharp).

music_note → const IconData

 — material icon named "music note".

music_note_outlined → const IconData

 — material icon named "music note" (outlined).

music_note_rounded → const IconData

 — material icon named "music note" (round).

music_note_sharp → const IconData

 — material icon named "music note" (sharp).

music_off → const IconData

 — material icon named "music off".

music_off_outlined → const IconData

 — material icon named "music off" (outlined).

music_off_rounded → const IconData

 — material icon named "music off" (round).

music_off_sharp → const IconData

 — material icon named "music off" (sharp).

music_video → const IconData

 — material icon named "music video".

music_video_outlined → const IconData

 — material icon named "music video" (outlined).

music_video_rounded → const IconData

 — material icon named "music video" (round).

[music_video_sharp](#) → const IconData

 — material icon named "music video" (sharp).

[my_library_add](#) → const IconData

 — material icon named "my library add".

[my_library_add_outlined](#) → const IconData

 — material icon named "my library add" (outlined).

[my_library_add_rounded](#) → const IconData

 — material icon named "my library add" (round).

[my_library_add_sharp](#) → const IconData

 — material icon named "my library add" (sharp).

[my_library_books](#) → const IconData

 — material icon named "my library books".

[my_library_books_outlined](#) → const IconData

 — material icon named "my library books" (outlined).

[my_library_books_rounded](#) → const IconData

 — material icon named "my library books" (round).

[my_library_books_sharp](#) → const IconData

 — material icon named "my library books" (sharp).

[my_library_music](#) → const IconData



— material icon named "my library music".

[my_library_music_outlined](#) → const IconData



— material icon named "my library music" (outlined).

[my_library_music_rounded](#) → const IconData



— material icon named "my library music" (round).

[my_library_music_sharp](#) → const IconData



— material icon named "my library music" (sharp).

[my_location](#) → const IconData



— material icon named "my location".

[my_location_outlined](#) → const IconData



— material icon named "my location" (outlined).

[my_location_rounded](#) → const IconData



— material icon named "my location" (round).

[my_location_sharp](#) → const IconData



— material icon named "my location" (sharp).

[nat](#) → const IconData



— material icon named "nat".

[nat_outlined](#) → const IconData



— material icon named "nat" (outlined).

[nat_rounded](#) → const IconData

 — material icon named "nat" (round).

nat_sharp → const IconData

 — material icon named "nat" (sharp).

nature → const IconData

 — material icon named "nature".

nature_outlined → const IconData

 — material icon named "nature" (outlined).

nature_people → const IconData

 — material icon named "nature people".

nature_people_outlined → const IconData

 — material icon named "nature people" (outlined).

nature_people_rounded → const IconData

 — material icon named "nature people" (round).

nature_people_sharp → const IconData

 — material icon named "nature people" (sharp).

nature_rounded → const IconData

 — material icon named "nature" (round).

nature_sharp → const IconData

 — material icon named "nature" (sharp).

navigate_before → const IconData

◀ — material icon named "navigate before".

navigate_before_outlined → const IconData

◀ — material icon named "navigate before" (outlined).

navigate_before_rounded → const IconData

◀ — material icon named "navigate before" (round).

navigate_before_sharp → const IconData

◀ — material icon named "navigate before" (sharp).

navigate_next → const IconData

▶ — material icon named "navigate next".

navigate_next_outlined → const IconData

▶ — material icon named "navigate next" (outlined).

navigate_next_rounded → const IconData

▶ — material icon named "navigate next" (round).

navigate_next_sharp → const IconData

▶ — material icon named "navigate next" (sharp).

navigation → const IconData

▲ — material icon named "navigation".

navigation_outlined → const IconData

▲ — material icon named "navigation" (outlined).

navigation_rounded → const IconData

 — material icon named "navigation" (round).

navigation_sharp → const IconData

 — material icon named "navigation" (sharp).

near_me → const IconData

 — material icon named "near me".

near_me_disabled → const IconData

 — material icon named "near me disabled".

near_me_disabled_outlined → const IconData

 — material icon named "near me disabled" (outlined).

near_me_disabled_rounded → const IconData

 — material icon named "near me disabled" (round).

near_me_disabled_sharp → const IconData

 — material icon named "near me disabled" (sharp).

near_me_outlined → const IconData

 — material icon named "near me" (outlined).

near_me_rounded → const IconData

 — material icon named "near me" (round).

near_me_sharp → const IconData

 — material icon named "near me" (sharp).

nearby_error → const IconData

 — material icon named "nearby error".

[nearby_error_outlined](#) → const IconData

 — material icon named "nearby error" (outlined).

[nearby_error_rounded](#) → const IconData

 — material icon named "nearby error" (round).

[nearby_error_sharp](#) → const IconData

 — material icon named "nearby error" (sharp).

[nearby_off](#) → const IconData

 — material icon named "nearby off".

[nearby_off_outlined](#) → const IconData

 — material icon named "nearby off" (outlined).

[nearby_off_rounded](#) → const IconData

 — material icon named "nearby off" (round).

[nearby_off_sharp](#) → const IconData

 — material icon named "nearby off" (sharp).

[nest_cam_wired_stand](#) → const IconData

 — material icon named "nest cam wired stand".

[nest_cam_wired_stand_outlined](#) → const IconData

 — material icon named "nest cam wired stand" (outlined).

[nest_cam_wired_stand_rounded](#) → const IconData



— material icon named "nest cam wired stand" (round).

[nest_cam_wired_stand_sharp](#) → const IconData



— material icon named "nest cam wired stand" (sharp).

[network_cell](#) → const IconData



— material icon named "network cell".

[network_cell_outlined](#) → const IconData



— material icon named "network cell" (outlined).

[network_cell_rounded](#) → const IconData



— material icon named "network cell" (round).

[network_cell_sharp](#) → const IconData



— material icon named "network cell" (sharp).

[network_check](#) → const IconData



— material icon named "network check".

[network_check_outlined](#) → const IconData



— material icon named "network check" (outlined).

[network_check_rounded](#) → const IconData



— material icon named "network check" (round).

[network_check_sharp](#) → const IconData



— material icon named "network check" (sharp).

[network_locked](#) → const IconData



— material icon named "network locked".

[network_locked_outlined](#) → const IconData



— material icon named "network locked" (outlined).

[network_locked_rounded](#) → const IconData



— material icon named "network locked" (round).

[network_locked_sharp](#) → const IconData



— material icon named "network locked" (sharp).

[network_ping](#) → const IconData



— material icon named "network ping".

[network_ping_outlined](#) → const IconData



— material icon named "network ping" (outlined).

[network_ping_rounded](#) → const IconData



— material icon named "network ping" (round).

[network_ping_sharp](#) → const IconData



— material icon named "network ping" (sharp).

[network_wifi](#) → const IconData



— material icon named "network wifi".

[network_wifi_1_bar](#) → const IconData



— material icon named "network wifi 1 bar".

[network_wifi_1_bar_outlined](#) → const IconData



— material icon named "network wifi 1 bar" (outlined).

[network_wifi_1_bar_rounded](#) → const IconData



— material icon named "network wifi 1 bar" (round).

[network_wifi_1_bar_sharp](#) → const IconData



— material icon named "network wifi 1 bar" (sharp).

[network_wifi_2_bar](#) → const IconData



— material icon named "network wifi 2 bar".

[network_wifi_2_bar_outlined](#) → const IconData



— material icon named "network wifi 2 bar" (outlined).

[network_wifi_2_bar_rounded](#) → const IconData



— material icon named "network wifi 2 bar" (round).

[network_wifi_2_bar_sharp](#) → const IconData



— material icon named "network wifi 2 bar" (sharp).

[network_wifi_3_bar](#) → const IconData



— material icon named "network wifi 3 bar".

[network_wifi_3_bar_outlined](#) → const IconData



— material icon named "network wifi 3 bar" (outlined).

[network_wifi_3_bar_rounded](#) → const IconData



— material icon named "network wifi 3 bar" (round).

[network_wifi_3_bar_sharp](#) → const IconData



— material icon named "network wifi 3 bar" (sharp).

network_wifi_outlined → const IconData



— material icon named "network wifi" (outlined).

network_wifi_rounded → const IconData



— material icon named "network wifi" (round).

network_wifi_sharp → const IconData



— material icon named "network wifi" (sharp).

new_label → const IconData



— material icon named "new label".

new_label_outlined → const IconData



— material icon named "new label" (outlined).

new_label_rounded → const IconData



— material icon named "new label" (round).

new_label_sharp → const IconData



— material icon named "new label" (sharp).

new_releases → const IconData



— material icon named "new releases".

new_releases_outlined → const IconData



— material icon named "new releases" (outlined).

new_releases_rounded → const IconData



— material icon named "new releases" (round).

[new_releases_sharp](#) → const IconData



— material icon named "new releases" (sharp).

[newspaper](#) → const IconData



— material icon named "newspaper".

[newspaper_outlined](#) → const IconData



— material icon named "newspaper" (outlined).

[newspaper_rounded](#) → const IconData



— material icon named "newspaper" (round).

[newspaper_sharp](#) → const IconData



— material icon named "newspaper" (sharp).

[next_plan](#) → const IconData



— material icon named "next plan".

[next_plan_outlined](#) → const IconData



— material icon named "next plan" (outlined).

[next_plan_rounded](#) → const IconData



— material icon named "next plan" (round).

[next_plan_sharp](#) → const IconData



— material icon named "next plan" (sharp).

[next_week](#) → const IconData



— material icon named "next week".

next_week_outlined → const IconData



— material icon named "next week" (outlined).

next_week_rounded → const IconData



— material icon named "next week" (round).

next_week_sharp → const IconData



— material icon named "next week" (sharp).

nfc → const IconData



— material icon named "nfc".

nfc_outlined → const IconData



— material icon named "nfc" (outlined).

nfc_rounded → const IconData



— material icon named "nfc" (round).

nfc_sharp → const IconData



— material icon named "nfc" (sharp).

night_shelter → const IconData



— material icon named "night shelter".

night_shelter_outlined → const IconData



— material icon named "night shelter" (outlined).

night_shelter_rounded → const IconData



— material icon named "night shelter" (round).

night_shelter_sharp → const IconData



— material icon named "night shelter" (sharp).

nightlife → const IconData



— material icon named "nightlife".

nightlife_outlined → const IconData



— material icon named "nightlife" (outlined).

nightlife_rounded → const IconData



— material icon named "nightlife" (round).

nightlife_sharp → const IconData



— material icon named "nightlife" (sharp).

nightlight → const IconData



— material icon named "nightlight".

nightlight_outlined → const IconData



— material icon named "nightlight" (outlined).

nightlight_round → const IconData



— material icon named "nightlight round".

nightlight_round_outlined → const IconData



— material icon named "nightlight round" (outlined).

nightlight_round_rounded → const IconData



— material icon named "nightlight round" (round).

[nightlight_round_sharp](#) → const [IconData](#)



— material icon named "nightlight round" (sharp).

[nightlight_rounded](#) → const [IconData](#)



— material icon named "nightlight" (round).

[nightlight_sharp](#) → const [IconData](#)



— material icon named "nightlight" (sharp).

[nights_stay](#) → const [IconData](#)



— material icon named "nights stay".

[nights_stay_outlined](#) → const [IconData](#)



— material icon named "nights stay" (outlined).

[nights_stay_rounded](#) → const [IconData](#)



— material icon named "nights stay" (round).

[nights_stay_sharp](#) → const [IconData](#)



— material icon named "nights stay" (sharp).

[nine_k](#) → const [IconData](#)



— material icon named "9k".

[nine_k_outlined](#) → const [IconData](#)



— material icon named "9k" (outlined).

[nine_k_plus](#) → const [IconData](#)

 — material icon named "9k plus".

[nine_k_plus_outlined](#) → const IconData

 — material icon named "9k plus" (outlined).

[nine_k_plus_rounded](#) → const IconData

 — material icon named "9k plus" (round).

[nine_k_plus_sharp](#) → const IconData

 — material icon named "9k plus" (sharp).

[nine_k_rounded](#) → const IconData

 — material icon named "9k" (round).

[nine_k_sharp](#) → const IconData

 — material icon named "9k" (sharp).

[nine_mp](#) → const IconData

 — material icon named "9mp".

[nine_mp_outlined](#) → const IconData

 — material icon named "9mp" (outlined).

[nine_mp_rounded](#) → const IconData

 — material icon named "9mp" (round).

[nine_mp_sharp](#) → const IconData

 — material icon named "9mp" (sharp).

[nineteen_mp](#) → const IconData



— material icon named "19mp".

nineteen_mp_outlined → const IconData



— material icon named "19mp" (outlined).

nineteen_mp_rounded → const IconData



— material icon named "19mp" (round).

nineteen_mp_sharp → const IconData



— material icon named "19mp" (sharp).

no_accounts → const IconData



— material icon named "no accounts".

no_accounts_outlined → const IconData



— material icon named "no accounts" (outlined).

no_accounts_rounded → const IconData



— material icon named "no accounts" (round).

no_accounts_sharp → const IconData



— material icon named "no accounts" (sharp).

no_adult_content → const IconData



— material icon named "no adult content".

no_adult_content_outlined → const IconData



— material icon named "no adult content" (outlined).

no_adult_content_rounded → const IconData



— material icon named "no adult content" (round).

no_adult_content_sharp → const IconData



— material icon named "no adult content" (sharp).

no_backpack → const IconData



— material icon named "no backpack".

no_backpack_outlined → const IconData



— material icon named "no backpack" (outlined).

no_backpack_rounded → const IconData



— material icon named "no backpack" (round).

no_backpack_sharp → const IconData



— material icon named "no backpack" (sharp).

no_cell → const IconData



— material icon named "no cell".

no_cell_outlined → const IconData



— material icon named "no cell" (outlined).

no_cell_rounded → const IconData



— material icon named "no cell" (round).

no_cell_sharp → const IconData



— material icon named "no cell" (sharp).

no_crash → const IconData



— material icon named "no crash".

no_crash_outlined → const IconData



— material icon named "no crash" (outlined).

no_crash_rounded → const IconData



— material icon named "no crash" (round).

no_crash_sharp → const IconData



— material icon named "no crash" (sharp).

no_drinks → const IconData



— material icon named "no drinks".

no_drinks_outlined → const IconData



— material icon named "no drinks" (outlined).

no_drinks_rounded → const IconData



— material icon named "no drinks" (round).

no_drinks_sharp → const IconData



— material icon named "no drinks" (sharp).

no_encryption → const IconData



— material icon named "no encryption".

no_encryption_gmailerrorred → const IconData



— material icon named "no encryption gmailerrorred".

no_encryption_gmailerrorred_outlined → const IconData



— material icon named "no encryption gmailerrorred" (outlined).

[no_encryption_gmailerrorred_rounded](#) → const IconData



— material icon named "no encryption gmailerrorred" (round).

[no_encryption_gmailerrorred_sharp](#) → const IconData



— material icon named "no encryption gmailerrorred" (sharp).

[no_encryption_outlined](#) → const IconData



— material icon named "no encryption" (outlined).

[no_encryption_rounded](#) → const IconData



— material icon named "no encryption" (round).

[no_encryption_sharp](#) → const IconData



— material icon named "no encryption" (sharp).

[no_flash](#) → const IconData



— material icon named "no flash".

[no_flash_outlined](#) → const IconData



— material icon named "no flash" (outlined).

[no_flash_rounded](#) → const IconData



— material icon named "no flash" (round).

[no_flash_sharp](#) → const IconData



— material icon named "no flash" (sharp).

[no_food](#) → const IconData



— material icon named "no food".

no_food_outlined → const IconData



— material icon named "no food" (outlined).

no_food_rounded → const IconData



— material icon named "no food" (round).

no_food_sharp → const IconData



— material icon named "no food" (sharp).

no_luggage → const IconData



— material icon named "no luggage".

no_luggage_outlined → const IconData



— material icon named "no luggage" (outlined).

no_luggage_rounded → const IconData



— material icon named "no luggage" (round).

no_luggage_sharp → const IconData



— material icon named "no luggage" (sharp).

no_meals → const IconData



— material icon named "no meals".

no_meals_outline → const IconData



— material icon named "no meals outline".

no_meals_outlined → const IconData

 — material icon named "no meals" (outlined).

[no_meals_rounded](#) → const IconData

 — material icon named "no meals" (round).

[no_meals_sharp](#) → const IconData

 — material icon named "no meals" (sharp).

[no_meeting_room](#) → const IconData

 — material icon named "no meeting room".

[no_meeting_room_outlined](#) → const IconData

 — material icon named "no meeting room" (outlined).

[no_meeting_room_rounded](#) → const IconData

 — material icon named "no meeting room" (round).

[no_meeting_room_sharp](#) → const IconData

 — material icon named "no meeting room" (sharp).

[no_photography](#) → const IconData

 — material icon named "no photography".

[no_photography_outlined](#) → const IconData

 — material icon named "no photography" (outlined).

[no_photography_rounded](#) → const IconData

 — material icon named "no photography" (round).

[no_photography_sharp](#) → const IconData

 — material icon named "no photography" (sharp).

no_sim → const IconData

 — material icon named "no sim".

no_sim_outlined → const IconData

 — material icon named "no sim" (outlined).

no_sim_rounded → const IconData

 — material icon named "no sim" (round).

no_sim_sharp → const IconData

 — material icon named "no sim" (sharp).

no_stroller → const IconData

 — material icon named "no stroller".

no_stroller_outlined → const IconData

 — material icon named "no stroller" (outlined).

no_stroller_rounded → const IconData

 — material icon named "no stroller" (round).

no_stroller_sharp → const IconData

 — material icon named "no stroller" (sharp).

no_transfer → const IconData

 — material icon named "no transfer".

no_transfer_outlined → const IconData



— material icon named "no transfer" (outlined).

no_transfer_rounded → const IconData



— material icon named "no transfer" (round).

no_transfer_sharp → const IconData



— material icon named "no transfer" (sharp).

noise_aware → const IconData



— material icon named "noise aware".

noise_aware_outlined → const IconData



— material icon named "noise aware" (outlined).

noise_aware_rounded → const IconData



— material icon named "noise aware" (round).

noise_aware_sharp → const IconData



— material icon named "noise aware" (sharp).

noise_control_off → const IconData



— material icon named "noise control off".

noise_control_off_outlined → const IconData



— material icon named "noise control off" (outlined).

noise_control_off_rounded → const IconData



— material icon named "noise control off" (round).

noise_control_off_sharp → const IconData

 — material icon named "noise control off" (sharp).

nordic_walking → const [IconData](#)

 — material icon named "nordic walking".

nordic_walking_outlined → const [IconData](#)

 — material icon named "nordic walking" (outlined).

nordic_walking_rounded → const [IconData](#)

 — material icon named "nordic walking" (round).

nordic_walking_sharp → const [IconData](#)

 — material icon named "nordic walking" (sharp).

north → const [IconData](#)

 — material icon named "north".

north_east → const [IconData](#)

 — material icon named "north east".

north_east_outlined → const [IconData](#)

 — material icon named "north east" (outlined).

north_east_rounded → const [IconData](#)

 — material icon named "north east" (round).

north_east_sharp → const [IconData](#)

 — material icon named "north east" (sharp).

north_outlined → const [IconData](#)

 — material icon named "north" (outlined).

north_rounded → const [IconData](#)

 — material icon named "north" (round).

north_sharp → const [IconData](#)

 — material icon named "north" (sharp).

north_west → const [IconData](#)

 — material icon named "north west".

north_west_outlined → const [IconData](#)

 — material icon named "north west" (outlined).

north_west_rounded → const [IconData](#)

 — material icon named "north west" (round).

north_west_sharp → const [IconData](#)

 — material icon named "north west" (sharp).

not_accessible → const [IconData](#)

 — material icon named "not accessible".

not_accessible_outlined → const [IconData](#)

 — material icon named "not accessible" (outlined).

not_accessible_rounded → const [IconData](#)

 — material icon named "not accessible" (round).

not_accessible_sharp → const [IconData](#)



— material icon named "not accessible" (sharp).

not_interested → const IconData



— material icon named "not interested".

not_interested_outlined → const IconData



— material icon named "not interested" (outlined).

not_interested_rounded → const IconData



— material icon named "not interested" (round).

not_interested_sharp → const IconData



— material icon named "not interested" (sharp).

not_listed_location → const IconData



— material icon named "not listed location".

not_listed_location_outlined → const IconData



— material icon named "not listed location" (outlined).

not_listed_location_rounded → const IconData



— material icon named "not listed location" (round).

not_listed_location_sharp → const IconData



— material icon named "not listed location" (sharp).

not_started → const IconData



— material icon named "not started".

not_started_outlined → const IconData



— material icon named "not started" (outlined).

not_started_rounded → const IconData



— material icon named "not started" (round).

not_started_sharp → const IconData



— material icon named "not started" (sharp).

note → const IconData



— material icon named "note".

note_add → const IconData



— material icon named "note add".

note_add_outlined → const IconData



— material icon named "note add" (outlined).

note_add_rounded → const IconData



— material icon named "note add" (round).

note_add_sharp → const IconData



— material icon named "note add" (sharp).

note_alt → const IconData



— material icon named "note alt".

note_alt_outlined → const IconData



— material icon named "note alt" (outlined).

note_alt_rounded → const IconData



— material icon named "note alt" (round).

note_alt_sharp → const IconData



— material icon named "note alt" (sharp).

note_outlined → const IconData



— material icon named "note" (outlined).

note_rounded → const IconData



— material icon named "note" (round).

note_sharp → const IconData



— material icon named "note" (sharp).

notes → const IconData



— material icon named "notes".

notes_outlined → const IconData



— material icon named "notes" (outlined).

notes_rounded → const IconData



— material icon named "notes" (round).

notes_sharp → const IconData



— material icon named "notes" (sharp).

notification_add → const IconData



— material icon named "notification add".

notification_add_outlined → const IconData

 — material icon named "notification add" (outlined).

notification_add_rounded → const IconData

 — material icon named "notification add" (round).

notification_add_sharp → const IconData

 — material icon named "notification add" (sharp).

notification_important → const IconData

 — material icon named "notification important".

notification_important_outlined → const IconData

 — material icon named "notification important" (outlined).

notification_important_rounded → const IconData

 — material icon named "notification important" (round).

notification_important_sharp → const IconData

 — material icon named "notification important" (sharp).

notifications → const IconData

 — material icon named "notifications".

notifications_active → const IconData

 — material icon named "notifications active".

notifications_active_outlined → const IconData

 — material icon named "notifications active" (outlined).

notifications_active_rounded → const IconData



— material icon named "notifications active" (round).

notifications_active_sharp → const [IconData](#)



— material icon named "notifications active" (sharp).

notifications_none → const [IconData](#)



— material icon named "notifications none".

notifications_none_outlined → const [IconData](#)



— material icon named "notifications none" (outlined).

notifications_none_rounded → const [IconData](#)



— material icon named "notifications none" (round).

notifications_none_sharp → const [IconData](#)



— material icon named "notifications none" (sharp).

notifications_off → const [IconData](#)



— material icon named "notifications off".

notifications_off_outlined → const [IconData](#)



— material icon named "notifications off" (outlined).

notifications_off_rounded → const [IconData](#)



— material icon named "notifications off" (round).

notifications_off_sharp → const [IconData](#)



— material icon named "notifications off" (sharp).

notifications_on → const [IconData](#)



— material icon named "notifications on".

notifications_on_outlined → const IconData



— material icon named "notifications on" (outlined).

notifications_on_rounded → const IconData



— material icon named "notifications on" (round).

notifications_on_sharp → const IconData



— material icon named "notifications on" (sharp).

notifications_outlined → const IconData



— material icon named "notifications" (outlined).

notifications_paused → const IconData



— material icon named "notifications paused".

notifications_paused_outlined → const IconData



— material icon named "notifications paused" (outlined).

notifications_paused_rounded → const IconData



— material icon named "notifications paused" (round).

notifications_paused_sharp → const IconData



— material icon named "notifications paused" (sharp).

notifications_rounded → const IconData



— material icon named "notifications" (round).

notifications_sharp → const IconData



— material icon named "notifications" (sharp).

now_wallpaper → const IconData



— material icon named "now wallpaper".

now_wallpaper_outlined → const IconData



— material icon named "now wallpaper" (outlined).

now_wallpaper_rounded → const IconData



— material icon named "now wallpaper" (round).

now_wallpaper_sharp → const IconData



— material icon named "now wallpaper" (sharp).

now_widgets → const IconData



— material icon named "now widgets".

now_widgets_outlined → const IconData



— material icon named "now widgets" (outlined).

now_widgets_rounded → const IconData



— material icon named "now widgets" (round).

now_widgets_sharp → const IconData



— material icon named "now widgets" (sharp).

numbers → const IconData



— material icon named "numbers".

numbers_outlined → const IconData

 — material icon named "numbers" (outlined).

[numbers_rounded](#) → const [IconData](#)

 — material icon named "numbers" (round).

[numbers_sharp](#) → const [IconData](#)

 — material icon named "numbers" (sharp).

[offline_bolt](#) → const [IconData](#)

 — material icon named "offline bolt".

[offline_bolt_outlined](#) → const [IconData](#)

 — material icon named "offline bolt" (outlined).

[offline_bolt_rounded](#) → const [IconData](#)

 — material icon named "offline bolt" (round).

[offline_bolt_sharp](#) → const [IconData](#)

 — material icon named "offline bolt" (sharp).

[offline_pin](#) → const [IconData](#)

 — material icon named "offline pin".

[offline_pin_outlined](#) → const [IconData](#)

 — material icon named "offline pin" (outlined).

[offline_pin_rounded](#) → const [IconData](#)

 — material icon named "offline pin" (round).

[offline_pin_sharp](#) → const [IconData](#)



— material icon named "offline pin" (sharp).

offline_share → const IconData



— material icon named "offline share".

offline_share_outlined → const IconData



— material icon named "offline share" (outlined).

offline_share_rounded → const IconData



— material icon named "offline share" (round).

offline_share_sharp → const IconData



— material icon named "offline share" (sharp).

oil_barrel → const IconData



— material icon named "oil barrel".

oil_barrel_outlined → const IconData



— material icon named "oil barrel" (outlined).

oil_barrel_rounded → const IconData



— material icon named "oil barrel" (round).

oil_barrel_sharp → const IconData



— material icon named "oil barrel" (sharp).

on_device_training → const IconData



— material icon named "on device training".

on_device_training_outlined → const IconData



— material icon named "on device training" (outlined).

on_device_training_rounded → const IconData



— material icon named "on device training" (round).

on_device_training_sharp → const IconData



— material icon named "on device training" (sharp).

ondemand_video → const IconData



— material icon named "ondemand video".

ondemand_video_outlined → const IconData



— material icon named "ondemand video" (outlined).

ondemand_video_rounded → const IconData



— material icon named "ondemand video" (round).

ondemand_video_sharp → const IconData



— material icon named "ondemand video" (sharp).

one_k → const IconData



— material icon named "1k".

one_k_outlined → const IconData



— material icon named "1k" (outlined).

one_k_plus → const IconData



— material icon named "1k plus".

one_k_plus_outlined → const IconData



— material icon named "1k plus" (outlined).

one_k_plus_rounded → const IconData



— material icon named "1k plus" (round).

one_k_plus_sharp → const IconData



— material icon named "1k plus" (sharp).

one_k_rounded → const IconData



— material icon named "1k" (round).

one_k_sharp → const IconData



— material icon named "1k" (sharp).

one_x_mobiledata → const IconData

1X — material icon named "1x mobiledata".

one_x_mobiledata_outlined → const IconData

1X — material icon named "1x mobiledata" (outlined).

one_x_mobiledata_rounded → const IconData

1X — material icon named "1x mobiledata" (round).

one_x_mobiledata_sharp → const IconData

1X — material icon named "1x mobiledata" (sharp).

onetwothree → const IconData

123 — material icon named "123".

onetwothree_outlined → const IconData

123 — material icon named "123" (outlined).

onetwothree_rounded → const IconData

123 — material icon named "123" (round).

onetwothree_sharp → const IconData

123 — material icon named "123" (sharp).

online_prediction → const IconData

 — material icon named "online prediction".

online_prediction_outlined → const IconData

 — material icon named "online prediction" (outlined).

online_prediction_rounded → const IconData

 — material icon named "online prediction" (round).

online_prediction_sharp → const IconData

 — material icon named "online prediction" (sharp).

opacity → const IconData

 — material icon named "opacity".

opacity_outlined → const IconData

 — material icon named "opacity" (outlined).

opacity_rounded → const IconData

 — material icon named "opacity" (round).

opacity_sharp → const IconData



— material icon named "opacity" (sharp).

`open_in_browser` → const `IconData`



— material icon named "open in browser".

`open_in_browser_outlined` → const `IconData`



— material icon named "open in browser" (outlined).

`open_in_browser_rounded` → const `IconData`



— material icon named "open in browser" (round).

`open_in_browser_sharp` → const `IconData`



— material icon named "open in browser" (sharp).

`open_in_full` → const `IconData`



— material icon named "open in full".

`open_in_full_outlined` → const `IconData`



— material icon named "open in full" (outlined).

`open_in_full_rounded` → const `IconData`



— material icon named "open in full" (round).

`open_in_full_sharp` → const `IconData`



— material icon named "open in full" (sharp).

`open_in_new` → const `IconData`



— material icon named "open in new".

`open_in_new_off` → const `IconData`



— material icon named "open in new off".

[open_in_new_off_outlined](#) → const IconData



— material icon named "open in new off" (outlined).

[open_in_new_off_rounded](#) → const IconData



— material icon named "open in new off" (round).

[open_in_new_off_sharp](#) → const IconData



— material icon named "open in new off" (sharp).

[open_in_new_outlined](#) → const IconData



— material icon named "open in new" (outlined).

[open_in_new_rounded](#) → const IconData



— material icon named "open in new" (round).

[open_in_new_sharp](#) → const IconData



— material icon named "open in new" (sharp).

[open_with](#) → const IconData



— material icon named "open with".

[open_with_outlined](#) → const IconData



— material icon named "open with" (outlined).

[open_with_rounded](#) → const IconData



— material icon named "open with" (round).

[open_with_sharp](#) → const IconData



— material icon named "open with" (sharp).

other_houses → const IconData



— material icon named "other houses".

other_houses_outlined → const IconData



— material icon named "other houses" (outlined).

other_houses_rounded → const IconData



— material icon named "other houses" (round).

other_houses_sharp → const IconData



— material icon named "other houses" (sharp).

outbond → const IconData



— material icon named "outbond".

outbond_outlined → const IconData



— material icon named "outbond" (outlined).

outbond_rounded → const IconData



— material icon named "outbond" (round).

outbond_sharp → const IconData



— material icon named "outbond" (sharp).

outbound → const IconData



— material icon named "outbound".

outbound_outlined → const IconData



— material icon named "outbound" (outlined).

outbound_rounded → const [IconData](#)



— material icon named "outbound" (round).

outbound_sharp → const [IconData](#)



— material icon named "outbound" (sharp).

outbox → const [IconData](#)



— material icon named "outbox".

outbox_outlined → const [IconData](#)



— material icon named "outbox" (outlined).

outbox_rounded → const [IconData](#)



— material icon named "outbox" (round).

outbox_sharp → const [IconData](#)



— material icon named "outbox" (sharp).

outdoor_grill → const [IconData](#)



— material icon named "outdoor grill".

outdoor_grill_outlined → const [IconData](#)



— material icon named "outdoor grill" (outlined).

outdoor_grill_rounded → const [IconData](#)



— material icon named "outdoor grill" (round).

outdoor_grill_sharp → const [IconData](#)



— material icon named "outdoor grill" (sharp).

outgoing_mail → const IconData



— material icon named "outgoing mail".

outlet → const IconData



— material icon named "outlet".

outlet_outlined → const IconData



— material icon named "outlet" (outlined).

outlet_rounded → const IconData



— material icon named "outlet" (round).

outlet_sharp → const IconData



— material icon named "outlet" (sharp).

outlined_flag → const IconData



— material icon named "outlined flag".

outlined_flag_outlined → const IconData



— material icon named "outlined flag" (outlined).

outlined_flag_rounded → const IconData



— material icon named "outlined flag" (round).

outlined_flag_sharp → const IconData



— material icon named "outlined flag" (sharp).

output → const IconData

 — material icon named "output".

output_outlined → const IconData

 — material icon named "output" (outlined).

output_rounded → const IconData

 — material icon named "output" (round).

output_sharp → const IconData

 — material icon named "output" (sharp).

padding → const IconData

 — material icon named "padding".

padding_outlined → const IconData

 — material icon named "padding" (outlined).

padding_rounded → const IconData

 — material icon named "padding" (round).

padding_sharp → const IconData

 — material icon named "padding" (sharp).

pages → const IconData

 — material icon named "pages".

pages_outlined → const IconData

 — material icon named "pages" (outlined).

pages_rounded → const IconData



— material icon named "pages" (round).

pages_sharp → const [IconData](#)



— material icon named "pages" (sharp).

pageview → const [IconData](#)



— material icon named "pageview".

pageview_outlined → const [IconData](#)



— material icon named "pageview" (outlined).

pageview_rounded → const [IconData](#)



— material icon named "pageview" (round).

pageview_sharp → const [IconData](#)



— material icon named "pageview" (sharp).

paid → const [IconData](#)



— material icon named "paid".

paid_outlined → const [IconData](#)



— material icon named "paid" (outlined).

paid_rounded → const [IconData](#)



— material icon named "paid" (round).

paid_sharp → const [IconData](#)



— material icon named "paid" (sharp).

palette → const [IconData](#)



— material icon named "palette".

palette_outlined → const IconData



— material icon named "palette" (outlined).

palette_rounded → const IconData



— material icon named "palette" (round).

palette_sharp → const IconData



— material icon named "palette" (sharp).

pallet → const IconData



— material icon named "pallet".

pan_tool → const IconData



— material icon named "pan tool".

pan_tool_alt → const IconData



— material icon named "pan tool alt".

pan_tool_alt_outlined → const IconData



— material icon named "pan tool alt" (outlined).

pan_tool_alt_rounded → const IconData



— material icon named "pan tool alt" (round).

pan_tool_alt_sharp → const IconData



— material icon named "pan tool alt" (sharp).

pan_tool_outlined → const IconData



— material icon named "pan tool" (outlined).

[pan_tool_rounded](#) → const IconData



— material icon named "pan tool" (round).

[pan_tool_sharp](#) → const IconData



— material icon named "pan tool" (sharp).

[panorama](#) → const IconData



— material icon named "panorama".

[panorama_fish_eye](#) → const IconData



— material icon named "panorama fish eye".

[panorama_fish_eye_outlined](#) → const IconData



— material icon named "panorama fish eye" (outlined).

[panorama_fish_eye_rounded](#) → const IconData



— material icon named "panorama fish eye" (round).

[panorama_fish_eye_sharp](#) → const IconData



— material icon named "panorama fish eye" (sharp).

[panorama_fisheye](#) → const IconData



— material icon named "panorama fisheye".

[panorama_fisheye_outlined](#) → const IconData



— material icon named "panorama fisheye" (outlined).

[panorama_fisheye_rounded](#) → const IconData

 — material icon named "panorama fisheye" (round).

[panorama_fisheye_sharp](#) → const IconData

 — material icon named "panorama fisheye" (sharp).

[panorama_horizontal](#) → const IconData

 — material icon named "panorama horizontal".

[panorama_horizontal_outlined](#) → const IconData

 — material icon named "panorama horizontal" (outlined).

[panorama_horizontal_rounded](#) → const IconData

 — material icon named "panorama horizontal" (round).

[panorama_horizontal_select](#) → const IconData

 — material icon named "panorama horizontal select".

[panorama_horizontal_select_outlined](#) → const IconData

 — material icon named "panorama horizontal select" (outlined).

[panorama_horizontal_select_rounded](#) → const IconData

 — material icon named "panorama horizontal select" (round).

[panorama_horizontal_select_sharp](#) → const IconData

 — material icon named "panorama horizontal select" (sharp).

[panorama_horizontal_sharp](#) → const IconData

 — material icon named "panorama horizontal" (sharp).

[panorama_outlined](#) → const IconData



— material icon named "panorama" (outlined).

panorama_photosphere → const IconData



— material icon named "panorama photosphere".

panorama_photosphere_outlined → const IconData



— material icon named "panorama photosphere" (outlined).

panorama_photosphere_rounded → const IconData



— material icon named "panorama photosphere" (round).

panorama_photosphere_select → const IconData



— material icon named "panorama photosphere select".

panorama_photosphere_select_outlined → const IconData



— material icon named "panorama photosphere select" (outlined).

panorama_photosphere_select_rounded → const IconData



— material icon named "panorama photosphere select" (round).

panorama_photosphere_select_sharp → const IconData



— material icon named "panorama photosphere select" (sharp).

panorama_photosphere_sharp → const IconData



— material icon named "panorama photosphere" (sharp).

panorama_rounded → const IconData



— material icon named "panorama" (round).

panorama_sharp → const IconData



— material icon named "panorama" (sharp).

panorama_vertical → const IconData



— material icon named "panorama vertical".

panorama_vertical_outlined → const IconData



— material icon named "panorama vertical" (outlined).

panorama_vertical_rounded → const IconData



— material icon named "panorama vertical" (round).

panorama_vertical_select → const IconData



— material icon named "panorama vertical select".

panorama_vertical_select_outlined → const IconData



— material icon named "panorama vertical select" (outlined).

panorama_vertical_select_rounded → const IconData



— material icon named "panorama vertical select" (round).

panorama_vertical_select_sharp → const IconData



— material icon named "panorama vertical select" (sharp).

panorama_vertical_sharp → const IconData



— material icon named "panorama vertical" (sharp).

panorama_wide_angle → const IconData



— material icon named "panorama wide angle".

panorama_wide_angle_outlined → const IconData

 — material icon named "panorama wide angle" (outlined).

[panorama_wide_angle_rounded](#) → const IconData

 — material icon named "panorama wide angle" (round).

[panorama_wide_angle_select](#) → const IconData

 — material icon named "panorama wide angle select".

[panorama_wide_angle_select_outlined](#) → const IconData

 — material icon named "panorama wide angle select" (outlined).

[panorama_wide_angle_select_rounded](#) → const IconData

 — material icon named "panorama wide angle select" (round).

[panorama_wide_angle_select_sharp](#) → const IconData

 — material icon named "panorama wide angle select" (sharp).

[panorama_wide_angle_sharp](#) → const IconData

 — material icon named "panorama wide angle" (sharp).

[paragliding](#) → const IconData

 — material icon named "paragliding".

[paragliding_outlined](#) → const IconData

 — material icon named "paragliding" (outlined).

[paragliding_rounded](#) → const IconData

 — material icon named "paragliding" (round).

[paragliding_sharp](#) → const IconData



— material icon named "paragliding" (sharp).

park → const IconData



— material icon named "park".

park_outlined → const IconData



— material icon named "park" (outlined).

park_rounded → const IconData



— material icon named "park" (round).

park_sharp → const IconData



— material icon named "park" (sharp).

party_mode → const IconData



— material icon named "party mode".

party_mode_outlined → const IconData



— material icon named "party mode" (outlined).

party_mode_rounded → const IconData



— material icon named "party mode" (round).

party_mode_sharp → const IconData



— material icon named "party mode" (sharp).

password → const IconData



— material icon named "password".

password_outlined → const IconData

******* — material icon named "password" (outlined).

password_rounded → const IconData

******* — material icon named "password" (round).

password_sharp → const IconData

******* — material icon named "password" (sharp).

paste → const IconData

— material icon named "paste".

paste_outlined → const IconData



— material icon named "paste" (outlined).

paste_rounded → const IconData



— material icon named "paste" (round).

paste_sharp → const IconData



— material icon named "paste" (sharp).

pattern → const IconData



— material icon named "pattern".

pattern_outlined → const IconData



— material icon named "pattern" (outlined).

pattern_rounded → const IconData



— material icon named "pattern" (round).

pattern_sharp → const IconData

 — material icon named "pattern" (sharp).

pause → const IconData

 — material icon named "pause".

pause_circle → const IconData

 — material icon named "pause circle".

pause_circle_filled → const IconData

 — material icon named "pause circle filled".

pause_circle_filled_outlined → const IconData

 — material icon named "pause circle filled" (outlined).

pause_circle_filled_rounded → const IconData

 — material icon named "pause circle filled" (round).

pause_circle_filled_sharp → const IconData

 — material icon named "pause circle filled" (sharp).

pause_circle_outline → const IconData

 — material icon named "pause circle outline".

pause_circle_outline_outlined → const IconData

 — material icon named "pause circle outline" (outlined).

pause_circle_outline_rounded → const IconData

 — material icon named "pause circle outline" (round).

pause_circle_outline_sharp → const IconData

 — material icon named "pause circle outline" (sharp).

[pause_circle_outlined](#) → const IconData

 — material icon named "pause circle" (outlined).

[pause_circle_rounded](#) → const IconData

 — material icon named "pause circle" (round).

[pause_circle_sharp](#) → const IconData

 — material icon named "pause circle" (sharp).

[pause_outlined](#) → const IconData

 — material icon named "pause" (outlined).

[pause_presentation](#) → const IconData

 — material icon named "pause presentation".

[pause_presentation_outlined](#) → const IconData

 — material icon named "pause presentation" (outlined).

[pause_presentation_rounded](#) → const IconData

 — material icon named "pause presentation" (round).

[pause_presentation_sharp](#) → const IconData

 — material icon named "pause presentation" (sharp).

[pause_rounded](#) → const IconData

 — material icon named "pause" (round).

[pause_sharp](#) → const IconData

 — material icon named "pause" (sharp).

payment → const IconData

 — material icon named "payment".

payment_outlined → const IconData

 — material icon named "payment" (outlined).

payment_rounded → const IconData

 — material icon named "payment" (round).

payment_sharp → const IconData

 — material icon named "payment" (sharp).

payments → const IconData

 — material icon named "payments".

payments_outlined → const IconData

 — material icon named "payments" (outlined).

payments_rounded → const IconData

 — material icon named "payments" (round).

payments_sharp → const IconData

 — material icon named "payments" (sharp).

paypal → const IconData

 — material icon named "paypal".

paypal_outlined → const IconData

 — material icon named "paypal" (outlined).

paypal_rounded → const IconData

 — material icon named "paypal" (round).

paypal_sharp → const IconData

 — material icon named "paypal" (sharp).

pedal_bike → const IconData

 — material icon named "pedal bike".

pedal_bike_outlined → const IconData

 — material icon named "pedal bike" (outlined).

pedal_bike_rounded → const IconData

 — material icon named "pedal bike" (round).

pedal_bike_sharp → const IconData

 — material icon named "pedal bike" (sharp).

pending → const IconData

 — material icon named "pending".

pending_actions → const IconData

 — material icon named "pending actions".

pending_actions_outlined → const IconData

 — material icon named "pending actions" (outlined).

pending_actions_rounded → const IconData



— material icon named "pending actions" (round).

pending_actions_sharp → const IconData



— material icon named "pending actions" (sharp).

pending_outlined → const IconData



— material icon named "pending" (outlined).

pending_rounded → const IconData



— material icon named "pending" (round).

pending_sharp → const IconData



— material icon named "pending" (sharp).

pentagon → const IconData



— material icon named "pentagon".

pentagon_outlined → const IconData



— material icon named "pentagon" (outlined).

pentagon_rounded → const IconData



— material icon named "pentagon" (round).

pentagon_sharp → const IconData



— material icon named "pentagon" (sharp).

people → const IconData



— material icon named "people".

people_alt → const IconData

 — material icon named "people alt".

people_alt_outlined → const [IconData](#)

 — material icon named "people alt" (outlined).

people_alt_rounded → const [IconData](#)

 — material icon named "people alt" (round).

people_alt_sharp → const [IconData](#)

 — material icon named "people alt" (sharp).

people_outline → const [IconData](#)

 — material icon named "people outline".

people_outline_outlined → const [IconData](#)

 — material icon named "people outline" (outlined).

people_outline_rounded → const [IconData](#)

 — material icon named "people outline" (round).

people_outline_sharp → const [IconData](#)

 — material icon named "people outline" (sharp).

people_outlined → const [IconData](#)

 — material icon named "people" (outlined).

people_rounded → const [IconData](#)

 — material icon named "people" (round).

people_sharp → const [IconData](#)

 — material icon named "people" (sharp).

percent → const IconData

 — material icon named "percent".

percent_outlined → const IconData

 — material icon named "percent" (outlined).

percent_rounded → const IconData

 — material icon named "percent" (round).

percent_sharp → const IconData

 — material icon named "percent" (sharp).

perm_camera_mic → const IconData

 — material icon named "perm camera mic".

perm_camera_mic_outlined → const IconData

 — material icon named "perm camera mic" (outlined).

perm_camera_mic_rounded → const IconData

 — material icon named "perm camera mic" (round).

perm_camera_mic_sharp → const IconData

 — material icon named "perm camera mic" (sharp).

perm_contact_cal → const IconData

 — material icon named "perm contact cal".

perm_contact_cal_outlined → const IconData



— material icon named "perm contact cal" (outlined).

[perm_contact_cal_rounded](#) → const IconData



— material icon named "perm contact cal" (round).

[perm_contact_cal_sharp](#) → const IconData



— material icon named "perm contact cal" (sharp).

[perm_contact_calendar](#) → const IconData



— material icon named "perm contact calendar".

[perm_contact_calendar_outlined](#) → const IconData



— material icon named "perm contact calendar" (outlined).

[perm_contact_calendar_rounded](#) → const IconData



— material icon named "perm contact calendar" (round).

[perm_contact_calendar_sharp](#) → const IconData



— material icon named "perm contact calendar" (sharp).

[perm_data_setting](#) → const IconData



— material icon named "perm data setting".

[perm_data_setting_outlined](#) → const IconData



— material icon named "perm data setting" (outlined).

[perm_data_setting_rounded](#) → const IconData



— material icon named "perm data setting" (round).

[perm_data_setting_sharp](#) → const IconData



— material icon named "perm data setting" (sharp).

perm_device_info → const IconData



— material icon named "perm device info".

perm_device_info_outlined → const IconData



— material icon named "perm device info" (outlined).

perm_device_info_rounded → const IconData



— material icon named "perm device info" (round).

perm_device_info_sharp → const IconData



— material icon named "perm device info" (sharp).

perm_device_information → const IconData



— material icon named "perm device information".

perm_device_information_outlined → const IconData



— material icon named "perm device information" (outlined).

perm_device_information_rounded → const IconData



— material icon named "perm device information" (round).

perm_device_information_sharp → const IconData



— material icon named "perm device information" (sharp).

perm_identity → const IconData



— material icon named "perm identity".

perm_identity_outlined → const IconData

 — material icon named "perm identity" (outlined).

[perm_identity_rounded](#) → const IconData

 — material icon named "perm identity" (round).

[perm_identity_sharp](#) → const IconData

 — material icon named "perm identity" (sharp).

[perm_media](#) → const IconData

 — material icon named "perm media".

[perm_media_outlined](#) → const IconData

 — material icon named "perm media" (outlined).

[perm_media_rounded](#) → const IconData

 — material icon named "perm media" (round).

[perm_media_sharp](#) → const IconData

 — material icon named "perm media" (sharp).

[perm_phone_msg](#) → const IconData

 — material icon named "perm phone msg".

[perm_phone_msg_outlined](#) → const IconData

 — material icon named "perm phone msg" (outlined).

[perm_phone_msg_rounded](#) → const IconData

 — material icon named "perm phone msg" (round).

[perm_phone_msg_sharp](#) → const IconData



— material icon named "perm phone msg" (sharp).

perm_scan_wifi → const [IconData](#)



— material icon named "perm scan wifi".

perm_scan_wifi_outlined → const [IconData](#)



— material icon named "perm scan wifi" (outlined).

perm_scan_wifi_rounded → const [IconData](#)



— material icon named "perm scan wifi" (round).

perm_scan_wifi_sharp → const [IconData](#)



— material icon named "perm scan wifi" (sharp).

person → const [IconData](#)



— material icon named "person".

person_2 → const [IconData](#)



— material icon named "person 2".

person_2_outlined → const [IconData](#)



— material icon named "person 2" (outlined).

person_2_rounded → const [IconData](#)



— material icon named "person 2" (round).

person_2_sharp → const [IconData](#)



— material icon named "person 2" (sharp).

person_3 → const [IconData](#)



— material icon named "person 3".

person_3_outlined → const [IconData](#)



— material icon named "person 3" (outlined).

person_3_rounded → const [IconData](#)



— material icon named "person 3" (round).

person_3_sharp → const [IconData](#)



— material icon named "person 3" (sharp).

person_4 → const [IconData](#)



— material icon named "person 4".

person_4_outlined → const [IconData](#)



— material icon named "person 4" (outlined).

person_4_rounded → const [IconData](#)



— material icon named "person 4" (round).

person_4_sharp → const [IconData](#)



— material icon named "person 4" (sharp).

person_add → const [IconData](#)



— material icon named "person add".

person_add_alt → const [IconData](#)



— material icon named "person add alt".

person_add_alt_1 → const [IconData](#)

 — material icon named "person add alt 1".

[person_add_alt_1_outlined](#) → const IconData

 — material icon named "person add alt 1" (outlined).

[person_add_alt_1_rounded](#) → const IconData

 — material icon named "person add alt 1" (round).

[person_add_alt_1_sharp](#) → const IconData

 — material icon named "person add alt 1" (sharp).

[person_add_alt_outlined](#) → const IconData

 — material icon named "person add alt" (outlined).

[person_add_alt_rounded](#) → const IconData

 — material icon named "person add alt" (round).

[person_add_alt_sharp](#) → const IconData

 — material icon named "person add alt" (sharp).

[person_add_disabled](#) → const IconData

 — material icon named "person add disabled".

[person_add_disabled_outlined](#) → const IconData

 — material icon named "person add disabled" (outlined).

[person_add_disabled_rounded](#) → const IconData

 — material icon named "person add disabled" (round).

[person_add_disabled_sharp](#) → const IconData



— material icon named "person add disabled" (sharp).

[person_add_outlined](#) → const [IconData](#)



— material icon named "person add" (outlined).

[person_add_rounded](#) → const [IconData](#)



— material icon named "person add" (round).

[person_add_sharp](#) → const [IconData](#)



— material icon named "person add" (sharp).

[person_off](#) → const [IconData](#)



— material icon named "person off".

[person_off_outlined](#) → const [IconData](#)



— material icon named "person off" (outlined).

[person_off_rounded](#) → const [IconData](#)



— material icon named "person off" (round).

[person_off_sharp](#) → const [IconData](#)



— material icon named "person off" (sharp).

[person_outline](#) → const [IconData](#)



— material icon named "person outline".

[person_outline_outlined](#) → const [IconData](#)



— material icon named "person outline" (outlined).

[person_outline_rounded](#) → const [IconData](#)



— material icon named "person outline" (round).

person_outline_sharp → const IconData



— material icon named "person outline" (sharp).

person_outlined → const IconData



— material icon named "person" (outlined).

person_pin → const IconData



— material icon named "person pin".

person_pin_circle → const IconData



— material icon named "person pin circle".

person_pin_circle_outlined → const IconData



— material icon named "person pin circle" (outlined).

person_pin_circle_rounded → const IconData



— material icon named "person pin circle" (round).

person_pin_circle_sharp → const IconData



— material icon named "person pin circle" (sharp).

person_pin_outlined → const IconData



— material icon named "person pin" (outlined).

person_pin_rounded → const IconData



— material icon named "person pin" (round).

person_pin_sharp → const IconData



— material icon named "person pin" (sharp).

person_remove → const IconData



— material icon named "person remove".

person_remove_alt_1 → const IconData



— material icon named "person remove alt 1".

person_remove_alt_1_outlined → const IconData



— material icon named "person remove alt 1" (outlined).

person_remove_alt_1_rounded → const IconData



— material icon named "person remove alt 1" (round).

person_remove_alt_1_sharp → const IconData



— material icon named "person remove alt 1" (sharp).

person_remove_outlined → const IconData



— material icon named "person remove" (outlined).

person_remove_rounded → const IconData



— material icon named "person remove" (round).

person_remove_sharp → const IconData



— material icon named "person remove" (sharp).

person_rounded → const IconData



— material icon named "person" (round).

person_search → const IconData

 — material icon named "person search".

[person_search_outlined](#) → const IconData

 — material icon named "person search" (outlined).

[person_search_rounded](#) → const IconData

 — material icon named "person search" (round).

[person_search_sharp](#) → const IconData

 — material icon named "person search" (sharp).

[person_sharp](#) → const IconData

 — material icon named "person" (sharp).

[personal_injury](#) → const IconData

 — material icon named "personal injury".

[personal_injury_outlined](#) → const IconData

 — material icon named "personal injury" (outlined).

[personal_injury_rounded](#) → const IconData

 — material icon named "personal injury" (round).

[personal_injury_sharp](#) → const IconData

 — material icon named "personal injury" (sharp).

[personal_video](#) → const IconData

 — material icon named "personal video".

[personal_video_outlined](#) → const IconData



— material icon named "personal video" (outlined).

[personal_video_rounded](#) → const IconData



— material icon named "personal video" (round).

[personal_video_sharp](#) → const IconData



— material icon named "personal video" (sharp).

[pest_control](#) → const IconData



— material icon named "pest control".

[pest_control_outlined](#) → const IconData



— material icon named "pest control" (outlined).

[pest_control_rodent](#) → const IconData



— material icon named "pest control rodent".

[pest_control_rodent_outlined](#) → const IconData



— material icon named "pest control rodent" (outlined).

[pest_control_rodent_rounded](#) → const IconData



— material icon named "pest control rodent" (round).

[pest_control_rodent_sharp](#) → const IconData



— material icon named "pest control rodent" (sharp).

[pest_control_rounded](#) → const IconData



— material icon named "pest control" (round).

[pest_control_sharp](#) → const IconData



— material icon named "pest control" (sharp).

pets → const IconData



— material icon named "pets".

pets_outlined → const IconData



— material icon named "pets" (outlined).

pets_rounded → const IconData



— material icon named "pets" (round).

pets_sharp → const IconData



— material icon named "pets" (sharp).

phishing → const IconData



— material icon named "phishing".

phishing_outlined → const IconData



— material icon named "phishing" (outlined).

phishing_rounded → const IconData



— material icon named "phishing" (round).

phishing_sharp → const IconData



— material icon named "phishing" (sharp).

phone → const IconData



— material icon named "phone".

phone_android → const IconData



— material icon named "phone android".

phone_android_outlined → const IconData



— material icon named "phone android" (outlined).

phone_android_rounded → const IconData



— material icon named "phone android" (round).

phone_android_sharp → const IconData



— material icon named "phone android" (sharp).

phone_bluetooth_speaker → const IconData



— material icon named "phone bluetooth speaker".

phone_bluetooth_speaker_outlined → const IconData



— material icon named "phone bluetooth speaker" (outlined).

phone_bluetooth_speaker_rounded → const IconData



— material icon named "phone bluetooth speaker" (round).

phone_bluetooth_speaker_sharp → const IconData



— material icon named "phone bluetooth speaker" (sharp).

phone_callback → const IconData



— material icon named "phone callback".

phone_callback_outlined → const IconData



— material icon named "phone callback" (outlined).

phone_callback_rounded → const IconData



— material icon named "phone callback" (round).

`phone_callback_sharp` → const `IconData`



— material icon named "phone callback" (sharp).

`phone_disabled` → const `IconData`



— material icon named "phone disabled".

`phone_disabled_outlined` → const `IconData`



— material icon named "phone disabled" (outlined).

`phone_disabled_rounded` → const `IconData`



— material icon named "phone disabled" (round).

`phone_disabled_sharp` → const `IconData`



— material icon named "phone disabled" (sharp).

`phone_enabled` → const `IconData`



— material icon named "phone enabled".

`phone_enabled_outlined` → const `IconData`



— material icon named "phone enabled" (outlined).

`phone_enabled_rounded` → const `IconData`



— material icon named "phone enabled" (round).

`phone_enabled_sharp` → const `IconData`



— material icon named "phone enabled" (sharp).

`phone_forwarded` → const `IconData`



— material icon named "phone forwarded".

phone_forwarded_outlined → const IconData



— material icon named "phone forwarded" (outlined).

phone_forwarded_rounded → const IconData



— material icon named "phone forwarded" (round).

phone_forwarded_sharp → const IconData



— material icon named "phone forwarded" (sharp).

phone_in_talk → const IconData



— material icon named "phone in talk".

phone_in_talk_outlined → const IconData



— material icon named "phone in talk" (outlined).

phone_in_talk_rounded → const IconData



— material icon named "phone in talk" (round).

phone_in_talk_sharp → const IconData



— material icon named "phone in talk" (sharp).

phone_iphone → const IconData



— material icon named "phone iphone".

phone_iphone_outlined → const IconData



— material icon named "phone iphone" (outlined).

phone_iphone_rounded → const IconData



— material icon named "phone iphone" (round).

phone_iphone_sharp → const IconData



— material icon named "phone iphone" (sharp).

phone_locked → const IconData



— material icon named "phone locked".

phone_locked_outlined → const IconData



— material icon named "phone locked" (outlined).

phone_locked_rounded → const IconData



— material icon named "phone locked" (round).

phone_locked_sharp → const IconData



— material icon named "phone locked" (sharp).

phone_missed → const IconData



— material icon named "phone missed".

phone_missed_outlined → const IconData



— material icon named "phone missed" (outlined).

phone_missed_rounded → const IconData



— material icon named "phone missed" (round).

phone_missed_sharp → const IconData



— material icon named "phone missed" (sharp).

phone_outlined → const IconData



— material icon named "phone" (outlined).

phone_paused → const IconData



— material icon named "phone paused".

phone_paused_outlined → const IconData



— material icon named "phone paused" (outlined).

phone_paused_rounded → const IconData



— material icon named "phone paused" (round).

phone_paused_sharp → const IconData



— material icon named "phone paused" (sharp).

phone_rounded → const IconData



— material icon named "phone" (round).

phone_sharp → const IconData



— material icon named "phone" (sharp).

phonelink → const IconData



— material icon named "phonelink".

phonelink_erase → const IconData



— material icon named "phonelink erase".

phonelink_erase_outlined → const IconData



— material icon named "phonelink erase" (outlined).

phonelink_erase_rounded → const IconData



— material icon named "phonelink erase" (round).

[phonelink_erase_sharp](#) → const IconData



— material icon named "phonelink erase" (sharp).

[phonelink_lock](#) → const IconData



— material icon named "phonelink lock".

[phonelink_lock_outlined](#) → const IconData



— material icon named "phonelink lock" (outlined).

[phonelink_lock_rounded](#) → const IconData



— material icon named "phonelink lock" (round).

[phonelink_lock_sharp](#) → const IconData



— material icon named "phonelink lock" (sharp).

[phonelink_off](#) → const IconData



— material icon named "phonelink off".

[phonelink_off_outlined](#) → const IconData



— material icon named "phonelink off" (outlined).

[phonelink_off_rounded](#) → const IconData



— material icon named "phonelink off" (round).

[phonelink_off_sharp](#) → const IconData



— material icon named "phonelink off" (sharp).

[phonelink_outlined](#) → const IconData

 — material icon named "phonelink" (outlined).

phonelink_ring → const IconData

 — material icon named "phonelink ring".

phonelink_ring_outlined → const IconData

 — material icon named "phonelink ring" (outlined).

phonelink_ring_rounded → const IconData

 — material icon named "phonelink ring" (round).

phonelink_ring_sharp → const IconData

 — material icon named "phonelink ring" (sharp).

phonelink_rounded → const IconData

 — material icon named "phonelink" (round).

phonelink_setup → const IconData

 — material icon named "phonelink setup".

phonelink_setup_outlined → const IconData

 — material icon named "phonelink setup" (outlined).

phonelink_setup_rounded → const IconData

 — material icon named "phonelink setup" (round).

phonelink_setup_sharp → const IconData

 — material icon named "phonelink setup" (sharp).

phonelink_sharp → const IconData

 — material icon named "phonelink" (sharp).

photo → const IconData

 — material icon named "photo".

photo_album → const IconData

 — material icon named "photo album".

photo_album_outlined → const IconData

 — material icon named "photo album" (outlined).

photo_album_rounded → const IconData

 — material icon named "photo album" (round).

photo_album_sharp → const IconData

 — material icon named "photo album" (sharp).

photo_camera → const IconData

 — material icon named "photo camera".

photo_camera_back → const IconData

 — material icon named "photo camera back".

photo_camera_back_outlined → const IconData

 — material icon named "photo camera back" (outlined).

photo_camera_back_rounded → const IconData

 — material icon named "photo camera back" (round).

photo_camera_back_sharp → const IconData



— material icon named "photo camera back" (sharp).

[photo_camera_front](#) → const IconData



— material icon named "photo camera front".

[photo_camera_front_outlined](#) → const IconData



— material icon named "photo camera front" (outlined).

[photo_camera_front_rounded](#) → const IconData



— material icon named "photo camera front" (round).

[photo_camera_front_sharp](#) → const IconData



— material icon named "photo camera front" (sharp).

[photo_camera_outlined](#) → const IconData



— material icon named "photo camera" (outlined).

[photo_camera_rounded](#) → const IconData



— material icon named "photo camera" (round).

[photo_camera_sharp](#) → const IconData



— material icon named "photo camera" (sharp).

[photo_filter](#) → const IconData



— material icon named "photo filter".

[photo_filter_outlined](#) → const IconData



— material icon named "photo filter" (outlined).

[photo_filter_rounded](#) → const IconData



— material icon named "photo filter" (round).

[photo_filter_sharp](#) → const [IconData](#)



— material icon named "photo filter" (sharp).

[photo_library](#) → const [IconData](#)



— material icon named "photo library".

[photo_library_outlined](#) → const [IconData](#)



— material icon named "photo library" (outlined).

[photo_library_rounded](#) → const [IconData](#)



— material icon named "photo library" (round).

[photo_library_sharp](#) → const [IconData](#)



— material icon named "photo library" (sharp).

[photo_outlined](#) → const [IconData](#)



— material icon named "photo" (outlined).

[photo_rounded](#) → const [IconData](#)



— material icon named "photo" (round).

[photo_sharp](#) → const [IconData](#)



— material icon named "photo" (sharp).

[photo_size_select_actual](#) → const [IconData](#)



— material icon named "photo size select actual".

[photo_size_select_actual_outlined](#) → const [IconData](#)



— material icon named "photo size select actual" (outlined).

[photo_size_select_actual_rounded](#) → const IconData



— material icon named "photo size select actual" (round).

[photo_size_select_actual_sharp](#) → const IconData



— material icon named "photo size select actual" (sharp).

[photo_size_select_large](#) → const IconData



— material icon named "photo size select large".

[photo_size_select_large_outlined](#) → const IconData



— material icon named "photo size select large" (outlined).

[photo_size_select_large_rounded](#) → const IconData



— material icon named "photo size select large" (round).

[photo_size_select_large_sharp](#) → const IconData



— material icon named "photo size select large" (sharp).

[photo_size_select_small](#) → const IconData



— material icon named "photo size select small".

[photo_size_select_small_outlined](#) → const IconData



— material icon named "photo size select small" (outlined).

[photo_size_select_small_rounded](#) → const IconData



— material icon named "photo size select small" (round).

[photo_size_select_small_sharp](#) → const IconData



— material icon named "photo size select small" (sharp).

php → const IconData

PHP — material icon named "php".

php_outlined → const IconData

PHP — material icon named "php" (outlined).

php_rounded → const IconData

PHP — material icon named "php" (round).

php_sharp → const IconData

PHP — material icon named "php" (sharp).

piano → const IconData



— material icon named "piano".

piano_off → const IconData



— material icon named "piano off".

piano_off_outlined → const IconData



— material icon named "piano off" (outlined).

piano_off_rounded → const IconData



— material icon named "piano off" (round).

piano_off_sharp → const IconData



— material icon named "piano off" (sharp).

piano_outlined → const IconData



— material icon named "piano" (outlined).

piano_rounded → const IconData



— material icon named "piano" (round).

piano_sharp → const IconData



— material icon named "piano" (sharp).

picture_as_pdf → const IconData



— material icon named "picture as pdf".

picture_as_pdf_outlined → const IconData



— material icon named "picture as pdf" (outlined).

picture_as_pdf_rounded → const IconData



— material icon named "picture as pdf" (round).

picture_as_pdf_sharp → const IconData



— material icon named "picture as pdf" (sharp).

picture_in_picture → const IconData



— material icon named "picture in picture".

picture_in_picture_alt → const IconData



— material icon named "picture in picture alt".

picture_in_picture_alt_outlined → const IconData



— material icon named "picture in picture alt" (outlined).

picture_in_picture_alt_rounded → const IconData

 — material icon named "picture in picture alt" (round).

[picture_in_picture_alt_sharp](#) → const IconData

 — material icon named "picture in picture alt" (sharp).

[picture_in_picture_outlined](#) → const IconData

 — material icon named "picture in picture" (outlined).

[picture_in_picture_rounded](#) → const IconData

 — material icon named "picture in picture" (round).

[picture_in_picture_sharp](#) → const IconData

 — material icon named "picture in picture" (sharp).

[pie_chart](#) → const IconData

 — material icon named "pie chart".

[pie_chart_outline](#) → const IconData

 — material icon named "pie chart outline".

[pie_chart_outline_outlined](#) → const IconData

 — material icon named "pie chart outline" (outlined).

[pie_chart_outline_rounded](#) → const IconData

 — material icon named "pie chart outline" (round).

[pie_chart_outline_sharp](#) → const IconData

 — material icon named "pie chart outline" (sharp).

[pie_chart_rounded](#) → const IconData



— material icon named "pie chart" (round).

`pie_chart_sharp` → const `IconData`



— material icon named "pie chart" (sharp).

`pin` → const `IconData`



— material icon named "pin".

`pin_drop` → const `IconData`



— material icon named "pin drop".

`pin_drop_outlined` → const `IconData`



— material icon named "pin drop" (outlined).

`pin_drop_rounded` → const `IconData`



— material icon named "pin drop" (round).

`pin_drop_sharp` → const `IconData`



— material icon named "pin drop" (sharp).

`pin_end` → const `IconData`



— material icon named "pin end".

`pin_end_outlined` → const `IconData`



— material icon named "pin end" (outlined).

`pin_end_rounded` → const `IconData`



— material icon named "pin end" (round).

`pin_end_sharp` → const `IconData`

 — material icon named "pin end" (sharp).

[pin_invoke](#) → const [IconData](#)

 — material icon named "pin invoke".

[pin_invoke_outlined](#) → const [IconData](#)

 — material icon named "pin invoke" (outlined).

[pin_invoke_rounded](#) → const [IconData](#)

 — material icon named "pin invoke" (round).

[pin_invoke_sharp](#) → const [IconData](#)

 — material icon named "pin invoke" (sharp).

[pin_outlined](#) → const [IconData](#)

 — material icon named "pin" (outlined).

[pin_rounded](#) → const [IconData](#)

 — material icon named "pin" (round).

[pin_sharp](#) → const [IconData](#)

 — material icon named "pin" (sharp).

[pinch](#) → const [IconData](#)

 — material icon named "pinch".

[pinch_outlined](#) → const [IconData](#)

 — material icon named "pinch" (outlined).

[pinch_rounded](#) → const [IconData](#)

 — material icon named "pinch" (round).

[pinch_sharp](#) → const IconData

 — material icon named "pinch" (sharp).

[pivot_table_chart](#) → const IconData

 — material icon named "pivot table chart".

[pivot_table_chart_outlined](#) → const IconData

 — material icon named "pivot table chart" (outlined).

[pivot_table_chart_rounded](#) → const IconData

 — material icon named "pivot table chart" (round).

[pivot_table_chart_sharp](#) → const IconData

 — material icon named "pivot table chart" (sharp).

[pix](#) → const IconData

 — material icon named "pix".

[pix_outlined](#) → const IconData

 — material icon named "pix" (outlined).

[pix_rounded](#) → const IconData

 — material icon named "pix" (round).

[pix_sharp](#) → const IconData

 — material icon named "pix" (sharp).

[place](#) → const IconData

 — material icon named "place".

place_outlined → const IconData

 — material icon named "place" (outlined).

place_rounded → const IconData

 — material icon named "place" (round).

place_sharp → const IconData

 — material icon named "place" (sharp).

plagiarism → const IconData

 — material icon named "plagiarism".

plagiarism_outlined → const IconData

 — material icon named "plagiarism" (outlined).

plagiarism_rounded → const IconData

 — material icon named "plagiarism" (round).

plagiarism_sharp → const IconData

 — material icon named "plagiarism" (sharp).

play_arrow → const IconData

 — material icon named "play arrow".

play_arrow_outlined → const IconData

 — material icon named "play arrow" (outlined).

play_arrow_rounded → const IconData

▶ — material icon named "play arrow" (round).

play_arrow_sharp → const IconData

▶ — material icon named "play arrow" (sharp).

play_circle → const IconData

▶ — material icon named "play circle".

play_circle_fill → const IconData

▶ — material icon named "play circle fill".

play_circle_fill_outlined → const IconData

▶ — material icon named "play circle fill" (outlined).

play_circle_fill_rounded → const IconData

▶ — material icon named "play circle fill" (round).

play_circle_fill_sharp → const IconData

▶ — material icon named "play circle fill" (sharp).

play_circle_filled → const IconData

▶ — material icon named "play circle filled".

play_circle_filled_outlined → const IconData

▶ — material icon named "play circle filled" (outlined).

play_circle_filled_rounded → const IconData

▶ — material icon named "play circle filled" (round).

play_circle_filled_sharp → const IconData



— material icon named "play circle filled" (sharp).

`play_circle_outline` → const IconData



— material icon named "play circle outline".

`play_circle_outline_outlined` → const IconData



— material icon named "play circle outline" (outlined).

`play_circle_outline_rounded` → const IconData



— material icon named "play circle outline" (round).

`play_circle_outline_sharp` → const IconData



— material icon named "play circle outline" (sharp).

`play_circle_outlined` → const IconData



— material icon named "play circle" (outlined).

`play_circle_rounded` → const IconData



— material icon named "play circle" (round).

`play_circle_sharp` → const IconData



— material icon named "play circle" (sharp).

`play_disabled` → const IconData



— material icon named "play disabled".

`play_disabled_outlined` → const IconData



— material icon named "play disabled" (outlined).

`play_disabled_rounded` → const IconData



— material icon named "play disabled" (round).

[play_disabled_sharp](#) → const IconData



— material icon named "play disabled" (sharp).

[play_for_work](#) → const IconData



— material icon named "play for work".

[play_for_work_outlined](#) → const IconData



— material icon named "play for work" (outlined).

[play_for_work_rounded](#) → const IconData



— material icon named "play for work" (round).

[play_for_work_sharp](#) → const IconData



— material icon named "play for work" (sharp).

[play_lesson](#) → const IconData



— material icon named "play lesson".

[play_lesson_outlined](#) → const IconData



— material icon named "play lesson" (outlined).

[play_lesson_rounded](#) → const IconData



— material icon named "play lesson" (round).

[play_lesson_sharp](#) → const IconData



— material icon named "play lesson" (sharp).

[playlist_add](#) → const IconData

 — material icon named "playlist add".

[playlist_add_check](#) → const IconData

 — material icon named "playlist add check".

[playlist_add_check_circle](#) → const IconData

 — material icon named "playlist add check circle".

[playlist_add_check_circle_outlined](#) → const IconData

 — material icon named "playlist add check circle" (outlined).

[playlist_add_check_circle_rounded](#) → const IconData

 — material icon named "playlist add check circle" (round).

[playlist_add_check_circle_sharp](#) → const IconData

 — material icon named "playlist add check circle" (sharp).

[playlist_add_check_outlined](#) → const IconData

 — material icon named "playlist add check" (outlined).

[playlist_add_check_rounded](#) → const IconData

 — material icon named "playlist add check" (round).

[playlist_add_check_sharp](#) → const IconData

 — material icon named "playlist add check" (sharp).

[playlist_add_circle](#) → const IconData

 — material icon named "playlist add circle".

[playlist_add_circle_outlined](#) → const IconData



— material icon named "playlist add circle" (outlined).

[playlist_add_circle_rounded](#) → const IconData



— material icon named "playlist add circle" (round).

[playlist_add_circle_sharp](#) → const IconData



— material icon named "playlist add circle" (sharp).

[playlist_add_outlined](#) → const IconData



— material icon named "playlist add" (outlined).

[playlist_add_rounded](#) → const IconData



— material icon named "playlist add" (round).

[playlist_add_sharp](#) → const IconData



— material icon named "playlist add" (sharp).

[playlist_play](#) → const IconData



— material icon named "playlist play".

[playlist_play_outlined](#) → const IconData



— material icon named "playlist play" (outlined).

[playlist_play_rounded](#) → const IconData



— material icon named "playlist play" (round).

[playlist_play_sharp](#) → const IconData



— material icon named "playlist play" (sharp).

[playlist_remove](#) → const IconData

 — material icon named "playlist remove".

`playlist_remove_outlined` → const `IconData`

 — material icon named "playlist remove" (outlined).

`playlist_remove_rounded` → const `IconData`

 — material icon named "playlist remove" (round).

`playlist_remove_sharp` → const `IconData`

 — material icon named "playlist remove" (sharp).

`plumbing` → const `IconData`

 — material icon named "plumbing".

`plumbing_outlined` → const `IconData`

 — material icon named "plumbing" (outlined).

`plumbing_rounded` → const `IconData`

 — material icon named "plumbing" (round).

`plumbing_sharp` → const `IconData`

 — material icon named "plumbing" (sharp).

`plus_one` → const `IconData`

 — material icon named "plus one".

`plus_one_outlined` → const `IconData`

 — material icon named "plus one" (outlined).

`plus_one_rounded` → const `IconData`

+1 — material icon named "plus one" (round).

plus_one_sharp → const IconData

+1 — material icon named "plus one" (sharp).

podcasts → const IconData

 — material icon named "podcasts".

podcasts_outlined → const IconData

 — material icon named "podcasts" (outlined).

podcasts_rounded → const IconData

 — material icon named "podcasts" (round).

podcasts_sharp → const IconData

 — material icon named "podcasts" (sharp).

point_of_sale → const IconData

 — material icon named "point of sale".

point_of_sale_outlined → const IconData

 — material icon named "point of sale" (outlined).

point_of_sale_rounded → const IconData

 — material icon named "point of sale" (round).

point_of_sale_sharp → const IconData

 — material icon named "point of sale" (sharp).

policy → const IconData



— material icon named "policy".

policy_outlined → const [IconData](#)



— material icon named "policy" (outlined).

policy_rounded → const [IconData](#)



— material icon named "policy" (round).

policy_sharp → const [IconData](#)



— material icon named "policy" (sharp).

poll → const [IconData](#)



— material icon named "poll".

poll_outlined → const [IconData](#)



— material icon named "poll" (outlined).

poll_rounded → const [IconData](#)



— material icon named "poll" (round).

poll_sharp → const [IconData](#)



— material icon named "poll" (sharp).

polyline → const [IconData](#)



— material icon named "polyline".

polyline_outlined → const [IconData](#)



— material icon named "polyline" (outlined).

polyline_rounded → const [IconData](#)



— material icon named "polyline" (round).

polyline_sharp → const [IconData](#)



— material icon named "polyline" (sharp).

polymer → const [IconData](#)



— material icon named "polymer".

polymer_outlined → const [IconData](#)



— material icon named "polymer" (outlined).

polymer_rounded → const [IconData](#)



— material icon named "polymer" (round).

polymer_sharp → const [IconData](#)



— material icon named "polymer" (sharp).

pool → const [IconData](#)



— material icon named "pool".

pool_outlined → const [IconData](#)



— material icon named "pool" (outlined).

pool_rounded → const [IconData](#)



— material icon named "pool" (round).

pool_sharp → const [IconData](#)



— material icon named "pool" (sharp).

portable_wifi_off → const [IconData](#)

 — material icon named "portable wifi off".

[portable_wifi_off_outlined](#) → const IconData

 — material icon named "portable wifi off" (outlined).

[portable_wifi_off_rounded](#) → const IconData

 — material icon named "portable wifi off" (round).

[portable_wifi_off_sharp](#) → const IconData

 — material icon named "portable wifi off" (sharp).

[portrait](#) → const IconData

 — material icon named "portrait".

[portrait_outlined](#) → const IconData

 — material icon named "portrait" (outlined).

[portrait_rounded](#) → const IconData

 — material icon named "portrait" (round).

[portrait_sharp](#) → const IconData

 — material icon named "portrait" (sharp).

[post_add](#) → const IconData

 — material icon named "post add".

[post_add_outlined](#) → const IconData

 — material icon named "post add" (outlined).

[post_add_rounded](#) → const IconData

 — material icon named "post add" (round).

[post_add_sharp](#) → const [IconData](#)

 — material icon named "post add" (sharp).

[power](#) → const [IconData](#)

 — material icon named "power".

[power_input](#) → const [IconData](#)

 — material icon named "power input".

[power_input_outlined](#) → const [IconData](#)

 — material icon named "power input" (outlined).

[power_input_rounded](#) → const [IconData](#)

 — material icon named "power input" (round).

[power_input_sharp](#) → const [IconData](#)

 — material icon named "power input" (sharp).

[power_off](#) → const [IconData](#)

 — material icon named "power off".

[power_off_outlined](#) → const [IconData](#)

 — material icon named "power off" (outlined).

[power_off_rounded](#) → const [IconData](#)

 — material icon named "power off" (round).

[power_off_sharp](#) → const [IconData](#)



— material icon named "power off" (sharp).

power_outlined → const IconData



— material icon named "power" (outlined).

power_rounded → const IconData



— material icon named "power" (round).

power_settings_new → const IconData



— material icon named "power settings new".

power_settings_new_outlined → const IconData



— material icon named "power settings new" (outlined).

power_settings_new_rounded → const IconData



— material icon named "power settings new" (round).

power_settings_new_sharp → const IconData



— material icon named "power settings new" (sharp).

power_sharp → const IconData



— material icon named "power" (sharp).

precision_manufacturing → const IconData



— material icon named "precision manufacturing".

precision_manufacturing_outlined → const IconData



— material icon named "precision manufacturing" (outlined).

precision_manufacturing_rounded → const IconData



— material icon named "precision manufacturing" (round).

precision_manufacturing_sharp → const IconData



— material icon named "precision manufacturing" (sharp).

pregnant_woman → const IconData



— material icon named "pregnant woman".

pregnant_woman_outlined → const IconData



— material icon named "pregnant woman" (outlined).

pregnant_woman_rounded → const IconData



— material icon named "pregnant woman" (round).

pregnant_woman_sharp → const IconData



— material icon named "pregnant woman" (sharp).

present_to_all → const IconData



— material icon named "present to all".

present_to_all_outlined → const IconData



— material icon named "present to all" (outlined).

present_to_all_rounded → const IconData



— material icon named "present to all" (round).

present_to_all_sharp → const IconData



— material icon named "present to all" (sharp).

preview → const IconData



— material icon named "preview".

preview_outlined → const IconData



— material icon named "preview" (outlined).

preview_rounded → const IconData



— material icon named "preview" (round).

preview_sharp → const IconData



— material icon named "preview" (sharp).

price_change → const IconData



— material icon named "price change".

price_change_outlined → const IconData



— material icon named "price change" (outlined).

price_change_rounded → const IconData



— material icon named "price change" (round).

price_change_sharp → const IconData



— material icon named "price change" (sharp).

price_check → const IconData



— material icon named "price check".

price_check_outlined → const IconData



— material icon named "price check" (outlined).

price_check_rounded → const IconData

 — material icon named "price check" (round).

`price_check_sharp` → const [IconData](#)

 — material icon named "price check" (sharp).

`print` → const [IconData](#)

 — material icon named "print".

`print_disabled` → const [IconData](#)

 — material icon named "print disabled".

`print_disabled_outlined` → const [IconData](#)

 — material icon named "print disabled" (outlined).

`print_disabled_rounded` → const [IconData](#)

 — material icon named "print disabled" (round).

`print_disabled_sharp` → const [IconData](#)

 — material icon named "print disabled" (sharp).

`print_outlined` → const [IconData](#)

 — material icon named "print" (outlined).

`print_rounded` → const [IconData](#)

 — material icon named "print" (round).

`print_sharp` → const [IconData](#)

 — material icon named "print" (sharp).

`priority_high` → const [IconData](#)

 — material icon named "priority high".

[priority_high_outlined](#) → const IconData

 — material icon named "priority high" (outlined).

[priority_high_rounded](#) → const IconData

 — material icon named "priority high" (round).

[priority_high_sharp](#) → const IconData

 — material icon named "priority high" (sharp).

[privacy_tip](#) → const IconData

 — material icon named "privacy tip".

[privacy_tip_outlined](#) → const IconData

 — material icon named "privacy tip" (outlined).

[privacy_tip_rounded](#) → const IconData

 — material icon named "privacy tip" (round).

[privacy_tip_sharp](#) → const IconData

 — material icon named "privacy tip" (sharp).

[private_connectivity](#) → const IconData

 — material icon named "private connectivity".

[private_connectivity_outlined](#) → const IconData

 — material icon named "private connectivity" (outlined).

[private_connectivity_rounded](#) → const IconData

 — material icon named "private connectivity" (round).

[private_connectivity_sharp](#) → const IconData

 — material icon named "private connectivity" (sharp).

[production_quantity_limits](#) → const IconData

 — material icon named "production quantity limits".

[production_quantity_limits_outlined](#) → const IconData

 — material icon named "production quantity limits" (outlined).

[production_quantity_limits_rounded](#) → const IconData

 — material icon named "production quantity limits" (round).

[production_quantity_limits_sharp](#) → const IconData

 — material icon named "production quantity limits" (sharp).

[propane](#) → const IconData

 — material icon named "propane".

[propane_outlined](#) → const IconData

 — material icon named "propane" (outlined).

[propane_rounded](#) → const IconData

 — material icon named "propane" (round).

[propane_sharp](#) → const IconData

 — material icon named "propane" (sharp).

[propane_tank](#) → const IconData



— material icon named "propane tank".

propane_tank_outlined → const IconData



— material icon named "propane tank" (outlined).

propane_tank_rounded → const IconData



— material icon named "propane tank" (round).

propane_tank_sharp → const IconData



— material icon named "propane tank" (sharp).

psychology → const IconData



— material icon named "psychology".

psychology_alt → const IconData



— material icon named "psychology alt".

psychology_alt_outlined → const IconData



— material icon named "psychology alt" (outlined).

psychology_alt_rounded → const IconData



— material icon named "psychology alt" (round).

psychology_alt_sharp → const IconData



— material icon named "psychology alt" (sharp).

psychology_outlined → const IconData



— material icon named "psychology" (outlined).

psychology_rounded → const IconData



— material icon named "psychology" (round).

psychology_sharp → const IconData



— material icon named "psychology" (sharp).

public → const IconData



— material icon named "public".

public_off → const IconData



— material icon named "public off".

public_off_outlined → const IconData



— material icon named "public off" (outlined).

public_off_rounded → const IconData



— material icon named "public off" (round).

public_off_sharp → const IconData



— material icon named "public off" (sharp).

public_outlined → const IconData



— material icon named "public" (outlined).

public_rounded → const IconData



— material icon named "public" (round).

public_sharp → const IconData



— material icon named "public" (sharp).

publish → const IconData

 — material icon named "publish".

[publish_outlined](#) → const IconData

 — material icon named "publish" (outlined).

[publish_rounded](#) → const IconData

 — material icon named "publish" (round).

[publish_sharp](#) → const IconData

 — material icon named "publish" (sharp).

[published_with_changes](#) → const IconData

 — material icon named "published with changes".

[published_with_changes_outlined](#) → const IconData

 — material icon named "published with changes" (outlined).

[published_with_changes_rounded](#) → const IconData

 — material icon named "published with changes" (round).

[published_with_changes_sharp](#) → const IconData

 — material icon named "published with changes" (sharp).

[punch_clock](#) → const IconData

 — material icon named "punch clock".

[punch_clock_outlined](#) → const IconData

 — material icon named "punch clock" (outlined).

[punch_clock_rounded](#) → const IconData



— material icon named "punch clock" (round).

[punch_clock_sharp](#) → const [IconData](#)



— material icon named "punch clock" (sharp).

[push_pin](#) → const [IconData](#)



— material icon named "push pin".

[push_pin_outlined](#) → const [IconData](#)



— material icon named "push pin" (outlined).

[push_pin_rounded](#) → const [IconData](#)



— material icon named "push pin" (round).

[push_pin_sharp](#) → const [IconData](#)



— material icon named "push pin" (sharp).

[qr_code](#) → const [IconData](#)



— material icon named "qr code".

[qr_code_2](#) → const [IconData](#)



— material icon named "qr code 2".

[qr_code_2_outlined](#) → const [IconData](#)



— material icon named "qr code 2" (outlined).

[qr_code_2_rounded](#) → const [IconData](#)



— material icon named "qr code 2" (round).

[qr_code_2_sharp](#) → const [IconData](#)



— material icon named "qr code 2" (sharp).

qr_code_outlined → const IconData



— material icon named "qr code" (outlined).

qr_code_rounded → const IconData



— material icon named "qr code" (round).

qr_code_scanner → const IconData



— material icon named "qr code scanner".

qr_code_scanner_outlined → const IconData



— material icon named "qr code scanner" (outlined).

qr_code_scanner_rounded → const IconData



— material icon named "qr code scanner" (round).

qr_code_scanner_sharp → const IconData



— material icon named "qr code scanner" (sharp).

qr_code_sharp → const IconData



— material icon named "qr code" (sharp).

query_builder → const IconData



— material icon named "query builder".

query_builder_outlined → const IconData



— material icon named "query builder" (outlined).

query_builder_rounded → const IconData



— material icon named "query builder" (round).

[query_builder_sharp](#) → const IconData



— material icon named "query builder" (sharp).

[query_stats](#) → const IconData



— material icon named "query stats".

[query_stats_outlined](#) → const IconData



— material icon named "query stats" (outlined).

[query_stats_rounded](#) → const IconData



— material icon named "query stats" (round).

[query_stats_sharp](#) → const IconData



— material icon named "query stats" (sharp).

[question_answer](#) → const IconData



— material icon named "question answer".

[question_answer_outlined](#) → const IconData



— material icon named "question answer" (outlined).

[question_answer_rounded](#) → const IconData



— material icon named "question answer" (round).

[question_answer_sharp](#) → const IconData



— material icon named "question answer" (sharp).

[question_mark](#) → const IconData

 — material icon named "question mark".

[question_mark_outlined](#) → const IconData

 — material icon named "question mark" (outlined).

[question_mark_rounded](#) → const IconData

 — material icon named "question mark" (round).

[question_mark_sharp](#) → const IconData

 — material icon named "question mark" (sharp).

[queue](#) → const IconData

 — material icon named "queue".

[queue_music](#) → const IconData

 — material icon named "queue music".

[queue_music_outlined](#) → const IconData

 — material icon named "queue music" (outlined).

[queue_music_rounded](#) → const IconData

 — material icon named "queue music" (round).

[queue_music_sharp](#) → const IconData

 — material icon named "queue music" (sharp).

[queue_outlined](#) → const IconData

 — material icon named "queue" (outlined).

[queue_play_next](#) → const IconData

 — material icon named "queue play next".

[queue_play_next_outlined](#) → const IconData

 — material icon named "queue play next" (outlined).

[queue_play_next_rounded](#) → const IconData

 — material icon named "queue play next" (round).

[queue_play_next_sharp](#) → const IconData

 — material icon named "queue play next" (sharp).

[queue_rounded](#) → const IconData

 — material icon named "queue" (round).

[queue_sharp](#) → const IconData

 — material icon named "queue" (sharp).

[quick_contacts_dialer](#) → const IconData

 — material icon named "quick contacts dialer".

[quick_contacts_dialer_outlined](#) → const IconData

 — material icon named "quick contacts dialer" (outlined).

[quick_contacts_dialer_rounded](#) → const IconData

 — material icon named "quick contacts dialer" (round).

[quick_contacts_dialer_sharp](#) → const IconData

 — material icon named "quick contacts dialer" (sharp).

[quick_contacts_mail](#) → const IconData



— material icon named "quick contacts mail".

quick_contacts_mail_outlined → const IconData



— material icon named "quick contacts mail" (outlined).

quick_contacts_mail_rounded → const IconData



— material icon named "quick contacts mail" (round).

quick_contacts_mail_sharp → const IconData



— material icon named "quick contacts mail" (sharp).

quickreply → const IconData



— material icon named "quickreply".

quickreply_outlined → const IconData



— material icon named "quickreply" (outlined).

quickreply_rounded → const IconData



— material icon named "quickreply" (round).

quickreply_sharp → const IconData



— material icon named "quickreply" (sharp).

quiz → const IconData



— material icon named "quiz".

quiz_outlined → const IconData



— material icon named "quiz" (outlined).

quiz_rounded → const IconData

 — material icon named "quiz" (round).

[quiz_sharp](#) → const [IconData](#)

 — material icon named "quiz" (sharp).

[quora](#) → const [IconData](#)

 — material icon named "quora".

[quora_outlined](#) → const [IconData](#)

 — material icon named "quora" (outlined).

[quora_rounded](#) → const [IconData](#)

 — material icon named "quora" (round).

[quora_sharp](#) → const [IconData](#)

 — material icon named "quora" (sharp).

[r_mobiledata](#) → const [IconData](#)

 — material icon named "r mobiledata".

[r_mobiledata_outlined](#) → const [IconData](#)

 — material icon named "r mobiledata" (outlined).

[r_mobiledata_rounded](#) → const [IconData](#)

 — material icon named "r mobiledata" (round).

[r_mobiledata_sharp](#) → const [IconData](#)

 — material icon named "r mobiledata" (sharp).

[radar](#) → const [IconData](#)

 — material icon named "radar".

radar_outlined → const IconData

 — material icon named "radar" (outlined).

radar_rounded → const IconData

 — material icon named "radar" (round).

radar_sharp → const IconData

 — material icon named "radar" (sharp).

radio → const IconData

 — material icon named "radio".

radio_button_checked → const IconData

 — material icon named "radio button checked".

radio_button_checked_outlined → const IconData

 — material icon named "radio button checked" (outlined).

radio_button_checked_rounded → const IconData

 — material icon named "radio button checked" (round).

radio_button_checked_sharp → const IconData

 — material icon named "radio button checked" (sharp).

radio_button_off → const IconData

 — material icon named "radio button off".

radio_button_off_outlined → const IconData

 — material icon named "radio button off" (outlined).

radio_button_off_rounded → const IconData

 — material icon named "radio button off" (round).

radio_button_off_sharp → const IconData

 — material icon named "radio button off" (sharp).

radio_button_on → const IconData

 — material icon named "radio button on".

radio_button_on_outlined → const IconData

 — material icon named "radio button on" (outlined).

radio_button_on_rounded → const IconData

 — material icon named "radio button on" (round).

radio_button_on_sharp → const IconData

 — material icon named "radio button on" (sharp).

radio_button_unchecked → const IconData

 — material icon named "radio button unchecked".

radio_button_unchecked_outlined → const IconData

 — material icon named "radio button unchecked" (outlined).

radio_button_unchecked_rounded → const IconData

 — material icon named "radio button unchecked" (round).

radio_button_unchecked_sharp → const IconData

 — material icon named "radio button unchecked" (sharp).

radio_outlined → const [IconData](#)

 — material icon named "radio" (outlined).

radio_rounded → const [IconData](#)

 — material icon named "radio" (round).

radio_sharp → const [IconData](#)

 — material icon named "radio" (sharp).

railway_alert → const [IconData](#)

 — material icon named "railway alert".

railway_alert_outlined → const [IconData](#)

 — material icon named "railway alert" (outlined).

railway_alert_rounded → const [IconData](#)

 — material icon named "railway alert" (round).

railway_alert_sharp → const [IconData](#)

 — material icon named "railway alert" (sharp).

ramen_dining → const [IconData](#)

 — material icon named "ramen dining".

ramen_dining_outlined → const [IconData](#)

 — material icon named "ramen dining" (outlined).

ramen_dining_rounded → const [IconData](#)



— material icon named "ramen dining" (round).

ramen_dining_sharp → const IconData



— material icon named "ramen dining" (sharp).

ramp_left → const IconData



— material icon named "ramp left".

ramp_left_outlined → const IconData



— material icon named "ramp left" (outlined).

ramp_left_rounded → const IconData



— material icon named "ramp left" (round).

ramp_left_sharp → const IconData



— material icon named "ramp left" (sharp).

ramp_right → const IconData



— material icon named "ramp right".

ramp_right_outlined → const IconData



— material icon named "ramp right" (outlined).

ramp_right_rounded → const IconData



— material icon named "ramp right" (round).

ramp_right_sharp → const IconData



— material icon named "ramp right" (sharp).

rate_review → const IconData



— material icon named "rate review".

[rate_review_outlined](#) → const [IconData](#)



— material icon named "rate review" (outlined).

[rate_review_rounded](#) → const [IconData](#)



— material icon named "rate review" (round).

[rate_review_sharp](#) → const [IconData](#)



— material icon named "rate review" (sharp).

[raw_off](#) → const [IconData](#)



— material icon named "raw off".

[raw_off_outlined](#) → const [IconData](#)



— material icon named "raw off" (outlined).

[raw_off_rounded](#) → const [IconData](#)



— material icon named "raw off" (round).

[raw_off_sharp](#) → const [IconData](#)



— material icon named "raw off" (sharp).

[raw_on](#) → const [IconData](#)



— material icon named "raw on".

[raw_on_outlined](#) → const [IconData](#)



— material icon named "raw on" (outlined).

[raw_on_rounded](#) → const [IconData](#)

RAW — material icon named "raw on" (round).

raw_on_sharp → const IconData

RAW — material icon named "raw on" (sharp).

read_more → const IconData

 — material icon named "read more".

read_more_outlined → const IconData

 — material icon named "read more" (outlined).

read_more_rounded → const IconData

 — material icon named "read more" (round).

read_more_sharp → const IconData

 — material icon named "read more" (sharp).

real_estate_agent → const IconData

 — material icon named "real estate agent".

real_estate_agent_outlined → const IconData

 — material icon named "real estate agent" (outlined).

real_estate_agent_rounded → const IconData

 — material icon named "real estate agent" (round).

real_estate_agent_sharp → const IconData

 — material icon named "real estate agent" (sharp).

rebase_edit → const IconData



— material icon named "rebase edit".

receipt → const [IconData](#)



— material icon named "receipt".

receipt_long → const [IconData](#)



— material icon named "receipt long".

receipt_long_outlined → const [IconData](#)



— material icon named "receipt long" (outlined).

receipt_long_rounded → const [IconData](#)



— material icon named "receipt long" (round).

receipt_long_sharp → const [IconData](#)



— material icon named "receipt long" (sharp).

receipt_outlined → const [IconData](#)



— material icon named "receipt" (outlined).

receipt_rounded → const [IconData](#)



— material icon named "receipt" (round).

receipt_sharp → const [IconData](#)



— material icon named "receipt" (sharp).

recent_actors → const [IconData](#)



— material icon named "recent actors".

recent_actors_outlined → const [IconData](#)

 — material icon named "recent actors" (outlined).

[recent_actors_rounded](#) → const IconData

 — material icon named "recent actors" (round).

[recent_actors_sharp](#) → const IconData

 — material icon named "recent actors" (sharp).

[recommend](#) → const IconData

 — material icon named "recommend".

[recommend_outlined](#) → const IconData

 — material icon named "recommend" (outlined).

[recommend_rounded](#) → const IconData

 — material icon named "recommend" (round).

[recommend_sharp](#) → const IconData

 — material icon named "recommend" (sharp).

[record_voice_over](#) → const IconData

 — material icon named "record voice over".

[record_voice_over_outlined](#) → const IconData

 — material icon named "record voice over" (outlined).

[record_voice_over_rounded](#) → const IconData

 — material icon named "record voice over" (round).

[record_voice_over_sharp](#) → const IconData



— material icon named "record voice over" (sharp).

rectangle → const IconData



— material icon named "rectangle".

rectangle_outlined → const IconData



— material icon named "rectangle" (outlined).

rectangle_rounded → const IconData



— material icon named "rectangle" (round).

rectangle_sharp → const IconData



— material icon named "rectangle" (sharp).

recycling → const IconData



— material icon named "recycling".

recycling_outlined → const IconData



— material icon named "recycling" (outlined).

recycling_rounded → const IconData



— material icon named "recycling" (round).

recycling_sharp → const IconData



— material icon named "recycling" (sharp).

reddit → const IconData



— material icon named "reddit".

reddit_outlined → const IconData



— material icon named "reddit" (outlined).

reddit_rounded → const [IconData](#)



— material icon named "reddit" (round).

reddit_sharp → const [IconData](#)



— material icon named "reddit" (sharp).

redeem → const [IconData](#)



— material icon named "redeem".

redeem_outlined → const [IconData](#)



— material icon named "redeem" (outlined).

redeem_rounded → const [IconData](#)



— material icon named "redeem" (round).

redeem_sharp → const [IconData](#)



— material icon named "redeem" (sharp).

redo → const [IconData](#)



— material icon named "redo".

redo_outlined → const [IconData](#)



— material icon named "redo" (outlined).

redo_rounded → const [IconData](#)



— material icon named "redo" (round).

redo_sharp → const [IconData](#)

 — material icon named "redo" (sharp).

reduce_capacity → const IconData

 — material icon named "reduce capacity".

reduce_capacity_outlined → const IconData

 — material icon named "reduce capacity" (outlined).

reduce_capacity_rounded → const IconData

 — material icon named "reduce capacity" (round).

reduce_capacity_sharp → const IconData

 — material icon named "reduce capacity" (sharp).

refresh → const IconData

 — material icon named "refresh".

refresh_outlined → const IconData

 — material icon named "refresh" (outlined).

refresh_rounded → const IconData

 — material icon named "refresh" (round).

refresh_sharp → const IconData

 — material icon named "refresh" (sharp).

remember_me → const IconData

 — material icon named "remember me".

remember_me_outlined → const IconData



— material icon named "remember me" (outlined).

remember_me_rounded → const IconData



— material icon named "remember me" (round).

remember_me_sharp → const IconData



— material icon named "remember me" (sharp).

remove → const IconData



— material icon named "remove".

remove_circle → const IconData



— material icon named "remove circle".

remove_circle_outline → const IconData



— material icon named "remove circle outline".

remove_circle_outline_outlined → const IconData



— material icon named "remove circle outline" (outlined).

remove_circle_outline_rounded → const IconData



— material icon named "remove circle outline" (round).

remove_circle_outline_sharp → const IconData



— material icon named "remove circle outline" (sharp).

remove_circle_outlined → const IconData



— material icon named "remove circle" (outlined).

remove_circle_rounded → const IconData



— material icon named "remove circle" (round).

remove_circle_sharp → const IconData



— material icon named "remove circle" (sharp).

remove_done → const IconData



— material icon named "remove done".

remove_done_outlined → const IconData



— material icon named "remove done" (outlined).

remove_done_rounded → const IconData



— material icon named "remove done" (round).

remove_done_sharp → const IconData



— material icon named "remove done" (sharp).

remove_from_queue → const IconData



— material icon named "remove from queue".

remove_from_queue_outlined → const IconData



— material icon named "remove from queue" (outlined).

remove_from_queue_rounded → const IconData



— material icon named "remove from queue" (round).

remove_from_queue_sharp → const IconData



— material icon named "remove from queue" (sharp).

remove_moderator → const IconData



— material icon named "remove moderator".

remove_moderator_outlined → const IconData



— material icon named "remove moderator" (outlined).

remove_moderator_rounded → const IconData



— material icon named "remove moderator" (round).

remove_moderator_sharp → const IconData



— material icon named "remove moderator" (sharp).

remove_outlined → const IconData

— — material icon named "remove" (outlined).

remove_red_eye → const IconData



— material icon named "remove red eye".

remove_red_eye_outlined → const IconData



— material icon named "remove red eye" (outlined).

remove_red_eye_rounded → const IconData



— material icon named "remove red eye" (round).

remove_red_eye_sharp → const IconData



— material icon named "remove red eye" (sharp).

remove_road → const IconData



— material icon named "remove road".

remove_road_outlined → const IconData

 — material icon named "remove road" (outlined).

remove_road_rounded → const IconData

 — material icon named "remove road" (round).

remove_road_sharp → const IconData

 — material icon named "remove road" (sharp).

remove_rounded → const IconData

 — material icon named "remove" (round).

remove_sharp → const IconData

 — material icon named "remove" (sharp).

remove_shopping_cart → const IconData

 — material icon named "remove shopping cart".

remove_shopping_cart_outlined → const IconData

 — material icon named "remove shopping cart" (outlined).

remove_shopping_cart_rounded → const IconData

 — material icon named "remove shopping cart" (round).

remove_shopping_cart_sharp → const IconData

 — material icon named "remove shopping cart" (sharp).

reorder → const IconData

 — material icon named "reorder".

reorder_outlined → const IconData

 — material icon named "reorder" (outlined).

[reorder_rounded](#) → const [IconData](#)

 — material icon named "reorder" (round).

[reorder_sharp](#) → const [IconData](#)

 — material icon named "reorder" (sharp).

[repartition](#) → const [IconData](#)

 — material icon named "repartition".

[repartition_outlined](#) → const [IconData](#)

 — material icon named "repartition" (outlined).

[repartition_rounded](#) → const [IconData](#)

 — material icon named "repartition" (round).

[repartition_sharp](#) → const [IconData](#)

 — material icon named "repartition" (sharp).

[repeat](#) → const [IconData](#)

 — material icon named "repeat".

[repeat_on](#) → const [IconData](#)

 — material icon named "repeat on".

[repeat_on_outlined](#) → const [IconData](#)

 — material icon named "repeat on" (outlined).

[repeat_on_rounded](#) → const [IconData](#)



— material icon named "repeat on" (round).

[repeat_on_sharp](#) → const [IconData](#)



— material icon named "repeat on" (sharp).

[repeat_one](#) → const [IconData](#)



— material icon named "repeat one".

[repeat_one_on](#) → const [IconData](#)



— material icon named "repeat one on".

[repeat_one_on_outlined](#) → const [IconData](#)



— material icon named "repeat one on" (outlined).

[repeat_one_on_rounded](#) → const [IconData](#)



— material icon named "repeat one on" (round).

[repeat_one_on_sharp](#) → const [IconData](#)



— material icon named "repeat one on" (sharp).

[repeat_one_outlined](#) → const [IconData](#)



— material icon named "repeat one" (outlined).

[repeat_one_rounded](#) → const [IconData](#)



— material icon named "repeat one" (round).

[repeat_one_sharp](#) → const [IconData](#)



— material icon named "repeat one" (sharp).

[repeat_outlined](#) → const [IconData](#)

 — material icon named "repeat" (outlined).

repeat_rounded → const IconData

 — material icon named "repeat" (round).

repeat_sharp → const IconData

 — material icon named "repeat" (sharp).

replay → const IconData

 — material icon named "replay".

replay_5 → const IconData

 — material icon named "replay 5".

replay_5_outlined → const IconData

 — material icon named "replay 5" (outlined).

replay_5_rounded → const IconData

 — material icon named "replay 5" (round).

replay_5_sharp → const IconData

 — material icon named "replay 5" (sharp).

replay_10 → const IconData

 — material icon named "replay 10".

replay_10_outlined → const IconData

 — material icon named "replay 10" (outlined).

replay_10_rounded → const IconData

 — material icon named "replay 10" (round).

replay_10_sharp → const IconData

 — material icon named "replay 10" (sharp).

replay_30 → const IconData

 — material icon named "replay 30".

replay_30_outlined → const IconData

 — material icon named "replay 30" (outlined).

replay_30_rounded → const IconData

 — material icon named "replay 30" (round).

replay_30_sharp → const IconData

 — material icon named "replay 30" (sharp).

replay_circle_filled → const IconData

 — material icon named "replay circle filled".

replay_circle_filled_outlined → const IconData

 — material icon named "replay circle filled" (outlined).

replay_circle_filled_rounded → const IconData

 — material icon named "replay circle filled" (round).

replay_circle_filled_sharp → const IconData

 — material icon named "replay circle filled" (sharp).

replay_outlined → const IconData

 — material icon named "replay" (outlined).

replay_rounded → const IconData

 — material icon named "replay" (round).

replay_sharp → const IconData

 — material icon named "replay" (sharp).

reply → const IconData

 — material icon named "reply".

reply_all → const IconData

 — material icon named "reply all".

reply_all_outlined → const IconData

 — material icon named "reply all" (outlined).

reply_all_rounded → const IconData

 — material icon named "reply all" (round).

reply_all_sharp → const IconData

 — material icon named "reply all" (sharp).

reply_outlined → const IconData

 — material icon named "reply" (outlined).

reply_rounded → const IconData

 — material icon named "reply" (round).

reply_sharp → const IconData

 — material icon named "reply" (sharp).

report → const IconData

 — material icon named "report".

report_gmailerrorred → const IconData

 — material icon named "report gmailerrorred".

report_gmailerrorred_outlined → const IconData

 — material icon named "report gmailerrorred" (outlined).

report_gmailerrorred_rounded → const IconData

 — material icon named "report gmailerrorred" (round).

report_gmailerrorred_sharp → const IconData

 — material icon named "report gmailerrorred" (sharp).

report_off → const IconData

 — material icon named "report off".

report_off_outlined → const IconData

 — material icon named "report off" (outlined).

report_off_rounded → const IconData

 — material icon named "report off" (round).

report_off_sharp → const IconData

 — material icon named "report off" (sharp).

report_outlined → const IconData

 — material icon named "report" (outlined).

[report_problem](#) → const IconData

 — material icon named "report problem".

[report_problem_outlined](#) → const IconData

 — material icon named "report problem" (outlined).

[report_problem_rounded](#) → const IconData

 — material icon named "report problem" (round).

[report_problem_sharp](#) → const IconData

 — material icon named "report problem" (sharp).

[report_rounded](#) → const IconData

 — material icon named "report" (round).

[report_sharp](#) → const IconData

 — material icon named "report" (sharp).

[request_page](#) → const IconData

 — material icon named "request page".

[request_page_outlined](#) → const IconData

 — material icon named "request page" (outlined).

[request_page_rounded](#) → const IconData

 — material icon named "request page" (round).

[request_page_sharp](#) → const IconData



— material icon named "request page" (sharp).

request_quote → const IconData



— material icon named "request quote".

request_quote_outlined → const IconData



— material icon named "request quote" (outlined).

request_quote_rounded → const IconData



— material icon named "request quote" (round).

request_quote_sharp → const IconData



— material icon named "request quote" (sharp).

reset_tv → const IconData



— material icon named "reset tv".

reset_tv_outlined → const IconData



— material icon named "reset tv" (outlined).

reset_tv_rounded → const IconData



— material icon named "reset tv" (round).

reset_tv_sharp → const IconData



— material icon named "reset tv" (sharp).

restart_alt → const IconData



— material icon named "restart alt".

restart_alt_outlined → const IconData



— material icon named "restart alt" (outlined).

restart_alt_rounded → const IconData



— material icon named "restart alt" (round).

restart_alt_sharp → const IconData



— material icon named "restart alt" (sharp).

restaurant → const IconData



— material icon named "restaurant".

restaurant_menu → const IconData



— material icon named "restaurant menu".

restaurant_menu_outlined → const IconData



— material icon named "restaurant menu" (outlined).

restaurant_menu_rounded → const IconData



— material icon named "restaurant menu" (round).

restaurant_menu_sharp → const IconData



— material icon named "restaurant menu" (sharp).

restaurant_outlined → const IconData



— material icon named "restaurant" (outlined).

restaurant_rounded → const IconData



— material icon named "restaurant" (round).

restaurant_sharp → const IconData



— material icon named "restaurant" (sharp).

restore → const IconData



— material icon named "restore".

restore_from_trash → const IconData



— material icon named "restore from trash".

restore_from_trash_outlined → const IconData



— material icon named "restore from trash" (outlined).

restore_from_trash_rounded → const IconData



— material icon named "restore from trash" (round).

restore_from_trash_sharp → const IconData



— material icon named "restore from trash" (sharp).

restore_outlined → const IconData



— material icon named "restore" (outlined).

restore_page → const IconData



— material icon named "restore page".

restore_page_outlined → const IconData



— material icon named "restore page" (outlined).

restore_page_rounded → const IconData



— material icon named "restore page" (round).

restore_page_sharp → const IconData



— material icon named "restore page" (sharp).

restore_rounded → const IconData



— material icon named "restore" (round).

restore_sharp → const IconData



— material icon named "restore" (sharp).

reviews → const IconData



— material icon named "reviews".

reviews_outlined → const IconData



— material icon named "reviews" (outlined).

reviews_rounded → const IconData



— material icon named "reviews" (round).

reviews_sharp → const IconData



— material icon named "reviews" (sharp).

rice_bowl → const IconData



— material icon named "rice bowl".

rice_bowl_outlined → const IconData



— material icon named "rice bowl" (outlined).

rice_bowl_rounded → const IconData



— material icon named "rice bowl" (round).

rice_bowl_sharp → const IconData



— material icon named "rice bowl" (sharp).

ring_volume → const IconData



— material icon named "ring volume".

ring_volume_outlined → const IconData



— material icon named "ring volume" (outlined).

ring_volume_rounded → const IconData



— material icon named "ring volume" (round).

ring_volume_sharp → const IconData



— material icon named "ring volume" (sharp).

rocket → const IconData



— material icon named "rocket".

rocket_launch → const IconData



— material icon named "rocket launch".

rocket_launch_outlined → const IconData



— material icon named "rocket launch" (outlined).

rocket_launch_rounded → const IconData



— material icon named "rocket launch" (round).

rocket_launch_sharp → const IconData



— material icon named "rocket launch" (sharp).

rocket_outlined → const IconData



— material icon named "rocket" (outlined).

rocket_rounded → const IconData



— material icon named "rocket" (round).

rocket_sharp → const IconData



— material icon named "rocket" (sharp).

roller_shades → const IconData



— material icon named "roller shades".

roller_shades_closed → const IconData



— material icon named "roller shades closed".

roller_shades_closed_outlined → const IconData



— material icon named "roller shades closed" (outlined).

roller_shades_closed_rounded → const IconData



— material icon named "roller shades closed" (round).

roller_shades_closed_sharp → const IconData



— material icon named "roller shades closed" (sharp).

roller_shades_outlined → const IconData



— material icon named "roller shades" (outlined).

roller_shades_rounded → const IconData



— material icon named "roller shades" (round).

roller_shades_sharp → const IconData



— material icon named "roller shades" (sharp).

roller_skating → const IconData



— material icon named "roller skating".

roller_skating_outlined → const IconData



— material icon named "roller skating" (outlined).

roller_skating_rounded → const IconData



— material icon named "roller skating" (round).

roller_skating_sharp → const IconData



— material icon named "roller skating" (sharp).

roofing → const IconData



— material icon named "roofing".

roofing_outlined → const IconData



— material icon named "roofing" (outlined).

roofing_rounded → const IconData



— material icon named "roofing" (round).

roofing_sharp → const IconData



— material icon named "roofing" (sharp).

room → const IconData



— material icon named "room".

room_outlined → const IconData

 — material icon named "room" (outlined).

room_preferences → const IconData

 — material icon named "room preferences".

room_preferences_outlined → const IconData

 — material icon named "room preferences" (outlined).

room_preferences_rounded → const IconData

 — material icon named "room preferences" (round).

room_preferences_sharp → const IconData

 — material icon named "room preferences" (sharp).

room_rounded → const IconData

 — material icon named "room" (round).

room_service → const IconData

 — material icon named "room service".

room_service_outlined → const IconData

 — material icon named "room service" (outlined).

room_service_rounded → const IconData

 — material icon named "room service" (round).

room_service_sharp → const IconData

 — material icon named "room service" (sharp).

room_sharp → const IconData

 — material icon named "room" (sharp).

[rotate_90_degrees_ccw](#) → const IconData

 — material icon named "rotate 90 degrees ccw".

[rotate_90_degrees_ccw_outlined](#) → const IconData

 — material icon named "rotate 90 degrees ccw" (outlined).

[rotate_90_degrees_ccw_rounded](#) → const IconData

 — material icon named "rotate 90 degrees ccw" (round).

[rotate_90_degrees_ccw_sharp](#) → const IconData

 — material icon named "rotate 90 degrees ccw" (sharp).

[rotate_90_degrees_cw](#) → const IconData

 — material icon named "rotate 90 degrees cw".

[rotate_90_degrees_cw_outlined](#) → const IconData

 — material icon named "rotate 90 degrees cw" (outlined).

[rotate_90_degrees_cw_rounded](#) → const IconData

 — material icon named "rotate 90 degrees cw" (round).

[rotate_90_degrees_cw_sharp](#) → const IconData

 — material icon named "rotate 90 degrees cw" (sharp).

[rotate_left](#) → const IconData

 — material icon named "rotate left".

[rotate_left_outlined](#) → const IconData



— material icon named "rotate left" (outlined).

rotate_left_rounded → const IconData



— material icon named "rotate left" (round).

rotate_left_sharp → const IconData



— material icon named "rotate left" (sharp).

rotate_right → const IconData



— material icon named "rotate right".

rotate_right_outlined → const IconData



— material icon named "rotate right" (outlined).

rotate_right_rounded → const IconData



— material icon named "rotate right" (round).

rotate_right_sharp → const IconData



— material icon named "rotate right" (sharp).

roundabout_left → const IconData



— material icon named "roundabout left".

roundabout_left_outlined → const IconData



— material icon named "roundabout left" (outlined).

roundabout_left_rounded → const IconData



— material icon named "roundabout left" (round).

roundabout_left_sharp → const IconData

 — material icon named "roundabout left" (sharp).

roundabout_right → const IconData

 — material icon named "roundabout right".

roundabout_right_outlined → const IconData

 — material icon named "roundabout right" (outlined).

roundabout_right_rounded → const IconData

 — material icon named "roundabout right" (round).

roundabout_right_sharp → const IconData

 — material icon named "roundabout right" (sharp).

rounded_corner → const IconData

 — material icon named "rounded corner".

rounded_corner_outlined → const IconData

 — material icon named "rounded corner" (outlined).

rounded_corner_rounded → const IconData

 — material icon named "rounded corner" (round).

rounded_corner_sharp → const IconData

 — material icon named "rounded corner" (sharp).

route → const IconData

 — material icon named "route".

route_outlined → const IconData

 — material icon named "route" (outlined).

route_rounded → const IconData

 — material icon named "route" (round).

route_sharp → const IconData

 — material icon named "route" (sharp).

router → const IconData

 — material icon named "router".

router_outlined → const IconData

 — material icon named "router" (outlined).

router_rounded → const IconData

 — material icon named "router" (round).

router_sharp → const IconData

 — material icon named "router" (sharp).

rowing → const IconData

 — material icon named "rowing".

rowing_outlined → const IconData

 — material icon named "rowing" (outlined).

rowing_rounded → const IconData

 — material icon named "rowing" (round).

rowing_sharp → const IconData



— material icon named "rowing" (sharp).

rss_feed → const IconData



— material icon named "rss feed".

rss_feed_outlined → const IconData



— material icon named "rss feed" (outlined).

rss_feed_rounded → const IconData



— material icon named "rss feed" (round).

rss_feed_sharp → const IconData



— material icon named "rss feed" (sharp).

rsvp → const IconData

RSVP — material icon named "rsvp".

rsvp_outlined → const IconData

RSVP — material icon named "rsvp" (outlined).

rsvp_rounded → const IconData

RSVP — material icon named "rsvp" (round).

rsvp_sharp → const IconData

RSVP — material icon named "rsvp" (sharp).

rtt → const IconData



— material icon named "rtt".

rtt_outlined → const IconData

 — material icon named "rtt" (outlined).

[rtt_rounded](#) → const [IconData](#)

 — material icon named "rtt" (round).

[rtt_sharp](#) → const [IconData](#)

 — material icon named "rtt" (sharp).

[rule](#) → const [IconData](#)

 — material icon named "rule".

[rule_folder](#) → const [IconData](#)

 — material icon named "rule folder".

[rule_folder_outlined](#) → const [IconData](#)

 — material icon named "rule folder" (outlined).

[rule_folder_rounded](#) → const [IconData](#)

 — material icon named "rule folder" (round).

[rule_folder_sharp](#) → const [IconData](#)

 — material icon named "rule folder" (sharp).

[rule_outlined](#) → const [IconData](#)

 — material icon named "rule" (outlined).

[rule_rounded](#) → const [IconData](#)

 — material icon named "rule" (round).

[rule_sharp](#) → const [IconData](#)

 — material icon named "rule" (sharp).

[run_circle](#) → const [IconData](#)

 — material icon named "run circle".

[run_circle_outlined](#) → const [IconData](#)

 — material icon named "run circle" (outlined).

[run_circle_rounded](#) → const [IconData](#)

 — material icon named "run circle" (round).

[run_circle_sharp](#) → const [IconData](#)

 — material icon named "run circle" (sharp).

[running_with_errors](#) → const [IconData](#)

 — material icon named "running with errors".

[running_with_errors_outlined](#) → const [IconData](#)

 — material icon named "running with errors" (outlined).

[running_with_errors_rounded](#) → const [IconData](#)

 — material icon named "running with errors" (round).

[running_with_errors_sharp](#) → const [IconData](#)

 — material icon named "running with errors" (sharp).

[rv_hookup](#) → const [IconData](#)

 — material icon named "rv hookup".

[rv_hookup_outlined](#) → const [IconData](#)



— material icon named "rv hookup" (outlined).

[rv_hookup_rounded](#) → const IconData



— material icon named "rv hookup" (round).

[rv_hookup_sharp](#) → const IconData



— material icon named "rv hookup" (sharp).

[safety_check](#) → const IconData



— material icon named "safety check".

[safety_check_outlined](#) → const IconData



— material icon named "safety check" (outlined).

[safety_check_rounded](#) → const IconData



— material icon named "safety check" (round).

[safety_check_sharp](#) → const IconData



— material icon named "safety check" (sharp).

[safety_divider](#) → const IconData



— material icon named "safety divider".

[safety_divider_outlined](#) → const IconData



— material icon named "safety divider" (outlined).

[safety_divider_rounded](#) → const IconData



— material icon named "safety divider" (round).

[safety_divider_sharp](#) → const IconData

 — material icon named "safety divider" (sharp).

sailing → const [IconData](#)

 — material icon named "sailing".

sailing_outlined → const [IconData](#)

 — material icon named "sailing" (outlined).

sailing_rounded → const [IconData](#)

 — material icon named "sailing" (round).

sailing_sharp → const [IconData](#)

 — material icon named "sailing" (sharp).

sanitizer → const [IconData](#)

 — material icon named "sanitizer".

sanitizer_outlined → const [IconData](#)

 — material icon named "sanitizer" (outlined).

sanitizer_rounded → const [IconData](#)

 — material icon named "sanitizer" (round).

sanitizer_sharp → const [IconData](#)

 — material icon named "sanitizer" (sharp).

satellite → const [IconData](#)

 — material icon named "satellite".

satellite_alt → const [IconData](#)



— material icon named "satellite alt".

satellite_alt_outlined → const IconData



— material icon named "satellite alt" (outlined).

satellite_alt_rounded → const IconData



— material icon named "satellite alt" (round).

satellite_alt_sharp → const IconData



— material icon named "satellite alt" (sharp).

satellite_outlined → const IconData



— material icon named "satellite" (outlined).

satellite_rounded → const IconData



— material icon named "satellite" (round).

satellite_sharp → const IconData



— material icon named "satellite" (sharp).

save → const IconData



— material icon named "save".

save_alt → const IconData



— material icon named "save alt".

save_alt_outlined → const IconData



— material icon named "save alt" (outlined).

save_alt_rounded → const IconData



— material icon named "save alt" (round).

save_alt_sharp → const IconData



— material icon named "save alt" (sharp).

save_as → const IconData



— material icon named "save as".

save_as_outlined → const IconData



— material icon named "save as" (outlined).

save_as_rounded → const IconData



— material icon named "save as" (round).

save_as_sharp → const IconData



— material icon named "save as" (sharp).

save_outlined → const IconData



— material icon named "save" (outlined).

save_rounded → const IconData



— material icon named "save" (round).

save_sharp → const IconData



— material icon named "save" (sharp).

saved_search → const IconData



— material icon named "saved search".

saved_search_outlined → const IconData

 — material icon named "saved search" (outlined).

saved_search_rounded → const IconData

 — material icon named "saved search" (round).

saved_search_sharp → const IconData

 — material icon named "saved search" (sharp).

savings → const IconData

 — material icon named "savings".

savings_outlined → const IconData

 — material icon named "savings" (outlined).

savings_rounded → const IconData

 — material icon named "savings" (round).

savings_sharp → const IconData

 — material icon named "savings" (sharp).

scale → const IconData

 — material icon named "scale".

scale_outlined → const IconData

 — material icon named "scale" (outlined).

scale_rounded → const IconData

 — material icon named "scale" (round).

scale_sharp → const IconData



— material icon named "scale" (sharp).

scanner → const IconData



— material icon named "scanner".

scanner_outlined → const IconData



— material icon named "scanner" (outlined).

scanner_rounded → const IconData



— material icon named "scanner" (round).

scanner_sharp → const IconData



— material icon named "scanner" (sharp).

scatter_plot → const IconData



— material icon named "scatter plot".

scatter_plot_outlined → const IconData



— material icon named "scatter plot" (outlined).

scatter_plot_rounded → const IconData



— material icon named "scatter plot" (round).

scatter_plot_sharp → const IconData



— material icon named "scatter plot" (sharp).

schedule → const IconData



— material icon named "schedule".

schedule_outlined → const IconData

 — material icon named "schedule" (outlined).

`schedule_rounded` → const `IconData`

 — material icon named "schedule" (round).

`schedule_send` → const `IconData`

 — material icon named "schedule send".

`schedule_send_outlined` → const `IconData`

 — material icon named "schedule send" (outlined).

`schedule_send_rounded` → const `IconData`

 — material icon named "schedule send" (round).

`schedule_send_sharp` → const `IconData`

 — material icon named "schedule send" (sharp).

`schedule_sharp` → const `IconData`

 — material icon named "schedule" (sharp).

`schema` → const `IconData`

 — material icon named "schema".

`schema_outlined` → const `IconData`

 — material icon named "schema" (outlined).

`schema_rounded` → const `IconData`

 — material icon named "schema" (round).

`schema_sharp` → const `IconData`



— material icon named "schema" (sharp).

school → const IconData



— material icon named "school".

school_outlined → const IconData



— material icon named "school" (outlined).

school_rounded → const IconData



— material icon named "school" (round).

school_sharp → const IconData



— material icon named "school" (sharp).

science → const IconData



— material icon named "science".

science_outlined → const IconData



— material icon named "science" (outlined).

science_rounded → const IconData



— material icon named "science" (round).

science_sharp → const IconData



— material icon named "science" (sharp).

score → const IconData



— material icon named "score".

score_outlined → const IconData



— material icon named "score" (outlined).

score_rounded → const IconData



— material icon named "score" (round).

score_sharp → const IconData



— material icon named "score" (sharp).

scoreboard → const IconData



— material icon named "scoreboard".

scoreboard_outlined → const IconData



— material icon named "scoreboard" (outlined).

scoreboard_rounded → const IconData



— material icon named "scoreboard" (round).

scoreboard_sharp → const IconData



— material icon named "scoreboard" (sharp).

screen_lock_landscape → const IconData



— material icon named "screen lock landscape".

screen_lock_landscape_outlined → const IconData



— material icon named "screen lock landscape" (outlined).

screen_lock_landscape_rounded → const IconData



— material icon named "screen lock landscape" (round).

screen_lock_landscape_sharp → const IconData

 — material icon named "screen lock landscape" (sharp).

[screen_lock_portrait](#) → const IconData

 — material icon named "screen lock portrait".

[screen_lock_portrait_outlined](#) → const IconData

 — material icon named "screen lock portrait" (outlined).

[screen_lock_portrait_rounded](#) → const IconData

 — material icon named "screen lock portrait" (round).

[screen_lock_portrait_sharp](#) → const IconData

 — material icon named "screen lock portrait" (sharp).

[screen_lock_rotation](#) → const IconData

 — material icon named "screen lock rotation".

[screen_lock_rotation_outlined](#) → const IconData

 — material icon named "screen lock rotation" (outlined).

[screen_lock_rotation_rounded](#) → const IconData

 — material icon named "screen lock rotation" (round).

[screen_lock_rotation_sharp](#) → const IconData

 — material icon named "screen lock rotation" (sharp).

[screen_rotation](#) → const IconData

 — material icon named "screen rotation".

[screen_rotation_alt](#) → const IconData



— material icon named "screen rotation alt".

screen_rotation_alt_outlined → const IconData



— material icon named "screen rotation alt" (outlined).

screen_rotation_alt_rounded → const IconData



— material icon named "screen rotation alt" (round).

screen_rotation_alt_sharp → const IconData



— material icon named "screen rotation alt" (sharp).

screen_rotation_outlined → const IconData



— material icon named "screen rotation" (outlined).

screen_rotation_rounded → const IconData



— material icon named "screen rotation" (round).

screen_rotation_sharp → const IconData



— material icon named "screen rotation" (sharp).

screen_search_desktop → const IconData



— material icon named "screen search desktop".

screen_search_desktop_outlined → const IconData



— material icon named "screen search desktop" (outlined).

screen_search_desktop_rounded → const IconData



— material icon named "screen search desktop" (round).

screen_search_desktop_sharp → const IconData



— material icon named "screen search desktop" (sharp).

screen_share → const IconData



— material icon named "screen share".

screen_share_outlined → const IconData



— material icon named "screen share" (outlined).

screen_share_rounded → const IconData



— material icon named "screen share" (round).

screen_share_sharp → const IconData



— material icon named "screen share" (sharp).

screenshot → const IconData



— material icon named "screenshot".

screenshot_monitor → const IconData



— material icon named "screenshot monitor".

screenshot_monitor_outlined → const IconData



— material icon named "screenshot monitor" (outlined).

screenshot_monitor_rounded → const IconData



— material icon named "screenshot monitor" (round).

screenshot_monitor_sharp → const IconData



— material icon named "screenshot monitor" (sharp).

screenshot_outlined → const IconData



— material icon named "screenshot" (outlined).

screenshot_rounded → const IconData



— material icon named "screenshot" (round).

screenshot_sharp → const IconData



— material icon named "screenshot" (sharp).

scuba_diving → const IconData



— material icon named "scuba diving".

scuba_diving_outlined → const IconData



— material icon named "scuba diving" (outlined).

scuba_diving_rounded → const IconData



— material icon named "scuba diving" (round).

scuba_diving_sharp → const IconData



— material icon named "scuba diving" (sharp).

sd → const IconData



— material icon named "sd".

sd_card → const IconData



— material icon named "sd card".

sd_card_alert → const IconData



— material icon named "sd card alert".

sd_card_alert_outlined → const IconData



— material icon named "sd card alert" (outlined).

[sd_card_alert_rounded](#) → const [IconData](#)



— material icon named "sd card alert" (round).

[sd_card_alert_sharp](#) → const [IconData](#)



— material icon named "sd card alert" (sharp).

[sd_card_outlined](#) → const [IconData](#)



— material icon named "sd card" (outlined).

[sd_card_rounded](#) → const [IconData](#)



— material icon named "sd card" (round).

[sd_card_sharp](#) → const [IconData](#)



— material icon named "sd card" (sharp).

[sd_outlined](#) → const [IconData](#)



— material icon named "sd" (outlined).

[sd_rounded](#) → const [IconData](#)



— material icon named "sd" (round).

[sd_sharp](#) → const [IconData](#)



— material icon named "sd" (sharp).

[sd_storage](#) → const [IconData](#)



— material icon named "sd storage".

[sd_storage_outlined](#) → const [IconData](#)



— material icon named "sd storage" (outlined).

sd_storage_rounded → const IconData



— material icon named "sd storage" (round).

sd_storage_sharp → const IconData



— material icon named "sd storage" (sharp).

search → const IconData



— material icon named "search".

search_off → const IconData



— material icon named "search off".

search_off_outlined → const IconData



— material icon named "search off" (outlined).

search_off_rounded → const IconData



— material icon named "search off" (round).

search_off_sharp → const IconData



— material icon named "search off" (sharp).

search_outlined → const IconData



— material icon named "search" (outlined).

search_rounded → const IconData



— material icon named "search" (round).

search_sharp → const IconData

 — material icon named "search" (sharp).

security → const IconData

 — material icon named "security".

security_outlined → const IconData

 — material icon named "security" (outlined).

security_rounded → const IconData

 — material icon named "security" (round).

security_sharp → const IconData

 — material icon named "security" (sharp).

security_update → const IconData

 — material icon named "security update".

security_update_good → const IconData

 — material icon named "security update good".

security_update_good_outlined → const IconData

 — material icon named "security update good" (outlined).

security_update_good_rounded → const IconData

 — material icon named "security update good" (round).

security_update_good_sharp → const IconData

 — material icon named "security update good" (sharp).

security_update_outlined → const IconData



— material icon named "security update" (outlined).

security_update_rounded → const IconData



— material icon named "security update" (round).

security_update_sharp → const IconData



— material icon named "security update" (sharp).

security_update_warning → const IconData



— material icon named "security update warning".

security_update_warning_outlined → const IconData



— material icon named "security update warning" (outlined).

security_update_warning_rounded → const IconData



— material icon named "security update warning" (round).

security_update_warning_sharp → const IconData



— material icon named "security update warning" (sharp).

segment → const IconData



— material icon named "segment".

segment_outlined → const IconData



— material icon named "segment" (outlined).

segment_rounded → const IconData



— material icon named "segment" (round).

segment_sharp → const IconData

 — material icon named "segment" (sharp).

select_all → const [IconData](#)

 — material icon named "select all".

select_all_outlined → const [IconData](#)

 — material icon named "select all" (outlined).

select_all_rounded → const [IconData](#)

 — material icon named "select all" (round).

select_all_sharp → const [IconData](#)

 — material icon named "select all" (sharp).

self_improvement → const [IconData](#)

 — material icon named "self improvement".

self_improvement_outlined → const [IconData](#)

 — material icon named "self improvement" (outlined).

self_improvement_rounded → const [IconData](#)

 — material icon named "self improvement" (round).

self_improvement_sharp → const [IconData](#)

 — material icon named "self improvement" (sharp).

sell → const [IconData](#)

 — material icon named "sell".

sell_outlined → const [IconData](#)

 — material icon named "sell" (outlined).

sell_rounded → const [IconData](#)

 — material icon named "sell" (round).

sell_sharp → const [IconData](#)

 — material icon named "sell" (sharp).

send → const [IconData](#)

 — material icon named "send".

send_and_archive → const [IconData](#)

 — material icon named "send and archive".

send_and_archive_outlined → const [IconData](#)

 — material icon named "send and archive" (outlined).

send_and_archive_rounded → const [IconData](#)

 — material icon named "send and archive" (round).

send_and_archive_sharp → const [IconData](#)

 — material icon named "send and archive" (sharp).

send_outlined → const [IconData](#)

 — material icon named "send" (outlined).

send_rounded → const [IconData](#)

 — material icon named "send" (round).

send_sharp → const [IconData](#)

 — material icon named "send" (sharp).

[send_time_extension](#) → const IconData

 — material icon named "send time extension".

[send_time_extension_outlined](#) → const IconData

 — material icon named "send time extension" (outlined).

[send_time_extension_rounded](#) → const IconData

 — material icon named "send time extension" (round).

[send_time_extension_sharp](#) → const IconData

 — material icon named "send time extension" (sharp).

[send_to_mobile](#) → const IconData

 — material icon named "send to mobile".

[send_to_mobile_outlined](#) → const IconData

 — material icon named "send to mobile" (outlined).

[send_to_mobile_rounded](#) → const IconData

 — material icon named "send to mobile" (round).

[send_to_mobile_sharp](#) → const IconData

 — material icon named "send to mobile" (sharp).

[sensor_door](#) → const IconData

 — material icon named "sensor door".

[sensor_door_outlined](#) → const IconData



— material icon named "sensor door" (outlined).

sensor_door_rounded → const IconData



— material icon named "sensor door" (round).

sensor_door_sharp → const IconData



— material icon named "sensor door" (sharp).

sensor_occupied → const IconData



— material icon named "sensor occupied".

sensor_occupied_outlined → const IconData



— material icon named "sensor occupied" (outlined).

sensor_occupied_rounded → const IconData



— material icon named "sensor occupied" (round).

sensor_occupied_sharp → const IconData



— material icon named "sensor occupied" (sharp).

sensor_window → const IconData



— material icon named "sensor window".

sensor_window_outlined → const IconData



— material icon named "sensor window" (outlined).

sensor_window_rounded → const IconData



— material icon named "sensor window" (round).

sensor_window_sharp → const IconData



— material icon named "sensor window" (sharp).

sensors → const IconData

 — material icon named "sensors".

sensors_off → const IconData

 — material icon named "sensors off".

sensors_off_outlined → const IconData

 — material icon named "sensors off" (outlined).

sensors_off_rounded → const IconData

 — material icon named "sensors off" (round).

sensors_off_sharp → const IconData

 — material icon named "sensors off" (sharp).

sensors_outlined → const IconData

 — material icon named "sensors" (outlined).

sensors_rounded → const IconData

 — material icon named "sensors" (round).

sensors_sharp → const IconData

 — material icon named "sensors" (sharp).

sentiment_dissatisfied → const IconData

 — material icon named "sentiment dissatisfied".

sentiment_dissatisfied_outlined → const IconData



— material icon named "sentiment dissatisfied" (outlined).

sentiment_dissatisfied_rounded → const IconData



— material icon named "sentiment dissatisfied" (round).

sentiment_dissatisfied_sharp → const IconData



— material icon named "sentiment dissatisfied" (sharp).

sentiment_neutral → const IconData



— material icon named "sentiment neutral".

sentiment_neutral_outlined → const IconData



— material icon named "sentiment neutral" (outlined).

sentiment_neutral_rounded → const IconData



— material icon named "sentiment neutral" (round).

sentiment_neutral_sharp → const IconData



— material icon named "sentiment neutral" (sharp).

sentiment_satisfied → const IconData



— material icon named "sentiment satisfied".

sentiment_satisfied_alt → const IconData



— material icon named "sentiment satisfied alt".

sentiment_satisfied_alt_outlined → const IconData



— material icon named "sentiment satisfied alt" (outlined).

sentiment_satisfied_alt_rounded → const IconData



— material icon named "sentiment satisfied alt" (round).

sentiment_satisfied_alt_sharp → const IconData



— material icon named "sentiment satisfied alt" (sharp).

sentiment_satisfied_outlined → const IconData



— material icon named "sentiment satisfied" (outlined).

sentiment_satisfied_rounded → const IconData



— material icon named "sentiment satisfied" (round).

sentiment_satisfied_sharp → const IconData



— material icon named "sentiment satisfied" (sharp).

sentiment_very_dissatisfied → const IconData



— material icon named "sentiment very dissatisfied".

sentiment_very_dissatisfied_outlined → const IconData



— material icon named "sentiment very dissatisfied" (outlined).

sentiment_very_dissatisfied_rounded → const IconData



— material icon named "sentiment very dissatisfied" (round).

sentiment_very_dissatisfied_sharp → const IconData



— material icon named "sentiment very dissatisfied" (sharp).

sentiment_very_satisfied → const IconData



— material icon named "sentiment very satisfied".

sentiment_very_satisfied_outlined → const IconData



— material icon named "sentiment very satisfied" (outlined).

sentiment_very_satisfied_rounded → const IconData



— material icon named "sentiment very satisfied" (round).

sentiment_very_satisfied_sharp → const IconData



— material icon named "sentiment very satisfied" (sharp).

set_meal → const IconData



— material icon named "set meal".

set_meal_outlined → const IconData



— material icon named "set meal" (outlined).

set_meal_rounded → const IconData



— material icon named "set meal" (round).

set_meal_sharp → const IconData



— material icon named "set meal" (sharp).

settings → const IconData



— material icon named "settings".

settings_accessibility → const IconData



— material icon named "settings accessibility".

settings_accessibility_outlined → const IconData



— material icon named "settings accessibility" (outlined).

settings_accessibility_rounded → const IconData



— material icon named "settings accessibility" (round).

settings_accessibility_sharp → const IconData



— material icon named "settings accessibility" (sharp).

settings_applications → const IconData



— material icon named "settings applications".

settings_applications_outlined → const IconData



— material icon named "settings applications" (outlined).

settings_applications_rounded → const IconData



— material icon named "settings applications" (round).

settings_applications_sharp → const IconData



— material icon named "settings applications" (sharp).

settings_backup_restore → const IconData



— material icon named "settings backup restore".

settings_backup_restore_outlined → const IconData



— material icon named "settings backup restore" (outlined).

settings_backup_restore_rounded → const IconData



— material icon named "settings backup restore" (round).

settings_backup_restore_sharp → const IconData



— material icon named "settings backup restore" (sharp).

settings_bluetooth → const IconData



— material icon named "settings bluetooth".

settings_bluetooth_outlined → const IconData



— material icon named "settings bluetooth" (outlined).

settings_bluetooth_rounded → const IconData



— material icon named "settings bluetooth" (round).

settings_bluetooth_sharp → const IconData



— material icon named "settings bluetooth" (sharp).

settings_brightness → const IconData



— material icon named "settings brightness".

settings_brightness_outlined → const IconData



— material icon named "settings brightness" (outlined).

settings_brightness_rounded → const IconData



— material icon named "settings brightness" (round).

settings_brightness_sharp → const IconData



— material icon named "settings brightness" (sharp).

settings_cell → const IconData



— material icon named "settings cell".

settings_cell_outlined → const IconData



— material icon named "settings cell" (outlined).

settings_cell_rounded → const IconData



— material icon named "settings cell" (round).

settings_cell_sharp → const IconData



— material icon named "settings cell" (sharp).

settings_display → const IconData



— material icon named "settings display".

settings_display_outlined → const IconData



— material icon named "settings display" (outlined).

settings_display_rounded → const IconData



— material icon named "settings display" (round).

settings_display_sharp → const IconData



— material icon named "settings display" (sharp).

settings_ethernet → const IconData



— material icon named "settings ethernet".

settings_ethernet_outlined → const IconData



— material icon named "settings ethernet" (outlined).

settings_ethernet_rounded → const IconData



— material icon named "settings ethernet" (round).

settings_ethernet_sharp → const IconData



— material icon named "settings ethernet" (sharp).

settings_input_antenna → const IconData



— material icon named "settings input antenna".

settings_input_antenna_outlined → const IconData



— material icon named "settings input antenna" (outlined).

settings_input_antenna_rounded → const IconData



— material icon named "settings input antenna" (round).

settings_input_antenna_sharp → const IconData



— material icon named "settings input antenna" (sharp).

settings_input_component → const IconData



— material icon named "settings input component".

settings_input_component_outlined → const IconData



— material icon named "settings input component" (outlined).

settings_input_component_rounded → const IconData



— material icon named "settings input component" (round).

settings_input_component_sharp → const IconData



— material icon named "settings input component" (sharp).

settings_input_composite → const IconData



— material icon named "settings input composite".

settings_input_composite_outlined → const IconData



— material icon named "settings input composite" (outlined).

settings_input_composite_rounded → const IconData



— material icon named "settings input composite" (round).

`settings_input_composite_sharp` → const `IconData`



— material icon named "settings input composite" (sharp).

`settings_input_hdmi` → const `IconData`



— material icon named "settings input hdmi".

`settings_input_hdmi_outlined` → const `IconData`



— material icon named "settings input hdmi" (outlined).

`settings_input_hdmi_rounded` → const `IconData`



— material icon named "settings input hdmi" (round).

`settings_input_hdmi_sharp` → const `IconData`



— material icon named "settings input hdmi" (sharp).

`settings_input_svideo` → const `IconData`



— material icon named "settings input svideo".

`settings_input_svideo_outlined` → const `IconData`



— material icon named "settings input svideo" (outlined).

`settings_input_svideo_rounded` → const `IconData`



— material icon named "settings input svideo" (round).

`settings_input_svideo_sharp` → const `IconData`



— material icon named "settings input svideo" (sharp).

`settings_outlined` → const `IconData`



— material icon named "settings" (outlined).

settings_overscan → const IconData



— material icon named "settings overscan".

settings_overscan_outlined → const IconData



— material icon named "settings overscan" (outlined).

settings_overscan_rounded → const IconData



— material icon named "settings overscan" (round).

settings_overscan_sharp → const IconData



— material icon named "settings overscan" (sharp).

settings_phone → const IconData



— material icon named "settings phone".

settings_phone_outlined → const IconData



— material icon named "settings phone" (outlined).

settings_phone_rounded → const IconData



— material icon named "settings phone" (round).

settings_phone_sharp → const IconData



— material icon named "settings phone" (sharp).

settings_power → const IconData



— material icon named "settings power".

settings_power_outlined → const IconData



— material icon named "settings power" (outlined).

[settings_power_rounded](#) → const IconData



— material icon named "settings power" (round).

[settings_power_sharp](#) → const IconData



— material icon named "settings power" (sharp).

[settings_remote](#) → const IconData



— material icon named "settings remote".

[settings_remote_outlined](#) → const IconData



— material icon named "settings remote" (outlined).

[settings_remote_rounded](#) → const IconData



— material icon named "settings remote" (round).

[settings_remote_sharp](#) → const IconData



— material icon named "settings remote" (sharp).

[settings_rounded](#) → const IconData



— material icon named "settings" (round).

[settings_sharp](#) → const IconData



— material icon named "settings" (sharp).

[settings_suggest](#) → const IconData



— material icon named "settings suggest".

[settings_suggest_outlined](#) → const IconData



— material icon named "settings suggest" (outlined).

[settings_suggest_rounded](#) → const [IconData](#)



— material icon named "settings suggest" (round).

[settings_suggest_sharp](#) → const [IconData](#)



— material icon named "settings suggest" (sharp).

[settings_system_daydream](#) → const [IconData](#)



— material icon named "settings system daydream".

[settings_system_daydream_outlined](#) → const [IconData](#)



— material icon named "settings system daydream" (outlined).

[settings_system_daydream_rounded](#) → const [IconData](#)



— material icon named "settings system daydream" (round).

[settings_system_daydream_sharp](#) → const [IconData](#)



— material icon named "settings system daydream" (sharp).

[settings_voice](#) → const [IconData](#)



— material icon named "settings voice".

[settings_voice_outlined](#) → const [IconData](#)



— material icon named "settings voice" (outlined).

[settings_voice_rounded](#) → const [IconData](#)



— material icon named "settings voice" (round).

[settings_voice_sharp](#) → const [IconData](#)



— material icon named "settings voice" (sharp).

seven_k → const IconData



— material icon named "7k".

seven_k_outlined → const IconData



— material icon named "7k" (outlined).

seven_k_plus → const IconData



— material icon named "7k plus".

seven_k_plus_outlined → const IconData



— material icon named "7k plus" (outlined).

seven_k_plus_rounded → const IconData



— material icon named "7k plus" (round).

seven_k_plus_sharp → const IconData



— material icon named "7k plus" (sharp).

seven_k_rounded → const IconData



— material icon named "7k" (round).

seven_k_sharp → const IconData



— material icon named "7k" (sharp).

seven_mp → const IconData



— material icon named "7mp".

seven_mp_outlined → const IconData



— material icon named "7mp" (outlined).

[seven_mp_rounded](#) → const [IconData](#)



— material icon named "7mp" (round).

[seven_mp_sharp](#) → const [IconData](#)



— material icon named "7mp" (sharp).

[seventeen_mp](#) → const [IconData](#)



— material icon named "17mp".

[seventeen_mp_outlined](#) → const [IconData](#)



— material icon named "17mp" (outlined).

[seventeen_mp_rounded](#) → const [IconData](#)



— material icon named "17mp" (round).

[seventeen_mp_sharp](#) → const [IconData](#)



— material icon named "17mp" (sharp).

[severe_cold](#) → const [IconData](#)



— material icon named "severe cold".

[severe_cold_outlined](#) → const [IconData](#)



— material icon named "severe cold" (outlined).

[severe_cold_rounded](#) → const [IconData](#)



— material icon named "severe cold" (round).

[severe_cold_sharp](#) → const [IconData](#)

 — material icon named "severe cold" (sharp).

shape_line → const IconData

 — material icon named "shape line".

shape_line_outlined → const IconData

 — material icon named "shape line" (outlined).

shape_line_rounded → const IconData

 — material icon named "shape line" (round).

shape_line_sharp → const IconData

 — material icon named "shape line" (sharp).

share → const IconData

 — material icon named "share".

share_arrival_time → const IconData

 — material icon named "share arrival time".

share_arrival_time_outlined → const IconData

 — material icon named "share arrival time" (outlined).

share_arrival_time_rounded → const IconData

 — material icon named "share arrival time" (round).

share_arrival_time_sharp → const IconData

 — material icon named "share arrival time" (sharp).

share_location → const IconData



— material icon named "share location".

share_location_outlined → const IconData



— material icon named "share location" (outlined).

share_location_rounded → const IconData



— material icon named "share location" (round).

share_location_sharp → const IconData



— material icon named "share location" (sharp).

share_outlined → const IconData



— material icon named "share" (outlined).

share_rounded → const IconData



— material icon named "share" (round).

share_sharp → const IconData



— material icon named "share" (sharp).

shelves → const IconData



— material icon named "shelves".

shield → const IconData



— material icon named "shield".

shield_moon → const IconData



— material icon named "shield moon".

shield_moon_outlined → const IconData



— material icon named "shield moon" (outlined).

shield_moon_rounded → const IconData



— material icon named "shield moon" (round).

shield_moon_sharp → const IconData



— material icon named "shield moon" (sharp).

shield_outlined → const IconData



— material icon named "shield" (outlined).

shield_rounded → const IconData



— material icon named "shield" (round).

shield_sharp → const IconData



— material icon named "shield" (sharp).

shop → const IconData



— material icon named "shop".

shop_2 → const IconData



— material icon named "shop 2".

shop_2_outlined → const IconData



— material icon named "shop 2" (outlined).

shop_2_rounded → const IconData



— material icon named "shop 2" (round).

shop_2_sharp → const IconData

 — material icon named "shop 2" (sharp).

shop_outlined → const IconData

 — material icon named "shop" (outlined).

shop_rounded → const IconData

 — material icon named "shop" (round).

shop_sharp → const IconData

 — material icon named "shop" (sharp).

shop_two → const IconData

 — material icon named "shop two".

shop_two_outlined → const IconData

 — material icon named "shop two" (outlined).

shop_two_rounded → const IconData

 — material icon named "shop two" (round).

shop_two_sharp → const IconData

 — material icon named "shop two" (sharp).

shopify → const IconData

 — material icon named "shopify".

shopify_outlined → const IconData

 — material icon named "shopify" (outlined).

shopify_rounded → const IconData



— material icon named "shopify" (round).

shopify_sharp → const IconData



— material icon named "shopify" (sharp).

shopping_bag → const IconData



— material icon named "shopping bag".

shopping_bag_outlined → const IconData



— material icon named "shopping bag" (outlined).

shopping_bag_rounded → const IconData



— material icon named "shopping bag" (round).

shopping_bag_sharp → const IconData



— material icon named "shopping bag" (sharp).

shopping_basket → const IconData



— material icon named "shopping basket".

shopping_basket_outlined → const IconData



— material icon named "shopping basket" (outlined).

shopping_basket_rounded → const IconData



— material icon named "shopping basket" (round).

shopping_basket_sharp → const IconData



— material icon named "shopping basket" (sharp).

shopping_cart → const IconData



— material icon named "shopping cart".

shopping_cart_checkout → const IconData



— material icon named "shopping cart checkout".

shopping_cart_checkout_outlined → const IconData



— material icon named "shopping cart checkout" (outlined).

shopping_cart_checkout_rounded → const IconData



— material icon named "shopping cart checkout" (round).

shopping_cart_checkout_sharp → const IconData



— material icon named "shopping cart checkout" (sharp).

shopping_cart_outlined → const IconData



— material icon named "shopping cart" (outlined).

shopping_cart_rounded → const IconData



— material icon named "shopping cart" (round).

shopping_cart_sharp → const IconData



— material icon named "shopping cart" (sharp).

short_text → const IconData



— material icon named "short text".

short_text_outlined → const IconData



— material icon named "short text" (outlined).

short_text_rounded → const IconData

 — material icon named "short text" (round).

short_text_sharp → const [IconData](#)

 — material icon named "short text" (sharp).

shortcut → const [IconData](#)

 — material icon named "shortcut".

shortcut_outlined → const [IconData](#)

 — material icon named "shortcut" (outlined).

shortcut_rounded → const [IconData](#)

 — material icon named "shortcut" (round).

shortcut_sharp → const [IconData](#)

 — material icon named "shortcut" (sharp).

show_chart → const [IconData](#)

 — material icon named "show chart".

show_chart_outlined → const [IconData](#)

 — material icon named "show chart" (outlined).

show_chart_rounded → const [IconData](#)

 — material icon named "show chart" (round).

show_chart_sharp → const [IconData](#)

 — material icon named "show chart" (sharp).

shower → const [IconData](#)



— material icon named "shower".

shower_outlined → const IconData



— material icon named "shower" (outlined).

shower_rounded → const IconData



— material icon named "shower" (round).

shower_sharp → const IconData



— material icon named "shower" (sharp).

shuffle → const IconData



— material icon named "shuffle".

shuffle_on → const IconData



— material icon named "shuffle on".

shuffle_on_outlined → const IconData



— material icon named "shuffle on" (outlined).

shuffle_on_rounded → const IconData



— material icon named "shuffle on" (round).

shuffle_on_sharp → const IconData



— material icon named "shuffle on" (sharp).

shuffle_outlined → const IconData



— material icon named "shuffle" (outlined).

shuffle_rounded → const IconData

 — material icon named "shuffle" (round).

shuffle_sharp → const IconData

 — material icon named "shuffle" (sharp).

shutter_speed → const IconData

 — material icon named "shutter speed".

shutter_speed_outlined → const IconData

 — material icon named "shutter speed" (outlined).

shutter_speed_rounded → const IconData

 — material icon named "shutter speed" (round).

shutter_speed_sharp → const IconData

 — material icon named "shutter speed" (sharp).

sick → const IconData

 — material icon named "sick".

sick_outlined → const IconData

 — material icon named "sick" (outlined).

sick_rounded → const IconData

 — material icon named "sick" (round).

sick_sharp → const IconData

 — material icon named "sick" (sharp).

sign_language → const IconData



— material icon named "sign language".

[sign_language_outlined](#) → const IconData



— material icon named "sign language" (outlined).

[sign_language_rounded](#) → const IconData



— material icon named "sign language" (round).

[sign_language_sharp](#) → const IconData



— material icon named "sign language" (sharp).

[signal_cellular_0_bar](#) → const IconData



— material icon named "signal cellular 0 bar".

[signal_cellular_0_bar_outlined](#) → const IconData



— material icon named "signal cellular 0 bar" (outlined).

[signal_cellular_0_bar_rounded](#) → const IconData



— material icon named "signal cellular 0 bar" (round).

[signal_cellular_0_bar_sharp](#) → const IconData



— material icon named "signal cellular 0 bar" (sharp).

[signal_cellular_4_bar](#) → const IconData



— material icon named "signal cellular 4 bar".

[signal_cellular_4_bar_outlined](#) → const IconData



— material icon named "signal cellular 4 bar" (outlined).

[signal_cellular_4_bar_rounded](#) → const IconData



— material icon named "signal cellular 4 bar" (round).

[signal_cellular_4_bar_sharp](#) → const [IconData](#)



— material icon named "signal cellular 4 bar" (sharp).

[signal_cellular_alt](#) → const [IconData](#)



— material icon named "signal cellular alt".

[signal_cellular_alt_1_bar](#) → const [IconData](#)



— material icon named "signal cellular alt 1 bar".

[signal_cellular_alt_1_bar_outlined](#) → const [IconData](#)



— material icon named "signal cellular alt 1 bar" (outlined).

[signal_cellular_alt_1_bar_rounded](#) → const [IconData](#)



— material icon named "signal cellular alt 1 bar" (round).

[signal_cellular_alt_1_bar_sharp](#) → const [IconData](#)



— material icon named "signal cellular alt 1 bar" (sharp).

[signal_cellular_alt_2_bar](#) → const [IconData](#)



— material icon named "signal cellular alt 2 bar".

[signal_cellular_alt_2_bar_outlined](#) → const [IconData](#)



— material icon named "signal cellular alt 2 bar" (outlined).

[signal_cellular_alt_2_bar_rounded](#) → const [IconData](#)



— material icon named "signal cellular alt 2 bar" (round).

[signal_cellular_alt_2_bar_sharp](#) → const [IconData](#)

 — material icon named "signal cellular alt 2 bar" (sharp).

[signal_cellular_alt_outlined](#) → const IconData

 — material icon named "signal cellular alt" (outlined).

[signal_cellular_alt_rounded](#) → const IconData

 — material icon named "signal cellular alt" (round).

[signal_cellular_alt_sharp](#) → const IconData

 — material icon named "signal cellular alt" (sharp).

[signal_cellular_connected_no_internet_0_bar](#) → const
IconData

 — material icon named "signal cellular connected no internet 0 bar".

[signal_cellular_connected_no_internet_0_bar_outlined](#)
→ const IconData

 — material icon named "signal cellular connected no internet 0 bar"
(outlined).

[signal_cellular_connected_no_internet_0_bar_rounded](#)
→ const IconData

 — material icon named "signal cellular connected no internet 0 bar" (round).

[signal_cellular_connected_no_internet_0_bar_sharp](#) →
const IconData

 — material icon named "signal cellular connected no internet 0 bar" (sharp).

[signal_cellular_connected_no_internet_4_bar](#) → const
IconData

 — material icon named "signal cellular connected no internet 4 bar".

signal_cellular_connected_no_internet_4_bar_outlined

→ const IconData

 — material icon named "signal cellular connected no internet 4 bar" (outlined).

signal_cellular_connected_no_internet_4_bar_rounded

→ const IconData

 — material icon named "signal cellular connected no internet 4 bar" (round).

signal_cellular_connected_no_internet_4_bar_sharp

→ const IconData

 — material icon named "signal cellular connected no internet 4 bar" (sharp).

signal_cellular_no_sim

→ const IconData

 — material icon named "signal cellular no sim".

signal_cellular_no_sim_outlined

→ const IconData

 — material icon named "signal cellular no sim" (outlined).

signal_cellular_no_sim_rounded

→ const IconData

 — material icon named "signal cellular no sim" (round).

signal_cellular_no_sim_sharp

→ const IconData

 — material icon named "signal cellular no sim" (sharp).

signal_cellular_nodata

→ const IconData

 — material icon named "signal cellular nodata".

signal_cellular_nodata_outlined

→ const IconData

 — material icon named "signal cellular nodata" (outlined).

[signal_cellular_nodata_rounded](#) → const IconData



— material icon named "signal cellular nodata" (round).

[signal_cellular_nodata_sharp](#) → const IconData



— material icon named "signal cellular nodata" (sharp).

[signal_cellular_null](#) → const IconData



— material icon named "signal cellular null".

[signal_cellular_null_outlined](#) → const IconData



— material icon named "signal cellular null" (outlined).

[signal_cellular_null_rounded](#) → const IconData



— material icon named "signal cellular null" (round).

[signal_cellular_null_sharp](#) → const IconData



— material icon named "signal cellular null" (sharp).

[signal_cellular_off](#) → const IconData



— material icon named "signal cellular off".

[signal_cellular_off_outlined](#) → const IconData



— material icon named "signal cellular off" (outlined).

[signal_cellular_off_rounded](#) → const IconData



— material icon named "signal cellular off" (round).

[signal_cellular_off_sharp](#) → const IconData



— material icon named "signal cellular off" (sharp).

signal_wifi_0_bar → const IconData



— material icon named "signal wifi 0 bar".

signal_wifi_0_bar_outlined → const IconData



— material icon named "signal wifi 0 bar" (outlined).

signal_wifi_0_bar_rounded → const IconData



— material icon named "signal wifi 0 bar" (round).

signal_wifi_0_bar_sharp → const IconData



— material icon named "signal wifi 0 bar" (sharp).

signal_wifi_4_bar → const IconData



— material icon named "signal wifi 4 bar".

signal_wifi_4_bar_lock → const IconData



— material icon named "signal wifi 4 bar lock".

signal_wifi_4_bar_lock_outlined → const IconData



— material icon named "signal wifi 4 bar lock" (outlined).

signal_wifi_4_bar_lock_rounded → const IconData



— material icon named "signal wifi 4 bar lock" (round).

signal_wifi_4_bar_lock_sharp → const IconData



— material icon named "signal wifi 4 bar lock" (sharp).

signal_wifi_4_bar_outlined → const IconData



— material icon named "signal wifi 4 bar" (outlined).

[signal_wifi_4_bar_rounded](#) → const [IconData](#)



— material icon named "signal wifi 4 bar" (round).

[signal_wifi_4_bar_sharp](#) → const [IconData](#)



— material icon named "signal wifi 4 bar" (sharp).

[signal_wifi_bad](#) → const [IconData](#)



— material icon named "signal wifi bad".

[signal_wifi_bad_outlined](#) → const [IconData](#)



— material icon named "signal wifi bad" (outlined).

[signal_wifi_bad_rounded](#) → const [IconData](#)



— material icon named "signal wifi bad" (round).

[signal_wifi_bad_sharp](#) → const [IconData](#)



— material icon named "signal wifi bad" (sharp).

[signal_wifi_connected_no_internet_4](#) → const [IconData](#)



— material icon named "signal wifi connected no internet 4".

[signal_wifi_connected_no_internet_4_outlined](#) → const [IconData](#)



— material icon named "signal wifi connected no internet 4" (outlined).

[signal_wifi_connected_no_internet_4_rounded](#) → const [IconData](#)



— material icon named "signal wifi connected no internet 4" (round).

[signal_wifi_connected_no_internet_4_sharp](#) → const [IconData](#)



— material icon named "signal_wifi_connected_no_internet_4" (sharp).

`signal_wifi_off` → const `IconData`



— material icon named "signal_wifi_off".

`signal_wifi_off_outlined` → const `IconData`



— material icon named "signal_wifi_off" (outlined).

`signal_wifi_off_rounded` → const `IconData`



— material icon named "signal_wifi_off" (round).

`signal_wifi_off_sharp` → const `IconData`



— material icon named "signal_wifi_off" (sharp).

`signal_wifi_statusbar_4_bar` → const `IconData`



— material icon named "signal_wifi_statusbar_4_bar".

`signal_wifi_statusbar_4_bar_outlined` → const `IconData`



— material icon named "signal_wifi_statusbar_4_bar" (outlined).

`signal_wifi_statusbar_4_bar_rounded` → const `IconData`



— material icon named "signal_wifi_statusbar_4_bar" (round).

`signal_wifi_statusbar_4_bar_sharp` → const `IconData`



— material icon named "signal_wifi_statusbar_4_bar" (sharp).

`signal_wifi_statusbar_connected_no_internet_4` → const `IconData`



— material icon named "signal_wifi_statusbar_connected_no_internet_4".

signal_wifi_statusbar_connected_no_internet_4_outlined

→ const IconData



— material icon named "signal wifi statusbar connected no internet 4" (outlined).

signal_wifi_statusbar_connected_no_internet_4_rounded

→ const IconData



— material icon named "signal wifi statusbar connected no internet 4" (round).

signal_wifi_statusbar_connected_no_internet_4_sharp

→ const IconData



— material icon named "signal wifi statusbar connected no internet 4" (sharp).

signal_wifi_statusbar_null → const IconData



— material icon named "signal wifi statusbar null".

signal_wifi_statusbar_null_outlined → const IconData



— material icon named "signal wifi statusbar null" (outlined).

signal_wifi_statusbar_null_rounded → const IconData



— material icon named "signal wifi statusbar null" (round).

signal_wifi_statusbar_null_sharp → const IconData



— material icon named "signal wifi statusbar null" (sharp).

signpost → const IconData



— material icon named "signpost".

signpost_outlined → const IconData



— material icon named "signpost" (outlined).

signpost_rounded → const IconData



— material icon named "signpost" (round).

signpost_sharp → const IconData



— material icon named "signpost" (sharp).

sim_card → const IconData



— material icon named "sim card".

sim_card_alert → const IconData



— material icon named "sim card alert".

sim_card_alert_outlined → const IconData



— material icon named "sim card alert" (outlined).

sim_card_alert_rounded → const IconData



— material icon named "sim card alert" (round).

sim_card_alert_sharp → const IconData



— material icon named "sim card alert" (sharp).

sim_card_download → const IconData



— material icon named "sim card download".

sim_card_download_outlined → const IconData



— material icon named "sim card download" (outlined).

sim_card_download_rounded → const IconData



— material icon named "sim card download" (round).

[sim_card_download_sharp](#) → const IconData



— material icon named "sim card download" (sharp).

[sim_card_outlined](#) → const IconData



— material icon named "sim card" (outlined).

[sim_card_rounded](#) → const IconData



— material icon named "sim card" (round).

[sim_card_sharp](#) → const IconData



— material icon named "sim card" (sharp).

[single_bed](#) → const IconData



— material icon named "single bed".

[single_bed_outlined](#) → const IconData



— material icon named "single bed" (outlined).

[single_bed_rounded](#) → const IconData



— material icon named "single bed" (round).

[single_bed_sharp](#) → const IconData



— material icon named "single bed" (sharp).

[sip](#) → const IconData



— material icon named "sip".

[sip_outlined](#) → const IconData

 — material icon named "sip" (outlined).

[sip_rounded](#) → const IconData

 — material icon named "sip" (round).

[sip_sharp](#) → const IconData

 — material icon named "sip" (sharp).

[six_ft_apart](#) → const IconData

 — material icon named "6 ft apart".

[six_ft_apart_outlined](#) → const IconData

 — material icon named "6 ft apart" (outlined).

[six_ft_apart_rounded](#) → const IconData

 — material icon named "6 ft apart" (round).

[six_ft_apart_sharp](#) → const IconData

 — material icon named "6 ft apart" (sharp).

[six_k](#) → const IconData

 — material icon named "6k".

[six_k_outlined](#) → const IconData

 — material icon named "6k" (outlined).

[six_k_plus](#) → const IconData

 — material icon named "6k plus".

[six_k_plus_outlined](#) → const IconData



— material icon named "6k plus" (outlined).

[six_k_plus_rounded](#) → const [IconData](#)



— material icon named "6k plus" (round).

[six_k_plus_sharp](#) → const [IconData](#)



— material icon named "6k plus" (sharp).

[six_k_rounded](#) → const [IconData](#)



— material icon named "6k" (round).

[six_k_sharp](#) → const [IconData](#)



— material icon named "6k" (sharp).

[six_mp](#) → const [IconData](#)



— material icon named "6mp".

[six_mp_outlined](#) → const [IconData](#)



— material icon named "6mp" (outlined).

[six_mp_rounded](#) → const [IconData](#)



— material icon named "6mp" (round).

[six_mp_sharp](#) → const [IconData](#)



— material icon named "6mp" (sharp).

[sixteen_mp](#) → const [IconData](#)



— material icon named "16mp".

[sixteen_mp_outlined](#) → const [IconData](#)



— material icon named "16mp" (outlined).

[sixteen_mp_rounded](#) → const IconData



— material icon named "16mp" (round).

[sixteen_mp_sharp](#) → const IconData



— material icon named "16mp" (sharp).

[sixty_fps](#) → const IconData

60 — material icon named "60fps".

[sixty_fps_outlined](#) → const IconData

60 — material icon named "60fps" (outlined).

[sixty_fps_rounded](#) → const IconData

60 — material icon named "60fps" (round).

[sixty_fps_select](#) → const IconData



— material icon named "60fps select".

[sixty_fps_select_outlined](#) → const IconData



— material icon named "60fps select" (outlined).

[sixty_fps_select_rounded](#) → const IconData



— material icon named "60fps select" (round).

[sixty_fps_select_sharp](#) → const IconData



— material icon named "60fps select" (sharp).

[sixty_fps_sharp](#) → const IconData

60 — material icon named "60fps" (sharp).

skateboarding → const [IconData](#)

 — material icon named "skateboarding".

skateboarding_outlined → const [IconData](#)

 — material icon named "skateboarding" (outlined).

skateboarding_rounded → const [IconData](#)

 — material icon named "skateboarding" (round).

skateboarding_sharp → const [IconData](#)

 — material icon named "skateboarding" (sharp).

skip_next → const [IconData](#)

 — material icon named "skip next".

skip_next_outlined → const [IconData](#)

 — material icon named "skip next" (outlined).

skip_next_rounded → const [IconData](#)

 — material icon named "skip next" (round).

skip_next_sharp → const [IconData](#)

 — material icon named "skip next" (sharp).

skip_previous → const [IconData](#)

 — material icon named "skip previous".

skip_previous_outlined → const [IconData](#)

 — material icon named "skip previous" (outlined).

[skip_previous_rounded](#) → const IconData

 — material icon named "skip previous" (round).

[skip_previous_sharp](#) → const IconData

 — material icon named "skip previous" (sharp).

[sledding](#) → const IconData

 — material icon named "sledding".

[sledding_outlined](#) → const IconData

 — material icon named "sledding" (outlined).

[sledding_rounded](#) → const IconData

 — material icon named "sledding" (round).

[sledding_sharp](#) → const IconData

 — material icon named "sledding" (sharp).

[slideshow](#) → const IconData

 — material icon named "slideshow".

[slideshow_outlined](#) → const IconData

 — material icon named "slideshow" (outlined).

[slideshow_rounded](#) → const IconData

 — material icon named "slideshow" (round).

[slideshow_sharp](#) → const IconData



— material icon named "slideshow" (sharp).

[slow_motion_video](#) → const IconData



— material icon named "slow motion video".

[slow_motion_video_outlined](#) → const IconData



— material icon named "slow motion video" (outlined).

[slow_motion_video_rounded](#) → const IconData



— material icon named "slow motion video" (round).

[slow_motion_video_sharp](#) → const IconData



— material icon named "slow motion video" (sharp).

[smart_button](#) → const IconData



— material icon named "smart button".

[smart_button_outlined](#) → const IconData



— material icon named "smart button" (outlined).

[smart_button_rounded](#) → const IconData



— material icon named "smart button" (round).

[smart_button_sharp](#) → const IconData



— material icon named "smart button" (sharp).

[smart_display](#) → const IconData



— material icon named "smart display".

[smart_display_outlined](#) → const IconData



— material icon named "smart display" (outlined).

smart_display_rounded → const IconData



— material icon named "smart display" (round).

smart_display_sharp → const IconData



— material icon named "smart display" (sharp).

smart_screen → const IconData



— material icon named "smart screen".

smart_screen_outlined → const IconData



— material icon named "smart screen" (outlined).

smart_screen_rounded → const IconData



— material icon named "smart screen" (round).

smart_screen_sharp → const IconData



— material icon named "smart screen" (sharp).

smart_toy → const IconData



— material icon named "smart toy".

smart_toy_outlined → const IconData



— material icon named "smart toy" (outlined).

smart_toy_rounded → const IconData



— material icon named "smart toy" (round).

smart_toy_sharp → const IconData



— material icon named "smart toy" (sharp).

smartphone → const [IconData](#)



— material icon named "smartphone".

smartphone_outlined → const [IconData](#)



— material icon named "smartphone" (outlined).

smartphone_rounded → const [IconData](#)



— material icon named "smartphone" (round).

smartphone_sharp → const [IconData](#)



— material icon named "smartphone" (sharp).

smoke_free → const [IconData](#)



— material icon named "smoke free".

smoke_free_outlined → const [IconData](#)



— material icon named "smoke free" (outlined).

smoke_free_rounded → const [IconData](#)



— material icon named "smoke free" (round).

smoke_free_sharp → const [IconData](#)



— material icon named "smoke free" (sharp).

smoking_rooms → const [IconData](#)



— material icon named "smoking rooms".

smoking_rooms_outlined → const [IconData](#)

 — material icon named "smoking rooms" (outlined).

[smoking_rooms_rounded](#) → const IconData

 — material icon named "smoking rooms" (round).

[smoking_rooms_sharp](#) → const IconData

 — material icon named "smoking rooms" (sharp).

[sms](#) → const IconData

 — material icon named "sms".

[sms_failed](#) → const IconData

 — material icon named "sms failed".

[sms_failed_outlined](#) → const IconData

 — material icon named "sms failed" (outlined).

[sms_failed_rounded](#) → const IconData

 — material icon named "sms failed" (round).

[sms_failed_sharp](#) → const IconData

 — material icon named "sms failed" (sharp).

[sms_outlined](#) → const IconData

 — material icon named "sms" (outlined).

[sms_rounded](#) → const IconData

 — material icon named "sms" (round).

[sms_sharp](#) → const IconData



— material icon named "sms" (sharp).

snapchat → const IconData



— material icon named "snapchat".

snapchat_outlined → const IconData



— material icon named "snapchat" (outlined).

snapchat_rounded → const IconData



— material icon named "snapchat" (round).

snapchat_sharp → const IconData



— material icon named "snapchat" (sharp).

snippet_folder → const IconData



— material icon named "snippet folder".

snippet_folder_outlined → const IconData



— material icon named "snippet folder" (outlined).

snippet_folder_rounded → const IconData



— material icon named "snippet folder" (round).

snippet_folder_sharp → const IconData



— material icon named "snippet folder" (sharp).

snooze → const IconData



— material icon named "snooze".

snooze_outlined → const IconData

 — material icon named "snooze" (outlined).

snooze_rounded → const IconData

 — material icon named "snooze" (round).

snooze_sharp → const IconData

 — material icon named "snooze" (sharp).

snowboarding → const IconData

 — material icon named "snowboarding".

snowboarding_outlined → const IconData

 — material icon named "snowboarding" (outlined).

snowboarding_rounded → const IconData

 — material icon named "snowboarding" (round).

snowboarding_sharp → const IconData

 — material icon named "snowboarding" (sharp).

snowing → const IconData

 — material icon named "snowing".

snowmobile → const IconData

 — material icon named "snowmobile".

snowmobile_outlined → const IconData

 — material icon named "snowmobile" (outlined).

snowmobile_rounded → const IconData



— material icon named "snowmobile" (round).

snowmobile_sharp → const IconData



— material icon named "snowmobile" (sharp).

snowshoeing → const IconData



— material icon named "snowshoeing".

snowshoeing_outlined → const IconData



— material icon named "snowshoeing" (outlined).

snowshoeing_rounded → const IconData



— material icon named "snowshoeing" (round).

snowshoeing_sharp → const IconData



— material icon named "snowshoeing" (sharp).

soap → const IconData



— material icon named "soap".

soap_outlined → const IconData



— material icon named "soap" (outlined).

soap_rounded → const IconData



— material icon named "soap" (round).

soap_sharp → const IconData



— material icon named "soap" (sharp).

social_distance → const IconData

 — material icon named "social distance".

social_distance_outlined → const IconData

 — material icon named "social distance" (outlined).

social_distance_rounded → const IconData

 — material icon named "social distance" (round).

social_distance_sharp → const IconData

 — material icon named "social distance" (sharp).

solar_power → const IconData

 — material icon named "solar power".

solar_power_outlined → const IconData

 — material icon named "solar power" (outlined).

solar_power_rounded → const IconData

 — material icon named "solar power" (round).

solar_power_sharp → const IconData

 — material icon named "solar power" (sharp).

sort → const IconData

 — material icon named "sort".

sort_by_alpha → const IconData

 — material icon named "sort by alpha".

sort_by_alpha_outlined → const IconData

 — material icon named "sort by alpha" (outlined).

[sort_by_alpha_rounded](#) → const [IconData](#)

 — material icon named "sort by alpha" (round).

[sort_by_alpha_sharp](#) → const [IconData](#)

 — material icon named "sort by alpha" (sharp).

[sort_outlined](#) → const [IconData](#)

 — material icon named "sort" (outlined).

[sort_rounded](#) → const [IconData](#)

 — material icon named "sort" (round).

[sort_sharp](#) → const [IconData](#)

 — material icon named "sort" (sharp).

[sos](#) → const [IconData](#)

 — material icon named "sos".

[sos_outlined](#) → const [IconData](#)

 — material icon named "sos" (outlined).

[sos_rounded](#) → const [IconData](#)

 — material icon named "sos" (round).

[sos_sharp](#) → const [IconData](#)

 — material icon named "sos" (sharp).

[soup_kitchen](#) → const [IconData](#)

 — material icon named "soup kitchen".

[soup_kitchen_outlined](#) → const IconData

 — material icon named "soup kitchen" (outlined).

[soup_kitchen_rounded](#) → const IconData

 — material icon named "soup kitchen" (round).

[soup_kitchen_sharp](#) → const IconData

 — material icon named "soup kitchen" (sharp).

[source](#) → const IconData

 — material icon named "source".

[source_outlined](#) → const IconData

 — material icon named "source" (outlined).

[source_rounded](#) → const IconData

 — material icon named "source" (round).

[source_sharp](#) → const IconData

 — material icon named "source" (sharp).

[south](#) → const IconData

 — material icon named "south".

[south_america](#) → const IconData

 — material icon named "south america".

[south_america_outlined](#) → const IconData



— material icon named "south america" (outlined).

south_america_rounded → const IconData



— material icon named "south america" (round).

south_america_sharp → const IconData



— material icon named "south america" (sharp).

south_east → const IconData



— material icon named "south east".

south_east_outlined → const IconData



— material icon named "south east" (outlined).

south_east_rounded → const IconData



— material icon named "south east" (round).

south_east_sharp → const IconData



— material icon named "south east" (sharp).

south_outlined → const IconData



— material icon named "south" (outlined).

south_rounded → const IconData



— material icon named "south" (round).

south_sharp → const IconData



— material icon named "south" (sharp).

south_west → const IconData

 — material icon named "south west".

south_west_outlined → const IconData

 — material icon named "south west" (outlined).

south_west_rounded → const IconData

 — material icon named "south west" (round).

south_west_sharp → const IconData

 — material icon named "south west" (sharp).

spa → const IconData

 — material icon named "spa".

spa_outlined → const IconData

 — material icon named "spa" (outlined).

spa_rounded → const IconData

 — material icon named "spa" (round).

spa_sharp → const IconData

 — material icon named "spa" (sharp).

space_bar → const IconData

 — material icon named "space bar".

space_bar_outlined → const IconData

 — material icon named "space bar" (outlined).

space_bar_rounded → const IconData

 — material icon named "space bar" (round).

[space_bar_sharp](#) → const IconData

 — material icon named "space bar" (sharp).

[space_dashboard](#) → const IconData

 — material icon named "space dashboard".

[space_dashboard_outlined](#) → const IconData

 — material icon named "space dashboard" (outlined).

[space_dashboard_rounded](#) → const IconData

 — material icon named "space dashboard" (round).

[space_dashboard_sharp](#) → const IconData

 — material icon named "space dashboard" (sharp).

[spatial_audio](#) → const IconData

 — material icon named "spatial audio".

[spatial_audio_off](#) → const IconData

 — material icon named "spatial audio off".

[spatial_audio_off_outlined](#) → const IconData

 — material icon named "spatial audio off" (outlined).

[spatial_audio_off_rounded](#) → const IconData

 — material icon named "spatial audio off" (round).

[spatial_audio_off_sharp](#) → const IconData



— material icon named "spatial audio off" (sharp).

spatial_audio_outlined → const IconData



— material icon named "spatial audio" (outlined).

spatial_audio_rounded → const IconData



— material icon named "spatial audio" (round).

spatial_audio_sharp → const IconData



— material icon named "spatial audio" (sharp).

spatial_tracking → const IconData



— material icon named "spatial tracking".

spatial_tracking_outlined → const IconData



— material icon named "spatial tracking" (outlined).

spatial_tracking_rounded → const IconData



— material icon named "spatial tracking" (round).

spatial_tracking_sharp → const IconData



— material icon named "spatial tracking" (sharp).

speaker → const IconData



— material icon named "speaker".

speaker_group → const IconData



— material icon named "speaker group".

speaker_group_outlined → const IconData



— material icon named "speaker group" (outlined).

speaker_group_rounded → const IconData



— material icon named "speaker group" (round).

speaker_group_sharp → const IconData



— material icon named "speaker group" (sharp).

speaker_notes → const IconData



— material icon named "speaker notes".

speaker_notes_off → const IconData



— material icon named "speaker notes off".

speaker_notes_off_outlined → const IconData



— material icon named "speaker notes off" (outlined).

speaker_notes_off_rounded → const IconData



— material icon named "speaker notes off" (round).

speaker_notes_off_sharp → const IconData



— material icon named "speaker notes off" (sharp).

speaker_notes_outlined → const IconData



— material icon named "speaker notes" (outlined).

speaker_notes_rounded → const IconData



— material icon named "speaker notes" (round).

speaker_notes_sharp → const IconData



— material icon named "speaker notes" (sharp).

speaker_outlined → const IconData



— material icon named "speaker" (outlined).

speaker_phone → const IconData



— material icon named "speaker phone".

speaker_phone_outlined → const IconData



— material icon named "speaker phone" (outlined).

speaker_phone_rounded → const IconData



— material icon named "speaker phone" (round).

speaker_phone_sharp → const IconData



— material icon named "speaker phone" (sharp).

speaker_rounded → const IconData



— material icon named "speaker" (round).

speaker_sharp → const IconData



— material icon named "speaker" (sharp).

speed → const IconData



— material icon named "speed".

speed_outlined → const IconData



— material icon named "speed" (outlined).

speed_rounded → const IconData

 — material icon named "speed" (round).

speed_sharp → const IconData

 — material icon named "speed" (sharp).

spellcheck → const IconData

 — material icon named "spellcheck".

spellcheck_outlined → const IconData

 — material icon named "spellcheck" (outlined).

spellcheck_rounded → const IconData

 — material icon named "spellcheck" (round).

spellcheck_sharp → const IconData

 — material icon named "spellcheck" (sharp).

splitscreen → const IconData

 — material icon named "splitscreen".

splitscreen_outlined → const IconData

 — material icon named "splitscreen" (outlined).

splitscreen_rounded → const IconData

 — material icon named "splitscreen" (round).

splitscreen_sharp → const IconData

 — material icon named "splitscreen" (sharp).

spoke → const IconData



— material icon named "spoke".

spoke_outlined → const IconData



— material icon named "spoke" (outlined).

spoke_rounded → const IconData



— material icon named "spoke" (round).

spoke_sharp → const IconData



— material icon named "spoke" (sharp).

sports → const IconData



— material icon named "sports".

sports_bar → const IconData



— material icon named "sports bar".

sports_bar_outlined → const IconData



— material icon named "sports bar" (outlined).

sports_bar_rounded → const IconData



— material icon named "sports bar" (round).

sports_bar_sharp → const IconData



— material icon named "sports bar" (sharp).

sports_baseball → const IconData



— material icon named "sports baseball".

sports_baseball_outlined → const IconData



— material icon named "sports baseball" (outlined).

sports_baseball_rounded → const IconData



— material icon named "sports baseball" (round).

sports_baseball_sharp → const IconData



— material icon named "sports baseball" (sharp).

sports_basketball → const IconData



— material icon named "sports basketball".

sports_basketball_outlined → const IconData



— material icon named "sports basketball" (outlined).

sports_basketball_rounded → const IconData



— material icon named "sports basketball" (round).

sports_basketball_sharp → const IconData



— material icon named "sports basketball" (sharp).

sports_cricket → const IconData



— material icon named "sports cricket".

sports_cricket_outlined → const IconData



— material icon named "sports cricket" (outlined).

sports_cricket_rounded → const IconData



— material icon named "sports cricket" (round).

sports_cricket_sharp → const IconData



— material icon named "sports cricket" (sharp).

sports_esports → const [IconData](#)



— material icon named "sports esports".

sports_esports_outlined → const [IconData](#)



— material icon named "sports esports" (outlined).

sports_esports_rounded → const [IconData](#)



— material icon named "sports esports" (round).

sports_esports_sharp → const [IconData](#)



— material icon named "sports esports" (sharp).

sports_football → const [IconData](#)



— material icon named "sports football".

sports_football_outlined → const [IconData](#)



— material icon named "sports football" (outlined).

sports_football_rounded → const [IconData](#)



— material icon named "sports football" (round).

sports_football_sharp → const [IconData](#)



— material icon named "sports football" (sharp).

sports_golf → const [IconData](#)



— material icon named "sports golf".

sports_golf_outlined → const [IconData](#)



— material icon named "sports golf" (outlined).

sports_golf_rounded → const IconData



— material icon named "sports golf" (round).

sports_golf_sharp → const IconData



— material icon named "sports golf" (sharp).

sports_gymnastics → const IconData



— material icon named "sports gymnastics".

sports_gymnastics_outlined → const IconData



— material icon named "sports gymnastics" (outlined).

sports_gymnastics_rounded → const IconData



— material icon named "sports gymnastics" (round).

sports_gymnastics_sharp → const IconData



— material icon named "sports gymnastics" (sharp).

sports_handball → const IconData



— material icon named "sports handball".

sports_handball_outlined → const IconData



— material icon named "sports handball" (outlined).

sports_handball_rounded → const IconData



— material icon named "sports handball" (round).

sports_handball_sharp → const IconData



— material icon named "sports handball" (sharp).

`sports_hockey` → const IconData



— material icon named "sports hockey".

`sports_hockey_outlined` → const IconData



— material icon named "sports hockey" (outlined).

`sports_hockey_rounded` → const IconData



— material icon named "sports hockey" (round).

`sports_hockey_sharp` → const IconData



— material icon named "sports hockey" (sharp).

`sports_kabaddi` → const IconData



— material icon named "sports kabaddi".

`sports_kabaddi_outlined` → const IconData



— material icon named "sports kabaddi" (outlined).

`sports_kabaddi_rounded` → const IconData



— material icon named "sports kabaddi" (round).

`sports_kabaddi_sharp` → const IconData



— material icon named "sports kabaddi" (sharp).

`sports_martial_arts` → const IconData



— material icon named "sports martial arts".

`sports_martial_arts_outlined` → const IconData



— material icon named "sports martial arts" (outlined).

sports_martial_arts_rounded → const IconData



— material icon named "sports martial arts" (round).

sports_martial_arts_sharp → const IconData



— material icon named "sports martial arts" (sharp).

sports_mma → const IconData



— material icon named "sports mma".

sports_mma_outlined → const IconData



— material icon named "sports mma" (outlined).

sports_mma_rounded → const IconData



— material icon named "sports mma" (round).

sports_mma_sharp → const IconData



— material icon named "sports mma" (sharp).

sports_motorsports → const IconData



— material icon named "sports motorsports".

sports_motorsports_outlined → const IconData



— material icon named "sports motorsports" (outlined).

sports_motorsports_rounded → const IconData



— material icon named "sports motorsports" (round).

sports_motorsports_sharp → const IconData

 — material icon named "sports motorsports" (sharp).

sports_outlined → const IconData

 — material icon named "sports" (outlined).

sports_rounded → const IconData

 — material icon named "sports" (round).

sports_rugby → const IconData

 — material icon named "sports rugby".

sports_rugby_outlined → const IconData

 — material icon named "sports rugby" (outlined).

sports_rugby_rounded → const IconData

 — material icon named "sports rugby" (round).

sports_rugby_sharp → const IconData

 — material icon named "sports rugby" (sharp).

sports_score → const IconData

 — material icon named "sports score".

sports_score_outlined → const IconData

 — material icon named "sports score" (outlined).

sports_score_rounded → const IconData

 — material icon named "sports score" (round).

sports_score_sharp → const IconData

 — material icon named "sports score" (sharp).

sports_sharp → const IconData

 — material icon named "sports" (sharp).

sports_soccer → const IconData

 — material icon named "sports soccer".

sports_soccer_outlined → const IconData

 — material icon named "sports soccer" (outlined).

sports_soccer_rounded → const IconData

 — material icon named "sports soccer" (round).

sports_soccer_sharp → const IconData

 — material icon named "sports soccer" (sharp).

sports_tennis → const IconData

 — material icon named "sports tennis".

sports_tennis_outlined → const IconData

 — material icon named "sports tennis" (outlined).

sports_tennis_rounded → const IconData

 — material icon named "sports tennis" (round).

sports_tennis_sharp → const IconData

 — material icon named "sports tennis" (sharp).

sports_volleyball → const IconData



— material icon named "sports volleyball".

sports_volleyball_outlined → const IconData



— material icon named "sports volleyball" (outlined).

sports_volleyball_rounded → const IconData



— material icon named "sports volleyball" (round).

sports_volleyball_sharp → const IconData



— material icon named "sports volleyball" (sharp).

square → const IconData



— material icon named "square".

square_foot → const IconData



— material icon named "square foot".

square_foot_outlined → const IconData



— material icon named "square foot" (outlined).

square_foot_rounded → const IconData



— material icon named "square foot" (round).

square_foot_sharp → const IconData



— material icon named "square foot" (sharp).

square_outlined → const IconData



— material icon named "square" (outlined).

square_rounded → const IconData



— material icon named "square" (round).

square_sharp → const [IconData](#)



— material icon named "square" (sharp).

ssid_chart → const [IconData](#)



— material icon named "ssid chart".

ssid_chart_outlined → const [IconData](#)



— material icon named "ssid chart" (outlined).

ssid_chart_rounded → const [IconData](#)



— material icon named "ssid chart" (round).

ssid_chart_sharp → const [IconData](#)



— material icon named "ssid chart" (sharp).

stacked_bar_chart → const [IconData](#)



— material icon named "stacked bar chart".

stacked_bar_chart_outlined → const [IconData](#)



— material icon named "stacked bar chart" (outlined).

stacked_bar_chart_rounded → const [IconData](#)



— material icon named "stacked bar chart" (round).

stacked_bar_chart_sharp → const [IconData](#)



— material icon named "stacked bar chart" (sharp).

stacked_line_chart → const [IconData](#)

 — material icon named "stacked line chart".

[stacked_line_chart_outlined](#) → const IconData

 — material icon named "stacked line chart" (outlined).

[stacked_line_chart_rounded](#) → const IconData

 — material icon named "stacked line chart" (round).

[stacked_line_chart_sharp](#) → const IconData

 — material icon named "stacked line chart" (sharp).

[stadium](#) → const IconData

 — material icon named "stadium".

[stadium_outlined](#) → const IconData

 — material icon named "stadium" (outlined).

[stadium_rounded](#) → const IconData

 — material icon named "stadium" (round).

[stadium_sharp](#) → const IconData

 — material icon named "stadium" (sharp).

[stairs](#) → const IconData

 — material icon named "stairs".

[stairs_outlined](#) → const IconData

 — material icon named "stairs" (outlined).

[stairs_rounded](#) → const IconData



— material icon named "stairs" (round).

stairs_sharp → const IconData



— material icon named "stairs" (sharp).

star → const IconData



— material icon named "star".

star_border → const IconData



— material icon named "star border".

star_border_outlined → const IconData



— material icon named "star border" (outlined).

star_border_purple500 → const IconData



— material icon named "star border purple500".

star_border_purple500_outlined → const IconData



— material icon named "star border purple500" (outlined).

star_border_purple500_rounded → const IconData



— material icon named "star border purple500" (round).

star_border_purple500_sharp → const IconData



— material icon named "star border purple500" (sharp).

star_border_rounded → const IconData



— material icon named "star border" (round).

star_border_sharp → const IconData

★ — material icon named "star border" (sharp).

star_half → const IconData

★ — material icon named "star half".

star_half_outlined → const IconData

★ — material icon named "star half" (outlined).

star_half_rounded → const IconData

★ — material icon named "star half" (round).

star_half_sharp → const IconData

★ — material icon named "star half" (sharp).

star_outline → const IconData

★ — material icon named "star outline".

star_outline_outlined → const IconData

★ — material icon named "star outline" (outlined).

star_outline_rounded → const IconData

★ — material icon named "star outline" (round).

star_outline_sharp → const IconData

★ — material icon named "star outline" (sharp).

star_outlined → const IconData

★ — material icon named "star" (outlined).

star_purple500 → const IconData

★ — material icon named "star purple500".

star_purple500_outlined → const IconData

★ — material icon named "star purple500" (outlined).

star_purple500_rounded → const IconData

★ — material icon named "star purple500" (round).

star_purple500_sharp → const IconData

★ — material icon named "star purple500" (sharp).

star_rate → const IconData

★ — material icon named "star rate".

star_rate_outlined → const IconData

★ — material icon named "star rate" (outlined).

star_rate_rounded → const IconData

★ — material icon named "star rate" (round).

star_rate_sharp → const IconData

★ — material icon named "star rate" (sharp).

star_rounded → const IconData

★ — material icon named "star" (round).

star_sharp → const IconData

★ — material icon named "star" (sharp).

stars → const IconData

 — material icon named "stars".

stars_outlined → const IconData

 — material icon named "stars" (outlined).

stars_rounded → const IconData

 — material icon named "stars" (round).

stars_sharp → const IconData

 — material icon named "stars" (sharp).

start → const IconData

 — material icon named "start".

start_outlined → const IconData

 — material icon named "start" (outlined).

start_rounded → const IconData

 — material icon named "start" (round).

start_sharp → const IconData

 — material icon named "start" (sharp).

stay_current_landscape → const IconData

 — material icon named "stay current landscape".

stay_current_landscape_outlined → const IconData

 — material icon named "stay current landscape" (outlined).

stay_current_landscape_rounded → const IconData

 — material icon named "stay current landscape" (round).

[stay_current_landscape_sharp](#) → const IconData

 — material icon named "stay current landscape" (sharp).

[stay_current_portrait](#) → const IconData

 — material icon named "stay current portrait".

[stay_current_portrait_outlined](#) → const IconData

 — material icon named "stay current portrait" (outlined).

[stay_current_portrait_rounded](#) → const IconData

 — material icon named "stay current portrait" (round).

[stay_current_portrait_sharp](#) → const IconData

 — material icon named "stay current portrait" (sharp).

[stay_primary_landscape](#) → const IconData

 — material icon named "stay primary landscape".

[stay_primary_landscape_outlined](#) → const IconData

 — material icon named "stay primary landscape" (outlined).

[stay_primary_landscape_rounded](#) → const IconData

 — material icon named "stay primary landscape" (round).

[stay_primary_landscape_sharp](#) → const IconData

 — material icon named "stay primary landscape" (sharp).

[stay_primary_portrait](#) → const IconData



— material icon named "stay primary portrait".

stay_primary_portrait_outlined → const IconData



— material icon named "stay primary portrait" (outlined).

stay_primary_portrait_rounded → const IconData



— material icon named "stay primary portrait" (round).

stay_primary_portrait_sharp → const IconData



— material icon named "stay primary portrait" (sharp).

sticky_note_2 → const IconData



— material icon named "sticky note 2".

sticky_note_2_outlined → const IconData



— material icon named "sticky note 2" (outlined).

sticky_note_2_rounded → const IconData



— material icon named "sticky note 2" (round).

sticky_note_2_sharp → const IconData



— material icon named "sticky note 2" (sharp).

stop → const IconData



— material icon named "stop".

stop_circle → const IconData



— material icon named "stop circle".

stop_circle_outlined → const IconData



— material icon named "stop circle" (outlined).

stop_circle_rounded → const IconData



— material icon named "stop circle" (round).

stop_circle_sharp → const IconData



— material icon named "stop circle" (sharp).

stop_outlined → const IconData



— material icon named "stop" (outlined).

stop_rounded → const IconData



— material icon named "stop" (round).

stop_screen_share → const IconData



— material icon named "stop screen share".

stop_screen_share_outlined → const IconData



— material icon named "stop screen share" (outlined).

stop_screen_share_rounded → const IconData



— material icon named "stop screen share" (round).

stop_screen_share_sharp → const IconData



— material icon named "stop screen share" (sharp).

stop_sharp → const IconData



— material icon named "stop" (sharp).

storage → const IconData

 — material icon named "storage".

storage_outlined → const IconData

 — material icon named "storage" (outlined).

storage_rounded → const IconData

 — material icon named "storage" (round).

storage_sharp → const IconData

 — material icon named "storage" (sharp).

store → const IconData

 — material icon named "store".

store_mall_directory → const IconData

 — material icon named "store mall directory".

store_mall_directory_outlined → const IconData

 — material icon named "store mall directory" (outlined).

store_mall_directory_rounded → const IconData

 — material icon named "store mall directory" (round).

store_mall_directory_sharp → const IconData

 — material icon named "store mall directory" (sharp).

store_outlined → const IconData

 — material icon named "store" (outlined).

store_rounded → const IconData



— material icon named "store" (round).

store_sharp → const [IconData](#)



— material icon named "store" (sharp).

storefront → const [IconData](#)



— material icon named "storefront".

storefront_outlined → const [IconData](#)



— material icon named "storefront" (outlined).

storefront_rounded → const [IconData](#)



— material icon named "storefront" (round).

storefront_sharp → const [IconData](#)



— material icon named "storefront" (sharp).

storm → const [IconData](#)



— material icon named "storm".

storm_outlined → const [IconData](#)



— material icon named "storm" (outlined).

storm_rounded → const [IconData](#)



— material icon named "storm" (round).

storm_sharp → const [IconData](#)



— material icon named "storm" (sharp).

straight → const [IconData](#)

↑ — material icon named "straight".

straight_outlined → const IconData

↑ — material icon named "straight" (outlined).

straight_rounded → const IconData

↑ — material icon named "straight" (round).

straight_sharp → const IconData

↑ — material icon named "straight" (sharp).

straighten → const IconData

 — material icon named "straighten".

straighten_outlined → const IconData

 — material icon named "straighten" (outlined).

straighten_rounded → const IconData

 — material icon named "straighten" (round).

straighten_sharp → const IconData

 — material icon named "straighten" (sharp).

stream → const IconData

 — material icon named "stream".

stream_outlined → const IconData

 — material icon named "stream" (outlined).

stream_rounded → const IconData

 — material icon named "stream" (round).

stream_sharp → const IconData

 — material icon named "stream" (sharp).

streetview → const IconData

 — material icon named "streetview".

streetview_outlined → const IconData

 — material icon named "streetview" (outlined).

streetview_rounded → const IconData

 — material icon named "streetview" (round).

streetview_sharp → const IconData

 — material icon named "streetview" (sharp).

strikethrough_s → const IconData

 — material icon named "strikethrough s".

strikethrough_s_outlined → const IconData

 — material icon named "strikethrough s" (outlined).

strikethrough_s_rounded → const IconData

 — material icon named "strikethrough s" (round).

strikethrough_s_sharp → const IconData

 — material icon named "strikethrough s" (sharp).

stroller → const IconData

 — material icon named "stroller".

stroller_outlined → const IconData

 — material icon named "stroller" (outlined).

stroller_rounded → const IconData

 — material icon named "stroller" (round).

stroller_sharp → const IconData

 — material icon named "stroller" (sharp).

style → const IconData

 — material icon named "style".

style_outlined → const IconData

 — material icon named "style" (outlined).

style_rounded → const IconData

 — material icon named "style" (round).

style_sharp → const IconData

 — material icon named "style" (sharp).

subdirectory_arrow_left → const IconData

 — material icon named "subdirectory arrow left".

subdirectory_arrow_left_outlined → const IconData

 — material icon named "subdirectory arrow left" (outlined).

subdirectory_arrow_left_rounded → const IconData

 — material icon named "subdirectory arrow left" (round).

subdirectory_arrow_left_sharp → const IconData

 — material icon named "subdirectory arrow left" (sharp).

subdirectory_arrow_right → const IconData

 — material icon named "subdirectory arrow right".

subdirectory_arrow_right_outlined → const IconData

 — material icon named "subdirectory arrow right" (outlined).

subdirectory_arrow_right_rounded → const IconData

 — material icon named "subdirectory arrow right" (round).

subdirectory_arrow_right_sharp → const IconData

 — material icon named "subdirectory arrow right" (sharp).

subject → const IconData

 — material icon named "subject".

subject_outlined → const IconData

 — material icon named "subject" (outlined).

subject_rounded → const IconData

 — material icon named "subject" (round).

subject_sharp → const IconData

 — material icon named "subject" (sharp).

subscript → const IconData

X_2 — material icon named "subscript".

subscript_outlined → const IconData

X_2 — material icon named "subscript" (outlined).

subscript_rounded → const IconData

X_2 — material icon named "subscript" (round).

subscript_sharp → const IconData

X_2 — material icon named "subscript" (sharp).

subscriptions → const IconData



— material icon named "subscriptions".

subscriptions_outlined → const IconData



— material icon named "subscriptions" (outlined).

subscriptions_rounded → const IconData



— material icon named "subscriptions" (round).

subscriptions_sharp → const IconData



— material icon named "subscriptions" (sharp).

subtitles → const IconData



— material icon named "subtitles".

subtitles_off → const IconData



— material icon named "subtitles off".

subtitles_off_outlined → const IconData



— material icon named "subtitles off" (outlined).

subtitles_off_rounded → const IconData



— material icon named "subtitles off" (round).

subtitles_off_sharp → const IconData



— material icon named "subtitles off" (sharp).

subtitles_outlined → const IconData



— material icon named "subtitles" (outlined).

subtitles_rounded → const IconData



— material icon named "subtitles" (round).

subtitles_sharp → const IconData



— material icon named "subtitles" (sharp).

subway → const IconData



— material icon named "subway".

subway_outlined → const IconData



— material icon named "subway" (outlined).

subway_rounded → const IconData



— material icon named "subway" (round).

subway_sharp → const IconData



— material icon named "subway" (sharp).

summarize → const IconData



— material icon named "summarize".

summarize_outlined → const IconData



— material icon named "summarize" (outlined).

summarize_rounded → const IconData



— material icon named "summarize" (round).

summarize_sharp → const IconData



— material icon named "summarize" (sharp).

sunny → const IconData



— material icon named "sunny".

sunny_snowing → const IconData



— material icon named "sunny snowing".

superscript → const IconData



— material icon named "superscript".

superscript_outlined → const IconData



— material icon named "superscript" (outlined).

superscript_rounded → const IconData



— material icon named "superscript" (round).

superscript_sharp → const IconData



— material icon named "superscript" (sharp).

supervised_user_circle → const IconData



— material icon named "supervised user circle".

supervised_user_circle_outlined → const IconData



— material icon named "supervised user circle" (outlined).

supervised_user_circle_rounded → const IconData



— material icon named "supervised user circle" (round).

supervised_user_circle_sharp → const IconData



— material icon named "supervised user circle" (sharp).

supervisor_account → const IconData



— material icon named "supervisor account".

supervisor_account_outlined → const IconData



— material icon named "supervisor account" (outlined).

supervisor_account_rounded → const IconData



— material icon named "supervisor account" (round).

supervisor_account_sharp → const IconData



— material icon named "supervisor account" (sharp).

support → const IconData



— material icon named "support".

support_agent → const IconData



— material icon named "support agent".

support_agent_outlined → const IconData



— material icon named "support agent" (outlined).

support_agent_rounded → const IconData



— material icon named "support agent" (round).

support_agent_sharp → const IconData



— material icon named "support agent" (sharp).

support_outlined → const IconData



— material icon named "support" (outlined).

support_rounded → const IconData



— material icon named "support" (round).

support_sharp → const IconData



— material icon named "support" (sharp).

surfing → const IconData



— material icon named "surfing".

surfing_outlined → const IconData



— material icon named "surfing" (outlined).

surfing_rounded → const IconData



— material icon named "surfing" (round).

surfing_sharp → const IconData



— material icon named "surfing" (sharp).

surround_sound → const IconData

 — material icon named "surround sound".

[surround_sound_outlined](#) → const IconData

 — material icon named "surround sound" (outlined).

[surround_sound_rounded](#) → const IconData

 — material icon named "surround sound" (round).

[surround_sound_sharp](#) → const IconData

 — material icon named "surround sound" (sharp).

[swap_calls](#) → const IconData

 — material icon named "swap calls".

[swap_calls_outlined](#) → const IconData

 — material icon named "swap calls" (outlined).

[swap_calls_rounded](#) → const IconData

 — material icon named "swap calls" (round).

[swap_calls_sharp](#) → const IconData

 — material icon named "swap calls" (sharp).

[swap_horiz](#) → const IconData

 — material icon named "swap horiz".

[swap_horiz_outlined](#) → const IconData

 — material icon named "swap horiz" (outlined).

[swap_horiz_rounded](#) → const IconData

 — material icon named "swap horiz" (round).

`swap_horiz_sharp` → const IconData

 — material icon named "swap horiz" (sharp).

`swap_horizontal_circle` → const IconData

 — material icon named "swap horizontal circle".

`swap_horizontal_circle_outlined` → const IconData

 — material icon named "swap horizontal circle" (outlined).

`swap_horizontal_circle_rounded` → const IconData

 — material icon named "swap horizontal circle" (round).

`swap_horizontal_circle_sharp` → const IconData

 — material icon named "swap horizontal circle" (sharp).

`swap_vert` → const IconData

 — material icon named "swap vert".

`swap_vert_circle` → const IconData

 — material icon named "swap vert circle".

`swap_vert_circle_outlined` → const IconData

 — material icon named "swap vert circle" (outlined).

`swap_vert_circle_rounded` → const IconData

 — material icon named "swap vert circle" (round).

`swap_vert_circle_sharp` → const IconData



— material icon named "swap vert circle" (sharp).

[swap_vert_outlined](#) → const IconData



— material icon named "swap vert" (outlined).

[swap_vert_rounded](#) → const IconData



— material icon named "swap vert" (round).

[swap_vert_sharp](#) → const IconData



— material icon named "swap vert" (sharp).

[swap_vertical_circle](#) → const IconData



— material icon named "swap vertical circle".

[swap_vertical_circle_outlined](#) → const IconData



— material icon named "swap vertical circle" (outlined).

[swap_vertical_circle_rounded](#) → const IconData



— material icon named "swap vertical circle" (round).

[swap_vertical_circle_sharp](#) → const IconData



— material icon named "swap vertical circle" (sharp).

[swipe](#) → const IconData



— material icon named "swipe".

[swipe_down](#) → const IconData



— material icon named "swipe down".

[swipe_down_alt](#) → const IconData

 — material icon named "swipe down alt".

[swipe_down_alt_outlined](#) → const IconData

 — material icon named "swipe down alt" (outlined).

[swipe_down_alt_rounded](#) → const IconData

 — material icon named "swipe down alt" (round).

[swipe_down_alt_sharp](#) → const IconData

 — material icon named "swipe down alt" (sharp).

[swipe_down_outlined](#) → const IconData

 — material icon named "swipe down" (outlined).

[swipe_down_rounded](#) → const IconData

 — material icon named "swipe down" (round).

[swipe_down_sharp](#) → const IconData

 — material icon named "swipe down" (sharp).

[swipe_left](#) → const IconData

 — material icon named "swipe left".

[swipe_left_alt](#) → const IconData

 — material icon named "swipe left alt".

[swipe_left_alt_outlined](#) → const IconData

 — material icon named "swipe left alt" (outlined).

[swipe_left_alt_rounded](#) → const IconData

 — material icon named "swipe left alt" (round).

[swipe_left_alt_sharp](#) → const IconData

 — material icon named "swipe left alt" (sharp).

[swipe_left_outlined](#) → const IconData



— material icon named "swipe left" (outlined).

[swipe_left_rounded](#) → const IconData



— material icon named "swipe left" (round).

[swipe_left_sharp](#) → const IconData



— material icon named "swipe left" (sharp).

[swipe_outlined](#) → const IconData



— material icon named "swipe" (outlined).

[swipe_right](#) → const IconData



— material icon named "swipe right".

[swipe_right_alt](#) → const IconData



— material icon named "swipe right alt".

[swipe_right_alt_outlined](#) → const IconData



— material icon named "swipe right alt" (outlined).

[swipe_right_alt_rounded](#) → const IconData



— material icon named "swipe right alt" (round).

[swipe_right_alt_sharp](#) → const IconData

 — material icon named "swipe right alt" (sharp).

[swipe_right_outlined](#) → const IconData

 — material icon named "swipe right" (outlined).

[swipe_right_rounded](#) → const IconData

 — material icon named "swipe right" (round).

[swipe_right_sharp](#) → const IconData

 — material icon named "swipe right" (sharp).

[swipe_rounded](#) → const IconData

 — material icon named "swipe" (round).

[swipe_sharp](#) → const IconData

 — material icon named "swipe" (sharp).

[swipe_up](#) → const IconData

 — material icon named "swipe up".

[swipe_up_alt](#) → const IconData

 — material icon named "swipe up alt".

[swipe_up_alt_outlined](#) → const IconData

 — material icon named "swipe up alt" (outlined).

[swipe_up_alt_rounded](#) → const IconData

 — material icon named "swipe up alt" (round).

[swipe_up_alt_sharp](#) → const IconData



— material icon named "swipe up alt" (sharp).

swipe_up_outlined → const IconData



— material icon named "swipe up" (outlined).

swipe_up_rounded → const IconData



— material icon named "swipe up" (round).

swipe_up_sharp → const IconData



— material icon named "swipe up" (sharp).

swipe_vertical → const IconData



— material icon named "swipe vertical".

swipe_vertical_outlined → const IconData



— material icon named "swipe vertical" (outlined).

swipe_vertical_rounded → const IconData



— material icon named "swipe vertical" (round).

swipe_vertical_sharp → const IconData



— material icon named "swipe vertical" (sharp).

switch_access_shortcut → const IconData



— material icon named "switch access shortcut".

switch_access_shortcut_add → const IconData



— material icon named "switch access shortcut add".

switch_access_shortcut_add_outlined → const IconData

 — material icon named "switch access shortcut add" (outlined).

[switch_access_shortcut_add_rounded](#) → const IconData

 — material icon named "switch access shortcut add" (round).

[switch_access_shortcut_add_sharp](#) → const IconData

 — material icon named "switch access shortcut add" (sharp).

[switch_access_shortcut_outlined](#) → const IconData

 — material icon named "switch access shortcut" (outlined).

[switch_access_shortcut_rounded](#) → const IconData

 — material icon named "switch access shortcut" (round).

[switch_access_shortcut_sharp](#) → const IconData

 — material icon named "switch access shortcut" (sharp).

[switch_account](#) → const IconData

 — material icon named "switch account".

[switch_account_outlined](#) → const IconData

 — material icon named "switch account" (outlined).

[switch_account_rounded](#) → const IconData

 — material icon named "switch account" (round).

[switch_account_sharp](#) → const IconData

 — material icon named "switch account" (sharp).

[switch_camera](#) → const IconData



— material icon named "switch camera".

[switch_camera_outlined](#) → const IconData



— material icon named "switch camera" (outlined).

[switch_camera_rounded](#) → const IconData



— material icon named "switch camera" (round).

[switch_camera_sharp](#) → const IconData



— material icon named "switch camera" (sharp).

[switch_left](#) → const IconData



— material icon named "switch left".

[switch_left_outlined](#) → const IconData



— material icon named "switch left" (outlined).

[switch_left_rounded](#) → const IconData



— material icon named "switch left" (round).

[switch_left_sharp](#) → const IconData



— material icon named "switch left" (sharp).

[switch_right](#) → const IconData



— material icon named "switch right".

[switch_right_outlined](#) → const IconData



— material icon named "switch right" (outlined).

[switch_right_rounded](#) → const IconData

◀▶ — material icon named "switch right" (round).

switch_right_sharp → const IconData

◀▶ — material icon named "switch right" (sharp).

switch_video → const IconData

◀▶ — material icon named "switch video".

switch_video_outlined → const IconData

◀▶ — material icon named "switch video" (outlined).

switch_video_rounded → const IconData

◀▶ — material icon named "switch video" (round).

switch_video_sharp → const IconData

◀▶ — material icon named "switch video" (sharp).

synagogue → const IconData

ⒾⒶⒾ — material icon named "synagogue".

synagogue_outlined → const IconData

ⒾⒶⒾ — material icon named "synagogue" (outlined).

synagogue_rounded → const IconData

ⒾⒶⒾ — material icon named "synagogue" (round).

synagogue_sharp → const IconData

ⒾⒶⒾ — material icon named "synagogue" (sharp).

sync → const IconData

 — material icon named "sync".

sync_alt → const IconData

 — material icon named "sync alt".

sync_alt_outlined → const IconData

 — material icon named "sync alt" (outlined).

sync_alt_rounded → const IconData

 — material icon named "sync alt" (round).

sync_alt_sharp → const IconData

 — material icon named "sync alt" (sharp).

sync_disabled → const IconData

 — material icon named "sync disabled".

sync_disabled_outlined → const IconData

 — material icon named "sync disabled" (outlined).

sync_disabled_rounded → const IconData

 — material icon named "sync disabled" (round).

sync_disabled_sharp → const IconData

 — material icon named "sync disabled" (sharp).

sync_lock → const IconData

 — material icon named "sync lock".

sync_lock_outlined → const IconData

 — material icon named "sync lock" (outlined).

[sync_lock_rounded](#) → const IconData

 — material icon named "sync lock" (round).

[sync_lock_sharp](#) → const IconData

 — material icon named "sync lock" (sharp).

[sync_outlined](#) → const IconData

 — material icon named "sync" (outlined).

[sync_problem](#) → const IconData

 — material icon named "sync problem".

[sync_problem_outlined](#) → const IconData

 — material icon named "sync problem" (outlined).

[sync_problem_rounded](#) → const IconData

 — material icon named "sync problem" (round).

[sync_problem_sharp](#) → const IconData

 — material icon named "sync problem" (sharp).

[sync_rounded](#) → const IconData

 — material icon named "sync" (round).

[sync_sharp](#) → const IconData

 — material icon named "sync" (sharp).

[system_security_update](#) → const IconData



— material icon named "system security update".

`system_security_update_good` → const IconData



— material icon named "system security update good".

`system_security_update_good_outlined` → const IconData



— material icon named "system security update good" (outlined).

`system_security_update_good_rounded` → const IconData



— material icon named "system security update good" (round).

`system_security_update_good_sharp` → const IconData



— material icon named "system security update good" (sharp).

`system_security_update_outlined` → const IconData



— material icon named "system security update" (outlined).

`system_security_update_rounded` → const IconData



— material icon named "system security update" (round).

`system_security_update_sharp` → const IconData



— material icon named "system security update" (sharp).

`system_security_update_warning` → const IconData



— material icon named "system security update warning".

`system_security_update_warning_outlined` → const
IconData



— material icon named "system security update warning" (outlined).

system_security_update_warning_rounded → const

IconData



— material icon named "system security update warning" (round).

system_security_update_warning_sharp → const IconData



— material icon named "system security update warning" (sharp).

system_update → const IconData



— material icon named "system update".

system_update_alt → const IconData



— material icon named "system update alt".

system_update_alt_outlined → const IconData



— material icon named "system update alt" (outlined).

system_update_alt_rounded → const IconData



— material icon named "system update alt" (round).

system_update_alt_sharp → const IconData



— material icon named "system update alt" (sharp).

system_update_outlined → const IconData



— material icon named "system update" (outlined).

system_update_rounded → const IconData



— material icon named "system update" (round).

system_update_sharp → const IconData



— material icon named "system update" (sharp).

system_update_tv → const IconData

 — material icon named "system update tv".

system_update_tv_outlined → const IconData

 — material icon named "system update tv" (outlined).

system_update_tv_rounded → const IconData

 — material icon named "system update tv" (round).

system_update_tv_sharp → const IconData

 — material icon named "system update tv" (sharp).

tab → const IconData

 — material icon named "tab".

tab_outlined → const IconData

 — material icon named "tab" (outlined).

tab_rounded → const IconData

 — material icon named "tab" (round).

tab_sharp → const IconData

 — material icon named "tab" (sharp).

tab_unselected → const IconData

 — material icon named "tab unselected".

tab_unselected_outlined → const IconData

 — material icon named "tab unselected" (outlined).

tab_unselected_rounded → const IconData



— material icon named "tab unselected" (round).

tab_unselected_sharp → const IconData



— material icon named "tab unselected" (sharp).

table_bar → const IconData



— material icon named "table bar".

table_bar_outlined → const IconData



— material icon named "table bar" (outlined).

table_bar_rounded → const IconData



— material icon named "table bar" (round).

table_bar_sharp → const IconData



— material icon named "table bar" (sharp).

table_chart → const IconData



— material icon named "table chart".

table_chart_outlined → const IconData



— material icon named "table chart" (outlined).

table_chart_rounded → const IconData



— material icon named "table chart" (round).

table_chart_sharp → const IconData



— material icon named "table chart" (sharp).

table_restaurant → const IconData

 — material icon named "table restaurant".

table_restaurant_outlined → const IconData

 — material icon named "table restaurant" (outlined).

table_restaurant_rounded → const IconData

 — material icon named "table restaurant" (round).

table_restaurant_sharp → const IconData

 — material icon named "table restaurant" (sharp).

table_rows → const IconData

 — material icon named "table rows".

table_rows_outlined → const IconData

 — material icon named "table rows" (outlined).

table_rows_rounded → const IconData

 — material icon named "table rows" (round).

table_rows_sharp → const IconData

 — material icon named "table rows" (sharp).

table_view → const IconData

 — material icon named "table view".

table_view_outlined → const IconData

 — material icon named "table view" (outlined).

table_view_rounded → const IconData



— material icon named "table view" (round).

table_view_sharp → const IconData



— material icon named "table view" (sharp).

tablet → const IconData



— material icon named "tablet".

tablet_android → const IconData



— material icon named "tablet android".

tablet_android_outlined → const IconData



— material icon named "tablet android" (outlined).

tablet_android_rounded → const IconData



— material icon named "tablet android" (round).

tablet_android_sharp → const IconData



— material icon named "tablet android" (sharp).

tablet_mac → const IconData



— material icon named "tablet mac".

tablet_mac_outlined → const IconData



— material icon named "tablet mac" (outlined).

tablet_mac_rounded → const IconData



— material icon named "tablet mac" (round).

tablet_mac_sharp → const IconData



— material icon named "tablet mac" (sharp).

tablet_outlined → const IconData



— material icon named "tablet" (outlined).

tablet_rounded → const IconData



— material icon named "tablet" (round).

tablet_sharp → const IconData



— material icon named "tablet" (sharp).

tag → const IconData



— material icon named "tag".

tag_faces → const IconData



— material icon named "tag faces".

tag_faces_outlined → const IconData



— material icon named "tag faces" (outlined).

tag_faces_rounded → const IconData



— material icon named "tag faces" (round).

tag_faces_sharp → const IconData



— material icon named "tag faces" (sharp).

tag_outlined → const IconData



— material icon named "tag" (outlined).

tag_rounded → const [IconData](#)

 — material icon named "tag" (round).

tag_sharp → const [IconData](#)

 — material icon named "tag" (sharp).

takeout_dining → const [IconData](#)

 — material icon named "takeout dining".

takeout_dining_outlined → const [IconData](#)

 — material icon named "takeout dining" (outlined).

takeout_dining_rounded → const [IconData](#)

 — material icon named "takeout dining" (round).

takeout_dining_sharp → const [IconData](#)

 — material icon named "takeout dining" (sharp).

tap_and_play → const [IconData](#)

 — material icon named "tap and play".

tap_and_play_outlined → const [IconData](#)

 — material icon named "tap and play" (outlined).

tap_and_play_rounded → const [IconData](#)

 — material icon named "tap and play" (round).

tap_and_play_sharp → const [IconData](#)

 — material icon named "tap and play" (sharp).

tapas → const IconData

 — material icon named "tapas".

tapas_outlined → const IconData

 — material icon named "tapas" (outlined).

tapas_rounded → const IconData

 — material icon named "tapas" (round).

tapas_sharp → const IconData

 — material icon named "tapas" (sharp).

task → const IconData

 — material icon named "task".

task_alt → const IconData

 — material icon named "task alt".

task_alt_outlined → const IconData

 — material icon named "task alt" (outlined).

task_alt_rounded → const IconData

 — material icon named "task alt" (round).

task_alt_sharp → const IconData

 — material icon named "task alt" (sharp).

task_outlined → const IconData

 — material icon named "task" (outlined).

task_rounded → const IconData



— material icon named "task" (round).

task_sharp → const IconData



— material icon named "task" (sharp).

taxi_alert → const IconData



— material icon named "taxi alert".

taxi_alert_outlined → const IconData



— material icon named "taxi alert" (outlined).

taxi_alert_rounded → const IconData



— material icon named "taxi alert" (round).

taxi_alert_sharp → const IconData



— material icon named "taxi alert" (sharp).

telegram → const IconData



— material icon named "telegram".

telegram_outlined → const IconData



— material icon named "telegram" (outlined).

telegram_rounded → const IconData



— material icon named "telegram" (round).

telegram_sharp → const IconData



— material icon named "telegram" (sharp).

temple_buddhist → const [IconData](#)



— material icon named "temple buddhist".

temple_buddhist_outlined → const [IconData](#)



— material icon named "temple buddhist" (outlined).

temple_buddhist_rounded → const [IconData](#)



— material icon named "temple buddhist" (round).

temple_buddhist_sharp → const [IconData](#)



— material icon named "temple buddhist" (sharp).

temple_hindu → const [IconData](#)



— material icon named "temple hindu".

temple_hindu_outlined → const [IconData](#)



— material icon named "temple hindu" (outlined).

temple_hindu_rounded → const [IconData](#)



— material icon named "temple hindu" (round).

temple_hindu_sharp → const [IconData](#)



— material icon named "temple hindu" (sharp).

ten_k → const [IconData](#)



— material icon named "10k".

ten_k_outlined → const [IconData](#)



— material icon named "10k" (outlined).

ten_k_rounded → const [IconData](#)

 — material icon named "10k" (round).

ten_k_sharp → const [IconData](#)

 — material icon named "10k" (sharp).

ten_mp → const [IconData](#)

 — material icon named "10mp".

ten_mp_outlined → const [IconData](#)

 — material icon named "10mp" (outlined).

ten_mp_rounded → const [IconData](#)

 — material icon named "10mp" (round).

ten_mp_sharp → const [IconData](#)

 — material icon named "10mp" (sharp).

terminal → const [IconData](#)

 — material icon named "terminal".

terminal_outlined → const [IconData](#)

 — material icon named "terminal" (outlined).

terminal_rounded → const [IconData](#)

 — material icon named "terminal" (round).

terminal_sharp → const [IconData](#)

 — material icon named "terminal" (sharp).

terrain → const [IconData](#)

 — material icon named "terrain".

terrain_outlined → const [IconData](#)

 — material icon named "terrain" (outlined).

terrain_rounded → const [IconData](#)

 — material icon named "terrain" (round).

terrain_sharp → const [IconData](#)

 — material icon named "terrain" (sharp).

text_decrease → const [IconData](#)

 — material icon named "text decrease".

text_decrease_outlined → const [IconData](#)

 — material icon named "text decrease" (outlined).

text_decrease_rounded → const [IconData](#)

 — material icon named "text decrease" (round).

text_decrease_sharp → const [IconData](#)

 — material icon named "text decrease" (sharp).

text_fields → const [IconData](#)

 — material icon named "text fields".

text_fields_outlined → const [IconData](#)

 — material icon named "text fields" (outlined).

text_fields_rounded → const IconData

 — material icon named "text fields" (round).

text_fields_sharp → const IconData

 — material icon named "text fields" (sharp).

text_format → const IconData

 — material icon named "text format".

text_format_outlined → const IconData

 — material icon named "text format" (outlined).

text_format_rounded → const IconData

 — material icon named "text format" (round).

text_format_sharp → const IconData

 — material icon named "text format" (sharp).

text_increase → const IconData

 — material icon named "text increase".

text_increase_outlined → const IconData

 — material icon named "text increase" (outlined).

text_increase_rounded → const IconData

 — material icon named "text increase" (round).

text_increase_sharp → const IconData

 — material icon named "text increase" (sharp).

text_rotate_up → const IconData

↶↑ — material icon named "text rotate up".

text_rotate_up_outlined → const IconData

↶↑ — material icon named "text rotate up" (outlined).

text_rotate_up_rounded → const IconData

↶↑ — material icon named "text rotate up" (round).

text_rotate_up_sharp → const IconData

↶↑ — material icon named "text rotate up" (sharp).

text_rotate_vertical → const IconData

↓A — material icon named "text rotate vertical".

text_rotate_vertical_outlined → const IconData

↓A — material icon named "text rotate vertical" (outlined).

text_rotate_vertical_rounded → const IconData

↓A — material icon named "text rotate vertical" (round).

text_rotate_vertical_sharp → const IconData

↓A — material icon named "text rotate vertical" (sharp).

text_rotation_angledown → const IconData

↘ — material icon named "text rotation angledown".

text_rotation_angledown_outlined → const IconData

↘ — material icon named "text rotation angledown" (outlined).

text_rotation_angledown_rounded → const IconData

 — material icon named "text rotation angledown" (round).

text_rotation_angledown_sharp → const IconData

 — material icon named "text rotation angledown" (sharp).

text_rotation_angleup → const IconData

 — material icon named "text rotation angleup".

text_rotation_angleup_outlined → const IconData

 — material icon named "text rotation angleup" (outlined).

text_rotation_angleup_rounded → const IconData

 — material icon named "text rotation angleup" (round).

text_rotation_angleup_sharp → const IconData

 — material icon named "text rotation angleup" (sharp).

text_rotation_down → const IconData

 — material icon named "text rotation down".

text_rotation_down_outlined → const IconData

 — material icon named "text rotation down" (outlined).

text_rotation_down_rounded → const IconData

 — material icon named "text rotation down" (round).

text_rotation_down_sharp → const IconData

 — material icon named "text rotation down" (sharp).

text_rotation_none → const IconData

 — material icon named "text rotation none".

text_rotation_none_outlined → const IconData

 — material icon named "text rotation none" (outlined).

text_rotation_none_rounded → const IconData

 — material icon named "text rotation none" (round).

text_rotation_none_sharp → const IconData

 — material icon named "text rotation none" (sharp).

text_snippet → const IconData

 — material icon named "text snippet".

text_snippet_outlined → const IconData

 — material icon named "text snippet" (outlined).

text_snippet_rounded → const IconData

 — material icon named "text snippet" (round).

text_snippet_sharp → const IconData

 — material icon named "text snippet" (sharp).

textsms → const IconData

 — material icon named "textsms".

textsms_outlined → const IconData

 — material icon named "textsms" (outlined).

textsms_rounded → const IconData

 — material icon named "textsms" (round).

textsms_sharp → const IconData

 — material icon named "textsms" (sharp).

texture → const IconData

 — material icon named "texture".

texture_outlined → const IconData

 — material icon named "texture" (outlined).

texture_rounded → const IconData

 — material icon named "texture" (round).

texture_sharp → const IconData

 — material icon named "texture" (sharp).

theater_comedy → const IconData

 — material icon named "theater comedy".

theater_comedy_outlined → const IconData

 — material icon named "theater comedy" (outlined).

theater_comedy_rounded → const IconData

 — material icon named "theater comedy" (round).

theater_comedy_sharp → const IconData

 — material icon named "theater comedy" (sharp).

theaters → const [IconData](#)



— material icon named "theaters".

theaters_outlined → const [IconData](#)



— material icon named "theaters" (outlined).

theaters_rounded → const [IconData](#)



— material icon named "theaters" (round).

theaters_sharp → const [IconData](#)



— material icon named "theaters" (sharp).

thermostat → const [IconData](#)



— material icon named "thermostat".

thermostat_auto → const [IconData](#)



— material icon named "thermostat auto".

thermostat_auto_outlined → const [IconData](#)



— material icon named "thermostat auto" (outlined).

thermostat_auto_rounded → const [IconData](#)



— material icon named "thermostat auto" (round).

thermostat_auto_sharp → const [IconData](#)



— material icon named "thermostat auto" (sharp).

thermostat_outlined → const [IconData](#)



— material icon named "thermostat" (outlined).

thermostat_rounded → const [IconData](#)



— material icon named "thermostat" (round).

thermostat_sharp → const [IconData](#)



— material icon named "thermostat" (sharp).

thirteen_mp → const [IconData](#)



— material icon named "13mp".

thirteen_mp_outlined → const [IconData](#)



— material icon named "13mp" (outlined).

thirteen_mp_rounded → const [IconData](#)



— material icon named "13mp" (round).

thirteen_mp_sharp → const [IconData](#)



— material icon named "13mp" (sharp).

thirty_fps → const [IconData](#)



— material icon named "30fps".

thirty_fps_outlined → const [IconData](#)



— material icon named "30fps" (outlined).

thirty_fps_rounded → const [IconData](#)



— material icon named "30fps" (round).

thirty_fps_select → const [IconData](#)



— material icon named "30fps select".

[thirty_fps_select_outlined](#) → const [IconData](#)



— material icon named "30fps select" (outlined).

[thirty_fps_select_rounded](#) → const [IconData](#)



— material icon named "30fps select" (round).

[thirty_fps_select_sharp](#) → const [IconData](#)



— material icon named "30fps select" (sharp).

[thirty_fps_sharp](#) → const [IconData](#)



— material icon named "30fps" (sharp).

[three_g_mobiledata](#) → const [IconData](#)



— material icon named "3g mobiledata".

[three_g_mobiledata_outlined](#) → const [IconData](#)



— material icon named "3g mobiledata" (outlined).

[three_g_mobiledata_rounded](#) → const [IconData](#)



— material icon named "3g mobiledata" (round).

[three_g_mobiledata_sharp](#) → const [IconData](#)



— material icon named "3g mobiledata" (sharp).

[three_k](#) → const [IconData](#)



— material icon named "3k".

[three_k_outlined](#) → const [IconData](#)



— material icon named "3k" (outlined).

three_k_plus → const [IconData](#)

 — material icon named "3k plus".

three_k_plus_outlined → const [IconData](#)

 — material icon named "3k plus" (outlined).

three_k_plus_rounded → const [IconData](#)

 — material icon named "3k plus" (round).

three_k_plus_sharp → const [IconData](#)

 — material icon named "3k plus" (sharp).

three_k_rounded → const [IconData](#)

 — material icon named "3k" (round).

three_k_sharp → const [IconData](#)

 — material icon named "3k" (sharp).

three_mp → const [IconData](#)

 — material icon named "3mp".

three_mp_outlined → const [IconData](#)

 — material icon named "3mp" (outlined).

three_mp_rounded → const [IconData](#)

 — material icon named "3mp" (round).

three_mp_sharp → const [IconData](#)

 — material icon named "3mp" (sharp).

three_p → const IconData



— material icon named "3p".

three_p_outlined → const IconData



— material icon named "3p" (outlined).

three_p_rounded → const IconData



— material icon named "3p" (round).

three_p_sharp → const IconData



— material icon named "3p" (sharp).

threed_rotation → const IconData



— material icon named "3d rotation".

threed_rotation_outlined → const IconData



— material icon named "3d rotation" (outlined).

threed_rotation_rounded → const IconData



— material icon named "3d rotation" (round).

threed_rotation_sharp → const IconData



— material icon named "3d rotation" (sharp).

threesixty → const IconData



— material icon named "360".

threesixty_outlined → const IconData



— material icon named "360" (outlined).

threesixty_rounded → const IconData

↻ — material icon named "360" (round).

threesixty_sharp → const IconData

↻ — material icon named "360" (sharp).

thumb_down → const IconData

👍 — material icon named "thumb down".

thumb_down_alt → const IconData

👍 — material icon named "thumb down alt".

thumb_down_alt_outlined → const IconData

👍 — material icon named "thumb down alt" (outlined).

thumb_down_alt_rounded → const IconData

👍 — material icon named "thumb down alt" (round).

thumb_down_alt_sharp → const IconData

👍 — material icon named "thumb down alt" (sharp).

thumb_down_off_alt → const IconData

👍 — material icon named "thumb down off alt".

thumb_down_off_alt_outlined → const IconData

👍 — material icon named "thumb down off alt" (outlined).

thumb_down_off_alt_rounded → const IconData

👍 — material icon named "thumb down off alt" (round).

thumb_down_off_alt_sharp → const IconData



— material icon named "thumb down off alt" (sharp).

thumb_down_outlined → const IconData



— material icon named "thumb down" (outlined).

thumb_down_rounded → const IconData



— material icon named "thumb down" (round).

thumb_down_sharp → const IconData



— material icon named "thumb down" (sharp).

thumb_up → const IconData



— material icon named "thumb up".

thumb_up_alt → const IconData



— material icon named "thumb up alt".

thumb_up_alt_outlined → const IconData



— material icon named "thumb up alt" (outlined).

thumb_up_alt_rounded → const IconData



— material icon named "thumb up alt" (round).

thumb_up_alt_sharp → const IconData



— material icon named "thumb up alt" (sharp).

thumb_up_off_alt → const IconData



— material icon named "thumb up off alt".

[thumb_up_off_alt_outlined](#) → const [IconData](#)



— material icon named "thumb up off alt" (outlined).

[thumb_up_off_alt_rounded](#) → const [IconData](#)



— material icon named "thumb up off alt" (round).

[thumb_up_off_alt_sharp](#) → const [IconData](#)



— material icon named "thumb up off alt" (sharp).

[thumb_up_outlined](#) → const [IconData](#)



— material icon named "thumb up" (outlined).

[thumb_up_rounded](#) → const [IconData](#)



— material icon named "thumb up" (round).

[thumb_up_sharp](#) → const [IconData](#)



— material icon named "thumb up" (sharp).

[thumbs_up_down](#) → const [IconData](#)



— material icon named "thumbs up down".

[thumbs_up_down_outlined](#) → const [IconData](#)



— material icon named "thumbs up down" (outlined).

[thumbs_up_down_rounded](#) → const [IconData](#)



— material icon named "thumbs up down" (round).

[thumbs_up_down_sharp](#) → const [IconData](#)



— material icon named "thumbs up down" (sharp).

thunderstorm → const [IconData](#)



— material icon named "thunderstorm".

thunderstorm_outlined → const [IconData](#)



— material icon named "thunderstorm" (outlined).

thunderstorm_rounded → const [IconData](#)



— material icon named "thunderstorm" (round).

thunderstorm_sharp → const [IconData](#)



— material icon named "thunderstorm" (sharp).

tiktok → const [IconData](#)



— material icon named "tiktok".

tiktok_outlined → const [IconData](#)



— material icon named "tiktok" (outlined).

tiktok_rounded → const [IconData](#)



— material icon named "tiktok" (round).

tiktok_sharp → const [IconData](#)



— material icon named "tiktok" (sharp).

time_to_leave → const [IconData](#)



— material icon named "time to leave".

time_to_leave_outlined → const [IconData](#)



— material icon named "time to leave" (outlined).

time_to_leave_rounded → const IconData



— material icon named "time to leave" (round).

time_to_leave_sharp → const IconData



— material icon named "time to leave" (sharp).

timelapse → const IconData



— material icon named "timelapse".

timelapse_outlined → const IconData



— material icon named "timelapse" (outlined).

timelapse_rounded → const IconData



— material icon named "timelapse" (round).

timelapse_sharp → const IconData



— material icon named "timelapse" (sharp).

timeline → const IconData



— material icon named "timeline".

timeline_outlined → const IconData



— material icon named "timeline" (outlined).

timeline_rounded → const IconData



— material icon named "timeline" (round).

timeline_sharp → const IconData



— material icon named "timeline" (sharp).

timer → const IconData

 — material icon named "timer".

timer_3 → const IconData

3s — material icon named "timer 3".

timer_3_outlined → const IconData

3s — material icon named "timer 3" (outlined).

timer_3_rounded → const IconData

3s — material icon named "timer 3" (round).

timer_3_select → const IconData

3s — material icon named "timer 3 select".

timer_3_select_outlined → const IconData

3s — material icon named "timer 3 select" (outlined).

timer_3_select_rounded → const IconData

3s — material icon named "timer 3 select" (round).

timer_3_select_sharp → const IconData

3s — material icon named "timer 3 select" (sharp).

timer_3_sharp → const IconData

3s — material icon named "timer 3" (sharp).

timer_10 → const IconData

10s — material icon named "timer 10".

[timer_10_outlined](#) → const [IconData](#)

10s — material icon named "timer 10" (outlined).

[timer_10_rounded](#) → const [IconData](#)

10s — material icon named "timer 10" (round).

[timer_10_select](#) → const [IconData](#)

10s — material icon named "timer 10 select".

[timer_10_select_outlined](#) → const [IconData](#)

10s — material icon named "timer 10 select" (outlined).

[timer_10_select_rounded](#) → const [IconData](#)

10s — material icon named "timer 10 select" (round).

[timer_10_select_sharp](#) → const [IconData](#)

10s — material icon named "timer 10 select" (sharp).

[timer_10_sharp](#) → const [IconData](#)

10s — material icon named "timer 10" (sharp).

[timer_off](#) → const [IconData](#)



— material icon named "timer off".

[timer_off_outlined](#) → const [IconData](#)



— material icon named "timer off" (outlined).

[timer_off_rounded](#) → const [IconData](#)



— material icon named "timer off" (round).

timer_off_sharp → const IconData



— material icon named "timer off" (sharp).

timer_outlined → const IconData



— material icon named "timer" (outlined).

timer_rounded → const IconData



— material icon named "timer" (round).

timer_sharp → const IconData



— material icon named "timer" (sharp).

tips_and_updates → const IconData



— material icon named "tips and updates".

tips_and_updates_outlined → const IconData



— material icon named "tips and updates" (outlined).

tips_and_updates_rounded → const IconData



— material icon named "tips and updates" (round).

tips_and_updates_sharp → const IconData



— material icon named "tips and updates" (sharp).

tire_repair → const IconData



— material icon named "tire repair".

tire_repair_outlined → const IconData



— material icon named "tire repair" (outlined).

tire_repair_rounded → const IconData

 — material icon named "tire repair" (round).

tire_repair_sharp → const IconData

 — material icon named "tire repair" (sharp).

title → const IconData

 — material icon named "title".

title_outlined → const IconData

 — material icon named "title" (outlined).

title_rounded → const IconData

 — material icon named "title" (round).

title_sharp → const IconData

 — material icon named "title" (sharp).

toc → const IconData

 — material icon named "toc".

toc_outlined → const IconData

 — material icon named "toc" (outlined).

toc_rounded → const IconData

 — material icon named "toc" (round).

toc_sharp → const IconData

 — material icon named "toc" (sharp).

today → const IconData



— material icon named "today".

today_outlined → const IconData



— material icon named "today" (outlined).

today_rounded → const IconData



— material icon named "today" (round).

today_sharp → const IconData



— material icon named "today" (sharp).

toggle_off → const IconData



— material icon named "toggle off".

toggle_off_outlined → const IconData



— material icon named "toggle off" (outlined).

toggle_off_rounded → const IconData



— material icon named "toggle off" (round).

toggle_off_sharp → const IconData



— material icon named "toggle off" (sharp).

toggle_on → const IconData



— material icon named "toggle on".

toggle_on_outlined → const IconData



— material icon named "toggle on" (outlined).

toggle_on_rounded → const IconData

 — material icon named "toggle on" (round).

toggle_on_sharp → const IconData

 — material icon named "toggle on" (sharp).

token → const IconData

 — material icon named "token".

token_outlined → const IconData

 — material icon named "token" (outlined).

token_rounded → const IconData

 — material icon named "token" (round).

token_sharp → const IconData

 — material icon named "token" (sharp).

toll → const IconData

 — material icon named "toll".

toll_outlined → const IconData

 — material icon named "toll" (outlined).

toll_rounded → const IconData

 — material icon named "toll" (round).

toll_sharp → const IconData

 — material icon named "toll" (sharp).

tonality → const IconData



— material icon named "tonality".

tonality_outlined → const IconData



— material icon named "tonality" (outlined).

tonality_rounded → const IconData



— material icon named "tonality" (round).

tonality_sharp → const IconData



— material icon named "tonality" (sharp).

topic → const IconData



— material icon named "topic".

topic_outlined → const IconData



— material icon named "topic" (outlined).

topic_rounded → const IconData



— material icon named "topic" (round).

topic_sharp → const IconData



— material icon named "topic" (sharp).

tornado → const IconData



— material icon named "tornado".

tornado_outlined → const IconData



— material icon named "tornado" (outlined).

tornado_rounded → const IconData



— material icon named "tornado" (round).

tornado_sharp → const IconData



— material icon named "tornado" (sharp).

touch_app → const IconData



— material icon named "touch app".

touch_app_outlined → const IconData



— material icon named "touch app" (outlined).

touch_app_rounded → const IconData



— material icon named "touch app" (round).

touch_app_sharp → const IconData



— material icon named "touch app" (sharp).

tour → const IconData



— material icon named "tour".

tour_outlined → const IconData



— material icon named "tour" (outlined).

tour_rounded → const IconData



— material icon named "tour" (round).

tour_sharp → const IconData



— material icon named "tour" (sharp).

toys → const IconData

 — material icon named "toys".

toys_outlined → const IconData

 — material icon named "toys" (outlined).

toys_rounded → const IconData

 — material icon named "toys" (round).

toys_sharp → const IconData

 — material icon named "toys" (sharp).

track_changes → const IconData

 — material icon named "track changes".

track_changes_outlined → const IconData

 — material icon named "track changes" (outlined).

track_changes_rounded → const IconData

 — material icon named "track changes" (round).

track_changes_sharp → const IconData

 — material icon named "track changes" (sharp).

traffic → const IconData

 — material icon named "traffic".

traffic_outlined → const IconData

 — material icon named "traffic" (outlined).

traffic_rounded → const [IconData](#)

 — material icon named "traffic" (round).

traffic_sharp → const [IconData](#)

 — material icon named "traffic" (sharp).

train → const [IconData](#)

 — material icon named "train".

train_outlined → const [IconData](#)

 — material icon named "train" (outlined).

train_rounded → const [IconData](#)

 — material icon named "train" (round).

train_sharp → const [IconData](#)

 — material icon named "train" (sharp).

tram → const [IconData](#)

 — material icon named "tram".

tram_outlined → const [IconData](#)

 — material icon named "tram" (outlined).

tram_rounded → const [IconData](#)

 — material icon named "tram" (round).

tram_sharp → const [IconData](#)

 — material icon named "tram" (sharp).

transcribe → const IconData

 — material icon named "transcribe".

transcribe_outlined → const IconData

 — material icon named "transcribe" (outlined).

transcribe_rounded → const IconData

 — material icon named "transcribe" (round).

transcribe_sharp → const IconData

 — material icon named "transcribe" (sharp).

transfer_within_a_station → const IconData

 — material icon named "transfer within a station".

transfer_within_a_station_outlined → const IconData

 — material icon named "transfer within a station" (outlined).

transfer_within_a_station_rounded → const IconData

 — material icon named "transfer within a station" (round).

transfer_within_a_station_sharp → const IconData

 — material icon named "transfer within a station" (sharp).

transform → const IconData

 — material icon named "transform".

transform_outlined → const IconData

 — material icon named "transform" (outlined).

transform_rounded → const IconData

 — material icon named "transform" (round).

transform_sharp → const IconData

 — material icon named "transform" (sharp).

transgender → const IconData

 — material icon named "transgender".

transgender_outlined → const IconData

 — material icon named "transgender" (outlined).

transgender_rounded → const IconData

 — material icon named "transgender" (round).

transgender_sharp → const IconData

 — material icon named "transgender" (sharp).

transit_enterexit → const IconData

 — material icon named "transit enterexit".

transit_enterexit_outlined → const IconData

 — material icon named "transit enterexit" (outlined).

transit_enterexit_rounded → const IconData

 — material icon named "transit enterexit" (round).

transit_enterexit_sharp → const IconData

 — material icon named "transit enterexit" (sharp).

translate → const IconData

— material icon named "translate".

translate_outlined → const IconData

— material icon named "translate" (outlined).

translate_rounded → const IconData

— material icon named "translate" (round).

translate_sharp → const IconData

— material icon named "translate" (sharp).

travel_explore → const IconData

— material icon named "travel explore".

travel_explore_outlined → const IconData

— material icon named "travel explore" (outlined).

travel_explore_rounded → const IconData

— material icon named "travel explore" (round).

travel_explore_sharp → const IconData

— material icon named "travel explore" (sharp).

trending_down → const IconData

— material icon named "trending down".

trending_down_outlined → const IconData

— material icon named "trending down" (outlined).

trending_down_rounded → const IconData

↘ — material icon named "trending down" (round).

trending_down_sharp → const IconData

↘ — material icon named "trending down" (sharp).

trending_flat → const IconData

→ — material icon named "trending flat".

trending_flat_outlined → const IconData

→ — material icon named "trending flat" (outlined).

trending_flat_rounded → const IconData

→ — material icon named "trending flat" (round).

trending_flat_sharp → const IconData

→ — material icon named "trending flat" (sharp).

trending_neutral → const IconData

→ — material icon named "trending neutral".

trending_neutral_outlined → const IconData

→ — material icon named "trending neutral" (outlined).

trending_neutral_rounded → const IconData

→ — material icon named "trending neutral" (round).

trending_neutral_sharp → const IconData

→ — material icon named "trending neutral" (sharp).

trending_up → const IconData

 — material icon named "trending up".

trending_up_outlined → const IconData

 — material icon named "trending up" (outlined).

trending_up_rounded → const IconData

 — material icon named "trending up" (round).

trending_up_sharp → const IconData

 — material icon named "trending up" (sharp).

trip_origin → const IconData

 — material icon named "trip origin".

trip_origin_outlined → const IconData

 — material icon named "trip origin" (outlined).

trip_origin_rounded → const IconData

 — material icon named "trip origin" (round).

trip_origin_sharp → const IconData

 — material icon named "trip origin" (sharp).

trolley → const IconData

 — material icon named "trolley".

troubleshoot → const IconData

 — material icon named "troubleshoot".

troubleshoot_outlined → const IconData

 — material icon named "troubleshoot" (outlined).

troubleshoot_rounded → const IconData

 — material icon named "troubleshoot" (round).

troubleshoot_sharp → const IconData

 — material icon named "troubleshoot" (sharp).

try_sms_star → const IconData

 — material icon named "try".

try_sms_star_outlined → const IconData

 — material icon named "try" (outlined).

try_sms_star_rounded → const IconData

 — material icon named "try" (round).

try_sms_star_sharp → const IconData

 — material icon named "try" (sharp).

tsunami → const IconData

 — material icon named "tsunami".

tsunami_outlined → const IconData

 — material icon named "tsunami" (outlined).

tsunami_rounded → const IconData

 — material icon named "tsunami" (round).

tsunami_sharp → const [IconData](#)



— material icon named "tsunami" (sharp).

tty → const [IconData](#)



— material icon named "tty".

tty_outlined → const [IconData](#)



— material icon named "tty" (outlined).

tty_rounded → const [IconData](#)



— material icon named "tty" (round).

tty_sharp → const [IconData](#)



— material icon named "tty" (sharp).

tune → const [IconData](#)



— material icon named "tune".

tune_outlined → const [IconData](#)



— material icon named "tune" (outlined).

tune_rounded → const [IconData](#)



— material icon named "tune" (round).

tune_sharp → const [IconData](#)



— material icon named "tune" (sharp).

tungsten → const [IconData](#)



— material icon named "tungsten".

tungsten_outlined → const IconData

 — material icon named "tungsten" (outlined).

tungsten_rounded → const IconData

 — material icon named "tungsten" (round).

tungsten_sharp → const IconData

 — material icon named "tungsten" (sharp).

turn_left → const IconData

 — material icon named "turn left".

turn_left_outlined → const IconData

 — material icon named "turn left" (outlined).

turn_left_rounded → const IconData

 — material icon named "turn left" (round).

turn_left_sharp → const IconData

 — material icon named "turn left" (sharp).

turn_right → const IconData

 — material icon named "turn right".

turn_right_outlined → const IconData

 — material icon named "turn right" (outlined).

turn_right_rounded → const IconData

 — material icon named "turn right" (round).

turn_right_sharp → const IconData

 — material icon named "turn right" (sharp).

turn_sharp_left → const IconData

 — material icon named "turn sharp left".

turn_sharp_left_outlined → const IconData

 — material icon named "turn sharp left" (outlined).

turn_sharp_left_rounded → const IconData

 — material icon named "turn sharp left" (round).

turn_sharp_left_sharp → const IconData

 — material icon named "turn sharp left" (sharp).

turn_sharp_right → const IconData

 — material icon named "turn sharp right".

turn_sharp_right_outlined → const IconData

 — material icon named "turn sharp right" (outlined).

turn_sharp_right_rounded → const IconData

 — material icon named "turn sharp right" (round).

turn_sharp_right_sharp → const IconData

 — material icon named "turn sharp right" (sharp).

turn_slight_left → const IconData

 — material icon named "turn slight left".

turn_slight_left_outlined → const IconData

 — material icon named "turn slight left" (outlined).

turn_slight_left_rounded → const IconData

 — material icon named "turn slight left" (round).

turn_slight_left_sharp → const IconData

 — material icon named "turn slight left" (sharp).

turn_slight_right → const IconData

 — material icon named "turn slight right".

turn_slight_right_outlined → const IconData

 — material icon named "turn slight right" (outlined).

turn_slight_right_rounded → const IconData

 — material icon named "turn slight right" (round).

turn_slight_right_sharp → const IconData

 — material icon named "turn slight right" (sharp).

turned_in → const IconData

 — material icon named "turned in".

turned_in_not → const IconData

 — material icon named "turned in not".

turned_in_not_outlined → const IconData

 — material icon named "turned in not" (outlined).

turned_in_not_rounded → const IconData



— material icon named "turned in not" (round).

turned_in_not_sharp → const IconData



— material icon named "turned in not" (sharp).

turned_in_outlined → const IconData



— material icon named "turned in" (outlined).

turned_in_rounded → const IconData



— material icon named "turned in" (round).

turned_in_sharp → const IconData



— material icon named "turned in" (sharp).

tv → const IconData



— material icon named "tv".

tv_off → const IconData



— material icon named "tv off".

tv_off_outlined → const IconData



— material icon named "tv off" (outlined).

tv_off_rounded → const IconData



— material icon named "tv off" (round).

tv_off_sharp → const IconData



— material icon named "tv off" (sharp).

tv_outlined → const [IconData](#)

 — material icon named "tv" (outlined).

tv_rounded → const [IconData](#)

 — material icon named "tv" (round).

tv_sharp → const [IconData](#)

 — material icon named "tv" (sharp).

twelve_mp → const [IconData](#)

 — material icon named "12mp".

twelve_mp_outlined → const [IconData](#)

 — material icon named "12mp" (outlined).

twelve_mp_rounded → const [IconData](#)

 — material icon named "12mp" (round).

twelve_mp_sharp → const [IconData](#)

 — material icon named "12mp" (sharp).

twenty_four_mp → const [IconData](#)

 — material icon named "24mp".

twenty_four_mp_outlined → const [IconData](#)

 — material icon named "24mp" (outlined).

twenty_four_mp_rounded → const [IconData](#)

 — material icon named "24mp" (round).

[twenty_four_mp_sharp](#) → const [IconData](#)

 — material icon named "24mp" (sharp).

[twenty_mp](#) → const [IconData](#)

 — material icon named "20mp".

[twenty_mp_outlined](#) → const [IconData](#)

 — material icon named "20mp" (outlined).

[twenty_mp_rounded](#) → const [IconData](#)

 — material icon named "20mp" (round).

[twenty_mp_sharp](#) → const [IconData](#)

 — material icon named "20mp" (sharp).

[twenty_one_mp](#) → const [IconData](#)

 — material icon named "21mp".

[twenty_one_mp_outlined](#) → const [IconData](#)

 — material icon named "21mp" (outlined).

[twenty_one_mp_rounded](#) → const [IconData](#)

 — material icon named "21mp" (round).

[twenty_one_mp_sharp](#) → const [IconData](#)

 — material icon named "21mp" (sharp).

[twenty_three_mp](#) → const [IconData](#)

 — material icon named "23mp".

[twenty_three_mp_outlined](#) → const [IconData](#)

 — material icon named "23mp" (outlined).

[twenty_three_mp_rounded](#) → const [IconData](#)

 — material icon named "23mp" (round).

[twenty_three_mp_sharp](#) → const [IconData](#)

 — material icon named "23mp" (sharp).

[twenty_two_mp](#) → const [IconData](#)

 — material icon named "22mp".

[twenty_two_mp_outlined](#) → const [IconData](#)

 — material icon named "22mp" (outlined).

[twenty_two_mp_rounded](#) → const [IconData](#)

 — material icon named "22mp" (round).

[twenty_two_mp_sharp](#) → const [IconData](#)

 — material icon named "22mp" (sharp).

[two_k](#) → const [IconData](#)

 — material icon named "2k".

[two_k_outlined](#) → const [IconData](#)

 — material icon named "2k" (outlined).

[two_k_plus](#) → const [IconData](#)

 — material icon named "2k plus".

[two_k_plus_outlined](#) → const [IconData](#)



— material icon named "2k plus" (outlined).

[two_k_plus_rounded](#) → const [IconData](#)



— material icon named "2k plus" (round).

[two_k_plus_sharp](#) → const [IconData](#)



— material icon named "2k plus" (sharp).

[two_k_rounded](#) → const [IconData](#)



— material icon named "2k" (round).

[two_k_sharp](#) → const [IconData](#)



— material icon named "2k" (sharp).

[two_mp](#) → const [IconData](#)



— material icon named "2mp".

[two_mp_outlined](#) → const [IconData](#)



— material icon named "2mp" (outlined).

[two_mp_rounded](#) → const [IconData](#)



— material icon named "2mp" (round).

[two_mp_sharp](#) → const [IconData](#)



— material icon named "2mp" (sharp).

[two_wheeler](#) → const [IconData](#)



— material icon named "two wheeler".

[two_wheeler_outlined](#) → const IconData

 — material icon named "two wheeler" (outlined).

[two_wheeler_rounded](#) → const IconData

 — material icon named "two wheeler" (round).

[two_wheeler_sharp](#) → const IconData

 — material icon named "two wheeler" (sharp).

[type_specimen](#) → const IconData

 — material icon named "type specimen".

[type_specimen_outlined](#) → const IconData

 — material icon named "type specimen" (outlined).

[type_specimen_rounded](#) → const IconData

 — material icon named "type specimen" (round).

[type_specimen_sharp](#) → const IconData

 — material icon named "type specimen" (sharp).

[u_turn_left](#) → const IconData

 — material icon named "u turn left".

[u_turn_left_outlined](#) → const IconData

 — material icon named "u turn left" (outlined).

[u_turn_left_rounded](#) → const IconData

 — material icon named "u turn left" (round).

u_turn_left_sharp → const IconData

 — material icon named "u turn left" (sharp).

u_turn_right → const IconData

 — material icon named "u turn right".

u_turn_right_outlined → const IconData

 — material icon named "u turn right" (outlined).

u_turn_right_rounded → const IconData

 — material icon named "u turn right" (round).

u_turn_right_sharp → const IconData

 — material icon named "u turn right" (sharp).

umbrella → const IconData

 — material icon named "umbrella".

umbrella_outlined → const IconData

 — material icon named "umbrella" (outlined).

umbrella_rounded → const IconData

 — material icon named "umbrella" (round).

umbrella_sharp → const IconData

 — material icon named "umbrella" (sharp).

unarchive → const IconData

 — material icon named "unarchive".

unarchive_outlined → const IconData



— material icon named "unarchive" (outlined).

unarchive_rounded → const IconData



— material icon named "unarchive" (round).

unarchive_sharp → const IconData



— material icon named "unarchive" (sharp).

undo → const IconData



— material icon named "undo".

undo_outlined → const IconData



— material icon named "undo" (outlined).

undo_rounded → const IconData



— material icon named "undo" (round).

undo_sharp → const IconData



— material icon named "undo" (sharp).

unfold_less → const IconData



— material icon named "unfold less".

unfold_less_double → const IconData



— material icon named "unfold less double".

unfold_less_double_outlined → const IconData



— material icon named "unfold less double" (outlined).

unfold_less_double_rounded → const IconData



— material icon named "unfold less double" (round).

unfold_less_double_sharp → const IconData



— material icon named "unfold less double" (sharp).

unfold_less_outlined → const IconData



— material icon named "unfold less" (outlined).

unfold_less_rounded → const IconData



— material icon named "unfold less" (round).

unfold_less_sharp → const IconData



— material icon named "unfold less" (sharp).

unfold_more → const IconData



— material icon named "unfold more".

unfold_more_double → const IconData



— material icon named "unfold more double".

unfold_more_double_outlined → const IconData



— material icon named "unfold more double" (outlined).

unfold_more_double_rounded → const IconData



— material icon named "unfold more double" (round).

unfold_more_double_sharp → const IconData



— material icon named "unfold more double" (sharp).

unfold_more_outlined → const [IconData](#)

 — material icon named "unfold more" (outlined).

unfold_more_rounded → const [IconData](#)

 — material icon named "unfold more" (round).

unfold_more_sharp → const [IconData](#)

 — material icon named "unfold more" (sharp).

unpublished → const [IconData](#)

 — material icon named "unpublished".

unpublished_outlined → const [IconData](#)

 — material icon named "unpublished" (outlined).

unpublished_rounded → const [IconData](#)

 — material icon named "unpublished" (round).

unpublished_sharp → const [IconData](#)

 — material icon named "unpublished" (sharp).

unsubscribe → const [IconData](#)

 — material icon named "unsubscribe".

unsubscribe_outlined → const [IconData](#)

 — material icon named "unsubscribe" (outlined).

unsubscribe_rounded → const [IconData](#)

 — material icon named "unsubscribe" (round).

unsubscribe_sharp → const [IconData](#)



— material icon named "unsubscribe" (sharp).

upcoming → const [IconData](#)



— material icon named "upcoming".

upcoming_outlined → const [IconData](#)



— material icon named "upcoming" (outlined).

upcoming_rounded → const [IconData](#)



— material icon named "upcoming" (round).

upcoming_sharp → const [IconData](#)



— material icon named "upcoming" (sharp).

update → const [IconData](#)



— material icon named "update".

update_disabled → const [IconData](#)



— material icon named "update disabled".

update_disabled_outlined → const [IconData](#)



— material icon named "update disabled" (outlined).

update_disabled_rounded → const [IconData](#)



— material icon named "update disabled" (round).

update_disabled_sharp → const [IconData](#)



— material icon named "update disabled" (sharp).

update_outlined → const IconData

 — material icon named "update" (outlined).

update_rounded → const IconData

 — material icon named "update" (round).

update_sharp → const IconData

 — material icon named "update" (sharp).

upgrade → const IconData

 — material icon named "upgrade".

upgrade_outlined → const IconData

 — material icon named "upgrade" (outlined).

upgrade_rounded → const IconData

 — material icon named "upgrade" (round).

upgrade_sharp → const IconData

 — material icon named "upgrade" (sharp).

upload → const IconData

 — material icon named "upload".

upload_file → const IconData

 — material icon named "upload file".

upload_file_outlined → const IconData

 — material icon named "upload file" (outlined).

upload_file_rounded → const IconData



— material icon named "upload file" (round).

upload_file_sharp → const IconData



— material icon named "upload file" (sharp).

upload_outlined → const IconData



— material icon named "upload" (outlined).

upload_rounded → const IconData



— material icon named "upload" (round).

upload_sharp → const IconData



— material icon named "upload" (sharp).

usb → const IconData



— material icon named "usb".

usb_off → const IconData



— material icon named "usb off".

usb_off_outlined → const IconData



— material icon named "usb off" (outlined).

usb_off_rounded → const IconData



— material icon named "usb off" (round).

usb_off_sharp → const IconData



— material icon named "usb off" (sharp).

usb_outlined → const [IconData](#)

 — material icon named "usb" (outlined).

usb_rounded → const [IconData](#)

 — material icon named "usb" (round).

usb_sharp → const [IconData](#)

 — material icon named "usb" (sharp).

vaccines → const [IconData](#)

 — material icon named "vaccines".

vaccines_outlined → const [IconData](#)

 — material icon named "vaccines" (outlined).

vaccines_rounded → const [IconData](#)

 — material icon named "vaccines" (round).

vaccines_sharp → const [IconData](#)

 — material icon named "vaccines" (sharp).

vape_free → const [IconData](#)

 — material icon named "vape free".

vape_free_outlined → const [IconData](#)

 — material icon named "vape free" (outlined).

vape_free_rounded → const [IconData](#)

 — material icon named "vape free" (round).

vape_free_sharp → const IconData

 — material icon named "vape free" (sharp).

vaping_rooms → const IconData

 — material icon named "vaping rooms".

vaping_rooms_outlined → const IconData

 — material icon named "vaping rooms" (outlined).

vaping_rooms_rounded → const IconData

 — material icon named "vaping rooms" (round).

vaping_rooms_sharp → const IconData

 — material icon named "vaping rooms" (sharp).

verified → const IconData

 — material icon named "verified".

verified_outlined → const IconData

 — material icon named "verified" (outlined).

verified_rounded → const IconData

 — material icon named "verified" (round).

verified_sharp → const IconData

 — material icon named "verified" (sharp).

verified_user → const IconData

 — material icon named "verified user".

verified_user_outlined → const IconData



— material icon named "verified user" (outlined).

verified_user_rounded → const IconData



— material icon named "verified user" (round).

verified_user_sharp → const IconData



— material icon named "verified user" (sharp).

vertical_align_bottom → const IconData



— material icon named "vertical align bottom".

vertical_align_bottom_outlined → const IconData



— material icon named "vertical align bottom" (outlined).

vertical_align_bottom_rounded → const IconData



— material icon named "vertical align bottom" (round).

vertical_align_bottom_sharp → const IconData



— material icon named "vertical align bottom" (sharp).

vertical_align_center → const IconData



— material icon named "vertical align center".

vertical_align_center_outlined → const IconData



— material icon named "vertical align center" (outlined).

vertical_align_center_rounded → const IconData



— material icon named "vertical align center" (round).

vertical_align_center_sharp → const IconData



— material icon named "vertical align center" (sharp).

vertical_align_top → const IconData



— material icon named "vertical align top".

vertical_align_top_outlined → const IconData



— material icon named "vertical align top" (outlined).

vertical_align_top_rounded → const IconData



— material icon named "vertical align top" (round).

vertical_align_top_sharp → const IconData



— material icon named "vertical align top" (sharp).

vertical_distribute → const IconData



— material icon named "vertical distribute".

vertical_distribute_outlined → const IconData



— material icon named "vertical distribute" (outlined).

vertical_distribute_rounded → const IconData



— material icon named "vertical distribute" (round).

vertical_distribute_sharp → const IconData



— material icon named "vertical distribute" (sharp).

vertical_shades → const IconData



— material icon named "vertical shades".

vertical_shades_closed → const IconData



— material icon named "vertical shades closed".

vertical_shades_closed_outlined → const IconData



— material icon named "vertical shades closed" (outlined).

vertical_shades_closed_rounded → const IconData



— material icon named "vertical shades closed" (round).

vertical_shades_closed_sharp → const IconData



— material icon named "vertical shades closed" (sharp).

vertical_shades_outlined → const IconData



— material icon named "vertical shades" (outlined).

vertical_shades_rounded → const IconData



— material icon named "vertical shades" (round).

vertical_shades_sharp → const IconData



— material icon named "vertical shades" (sharp).

vertical_split → const IconData



— material icon named "vertical split".

vertical_split_outlined → const IconData



— material icon named "vertical split" (outlined).

vertical_split_rounded → const IconData



— material icon named "vertical split" (round).

vertical_split_sharp → const [IconData](#)

 — material icon named "vertical split" (sharp).

vibration → const [IconData](#)

 — material icon named "vibration".

vibration_outlined → const [IconData](#)

 — material icon named "vibration" (outlined).

vibration_rounded → const [IconData](#)

 — material icon named "vibration" (round).

vibration_sharp → const [IconData](#)

 — material icon named "vibration" (sharp).

video_call → const [IconData](#)

 — material icon named "video call".

video_call_outlined → const [IconData](#)

 — material icon named "video call" (outlined).

video_call_rounded → const [IconData](#)

 — material icon named "video call" (round).

video_call_sharp → const [IconData](#)

 — material icon named "video call" (sharp).

video_camera_back → const [IconData](#)

 — material icon named "video camera back".

video_camera_back_outlined → const [IconData](#)



— material icon named "video camera back" (outlined).

video_camera_back_rounded → const [IconData](#)



— material icon named "video camera back" (round).

video_camera_back_sharp → const [IconData](#)



— material icon named "video camera back" (sharp).

video_camera_front → const [IconData](#)



— material icon named "video camera front".

video_camera_front_outlined → const [IconData](#)



— material icon named "video camera front" (outlined).

video_camera_front_rounded → const [IconData](#)



— material icon named "video camera front" (round).

video_camera_front_sharp → const [IconData](#)



— material icon named "video camera front" (sharp).

video_chat → const [IconData](#)



— material icon named "video chat".

video_chat_outlined → const [IconData](#)



— material icon named "video chat" (outlined).

video_chat_rounded → const [IconData](#)



— material icon named "video chat" (round).

video_chat_sharp → const IconData

 — material icon named "video chat" (sharp).

video_collection → const IconData

 — material icon named "video collection".

video_collection_outlined → const IconData

 — material icon named "video collection" (outlined).

video_collection_rounded → const IconData

 — material icon named "video collection" (round).

video_collection_sharp → const IconData

 — material icon named "video collection" (sharp).

video_file → const IconData

 — material icon named "video file".

video_file_outlined → const IconData

 — material icon named "video file" (outlined).

video_file_rounded → const IconData

 — material icon named "video file" (round).

video_file_sharp → const IconData

 — material icon named "video file" (sharp).

video_label → const IconData

 — material icon named "video label".

video_label_outlined → const [IconData](#)



— material icon named "video label" (outlined).

video_label_rounded → const [IconData](#)



— material icon named "video label" (round).

video_label_sharp → const [IconData](#)



— material icon named "video label" (sharp).

video_library → const [IconData](#)



— material icon named "video library".

video_library_outlined → const [IconData](#)



— material icon named "video library" (outlined).

video_library_rounded → const [IconData](#)



— material icon named "video library" (round).

video_library_sharp → const [IconData](#)



— material icon named "video library" (sharp).

video_settings → const [IconData](#)



— material icon named "video settings".

video_settings_outlined → const [IconData](#)



— material icon named "video settings" (outlined).

video_settings_rounded → const [IconData](#)



— material icon named "video settings" (round).

video_settings_sharp → const IconData



— material icon named "video settings" (sharp).

video_stable → const IconData



— material icon named "video stable".

video_stable_outlined → const IconData



— material icon named "video stable" (outlined).

video_stable_rounded → const IconData



— material icon named "video stable" (round).

video_stable_sharp → const IconData



— material icon named "video stable" (sharp).

videocam → const IconData



— material icon named "videocam".

videocam_off → const IconData



— material icon named "videocam off".

videocam_off_outlined → const IconData



— material icon named "videocam off" (outlined).

videocam_off_rounded → const IconData



— material icon named "videocam off" (round).

videocam_off_sharp → const IconData



— material icon named "videocam off" (sharp).

videocam_outlined → const [IconData](#)

 — material icon named "videocam" (outlined).

videocam_rounded → const [IconData](#)

 — material icon named "videocam" (round).

videocam_sharp → const [IconData](#)

 — material icon named "videocam" (sharp).

videogame_asset → const [IconData](#)

 — material icon named "videogame asset".

videogame_asset_off → const [IconData](#)

 — material icon named "videogame asset off".

videogame_asset_off_outlined → const [IconData](#)

 — material icon named "videogame asset off" (outlined).

videogame_asset_off_rounded → const [IconData](#)

 — material icon named "videogame asset off" (round).

videogame_asset_off_sharp → const [IconData](#)

 — material icon named "videogame asset off" (sharp).

videogame_asset_outlined → const [IconData](#)

 — material icon named "videogame asset" (outlined).

videogame_asset_rounded → const [IconData](#)

 — material icon named "videogame asset" (round).

videogame_asset_sharp → const IconData

 — material icon named "videogame asset" (sharp).

view_agenda → const IconData

 — material icon named "view agenda".

view_agenda_outlined → const IconData

 — material icon named "view agenda" (outlined).

view_agenda_rounded → const IconData

 — material icon named "view agenda" (round).

view_agenda_sharp → const IconData

 — material icon named "view agenda" (sharp).

view_array → const IconData

 — material icon named "view array".

view_array_outlined → const IconData

 — material icon named "view array" (outlined).

view_array_rounded → const IconData

 — material icon named "view array" (round).

view_array_sharp → const IconData

 — material icon named "view array" (sharp).

view_carousel → const IconData

 — material icon named "view carousel".

view_carousel_outlined → const IconData

 — material icon named "view carousel" (outlined).

view_carousel_rounded → const IconData

 — material icon named "view carousel" (round).

view_carousel_sharp → const IconData

 — material icon named "view carousel" (sharp).

view_column → const IconData

 — material icon named "view column".

view_column_outlined → const IconData

 — material icon named "view column" (outlined).

view_column_rounded → const IconData

 — material icon named "view column" (round).

view_column_sharp → const IconData

 — material icon named "view column" (sharp).

view_comfortable → const IconData

 — material icon named "view comfortable".

view_comfortable_outlined → const IconData

 — material icon named "view comfortable" (outlined).

view_comfortable_rounded → const IconData

 — material icon named "view comfortable" (round).

view_comfortable_sharp → const [IconData](#)



— material icon named "view comfortable" (sharp).

view_comfy → const [IconData](#)



— material icon named "view comfy".

view_comfy_alt → const [IconData](#)



— material icon named "view comfy alt".

view_comfy_alt_outlined → const [IconData](#)



— material icon named "view comfy alt" (outlined).

view_comfy_alt_rounded → const [IconData](#)



— material icon named "view comfy alt" (round).

view_comfy_alt_sharp → const [IconData](#)



— material icon named "view comfy alt" (sharp).

view_comfy_outlined → const [IconData](#)



— material icon named "view comfy" (outlined).

view_comfy_rounded → const [IconData](#)



— material icon named "view comfy" (round).

view_comfy_sharp → const [IconData](#)



— material icon named "view comfy" (sharp).

view_compact → const [IconData](#)



— material icon named "view compact".

view_compact_alt → const IconData



— material icon named "view compact alt".

view_compact_alt_outlined → const IconData



— material icon named "view compact alt" (outlined).

view_compact_alt_rounded → const IconData



— material icon named "view compact alt" (round).

view_compact_alt_sharp → const IconData



— material icon named "view compact alt" (sharp).

view_compact_outlined → const IconData



— material icon named "view compact" (outlined).

view_compact_rounded → const IconData



— material icon named "view compact" (round).

view_compact_sharp → const IconData



— material icon named "view compact" (sharp).

view_cozy → const IconData



— material icon named "view cozy".

view_cozy_outlined → const IconData



— material icon named "view cozy" (outlined).

view_cozy_rounded → const IconData



— material icon named "view cozy" (round).

view_cozy_sharp → const [IconData](#)

 — material icon named "view cozy" (sharp).

view_day → const [IconData](#)

 — material icon named "view day".

view_day_outlined → const [IconData](#)

 — material icon named "view day" (outlined).

view_day_rounded → const [IconData](#)

 — material icon named "view day" (round).

view_day_sharp → const [IconData](#)

 — material icon named "view day" (sharp).

view_headline → const [IconData](#)

 — material icon named "view headline".

view_headline_outlined → const [IconData](#)

 — material icon named "view headline" (outlined).

view_headline_rounded → const [IconData](#)

 — material icon named "view headline" (round).

view_headline_sharp → const [IconData](#)

 — material icon named "view headline" (sharp).

view_in_ar → const [IconData](#)

 — material icon named "view in ar".

view_in_ar_outlined → const [IconData](#)



— material icon named "view in ar" (outlined).

view_in_ar_rounded → const [IconData](#)



— material icon named "view in ar" (round).

view_in_ar_sharp → const [IconData](#)



— material icon named "view in ar" (sharp).

view_kanban → const [IconData](#)



— material icon named "view kanban".

view_kanban_outlined → const [IconData](#)



— material icon named "view kanban" (outlined).

view_kanban_rounded → const [IconData](#)



— material icon named "view kanban" (round).

view_kanban_sharp → const [IconData](#)



— material icon named "view kanban" (sharp).

view_list → const [IconData](#)



— material icon named "view list".

view_list_outlined → const [IconData](#)



— material icon named "view list" (outlined).

view_list_rounded → const [IconData](#)



— material icon named "view list" (round).

view_list_sharp → const [IconData](#)

 — material icon named "view list" (sharp).

view_module → const [IconData](#)

 — material icon named "view module".

view_module_outlined → const [IconData](#)

 — material icon named "view module" (outlined).

view_module_rounded → const [IconData](#)

 — material icon named "view module" (round).

view_module_sharp → const [IconData](#)

 — material icon named "view module" (sharp).

view_quilt → const [IconData](#)

 — material icon named "view quilt".

view_quilt_outlined → const [IconData](#)

 — material icon named "view quilt" (outlined).

view_quilt_rounded → const [IconData](#)

 — material icon named "view quilt" (round).

view_quilt_sharp → const [IconData](#)

 — material icon named "view quilt" (sharp).

view_sidebar → const [IconData](#)

 — material icon named "view sidebar".

view_sidebar_outlined → const [IconData](#)



— material icon named "view sidebar" (outlined).

view_sidebar_rounded → const [IconData](#)



— material icon named "view sidebar" (round).

view_sidebar_sharp → const [IconData](#)



— material icon named "view sidebar" (sharp).

view_stream → const [IconData](#)



— material icon named "view stream".

view_stream_outlined → const [IconData](#)



— material icon named "view stream" (outlined).

view_stream_rounded → const [IconData](#)



— material icon named "view stream" (round).

view_stream_sharp → const [IconData](#)



— material icon named "view stream" (sharp).

view_timeline → const [IconData](#)



— material icon named "view timeline".

view_timeline_outlined → const [IconData](#)



— material icon named "view timeline" (outlined).

view_timeline_rounded → const [IconData](#)



— material icon named "view timeline" (round).

view_timeline_sharp → const IconData

 — material icon named "view timeline" (sharp).

view_week → const IconData

 — material icon named "view week".

view_week_outlined → const IconData

 — material icon named "view week" (outlined).

view_week_rounded → const IconData

 — material icon named "view week" (round).

view_week_sharp → const IconData

 — material icon named "view week" (sharp).

vignette → const IconData

 — material icon named "vignette".

vignette_outlined → const IconData

 — material icon named "vignette" (outlined).

vignette_rounded → const IconData

 — material icon named "vignette" (round).

vignette_sharp → const IconData

 — material icon named "vignette" (sharp).

villa → const IconData

 — material icon named "villa".

villa_outlined → const [IconData](#)

 — material icon named "villa" (outlined).

villa_rounded → const [IconData](#)

 — material icon named "villa" (round).

villa_sharp → const [IconData](#)

 — material icon named "villa" (sharp).

visibility → const [IconData](#)

 — material icon named "visibility".

visibility_off → const [IconData](#)

 — material icon named "visibility off".

visibility_off_outlined → const [IconData](#)

 — material icon named "visibility off" (outlined).

visibility_off_rounded → const [IconData](#)

 — material icon named "visibility off" (round).

visibility_off_sharp → const [IconData](#)

 — material icon named "visibility off" (sharp).

visibility_outlined → const [IconData](#)

 — material icon named "visibility" (outlined).

visibility_rounded → const [IconData](#)

 — material icon named "visibility" (round).

visibility_sharp → const IconData

 — material icon named "visibility" (sharp).

voice_chat → const IconData

 — material icon named "voice chat".

voice_chat_outlined → const IconData

 — material icon named "voice chat" (outlined).

voice_chat_rounded → const IconData

 — material icon named "voice chat" (round).

voice_chat_sharp → const IconData

 — material icon named "voice chat" (sharp).

voice_over_off → const IconData

 — material icon named "voice over off".

voice_over_off_outlined → const IconData

 — material icon named "voice over off" (outlined).

voice_over_off_rounded → const IconData

 — material icon named "voice over off" (round).

voice_over_off_sharp → const IconData

 — material icon named "voice over off" (sharp).

voicemail → const IconData

 — material icon named "voicemail".

voicemail_outlined → const IconData

 — material icon named "voicemail" (outlined).

voicemail_rounded → const IconData

 — material icon named "voicemail" (round).

voicemail_sharp → const IconData

 — material icon named "voicemail" (sharp).

volcano → const IconData

 — material icon named "volcano".

volcano_outlined → const IconData

 — material icon named "volcano" (outlined).

volcano_rounded → const IconData

 — material icon named "volcano" (round).

volcano_sharp → const IconData

 — material icon named "volcano" (sharp).

volume_down → const IconData

 — material icon named "volume down".

volume_down_alt → const IconData

 — material icon named "volume down alt".

volume_down_outlined → const IconData

 — material icon named "volume down" (outlined).

volume_down_rounded → const [IconData](#)

 — material icon named "volume down" (round).

volume_down_sharp → const [IconData](#)

 — material icon named "volume down" (sharp).

volume_mute → const [IconData](#)

 — material icon named "volume mute".

volume_mute_outlined → const [IconData](#)

 — material icon named "volume mute" (outlined).

volume_mute_rounded → const [IconData](#)

 — material icon named "volume mute" (round).

volume_mute_sharp → const [IconData](#)

 — material icon named "volume mute" (sharp).

volume_off → const [IconData](#)

 — material icon named "volume off".

volume_off_outlined → const [IconData](#)

 — material icon named "volume off" (outlined).

volume_off_rounded → const [IconData](#)

 — material icon named "volume off" (round).

volume_off_sharp → const [IconData](#)

 — material icon named "volume off" (sharp).

volume_up → const IconData



— material icon named "volume up".

volume_up_outlined → const IconData



— material icon named "volume up" (outlined).

volume_up_rounded → const IconData



— material icon named "volume up" (round).

volume_up_sharp → const IconData



— material icon named "volume up" (sharp).

volunteer_activism → const IconData



— material icon named "volunteer activism".

volunteer_activism_outlined → const IconData



— material icon named "volunteer activism" (outlined).

volunteer_activism_rounded → const IconData



— material icon named "volunteer activism" (round).

volunteer_activism_sharp → const IconData



— material icon named "volunteer activism" (sharp).

vpn_key → const IconData



— material icon named "vpn key".

vpn_key_off → const IconData



— material icon named "vpn key off".

vpn_key_off_outlined → const IconData

 — material icon named "vpn key off" (outlined).

vpn_key_off_rounded → const IconData

 — material icon named "vpn key off" (round).

vpn_key_off_sharp → const IconData

 — material icon named "vpn key off" (sharp).

vpn_key_outlined → const IconData

 — material icon named "vpn key" (outlined).

vpn_key_rounded → const IconData

 — material icon named "vpn key" (round).

vpn_key_sharp → const IconData

 — material icon named "vpn key" (sharp).

vpn_lock → const IconData

 — material icon named "vpn lock".

vpn_lock_outlined → const IconData

 — material icon named "vpn lock" (outlined).

vpn_lock_rounded → const IconData

 — material icon named "vpn lock" (round).

vpn_lock_sharp → const IconData

 — material icon named "vpn lock" (sharp).

vrpano → const IconData



— material icon named "vrpano".

vrpano_outlined → const IconData



— material icon named "vrpano" (outlined).

vrpano_rounded → const IconData



— material icon named "vrpano" (round).

vrpano_sharp → const IconData



— material icon named "vrpano" (sharp).

wallet → const IconData



— material icon named "wallet".

wallet_giftcard → const IconData



— material icon named "wallet giftcard".

wallet_giftcard_outlined → const IconData



— material icon named "wallet giftcard" (outlined).

wallet_giftcard_rounded → const IconData



— material icon named "wallet giftcard" (round).

wallet_giftcard_sharp → const IconData



— material icon named "wallet giftcard" (sharp).

wallet_membership → const IconData



— material icon named "wallet membership".

wallet_membership_outlined → const IconData



— material icon named "wallet membership" (outlined).

wallet_membership_rounded → const IconData



— material icon named "wallet membership" (round).

wallet_membership_sharp → const IconData



— material icon named "wallet membership" (sharp).

wallet_outlined → const IconData



— material icon named "wallet" (outlined).

wallet_rounded → const IconData



— material icon named "wallet" (round).

wallet_sharp → const IconData



— material icon named "wallet" (sharp).

wallet_travel → const IconData



— material icon named "wallet travel".

wallet_travel_outlined → const IconData



— material icon named "wallet travel" (outlined).

wallet_travel_rounded → const IconData



— material icon named "wallet travel" (round).

wallet_travel_sharp → const IconData



— material icon named "wallet travel" (sharp).

wallpaper → const IconData



— material icon named "wallpaper".

wallpaper_outlined → const IconData



— material icon named "wallpaper" (outlined).

wallpaper_rounded → const IconData



— material icon named "wallpaper" (round).

wallpaper_sharp → const IconData



— material icon named "wallpaper" (sharp).

warehouse → const IconData



— material icon named "warehouse".

warehouse_outlined → const IconData



— material icon named "warehouse" (outlined).

warehouse_rounded → const IconData



— material icon named "warehouse" (round).

warehouse_sharp → const IconData



— material icon named "warehouse" (sharp).

warning → const IconData



— material icon named "warning".

warning_amber → const IconData



— material icon named "warning amber".

warning_amber_outlined → const IconData



— material icon named "warning amber" (outlined).

warning_amber_rounded → const IconData



— material icon named "warning amber" (round).

warning_amber_sharp → const IconData



— material icon named "warning amber" (sharp).

warning_outlined → const IconData



— material icon named "warning" (outlined).

warning_rounded → const IconData



— material icon named "warning" (round).

warning_sharp → const IconData



— material icon named "warning" (sharp).

wash → const IconData



— material icon named "wash".

wash_outlined → const IconData



— material icon named "wash" (outlined).

wash_rounded → const IconData



— material icon named "wash" (round).

wash_sharp → const IconData



— material icon named "wash" (sharp).

watch → const IconData



— material icon named "watch".

watch_later → const IconData



— material icon named "watch later".

watch_later_outlined → const IconData



— material icon named "watch later" (outlined).

watch_later_rounded → const IconData



— material icon named "watch later" (round).

watch_later_sharp → const IconData



— material icon named "watch later" (sharp).

watch_off → const IconData



— material icon named "watch off".

watch_off_outlined → const IconData



— material icon named "watch off" (outlined).

watch_off_rounded → const IconData



— material icon named "watch off" (round).

watch_off_sharp → const IconData



— material icon named "watch off" (sharp).

watch_outlined → const IconData



— material icon named "watch" (outlined).

watch_rounded → const IconData



— material icon named "watch" (round).

watch_sharp → const IconData



— material icon named "watch" (sharp).

water → const IconData



— material icon named "water".

water_damage → const IconData



— material icon named "water damage".

water_damage_outlined → const IconData



— material icon named "water damage" (outlined).

water_damage_rounded → const IconData



— material icon named "water damage" (round).

water_damage_sharp → const IconData



— material icon named "water damage" (sharp).

water_drop → const IconData



— material icon named "water drop".

water_drop_outlined → const IconData



— material icon named "water drop" (outlined).

water_drop_rounded → const IconData



— material icon named "water drop" (round).

water_drop_sharp → const IconData



— material icon named "water drop" (sharp).

water_outlined → const IconData



— material icon named "water" (outlined).

water_rounded → const IconData



— material icon named "water" (round).

water_sharp → const IconData



— material icon named "water" (sharp).

waterfall_chart → const IconData



— material icon named "waterfall chart".

waterfall_chart_outlined → const IconData



— material icon named "waterfall chart" (outlined).

waterfall_chart_rounded → const IconData



— material icon named "waterfall chart" (round).

waterfall_chart_sharp → const IconData



— material icon named "waterfall chart" (sharp).

waves → const IconData



— material icon named "waves".

waves_outlined → const IconData



— material icon named "waves" (outlined).

waves_rounded → const IconData

 — material icon named "waves" (round).

waves_sharp → const IconData

 — material icon named "waves" (sharp).

waving_hand → const IconData

 — material icon named "waving hand".

waving_hand_outlined → const IconData

 — material icon named "waving hand" (outlined).

waving_hand_rounded → const IconData

 — material icon named "waving hand" (round).

waving_hand_sharp → const IconData

 — material icon named "waving hand" (sharp).

wb_auto → const IconData

 — material icon named "wb auto".

wb_auto_outlined → const IconData

 — material icon named "wb auto" (outlined).

wb_auto_rounded → const IconData

 — material icon named "wb auto" (round).

wb_auto_sharp → const IconData

 — material icon named "wb auto" (sharp).

wb_cloudy → const IconData



— material icon named "wb cloudy".

wb_cloudy_outlined → const IconData



— material icon named "wb cloudy" (outlined).

wb_cloudy_rounded → const IconData



— material icon named "wb cloudy" (round).

wb_cloudy_sharp → const IconData



— material icon named "wb cloudy" (sharp).

wb_incandescent → const IconData



— material icon named "wb incandescent".

wb_incandescent_outlined → const IconData



— material icon named "wb incandescent" (outlined).

wb_incandescent_rounded → const IconData



— material icon named "wb incandescent" (round).

wb_incandescent_sharp → const IconData



— material icon named "wb incandescent" (sharp).

wb_iridescent → const IconData



— material icon named "wb iridescent".

wb_iridescent_outlined → const IconData



— material icon named "wb iridescent" (outlined).

wb_iridescent_rounded → const IconData



— material icon named "wb iridescent" (round).

wb_iridescent_sharp → const IconData



— material icon named "wb iridescent" (sharp).

wb_shade → const IconData



— material icon named "wb shade".

wb_shade_outlined → const IconData



— material icon named "wb shade" (outlined).

wb_shade_rounded → const IconData



— material icon named "wb shade" (round).

wb_shade_sharp → const IconData



— material icon named "wb shade" (sharp).

wb_sunny → const IconData



— material icon named "wb sunny".

wb_sunny_outlined → const IconData



— material icon named "wb sunny" (outlined).

wb_sunny_rounded → const IconData



— material icon named "wb sunny" (round).

wb_sunny_sharp → const IconData



— material icon named "wb sunny" (sharp).

wb_twilight → const [IconData](#)



— material icon named "wb twilight".

wb_twilight → const [IconData](#)



— material icon named "wb twilight".

wb_twilight_outlined → const [IconData](#)



— material icon named "wb twilight" (outlined).

wb_twilight_rounded → const [IconData](#)



— material icon named "wb twilight" (round).

wb_twilight_sharp → const [IconData](#)



— material icon named "wb twilight" (sharp).

WC → const [IconData](#)



— material icon named "wc".

wc_outlined → const [IconData](#)



— material icon named "wc" (outlined).

wc_rounded → const [IconData](#)



— material icon named "wc" (round).

wc_sharp → const [IconData](#)



— material icon named "wc" (sharp).

web → const [IconData](#)



— material icon named "web".

web_asset → const IconData

 — material icon named "web asset".

web_asset_off → const IconData

 — material icon named "web asset off".

web_asset_off_outlined → const IconData

 — material icon named "web asset off" (outlined).

web_asset_off_rounded → const IconData

 — material icon named "web asset off" (round).

web_asset_off_sharp → const IconData

 — material icon named "web asset off" (sharp).

web_asset_outlined → const IconData

 — material icon named "web asset" (outlined).

web_asset_rounded → const IconData

 — material icon named "web asset" (round).

web_asset_sharp → const IconData

 — material icon named "web asset" (sharp).

web_outlined → const IconData

 — material icon named "web" (outlined).

web_rounded → const IconData

 — material icon named "web" (round).

web_sharp → const IconData



— material icon named "web" (sharp).

web_stories → const IconData



— material icon named "web stories".

web_stories_outlined → const IconData



— material icon named "web stories" (outlined).

web_stories_rounded → const IconData



— material icon named "web stories" (round).

web_stories_sharp → const IconData



— material icon named "web stories" (sharp).

webhook → const IconData



— material icon named "webhook".

webhook_outlined → const IconData



— material icon named "webhook" (outlined).

webhook_rounded → const IconData



— material icon named "webhook" (round).

webhook_sharp → const IconData



— material icon named "webhook" (sharp).

wechat → const IconData



— material icon named "wechat".

wechat_outlined → const IconData

 — material icon named "wechat" (outlined).

wechat_rounded → const IconData

 — material icon named "wechat" (round).

wechat_sharp → const IconData

 — material icon named "wechat" (sharp).

weekend → const IconData

 — material icon named "weekend".

weekend_outlined → const IconData

 — material icon named "weekend" (outlined).

weekend_rounded → const IconData

 — material icon named "weekend" (round).

weekend_sharp → const IconData

 — material icon named "weekend" (sharp).

west → const IconData

 — material icon named "west".

west_outlined → const IconData

 — material icon named "west" (outlined).

west_rounded → const IconData

 — material icon named "west" (round).

west_sharp → const IconData

← — material icon named "west" (sharp).

whatshot → const IconData

🔥 — material icon named "whatshot".

whatshot_outlined → const IconData

🔥 — material icon named "whatshot" (outlined).

whatshot_rounded → const IconData

🔥 — material icon named "whatshot" (round).

whatshot_sharp → const IconData

🔥 — material icon named "whatshot" (sharp).

wheelchair_pickup → const IconData

♿ — material icon named "wheelchair pickup".

wheelchair_pickup_outlined → const IconData

♿ — material icon named "wheelchair pickup" (outlined).

wheelchair_pickup_rounded → const IconData

♿ — material icon named "wheelchair pickup" (round).

wheelchair_pickup_sharp → const IconData

♿ — material icon named "wheelchair pickup" (sharp).

where_to_vote → const IconData

📍 — material icon named "where to vote".

where_to_vote_outlined → const IconData



— material icon named "where to vote" (outlined).

where_to_vote_rounded → const IconData



— material icon named "where to vote" (round).

where_to_vote_sharp → const IconData



— material icon named "where to vote" (sharp).

widgets → const IconData



— material icon named "widgets".

widgets_outlined → const IconData



— material icon named "widgets" (outlined).

widgets_rounded → const IconData



— material icon named "widgets" (round).

widgets_sharp → const IconData



— material icon named "widgets" (sharp).

width_full → const IconData



— material icon named "width full".

width_full_outlined → const IconData



— material icon named "width full" (outlined).

width_full_rounded → const IconData



— material icon named "width full" (round).

width_full_sharp → const IconData

 — material icon named "width full" (sharp).

width_normal → const IconData

 — material icon named "width normal".

width_normal_outlined → const IconData

 — material icon named "width normal" (outlined).

width_normal_rounded → const IconData

 — material icon named "width normal" (round).

width_normal_sharp → const IconData

 — material icon named "width normal" (sharp).

width_wide → const IconData

 — material icon named "width wide".

width_wide_outlined → const IconData

 — material icon named "width wide" (outlined).

width_wide_rounded → const IconData

 — material icon named "width wide" (round).

width_wide_sharp → const IconData

 — material icon named "width wide" (sharp).

wifi → const IconData

 — material icon named "wifi".

wifi_1_bar → const IconData

- material icon named "wifi 1 bar".

wifi_1_bar_outlined → const IconData

- material icon named "wifi 1 bar" (outlined).

wifi_1_bar_rounded → const IconData

- material icon named "wifi 1 bar" (round).

wifi_1_bar_sharp → const IconData

- material icon named "wifi 1 bar" (sharp).

wifi_2_bar → const IconData

- material icon named "wifi 2 bar".

wifi_2_bar_outlined → const IconData

- material icon named "wifi 2 bar" (outlined).

wifi_2_bar_rounded → const IconData

- material icon named "wifi 2 bar" (round).

wifi_2_bar_sharp → const IconData

- material icon named "wifi 2 bar" (sharp).

wifi_calling → const IconData

- material icon named "wifi calling".

wifi_calling_3 → const IconData

- material icon named "wifi calling 3".

wifi_calling_3_outlined → const IconData

 — material icon named "wifi calling 3" (outlined).

wifi_calling_3_rounded → const IconData

 — material icon named "wifi calling 3" (round).

wifi_calling_3_sharp → const IconData

 — material icon named "wifi calling 3" (sharp).

wifi_calling_outlined → const IconData

 — material icon named "wifi calling" (outlined).

wifi_calling_rounded → const IconData

 — material icon named "wifi calling" (round).

wifi_calling_sharp → const IconData

 — material icon named "wifi calling" (sharp).

wifi_channel → const IconData

 — material icon named "wifi channel".

wifi_channel_outlined → const IconData

 — material icon named "wifi channel" (outlined).

wifi_channel_rounded → const IconData

 — material icon named "wifi channel" (round).

wifi_channel_sharp → const IconData

 — material icon named "wifi channel" (sharp).

wifi_find → const IconData



— material icon named "wifi find".

wifi_find_outlined → const IconData



— material icon named "wifi find" (outlined).

wifi_find_rounded → const IconData



— material icon named "wifi find" (round).

wifi_find_sharp → const IconData



— material icon named "wifi find" (sharp).

wifi_lock → const IconData



— material icon named "wifi lock".

wifi_lock_outlined → const IconData



— material icon named "wifi lock" (outlined).

wifi_lock_rounded → const IconData



— material icon named "wifi lock" (round).

wifi_lock_sharp → const IconData



— material icon named "wifi lock" (sharp).

wifi_off → const IconData



— material icon named "wifi off".

wifi_off_outlined → const IconData



— material icon named "wifi off" (outlined).

wifi_off_rounded → const [IconData](#)

 — material icon named "wifi off" (round).

wifi_off_sharp → const [IconData](#)

 — material icon named "wifi off" (sharp).

wifi_outlined → const [IconData](#)

 — material icon named "wifi" (outlined).

wifi_password → const [IconData](#)

 — material icon named "wifi password".

wifi_password_outlined → const [IconData](#)

 — material icon named "wifi password" (outlined).

wifi_password_rounded → const [IconData](#)

 — material icon named "wifi password" (round).

wifi_password_sharp → const [IconData](#)

 — material icon named "wifi password" (sharp).

wifi_protected_setup → const [IconData](#)

 — material icon named "wifi protected setup".

wifi_protected_setup_outlined → const [IconData](#)

 — material icon named "wifi protected setup" (outlined).

wifi_protected_setup_rounded → const [IconData](#)

 — material icon named "wifi protected setup" (round).

wifi_protected_setup_sharp → const IconData



— material icon named "wifi protected setup" (sharp).

wifi_rounded → const IconData



— material icon named "wifi" (round).

wifi_sharp → const IconData



— material icon named "wifi" (sharp).

wifi_tethering → const IconData



— material icon named "wifi tethering".

wifi_tethering_error → const IconData



— material icon named "wifi tethering error".

wifi_tethering_error_outlined → const IconData



— material icon named "wifi tethering error" (outlined).

wifi_tethering_error_rounded → const IconData



— material icon named "wifi tethering error".

wifi_tethering_error_rounded_outlined → const IconData



— material icon named "wifi tethering error rounded" (outlined).

wifi_tethering_error_rounded_rounded → const IconData



— material icon named "wifi tethering error rounded" (round).

wifi_tethering_error_rounded_sharp → const IconData



— material icon named "wifi tethering error rounded" (sharp).

[wifi_tethering_error_sharp](#) → const [IconData](#)

 — material icon named "wifi tethering error" (sharp).

[wifi_tethering_off](#) → const [IconData](#)

 — material icon named "wifi tethering off".

[wifi_tethering_off_outlined](#) → const [IconData](#)

 — material icon named "wifi tethering off" (outlined).

[wifi_tethering_off_rounded](#) → const [IconData](#)

 — material icon named "wifi tethering off" (round).

[wifi_tethering_off_sharp](#) → const [IconData](#)

 — material icon named "wifi tethering off" (sharp).

[wifi_tethering_outlined](#) → const [IconData](#)

 — material icon named "wifi tethering" (outlined).

[wifi_tethering_rounded](#) → const [IconData](#)

 — material icon named "wifi tethering" (round).

[wifi_tethering_sharp](#) → const [IconData](#)

 — material icon named "wifi tethering" (sharp).

[wind_power](#) → const [IconData](#)

 — material icon named "wind power".

[wind_power_outlined](#) → const [IconData](#)

 — material icon named "wind power" (outlined).

wind_power_rounded → const IconData



— material icon named "wind power" (round).

wind_power_sharp → const IconData



— material icon named "wind power" (sharp).

window → const IconData



— material icon named "window".

window_outlined → const IconData



— material icon named "window" (outlined).

window_rounded → const IconData



— material icon named "window" (round).

window_sharp → const IconData



— material icon named "window" (sharp).

wine_bar → const IconData



— material icon named "wine bar".

wine_bar_outlined → const IconData



— material icon named "wine bar" (outlined).

wine_bar_rounded → const IconData



— material icon named "wine bar" (round).

wine_bar_sharp → const IconData



— material icon named "wine bar" (sharp).

woman → const IconData



— material icon named "woman".

woman_2 → const IconData



— material icon named "woman 2".

woman_2_outlined → const IconData



— material icon named "woman 2" (outlined).

woman_2_rounded → const IconData



— material icon named "woman 2" (round).

woman_2_sharp → const IconData



— material icon named "woman 2" (sharp).

woman_outlined → const IconData



— material icon named "woman" (outlined).

woman_rounded → const IconData



— material icon named "woman" (round).

woman_sharp → const IconData



— material icon named "woman" (sharp).

woo_commerce → const IconData



— material icon named "woo commerce".

woo_commerce_outlined → const IconData



— material icon named "woo commerce" (outlined).

woo_commerce_rounded → const IconData

 — material icon named "woo commerce" (round).

woo_commerce_sharp → const IconData

 — material icon named "woo commerce" (sharp).

wordpress → const IconData

 — material icon named "wordpress".

wordpress_outlined → const IconData

 — material icon named "wordpress" (outlined).

wordpress_rounded → const IconData

 — material icon named "wordpress" (round).

wordpress_sharp → const IconData

 — material icon named "wordpress" (sharp).

work → const IconData

 — material icon named "work".

work_history → const IconData

 — material icon named "work history".

work_history_outlined → const IconData

 — material icon named "work history" (outlined).

work_history_rounded → const IconData

 — material icon named "work history" (round).

work_history_sharp → const IconData



— material icon named "work history" (sharp).

work_off → const IconData



— material icon named "work off".

work_off_outlined → const IconData



— material icon named "work off" (outlined).

work_off_rounded → const IconData



— material icon named "work off" (round).

work_off_sharp → const IconData



— material icon named "work off" (sharp).

work_outline → const IconData



— material icon named "work outline".

work_outline_outlined → const IconData



— material icon named "work outline" (outlined).

work_outline_rounded → const IconData



— material icon named "work outline" (round).

work_outline_sharp → const IconData



— material icon named "work outline" (sharp).

work_outlined → const IconData



— material icon named "work" (outlined).

work_rounded → const IconData



— material icon named "work" (round).

work_sharp → const IconData



— material icon named "work" (sharp).

workspace_premium → const IconData



— material icon named "workspace premium".

workspace_premium_outlined → const IconData



— material icon named "workspace premium" (outlined).

workspace_premium_rounded → const IconData



— material icon named "workspace premium" (round).

workspace_premium_sharp → const IconData



— material icon named "workspace premium" (sharp).

workspaces → const IconData



— material icon named "workspaces".

workspaces_filled → const IconData



— material icon named "workspaces filled".

workspaces_outline → const IconData



— material icon named "workspaces outline".

workspaces_outlined → const IconData



— material icon named "workspaces" (outlined).

workspaces_rounded → const IconData

 — material icon named "workspaces" (round).

workspaces_sharp → const IconData

 — material icon named "workspaces" (sharp).

wrap_text → const IconData

 — material icon named "wrap text".

wrap_text_outlined → const IconData

 — material icon named "wrap text" (outlined).

wrap_text_rounded → const IconData

 — material icon named "wrap text" (round).

wrap_text_sharp → const IconData

 — material icon named "wrap text" (sharp).

wrong_location → const IconData

 — material icon named "wrong location".

wrong_location_outlined → const IconData

 — material icon named "wrong location" (outlined).

wrong_location_rounded → const IconData

 — material icon named "wrong location" (round).

wrong_location_sharp → const IconData

 — material icon named "wrong location" (sharp).

wysiwyg → const IconData



— material icon named "wysiwyg".

wysiwyg_outlined → const IconData



— material icon named "wysiwyg" (outlined).

wysiwyg_rounded → const IconData



— material icon named "wysiwyg" (round).

wysiwyg_sharp → const IconData



— material icon named "wysiwyg" (sharp).

yard → const IconData



— material icon named "yard".

yard_outlined → const IconData



— material icon named "yard" (outlined).

yard_rounded → const IconData



— material icon named "yard" (round).

yard_sharp → const IconData



— material icon named "yard" (sharp).

youtube_searched_for → const IconData



— material icon named "youtube searched for".

youtube_searched_for_outlined → const IconData



— material icon named "youtube searched for" (outlined).

[youtube_searched_for_rounded](#) → const IconData

 — material icon named "youtube searched for" (round).

[youtube_searched_for_sharp](#) → const IconData

 — material icon named "youtube searched for" (sharp).

[zoom_in](#) → const IconData

 — material icon named "zoom in".

[zoom_in_map](#) → const IconData

 — material icon named "zoom in map".

[zoom_in_map_outlined](#) → const IconData

 — material icon named "zoom in map" (outlined).

[zoom_in_map_rounded](#) → const IconData

 — material icon named "zoom in map" (round).

[zoom_in_map_sharp](#) → const IconData

 — material icon named "zoom in map" (sharp).

[zoom_in_outlined](#) → const IconData

 — material icon named "zoom in" (outlined).

[zoom_in_rounded](#) → const IconData

 — material icon named "zoom in" (round).

[zoom_in_sharp](#) → const IconData

 — material icon named "zoom in" (sharp).

zoom_out → const IconData

🔍 — material icon named "zoom out".

zoom_out_map → const IconData

↖ ↗
↘ ↙ — material icon named "zoom out map".

zoom_out_map_outlined → const IconData

↖ ↗
↘ ↙ — material icon named "zoom out map" (outlined).

zoom_out_map_rounded → const IconData

↖ ↗
↘ ↙ — material icon named "zoom out map" (round).

zoom_out_map_sharp → const IconData

↖ ↗
↘ ↙ — material icon named "zoom out map" (sharp).

zoom_out_outlined → const IconData

🔍 — material icon named "zoom out" (outlined).

zoom_out_rounded → const IconData

🔍 — material icon named "zoom out" (round).

zoom_out_sharp → const IconData

🔍 — material icon named "zoom out" (sharp).