ENTERPRISE AI COPILOT

QA TEST SUMMARY

Backend Modules 0 & 1 • Semantic Layer Module 2 • Users API

Prepared by **Rabea Adel**

Test execution summary • 07 October 2026

REPORT PURPOSE

A consolidated view of the submitted backend test execution, including test coverage, execution results, identified defects, verification status, and final QA assessment.

01 | Executive Dashboard

51	49	2	96.1%
TOTAL TEST CASES	PASSED	FAILED	PASS RATE

TEST AREA	TOTAL	PASS	FAIL	PASS RATE
Backend Modules 0 & 1	25	23	2	92.0%
Semantic Layer – Module 2	29	29	0	100%
Users API	2	2	0	100%
OVERALL	56	54	2	96.4%

Overall assessment

The submitted execution evidence shows strong functional coverage. The two failed cases are known defects in negative authentication/password scenarios; both were subsequently fixed and verified through dedicated bug-fix reports.

02 | Defect & Fix Status

BUG ID	DESCRIPTION	PRIORITY	FINAL STATUS
BUG-LOGIN-001	Login returns generic error for invalid password	Medium	RESOLVED & FIXED
BUG-CHANGE-PASSWORD-001	Change Password accepts invalid password format	High	RESOLVED & FIXED

Both defects are recorded as **RESOLVED & FIXED**. The Login defect was re-tested with the expected HTTP 401 / “Password invalid” behavior. The Change Password defect was re-tested after validation rules were updated to block invalid password formats.

03 | Key QA Findings

• Authentication and authorization scenarios were broadly successful across Login, Register, Logout, Delete, Change Role, and Change Password.

• The Login and Change Password failures were isolated to negative validation behavior and were followed by successful fix verification.

• Semantic Layer testing covered upload, revision management, draft generation, review, submission, status/schema, listing, table permissions and related validation scenarios.

• Users API scenarios for retrieving the authenticated profile and retrieving a specific user both passed.

• The original Module 0 & 1 document contains a duplicated TC-Login-005 entry; it is counted once in the consolidated summary.

04 | Detailed Test Inventory

Backend Modules 0 & 1

TC ID	SCENARIO	STATUS
TC-Login-001	Login – valid email + valid password	PASS
TC-Login-002	Login – valid email + invalid password	FAIL
TC-Login-003	Login – valid email + empty password	PASS
TC-Login-004	Login – empty email + empty password	PASS
TC-Login-005	Login – invalid email	PASS
TC-Register-001	Register – valid data + valid token	PASS
TC-Register-002	Register – existing data/email	PASS
TC-Register-003	Register – valid data + invalid token	PASS
TC-Register-004	Register – invalid email format	PASS
TC-Register-005	Register – invalid password format	PASS
TC-Register-006	Register – password/confirm password mismatch	PASS
TC-Register-007	Register – empty first name, last name, role	PASS
TC-change-password-001	Change password – valid data + valid token	PASS
TC-change-password-002	Change password – invalid password format + valid token	FAIL
TC-change-password-003	Change password – password mismatch	PASS
TC-change-password-004	Change password – invalid email	PASS
TC-delete-001	Delete – existing email, admin + valid token	PASS
TC-delete-002	Delete – non-existing email, admin + valid token	PASS
TC-delete-003	Delete – non-existing email, user role	PASS
TC-logout-001	Logout – valid user token	PASS
TC-logout-002	Logout – invalid user token	PASS
TC-change-role-001	Change role – admin changes user to admin	PASS
TC-change-role-002	Change role – admin changes user to user	PASS
TC-change-role-003	Change role – non-admin attempts change	PASS
TC-change-role-004	Change role – target email does not exist	PASS

Semantic Layer – Module 2

TC ID	SCENARIO	STATUS
TC-SL-upload-001	Upload Semantic Layer with Schema, Documentation, Glossary and Sample Data	PASS
TC-SL-upload-002	Upload Semantic Layer with required Schema only	PASS
TC-SL-upload-003	Reject upload when required Schema file is missing	PASS
TC-SL-upload-004	Reject upload when required data is empty	PASS
TC-SL-revision-get-001	Retrieve an existing Semantic Layer revision	PASS
TC-SL-revision-get-002	Reject retrieval of non-existing revisionId	PASS
TC-SL-draft-001	Generate Semantic Layer draft	PASS
TC-SL-review-001	Reject an existing revision during review	PASS
TC-SL-review-003	Reject invalid SemanticLayerId or RevisionId format	PASS
TC-SL-submit-001	Submit a valid revision for AI validation	PASS
TC-SL-status-003	Retrieve active Semantic Layer status	PASS
TC-SL-active-schema-001	Retrieve physical schema of approved active revision	PASS
TC-SL-list-001	List Semantic Layers	PASS
TC-SL-list-002	Filter Semantic Layers by layerId	PASS
TC-SL-toggle-table-001	Enable/disable access for an existing table	PASS
TC-SL-tables-001	Retrieve allowed-table configuration	PASS
TC-SL-tables-003	Verify table permission persistence after toggle	PASS
TC-SL-sync-001	Semantic Layer synchronization scenario	PASS
TC-SL-rls-get-001	Retrieve RLS policy configuration	PASS
TC-SL-rls-upload-001	Upload valid RLS policy source	PASS
TC-SL-rls-upload-003	Reject invalid RLS upload scenario	PASS
TC-SL-rls-upload-004	Reject invalid RLS upload data	PASS
TC-SL-permissions-001	Retrieve Semantic Layer permissions	PASS
TC-SL-user-permission-001	Retrieve/update user-specific Semantic Layer permission	PASS
TC-SL-get-001	Retrieve uploaded source file using valid fileId	PASS
TC-SL-get-002	Reject retrieval using invalid/non-existing fileId	PASS
TC-SL-content-001	Download binary content of an uploaded source file	PASS
TC-SL-content-002	Reject content download for non-existing fileId	PASS
TC-SL-rls-policy-001	Validate RLS policy handling scenario	PASS

Users API

TC ID	SCENARIO	STATUS
TC-SL-USERS-001	GET /api/v1/users/me – retrieve current authenticated user profile	PASS
TC-SL-USERS-002	GET /api/v1/users?id={userId} – retrieve specific user by ID	PASS

05 | Final QA Conclusion

FINAL RESULT — FUNCTIONALLY VALIDATED

56 unique test cases are consolidated in this report: 54 PASS and 2 FAIL, for an overall pass rate of **96.4%**. The two failed scenarios correspond to known defects that were subsequently resolved and verified. The Semantic Layer and Users API areas show complete PASS results in the submitted evidence.

Source basis: submitted backend test cases, Semantic Layer test execution, Users API test cases, and the corresponding bug/fix reports.