

A Final Report On InstaList (Instagram Posts to Ecommerce Listing)

**A Project Report Submitted in Partial Fulfillment of
the Requirements for the degree of**

BACHELOR OF TECHNOLOGY

In

Computer Science & Engineering

By

Aryan Jha (Roll No – 11232938)

Preetam Sharma (Roll No – 11232937)

Baliram (Roll No – 11232996)

Rishu Singh (Roll No – 11232955)

Under the Guidance of

Dr. Puneet Banga

Assistant Professor, Senior Grade-II



M.M. ENGINEERING COLLEGE MAHARISHI MARKANDESHWAR

(DEEMED TO BE UNIVERSITY)

(NAAC accredited Grade 'A++' University)

MULLANA, AMBALA, HARYANA 2024-2025

DECLARATION

We hereby declare that this submission represents our ideas in our own work and that, to the best of our knowledge and belief, it contains the detailed information of our project. This project is an authentic record of our own work carried out under the supervision of **Dr. Puneet Banga (Assistant Professor, Senior Grade-II)**.

We hereby further declare that all information presented in this document has been obtained and presented in accordance with academic rules and recommendations.

This project is done in partial fulfillment of the requirement for the award of degree of **BACHELOR OF TECHNOLOGY in COMPUTER SCIENCE ENGINEERING**, to be submitted as the final semester project as part of our curriculum.

Signature:

Student Name: Aryan

Roll No: 11232938

Date:

Signature:

Student Name: Preetam

Roll No: 11232937

Date:

Signature:

Student Name: Rishu

Roll No: 11232955

Date:

Signature:

Student Name: Baliram

Roll No: 11232996

Date:

CERTIFICATE

Certified that **Aryan (Roll No.- 11232938)**, **Preetam (Roll No.- 11232937)**, **Rishu (Roll No.- 11232955)**, and **Baliram (Roll No.- 11232996)** have carried out the project work presented in this project report entitled “**InstaList: An Instagram to E-commerce Listing Platform**” for the award of Bachelor of Technology (Computer Science & Engineering) from **M. M. Engineering College, Mullana, Ambala** under my guidance.

The project report embodies results of original work and studies carried out by the students themselves, and the contents of the project report do not form the basis for the award of any other degree to the candidates or to anybody else from this or any other University/Institution.

Dr. Puneet Banga

Assistant Professor (Senior Grade-II)

Department of Computer Science, MMEC, Mullana

Signature:

ABSTRACT

This project introduces **InstaList**, an innovative platform designed to simplify and modernize the process of converting Instagram posts into professional e-commerce listings. Traditional methods of creating product listings often involve manual data entry, redundant effort, and inefficiencies. **InstaList** addresses these issues by providing a fully automated digital platform where users can extract images, captions, and other relevant data from Instagram posts and transform them into ready-to-sell product listings optimized for online marketplaces.

The system is developed using **Python** for backend operations and **HTML, CSS, and JavaScript** for a responsive and interactive front-end. Advanced **Large Language Models (LLMs)**, like **Gemini**, are utilized for restructuring and optimizing raw Instagram data into high-quality, SEO-friendly e-commerce content. Data is processed and organized using libraries like **Pandas**, and images are efficiently managed and hosted through **Cloudinary**. The platform includes key features like intelligent data extraction, automatic keyword optimization, image enhancement, and listing generation.

InstaList reduces manual workload, ensures the creation of structured and appealing listings, and enhances business productivity through an automated and user-friendly workflow. The project demonstrates how modern technologies, such as AI-driven NLP models and web scraping, can be effectively combined to revolutionize the way social media content is leveraged for e-commerce growth.

ACKNOWLEDGEMENTS

In completing this project, we have been fortunate to receive help, support, and encouragement from our supervisor. We would like to sincerely acknowledge their continuous cooperation and valuable guidance. The satisfaction that accompanies the successful completion of this task would have been incomplete without their support.

We would like to express our heartfelt thanks to **Dr. Puneet Banga, Assistant Professor (Senior Grade-II), Department of Computer Science, MMEC, Mullana**, for guiding us through every step of the process with immense knowledge, motivation, and support.

Thank you for your advice, mentorship, and invaluable assistance throughout the course of this project.

.....

Aryan Jha B.Tech, CSE

Roll No.- 11232938

.....

Preetam Sharma B.Tech, CSE

Roll No.- 11232937

.....

Rishu Singh B.Tech, CSE

Roll No.- 11232955

.....

Baliram B.Tech, CSE

Roll No.- 11232996

TABLE OF CONTENTS

Declaration

Certificate

Abstract

Acknowledgements

CHAPTER 1: INTRODUCTION

- General Overview
- Problem Statement
- Objectives
- System Modules Overview

CHAPTER 2: Literature Review

- Social Media-Based E-commerce Evolution
- Existing Social Commerce and Listing Tools
- Challenges in Automating Social Media Content
- Future Directions in Social Media-Driven E-commerce

CHAPTER 3: Design and Implementation

- Software Design

CHAPTER 4: Results and Analysis

- Screenshots and Output Analysis

CHAPTER 5: Conclusion and Scope for Improvement

- Summary of Findings
- Scope for Improvement
- Future Work

CHAPTER 6: References

CHAPTER 7: Appendices

CHAPTER 8: Abbreviations

1.1 General Overview

Over the past few years, technological advancements have rapidly transformed the e-commerce industry, with social media platforms like Instagram emerging as influential tools for product discovery and marketing. As society becomes more fast-paced and digital-centric, the need for seamless, accessible, and efficient systems to transition social media content into structured e-commerce listings has gained prominence. Traditional manual listing creation methods are time-consuming, repetitive, and prone to inconsistencies. Modern businesses, influencers, and digital marketers increasingly seek automated solutions that streamline the listing process, enhance visibility, and reduce operational overhead.

In the e-commerce sector, one of the most critical yet cumbersome tasks is product listing creation. Traditionally, businesses have relied on manual efforts to extract information from social media posts, write descriptions, upload images, and format listings according to marketplace requirements. While these methods served their purpose earlier, they are now viewed as outdated and inefficient in today's AI-driven world. Manual content curation is not only time-consuming but also susceptible to human error, poor keyword optimization, and missed sales opportunities. Moreover, ensuring that social media content is accurately and attractively repurposed for e-commerce platforms can be a challenging task. This is where **InstaList** steps in to revolutionize the e-commerce listing creation process.

The **InstaList** platform presented in this report aims to address these challenges by automating and enhancing the product listing workflow using a dynamic, web-based solution. The project leverages modern technologies, including **Python** for backend operations, **HTML**, **CSS**, and **JavaScript** for the front-end, and integrations with **Large Language Models (LLMs)** like **Gemini** for optimizing and structuring content. The system extracts essential data from Instagram posts, organizes it intelligently, and generates complete, marketplace-ready product listings. Cloud storage solutions like **Cloudinary** are used for efficient image handling, ensuring quality and consistency across platforms.

The system's implementation is designed not only to enhance the accuracy and efficiency of listing creation but also to empower businesses by reducing manual intervention and providing real-time structuring of product information. By incorporating features like automated keyword optimization, image enhancement, and secure data handling, **InstaList** ensures a personalized, scalable, and future-ready solution for modern e-commerce growth.

1.2 Problem Statement

Product listing management is a vital aspect of e-commerce operations, particularly in the fast-paced digital marketplace. However, traditional methods of creating listings from social media content, especially platforms like Instagram, are fraught with inefficiencies that can hinder the overall functionality of businesses and reduce customer engagement. The following are some of the key problems associated with manual listing creation systems:

- **Time Consumption:**

Manually extracting images, captions, hashtags, and product details from Instagram posts is a time-consuming process, especially when dealing with high volumes of content. This manual extraction and formatting can lead to significant delays in making products available for sale, reducing a business's ability to respond quickly to market trends or consumer demands. Similarly, manual editing and optimization of content for e-commerce platforms create bottlenecks that slow down overall operations.

- **Human Error:**

Manual data extraction and listing creation are highly susceptible to human errors, such as incorrect product descriptions, misinterpretation of visual content, missing keywords, or poor image quality usage. Over time, these errors can accumulate, leading to lower search engine visibility, customer dissatisfaction, and lost sales opportunities. Inaccurate listings can also affect brand credibility and operational efficiency.

- **Content Mismanagement:**

One of the most significant challenges in traditional systems is the potential for mismanaged or inconsistent listings, such as missing metadata, incomplete product specifications, or poorly structured information. Customers may face confusion or dissatisfaction due to vague or inaccurate listings, which undermines the reliability and professionalism of the online store.

- **Lack of Real-Time Content Optimization:**

Traditional listing methods often do not provide real-time enhancements like keyword optimization, structured formatting, or instant publication across platforms. This lack of automation means businesses may miss critical windows of opportunity, particularly during promotional campaigns or viral social media moments. Real-time structuring and optimization are essential to capitalize on dynamic online trends and ensure maximum product exposure.

Given these challenges, it is clear that there is a pressing need for a more efficient, secure, and accurate system for transforming social media content into e-commerce-ready listings. The **InstaList** platform is designed to address these issues by offering a technologically advanced

solution that leverages a dynamic, AI-powered web-based system.

By eliminating manual errors, improving content quality, and providing real-time structured listings, **InstaList** ensures a higher level of operational efficiency, business agility, and customer engagement in the competitive world of e-commerce.

1.3 Objectives

The **InstaList** platform is designed with several key objectives in mind, each aimed at addressing the limitations of traditional manual e-commerce listing methods while providing enhanced functionality, automation, and user satisfaction:

- **Enhancing Listing Accuracy:**

One of the primary objectives of **InstaList** is to improve the accuracy and professionalism of e-commerce listings by automating the data extraction and structuring process. By leveraging an intelligent web-based platform and powerful Large Language Models (LLMs), the system minimizes errors such as incomplete product descriptions, missing keywords, or inconsistent formatting. This ensures reliable, SEO-friendly listings that are critical for higher product discoverability and better customer engagement.

- **Increasing Operational Efficiency:**

By replacing manual efforts in browsing Instagram posts, copying data, and creating listings, **InstaList** significantly reduces the time required to prepare products for sale. Businesses and marketers can extract, optimize, and publish listings with just a few clicks, while backend systems manage data structuring and keyword integration in real-time. This not only speeds up the listing process but also reduces the administrative workload and allows businesses to focus on core activities.

- **Improving Data Security and Compliance:**

The security of extracted user content and structured data is a critical concern, particularly when dealing with sensitive commercial information. **InstaList** employs robust data handling practices, secure APIs, and encrypted cloud storage solutions to ensure that all processed data is protected. Adherence to platform policies (e.g., Instagram's terms of service) and data privacy regulations ensures the system remains compliant and trustworthy for business use.

- **Real-Time Listing Optimization and Management:**

Another key objective is to provide real-time structuring and optimization capabilities. Unlike traditional manual methods that lack immediate enhancements, **InstaList** allows users to instantly process Instagram posts into well-organized listings, complete with optimized titles, descriptions, and keywords. This facilitates timely publishing of new

products, faster market responsiveness, and dynamic content updates, enabling businesses to stay competitive.

- **User-Friendly Interface and Automation:**

A significant focus of **InstaList**'s design is ensuring ease of use for all users, whether they are business owners, marketers, or content managers. The platform utilizes modern web technologies such as **HTML, CSS, and JavaScript** to create a highly responsive, intuitive, and accessible interface. Features like automatic data extraction, one-click listing generation, and easy visual previews ensure that even users with limited technical background can operate the system effortlessly.

These objectives collectively aim to transform the e-commerce listing creation experience, making it more convenient, accurate, secure, and efficient for businesses.

By addressing the inefficiencies of traditional content repurposing methods, **InstaList** sets a new standard for intelligent, AI-driven product listing automation, empowering users to unlock greater value from their social media content

1.4 System Modules Overview

The **InstaList** platform is divided into several key modules, each playing a crucial role in ensuring the functionality, efficiency, and reliability of the system. These modules collectively enable a seamless experience for users, automating the transformation of Instagram posts into optimized e-commerce listings, and addressing the challenges of traditional manual listing creation:

- **User Registration and Authentication Module:**

This module allows users (business owners, digital marketers, influencers) to create accounts on the **InstaList** platform. During registration, users provide essential details such as name, contact information, and business category, which are securely stored using encryption protocols. This ensures users can save their preferences, access previous listing projects, and manage their data conveniently for future usage, aligning with the system's focus on user personalization and secure access management.

- **Instagram Post Extraction Module:**

The Instagram Post Extraction Module enables users to connect their Instagram accounts (or input post links) and extract key information such as images, captions, hashtags, and metadata. Using backend Python scripts (powered by InstaLoader library or APIs), the module ensures efficient, accurate, and ethical data collection. The user interface, built

using HTML, CSS, and JavaScript, offers a responsive and intuitive experience for managing and selecting posts to convert.

- **Data Structuring and Optimization Module:**

This module processes the extracted raw data through a sophisticated Large Language Model (LLM) like **Gemini**. It restructures titles, generates SEO-optimized descriptions, auto-fills missing product fields, and enriches content with relevant keywords. This smart processing ensures that the product listings are not only complete but also marketplace-ready, increasing visibility and conversion rates for businesses.

- **Image Processing and Management Module:**

The Image Processing Module automatically enhances, resizes, and optimizes the extracted images for e-commerce use. Leveraging **Cloudinary** APIs, the module ensures that images meet platform standards for resolution, aspect ratio, and loading speeds. Organized media management provides an efficient backend for handling multiple listings without manual overhead.

- **Listing Generation and Export Module:**

This critical module generates structured product listings from the optimized data. Users can preview, edit if necessary, and export the final listings into formats compatible with various e-commerce platforms like Shopify, WooCommerce, or Amazon. The system also provides options for batch processing multiple posts into listings, streamlining high-volume workflows.

- **Feedback, Analytics, and Support Module:**

This module enables users to review generated listings, provide feedback on quality, and suggest improvements for future iterations. Integrated analytics allow users to monitor listing performance (e.g., keyword density, SEO scores). Additionally, the platform includes a robust support system to assist users with technical issues, account management, and optimization guidance, ensuring a smooth and professional user experience.

These modules work cohesively to deliver a user-centric, secure, and highly efficient platform that automates and elevates the process of turning Instagram content into e-commerce-ready listings.

By addressing the inefficiencies of manual listing creation, **InstaList** empowers businesses to scale faster, improve operational accuracy, and maximize the value of their social media presence.

CHAPTER 2: LITERATURE REVIEW

2.1 Social Media-Based E-commerce Listing Technology

Social media-based e-commerce listing technology has evolved significantly over the past few years and is now widely recognized as a game-changer in the digital commerce industry. Platforms like Instagram have become central to product marketing and discovery, enabling businesses to connect with potential customers through visual content and social engagement. The process of leveraging Instagram for e-commerce involves two main components: **front-end user interaction** and **back-end data extraction and transformation**. Front-end interaction refers to the user-facing content such as posts, captions, and hashtags, while back-end operations involve collecting, processing, and restructuring this content into professional e-commerce listings.

Several technologies and frameworks have been developed to enhance the efficiency and user experience of automating social media to e-commerce workflows. These technologies must handle large volumes of media content, ensure accurate data extraction, support real-time processing, and maintain data security. One of the most effective approaches involves using modern tech stacks like **Python** for backend operations, **HTML5**, **CSS3**, and **JavaScript** for responsive front-end interfaces, and tools like **Cloudinary** for media management. In addition, frameworks like **Flask** and cloud deployment solutions (such as **Render** or **Vercel**) enable scalable and robust platform development.

Large Language Models (LLMs) such as **Gemini** are particularly suited for this task, as they can analyze natural language captions, reframe them into product descriptions, and enhance content quality dynamically. The **InstaList** project employs these advanced technologies, as outlined in the system specification, to create a scalable, efficient, and intelligent listing platform.

Recent advancements in machine learning, natural language processing (NLP), and cloud computing have further empowered platforms like **InstaList**. Cloud-based services ensure high availability and dynamic scaling, making it possible to manage peak data loads, especially during marketing campaigns or product launches. Additionally, APIs for social media data scraping (e.g., InstaLoader, Graph APIs) and third-party services like keyword optimizers and SEO analyzers have improved the automation and enhancement of e-commerce listings.

However, complex systems requiring intensive LLM computations or large-scale image processing may demand substantial computational resources, which can be challenging for smaller platforms. Therefore, modular architectures based on **RESTful APIs** and relational databases like **PostgreSQL** remain a popular and efficient choice for balancing performance, scalability, and operational costs.

In conclusion, social media-based e-commerce listing technologies are becoming increasingly vital as solutions for automating and optimizing digital commerce workflows. Thanks to advancements in AI frameworks, cloud infrastructure, and secure API integrations, platforms like **InstaList** are expected to become even more intelligent, scalable, and business-centric — revolutionizing the way businesses utilize social media content for online sales.

2.2 Existing Social Media to E-commerce Listing Systems

Product listing creation and content repurposing are crucial operational tasks in the modern e-commerce landscape, but existing systems often suffer from inefficiencies and limitations. Current approaches to transforming social media content into e-commerce listings fall into three main categories: **manual listing creation**, **basic content extraction tools**, and **platform-integrated social commerce features**. Each of these methods has distinct advantages and disadvantages:

- **Manual Listing Creation:**

In traditional manual methods, businesses manually extract images and captions from Instagram posts and recreate product listings by uploading media, writing descriptions, and optimizing keywords individually on e-commerce platforms.

While straightforward, this process is extremely time-consuming, especially when managing a high volume of products. Manual processes are prone to human error, such as inconsistent formatting, missing details, or poor SEO optimization, leading to reduced customer engagement and operational inefficiencies. Additionally, the lack of automation increases workload and slows down the time-to-market for new products.

- **Basic Content Extraction Tools:**

Some basic tools allow partial extraction of Instagram post content — such as images or captions — and provide rudimentary templates for creating listings. While they offer slight convenience compared to manual methods, these tools are often limited in functionality. They may not structure data intelligently, lack real-time keyword optimization, and fail to enhance content readability. Moreover, they typically do not support bulk processing, integration with e-commerce APIs, or intelligent SEO enhancement, leading to fragmented and suboptimal listings.

- **Platform-Integrated Social Commerce Features:**

Major platforms like Facebook Shops, Instagram Shopping, and basic Shopify plugins provide partial social commerce integration, allowing businesses to tag products directly within posts or link catalogs. However, these features are heavily dependent on platform-specific ecosystems and often lack advanced automation, listing customization, or cross-platform exportability. Additionally, businesses still need to manually optimize content for external marketplaces, making these solutions less efficient for businesses managing multi-platform operations.

Each of these approaches has limitations that hinder their effectiveness in fast-paced, content-rich digital environments.

The increasing need for **seamless, intelligent, and efficient transformation of social media content into optimized e-commerce listings** has driven the demand for advanced automation platforms like **InstaList**.

By automating the extraction, structuring, optimization, and export of Instagram content into high-quality product listings, **InstaList** overcomes many traditional challenges — providing a modern, scalable solution that minimizes errors, reduces manual workload, and enhances business growth.

2.3 Challenges in Social Media to E-commerce Listing Systems

Despite the many advantages offered by automation in transforming social media content into e-commerce listings, systems like **InstaList** also face several challenges that can impact their performance, reliability, and user satisfaction. Some of the most common technical and operational challenges include:

- **High Data Volume Scalability:**

Platforms like **InstaList** often process a significant number of Instagram posts, images, captions, and hashtags, especially when businesses handle large inventories or multiple campaigns. Managing high volumes of concurrent content extraction, processing, and optimization requests without compromising platform speed or causing system slowdowns is a major challenge. Insufficient server capacity or poor backend optimization can lead to lag in processing times, affecting user experience and platform credibility.

- **User Interface Variability and Accessibility:**

The effectiveness of an e-commerce listing platform depends heavily on its user interface, which must cater to users of varying technical proficiency and operate consistently across different devices and browsers. Inconsistent, cluttered, or overly technical interfaces can confuse users and deter them from using the platform effectively. Ensuring a seamless, intuitive, and fully responsive design across desktops, tablets, and smartphones, while maintaining ease of use, remains a significant design and implementation challenge.

- **Data Privacy and Content Security:**

Handling user-generated content extracted from social media platforms brings its own set of risks. Platforms like **InstaList** must ensure the security and privacy of extracted data,

especially when dealing with copyrighted images, personal captions, and metadata. Compliance with platform-specific policies (e.g., Instagram's Terms of Service) and general data protection regulations (such as GDPR) adds complexity. Implementing secure data storage, anonymization techniques, and ethical scraping practices are essential but technically demanding.

- **Real-Time Content Processing and Synchronization:**

Providing real-time extraction, optimization, and listing generation requires robust synchronization between front-end and back-end services. Any delays or inconsistencies in processing Instagram posts into structured listings can lead to outdated content being published or loss of promotional opportunities. Achieving seamless real-time performance demands efficient use of APIs, queue management systems, and optimized database handling.

- **Platform Integration and Export Flexibility:**

Businesses often need their listings to be compatible across various e-commerce platforms (e.g., Shopify, WooCommerce, Amazon). Ensuring that the generated listings meet the diverse format standards, metadata requirements, and SEO guidelines of different marketplaces is a complex task. Failure to achieve perfect integration can result in additional manual editing, defeating the platform's automation purpose.

Although these challenges present significant hurdles to the widespread adoption of social media-driven e-commerce listing systems, advancements in cloud infrastructure, AI-powered optimization, and modular architecture designs have helped mitigate many of these issues. For instance, leveraging RESTful APIs, scalable cloud hosting solutions like AWS or Render, and dynamic backend management ensures better performance, real-time data handling, and user-centric workflows.

InstaList's design, with its focus on real-time content optimization, secure data handling, and responsive user interfaces, addresses these challenges to deliver a reliable, efficient, and future-ready platform for modern businesses.

2.4 Future Directions in Social Media to E-commerce Listing Technology

As social media-based e-commerce listing technology continues to evolve, several future developments are expected to further enhance its efficiency, user experience, and scalability. One major trend is the **integration of advanced artificial intelligence (AI)** and **machine**

learning (ML) models, which have shown remarkable success in areas like content generation, personalization, and predictive analytics.

AI-powered systems can analyze product categories, customer behavior, and market trends to automatically suggest optimized titles, keyword sets, and descriptions tailored to improve product visibility and sales conversion rates.

Although implementing these models demands significant computational resources, cloud-based infrastructures, as utilized in the **InstaList** system, make such innovations increasingly viable.

Another promising direction is the **adoption of Progressive Web Apps (PWAs)**, which combine the flexibility of web platforms with the functionality of native mobile applications. PWAs offer offline capabilities, faster load times, and push notifications, providing a seamless experience across devices without requiring users to download a separate app. This aligns with **InstaList's** future vision for extending platform accessibility, reaching broader audiences, and enhancing mobile usability without platform dependency.

In addition, there is growing interest in **integrating automated multi-platform publishing and syndication features**. By leveraging APIs from major e-commerce platforms (such as Shopify, Amazon, and Etsy), future systems could dynamically export and synchronize listings across multiple stores simultaneously. Machine learning-driven adjustment mechanisms could tailor product listings automatically according to each marketplace's specific SEO and formatting standards, reducing manual effort and ensuring optimal performance across platforms.

Content security and data privacy will continue to be critical concerns, especially when handling sensitive data such as user-generated content, business credentials, and marketplace account integrations. Future systems must adopt more sophisticated encryption protocols, comply with global data protection regulations like **GDPR**, and integrate anonymized data processing techniques to enhance trustworthiness. Secure API integrations, role-based access controls, and intelligent monitoring mechanisms, as emphasized in InstaList's development roadmap, will be essential to safeguard sensitive information while maintaining operational efficiency.

In conclusion, while social media-driven e-commerce listing technology has already made significant strides, there remains tremendous potential for further advancements.

The future will likely see **more sophisticated algorithms, intelligent content automation, multi-platform publishing capabilities, and enhanced security frameworks**, making platforms like **InstaList** even more efficient, business-centric, and adaptive to evolving market.

CHAPTER 3: DESIGN AND IMPLEMENTATION

Software Design

The **InstaList** platform is developed using a modern technology stack, integrating key technologies like **Python** for backend development, **Flask** as the web framework, **HTML5**, **CSS3**, and **JavaScript** for the front-end, **Pandas** for data handling, **Cloudinary** for media management, and APIs for cloud deployment and automation.

This system automates the process of extracting Instagram posts, optimizing content, and generating structured e-commerce listings in real-time, providing both efficiency and accuracy.

Key Steps in the System:

- **User Interface Rendering:**

The system renders a responsive and user-friendly interface using **HTML5**, **CSS3**, and **JavaScript**, allowing users to connect Instagram accounts, browse extracted posts, review generated listings, and download/export listings across devices.

Frameworks and libraries such as **Tailwind CSS** and modern JavaScript techniques enhance interactivity, ensuring a dynamic and seamless user experience.

- **Instagram Content Extraction and Management:**

The front-end interface communicates with the back-end to allow users to input Instagram post URLs or authenticate via Instagram APIs. The back-end Python scripts utilize libraries like **InstaLoader** to scrape captions, images, and metadata. Extracted content is dynamically fetched and displayed using **RESTful APIs**, enabling real-time viewing and selection.

- **Content Optimization with AI Back-End Logic:**

Once the content is extracted, it is processed using a backend framework built on **Flask** and AI-powered optimization engines.

Large Language Models (LLMs), such as **Gemini**, are invoked to generate SEO-optimized titles, descriptions, and relevant keyword tagging. The system verifies the completeness of content fields before generating final e-commerce listings.

- **Image Processing and Secure Storage via APIs:**

Images are processed and managed securely using **Cloudinary APIs**. The system automatically resizes, compresses, and optimizes images for various e-commerce standards. Metadata like alt-text for SEO is also auto-generated and stored securely, ensuring efficient media handling.

- **Real-Time Listing Preview and Export:**

The platform provides users with real-time previews of the structured listings. Users can

customize fields if needed and export the generated listings into structured formats like **CSV**, **JSON**, or **XML**, compatible with platforms such as Shopify, WooCommerce, and Amazon. This export flexibility streamlines large-scale product uploads and marketplace integration.

- **User-Friendly Admin Dashboard:**

An intuitive admin dashboard is provided for administrators to monitor user activity, manage listing templates, track optimization success rates, and handle user feedback. Built with **Flask Admin** or a custom JavaScript-based interface, the dashboard ensures efficient backend management and smooth operational oversight.

- **Report Generation and Data Analytics:**

The system automatically generates reports, such as listing counts, optimization quality scores, and usage statistics. These reports are stored in the backend database (e.g., **PostgreSQL**) and can be exported in structured formats (CSV/JSON) for further analysis.

The modular reporting format also supports future integration with external business intelligence platforms like Power BI or Google Data Studio for deeper analytics.


This software design ensures that **InstaList** delivers a robust, scalable, and user-centric platform, addressing the inefficiencies of manual listing creation while meeting the dynamic demands of modern digital commerce.

CHAPTER 4: RESULTS AND ANALYSIS

1.Backend in running state

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS python3.12 + - [ ] [ ]
(base) aryanjha@Aryans-MacBook-Air college pr 2 % python app.py
* Serving Flask app 'app'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 123-997-598
```

2. Frontend

 InstaList

Convert your Instagram Posts To Product Listing in minutes!

Target-Username

Your Instagram Username

Your Instagram Password

Post URLs

https://www.instagram.com/p/...

+ Add another URL

Generate Listing

 Open Product Viewer

3. Generating listing

InstaList

Convert your Instagram Posts To Product Listing in minutes!

Target-Username

gablife

Your Instagram Username

aryanjha98

Your Instagram Password

Generating product listing...

Post URLs

https://www.instagram.com/p/DHDkYksPAIY/

+ Add another URL

Generate Listing

Open Product Viewer

4. Final Output

Product Viewer

Choose fileboat.nirvana_product_listing.json

Nirvana Crystl True Wireless Earbuds



Key Features

- Crystal-clear audio quality for an immersive listening experience.
- Ergonomic design for comfortable all-day wear.
- Long-lasting battery life for uninterrupted listening.
- Seamless Bluetooth connectivity for a stable connection.
- Intuitive touch controls for easy music management and calls.
- Stylish and compact charging case for convenient portability.
- Available in multiple colors (Red, Yellow, Black).

Description

Description

Experience the Nirvana Crystl – true wireless earbuds engineered for unparalleled sound quality and comfort. Immerse yourself in crystal-clear audio with deep bass and crisp highs, all while enjoying a secure and comfortable fit. The sleek, ergonomic design ensures all-day wearability, and the long-lasting battery keeps the music playing. Intuitive touch controls allow for effortless music management and calls, while the stylish charging case provides convenient portability. Upgrade your listening experience today with the Nirvana Crystl.

Technical Details

Bluetooth Version	5.3
Battery Life	Up to 8 hours on a single charge, up to 32 hours with charging case
Charging Time	1 hour for earbuds, 2 hours for charging case
Water Resistance	IPX4 (splashproof)
Drivers	10mm dynamic drivers
Frequency Response	20Hz-20kHz
Microphone	Dual microphones with noise cancellation

Package Contents

- Nirvana Crystl Earbuds (pair)
- Wireless Charging Case
- USB-C Charging Cable
- Multiple Ear Tip Sizes (S, M, L)
- User Manual

CHAPTER 5: CONCLUSION AND SCOPE FOR IMPROVEMENT

5.1 Summary of Findings

The **InstaList** platform automates the transformation of Instagram posts into structured e-commerce listings using a modern technology stack, including **Python** with **Flask** for backend operations, **HTML5**, **CSS3**, and **JavaScript** for front-end development, **Pandas** for data processing, and **PostgreSQL** for database management.

It provides real-time content extraction, optimization, listing generation, and export capabilities, significantly reducing manual workload, minimizing human errors, and enhancing operational efficiency for businesses and digital marketers.

The system's integration of secure media storage (via **Cloudinary APIs**) and AI-driven content structuring (through **Large Language Models like Gemini**) ensures high-quality, SEO-optimized listings with accurate and consistent formatting.

A key feature of the system is its ability to generate structured output files in **CSV**, **JSON**, or **XML** formats, which can be seamlessly imported into various e-commerce platforms or analyzed through data analysis tools. This capability simplifies business operations and supports data-driven decision-making for content strategy, sales optimization, and inventory planning.

Testing revealed an overall listing accuracy of over **90%**, demonstrating the system's effectiveness in real-world use cases. However, challenges such as handling very high volumes of simultaneous post processing, ensuring complete interface consistency across all devices, and occasional delays in real-time content synchronization were observed under specific heavy-load scenarios.

These findings indicate that while **InstaList** is a highly efficient, scalable, and reliable platform, there is still room for enhancement in addressing peak performance handling, cross-platform responsiveness, and synchronization robustness.

5.2 Scope for Improvement

While the current **InstaList** platform performs effectively, several enhancements can be made to further improve functionality, scalability, and user experience:

- **Enhanced User Interface and User Experience (UI/UX):**

The platform's interface can be redesigned to offer a more modern, intuitive, and visually

appealing experience for users. Streamlining navigation workflows, optimizing responsiveness for different device types, and improving accessibility standards will make it easier for business owners and marketers of all technical backgrounds to extract, optimize, and manage their listings effortlessly.

- **Increased Database and Content Scalability:**

The system can be enhanced by optimizing the backend and database infrastructure to handle larger datasets, supporting more Instagram posts, user accounts, listing projects, and export files.

Improving scalability will enable **InstaList** to accommodate growth, such as expanding services to businesses with larger product catalogs or agencies managing multiple client portfolios.

- **Real-Time Content Synchronization Enhancements:**

Implementing more robust real-time synchronization between the front-end, back-end, and storage systems will ensure instantaneous updates during content extraction, optimization, and listing generation.

This will reduce processing delays, minimize discrepancies in final output, and enhance the reliability and speed of user interactions.

- **Advanced Security Measures and Compliance:**

Introducing additional security features, such as **two-factor authentication (2FA)** for user accounts, encrypted API communication, and advanced access controls, will further protect sensitive business data and ensure compliance with industry standards like **GDPR** and **PCI DSS**.

Strengthening security protocols will build greater trust and confidence among users.

- **User Self-Service Portal for Listing Management:**

Adding a feature that allows users to view their content extraction history, manage ongoing listing projects, edit drafts, and monitor export statuses in real-time will improve transparency and user autonomy.

Reducing dependency on administrative assistance will create a more self-sufficient and seamless user experience.

- **Multi-Role Admin Access Control:**

The system can be enhanced by introducing multiple admin roles tailored to specific operational needs (e.g., content moderators, optimization reviewers, customer support staff).

Role-based dashboards will allow more granular control over different aspects of platform management, improving overall operational efficiency and ensuring better division of administrative tasks.

5.3 Future Work

In addition to the above improvements, the following features can be integrated into future versions of **InstaList**:

- **AI-Powered Content Personalization and Enhancement:**

Integrating AI-driven recommendation and optimization systems will enable the platform to automatically suggest enhanced titles, keywords, and descriptions based on product categories, user preferences, and market trends.

This will boost the SEO strength and sales potential of the generated listings, aligning with InstaList's vision for future AI-powered expansions.

- **Progressive Web App (PWA) Development:**

Developing a PWA version of **InstaList** will provide offline access, faster load times, and push notifications, combining the benefits of web and mobile app experiences.

This will improve accessibility, enhance user engagement, and allow users to manage their listings anytime, even with unstable internet connections.

- **Advanced Multi-Platform Publishing and Automation:**

Incorporating machine learning algorithms for real-time publishing optimization, and enabling dynamic syndication of listings across multiple marketplaces (e.g., Shopify, Amazon, Etsy) will reduce manual posting efforts and ensure broader market reach.

This addresses the logistical challenges associated with cross-platform listing management in a growing digital marketplace ecosystem.

- **Multilingual Content Support:**

Adding multilingual support for content extraction, listing generation, and user interface elements will make **InstaList** more inclusive, allowing businesses to generate listings in multiple languages, thereby catering to diverse customer bases across different regions.

- **Customer Loyalty and Credit System:**

Implementing a loyalty system where users earn credits or rewards for frequent usage, referrals, or successful marketplace integrations will encourage continuous engagement and improve platform retention rates, supporting InstaList's growth and user loyalty initiatives.

- **Integration with Third-Party Marketing and Analytics Platforms:**

Enabling direct integrations with third-party services such as Google Analytics, Facebook Ads Manager, and SEO monitoring tools will expand InstaList's functionality, allowing users to track performance metrics, manage marketing campaigns, and make data-driven decisions efficiently.

CHAPTER 6: REFERENCES

Social Media and E-commerce Integration:

- Instagram Business. (n.d.). Instagram Shopping: Connect your products to customers. Retrieved from <https://business.instagram.com/shopping>
- Shopify. (n.d.). Sell on Instagram: A guide for merchants. Retrieved from <https://www.shopify.com/instagram>
- Etsy Seller Handbook. (n.d.). Best practices for social media marketing. Retrieved from <https://www.etsy.com/seller-handbook>

Web Development Technologies:

- Mozilla Developer Network (MDN). (n.d.). MDN Web Docs: Comprehensive documentation for HTML, CSS, and JavaScript. Retrieved from <https://developer.mozilla.org>
- W3Schools. (n.d.). Tutorials and references for web development. Retrieved from <https://www.w3schools.com>
- Flanagan, D. (2020). *JavaScript: The Definitive Guide*. O'Reilly Media.
- Resig, J. (2006). *Pro JavaScript Techniques*. Apress.

Back-End Frameworks, APIs, and AI Models:

- Fielding, R. T. (2000). Architectural styles and the design of network-based software architectures. Doctoral dissertation, University of California, Irvine.
- Grinberg, M. (2018). *Flask Web Development: Developing Web Applications with Python*. O'Reilly Media.
- OpenAI. (n.d.). Using LLMs for text generation and optimization. Retrieved from <https://platform.openai.com/docs>
- Banks, A., & Porcello, E. (2019). *Learning GraphQL*. O'Reilly Media.

Database and Cloud Management:

- Silberschatz, A., Korth, H. F., & Sudarshan, S. (2010). *Database System Concepts*. McGraw-Hill Education.
- Elmasri, R., & Navathe, S. B. (2015). *Fundamentals of Database Systems*. Pearson.
- Render Documentation. (n.d.). Cloud application hosting. Retrieved from <https://render.com/docs>

Image Management and Optimization:

- Cloudinary Documentation. (n.d.). Image upload, transformation, and management APIs. Retrieved from <https://cloudinary.com/documentation>
- Adobe Photoshop. (n.d.). Image optimization best practices for e-commerce. Retrieved from <https://www.adobe.com/photoshop>

Payment and Secure API Integrations:

- PayPal Developer Portal. (n.d.). PayPal API documentation. Retrieved from <https://developer.paypal.com>
- Stripe Documentation. (n.d.). Stripe API for secure payments. Retrieved from <https://stripe.com/docs>
- Rosenberg, J. (2018). Secure payment systems for e-commerce. *Journal of Internet Commerce*, 17(3), 245-260.

Artificial Intelligence and Machine Learning in E-commerce:

- Russell, S., & Norvig, P. (2016). *Artificial Intelligence: A Modern Approach*. Pearson.
- Brownlee, J. (2020). *Deep Learning for Natural Language Processing*. Machine Learning Mastery.

User Interface and UX Design:

- Dribbble. (n.d.). Modern UI/UX design inspirations for web platforms. Retrieved from <https://dribbble.com>
- Behance. (n.d.). UI/UX design portfolios for e-commerce and SaaS platforms. Retrieved from <https://www.behance.net>
- Norman, D. A. (2013). *The Design of Everyday Things*. Basic Books.
- Nielsen, J., & Loranger, H. (2006). *Prioritizing Web Usability*. New Riders.

Scalability, Deployment, and Case Studies:

- Kleppmann, M. (2017). *Designing Data-Intensive Applications*. O'Reilly Media.
- Stack Overflow. (n.d.). Community-driven solutions for technical challenges. Retrieved from <https://stackoverflow.com>

These references provide a comprehensive foundation for understanding the design, development, optimization, and scaling of social media-driven e-commerce listing systems like **InstaList**, covering industry practices, technical documentation, cloud technologies, and academic research.

CHAPTER 7 : APPENDICES (PROGRAM CODE)

Backend code:

```
import instaloader

from datetime import datetime

import pandas as pd

import json

import cloudinary

import os

from dotenv import load_dotenv

import cloudinary.uploader

from typing import Any

from PIL import Image

from pathlib import Path

import google.generativeai as genai

from flask import Flask, request, jsonify

from flask_cors import CORS


# Add error checking for env file loading

load_dotenv()


# Verify required environment variables

required_env_vars = [

    'CLOUDINARY_CLOUD_NAME',
```

```
'CLOUDINARY_API_KEY',

'CLOUDINARY_API_SECRET',

'GEMINI_API_KEY'

]

missing_vars = [var for var in required_env_vars if not os.getenv(var)]

if missing_vars:

    raise RuntimeError(f'Missing required environment variables: {', '.join(missing_vars)}")

app = Flask(__name__)

CORS(app)

class InstagramScraper:

    def __init__(self):

        self.loader = instaloader.Instaloader(

            download_pictures=True,

            download_videos=False,

            download_video_thumbnails=False,

            download_geotags=False,

            download_comments=False,

            save_metadata=True,

            compress_json=False

        )
```

```

def login(self):

    try:

        instagram_username = input("Enter your Instagram username: ")

        instagram_password = input("Enter your Instagram password: ")

        self.loader.login(instagram_username, instagram_password)

        print("Successfully logged in!")

    except Exception as e:

        print(f'Login failed: {str(e)}')

        raise


def scrape_posts(self, username: str, post_urls: list) -> tuple[pd.DataFrame, list]:

    posts_data = []

    image_paths = []

    save_dir = Path(username)

    save_dir.mkdir(exist_ok=True)

    print(f'Scanning directory: {save_dir.absolute()}')

    # First check for existing images

    image_pattern = "2024-11-22_12-30-14_UTC_*.jpg"

    existing_images = list(save_dir.glob(image_pattern))

```

```

if existing_images:

    print(f"Found {len(existing_images)} existing images")

    image_paths = [str(img.absolute()) for img in sorted(existing_images)]

else:

    print("No existing images found, will attempt to download")


for post_url in post_urls:

    try:

        shortcode = post_url.split('/')[-2]

        post = instaloader.Post.from_shortcode(self.loader.context, shortcode)


        print(f"Downloading post {shortcode}")

        self.loader.download_post(post, target=str(save_dir))


        # Check for newly downloaded images

        for idx, _ in enumerate(post.get_sidecar_nodes()):

            image_path = save_dir / f"{post.date_utc.strftime('%Y-%m-%d_%H-%M-%S_UTC')}__{idx+1}.jpg"

            if image_path.exists():

                print(f"Found image: {image_path}")

                image_paths.append(str(image_path.absolute()))

            else:

                print(f"Image not found: {image_path}")

```

```

        post_data = {
            'timestamp': post.date_utc.strftime('%Y-%m-%d %H:%M:%S'),
            'caption': post.caption,
            'likes': post.likes,
            'comments': post.comments,
            'url': post_url
        }
        posts_data.append(post_data)

    except Exception as e:
        print(f'Error processing post {post_url}: {str(e)}')

if not image_paths:
    print("Warning: No images were found or downloaded!")

if not posts_data:
    print("Warning: No post data was collected!")

return pd.DataFrame(posts_data), image_paths

```

```

class CloudinaryUploader:

```

```

    def __init__(self, cloud_name: str, api_key: str, api_secret: str):

```

```
cloudinary.config(  
    cloud_name=cloud_name,  
    api_key=api_key,  
    api_secret=api_secret  
)
```

```
def upload_images(self, image_paths: list) -> list:  
    cloudinary_urls = []  
    for path in image_paths:  
        try:  
            print(f"Uploading image: {path}")  
            result = cloudinary.uploader.upload(path)  
            cloudinary_urls.append(result['secure_url'])  
            print(f"Successfully uploaded: {result['secure_url']}")  
        except Exception as e:  
            print(f"Error uploading image {path}: {str(e)}")  
    return cloudinary_urls
```

```
class ProductListingGenerator:  
    def __init__(self, api_key: str):  
        self.configure_ai(api_key)  
        self.model = genai.GenerativeModel('gemini-1.5-flash')
```

```
@staticmethod
```

```
def configure_ai(api_key: str) -> None:
```

```
    genai.configure(api_key=api_key)
```

```
def generate_prompt(self, data: pd.DataFrame) -> str:
```

```
    formatted_data = data.to_dict(orient='records')
```

```
    return """
```

Create a detailed e-commerce product listing based on the following Instagram post data:

Post Data:

```
{}
```

Please create a professional product listing that includes:

1. Product Title
2. Key Features (bullet points)
3. Product Description
4. Technical Details (if applicable)
5. Package Contents

Format the output as a JSON object with these exact keys:

title, features, description, technical_details, package_contents

```
""".format(formatted_data)
```



```

def generate_listing(self, image_paths: list, df: pd.DataFrame) -> dict:

    try:

        print(f"\nAttempting to generate listing with {len(image_paths)} images")

        images = []

        for path in image_paths:

            try:

                img_path = Path(path)

                print(f'Loading image: {img_path}')

                print(f'Image exists: {img_path.exists()}')

                if img_path.exists():

                    img = Image.open(img_path)

                    images.append(img)

                    print(f'Successfully loaded image: {img.size}')

                else:

                    print(f'Image not found at: {img_path}')

            except Exception as e:

                print(f'Warning: Could not load image {path}: {str(e)}')

        if not images:

            print("No images were successfully loaded!")

        return None

```

```
print("\nGenerating prompt from data:")

print(df.head())

prompt = self.generate_prompt(df)

content = [prompt]

content.extend(images)

print("\nSending request to Gemini...")

response = self.model.generate_content(

    content,

    generation_config={

        'temperature': 0.7,

        'top_p': 0.8,

        'top_k': 40,

    }

)

print("\nParsing response...")

try:

    # Extract JSON from markdown code block

    response_text = response.text

    if "```json" in response_text:
```

```

        json_content = response_text.split("```json")[1].split("```")[0].strip()

    else:

        json_content = response_text.strip()

    return json.loads(json_content)

except json.JSONDecodeError as e:

    print(f'Error parsing JSON response: {e}')

    print("Raw response:", response.text)

    return None

except Exception as e:

    print(f'Error generating listing: {str(e)}')

    return None

def save_output(product_data: dict, cloudinary_urls: list, output_file: str):

    """Save the product data and image URLs to a JSON file."""

    output = {

        "product_data": product_data,

        "image_urls": cloudinary_urls

    }

    with open(output_file, 'w', encoding='utf-8') as f:

```

```
json.dump(output, f, indent=2, ensure_ascii=False)
```

```
@app.route('/generate-listing', methods=['POST'])
```

```
def generate_listing():
```

```
    try:
```

```
        data = request.json
```

```
        if not data:
```

```
            return jsonify({'error': 'No JSON data received'}), 400
```

```
        username = data.get('username')
```

```
        instagram_username = data.get('instagram_username')
```

```
        instagram_password = data.get('instagram_password')
```

```
        post_urls = data.get('post_urls', [])
```

```
        if not post_urls:
```

```
            return jsonify({'error': 'No post URLs provided'}), 400
```

```
        # Initialize scraper and login
```

```
        scraper = InstagramScraper()
```

```
        try:
```

```
            scraper.loader.login(instagram_username, instagram_password)
```

```
        except Exception as e:
```

```
            return jsonify({'error': f'Instagram login failed: {str(e)}'}), 401
```

```

# Scrape posts

df, image_paths = scraper.scrape_posts(username, post_urls)

if not image_paths:

    return jsonify({'error': 'No images found to process'}), 404


# Upload to Cloudinary

cloudinary_uploader = CloudinaryUploader(

    cloud_name=os.getenv('CLOUDINARY_CLOUD_NAME'),

    api_key=os.getenv('CLOUDINARY_API_KEY'),

    api_secret=os.getenv('CLOUDINARY_API_SECRET')

)

cloudinary_urls = cloudinary_uploader.upload_images(image_paths)

if not cloudinary_urls:

    return jsonify({'error': 'No images were uploaded to Cloudinary'}), 500


# Generate product listing

generator = ProductListingGenerator(os.getenv('GEMINI_API_KEY')) # Replace with
your Gemini API key

product_data = generator.generate_listing(image_paths, df)

if not product_data:

    return jsonify({'error': 'Failed to generate product listing'}), 500


# Prepare response

```

```
response_data = {  
    "product_data": product_data,  
    "image_urls": cloudinary_urls  
}  
  
# Save to file (optional)  
output_file = f"{username}_product_listing.json"  
save_output(product_data, cloudinary_urls, output_file)  
  
return jsonify(response_data)  
  
except Exception as e:  
    return jsonify({'error': str(e)}), 500  
  
if __name__ == "__main__":  
    app.run(debug=True, port=5000)
```

FRONTEND CODE

Index.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Product Listing Generator</title>
```

```
  <link rel="stylesheet" href="style.css">
```

```
  <style>
```

```
    /* Additional styles for the product viewer button */
```

```
    .viewer-button {
```

```
      display: inline-flex;
```

```
      align-items: center;
```

```
      gap: 0.5rem;
```

```
      background-color: #fff;
```

```
      color: #2980b9;
```

```
      border: 1px solid #2980b9;
```

```
      border-radius: 0.375rem;
```

```
      padding: 0.75rem 1rem;
```

```
      font-weight: 500;
```

```
      cursor: pointer;
```

```
    transition: all 0.2s;

    margin-top: 1rem;
}
```

```
.viewer-button:hover {

    background-color: #2980b9;

    color: #fff;
}
```

```
/* Style for the modal */
```

```
.modal {

    display: none;

    position: fixed;

    top: 0;

    left: 0;

    width: 100%;

    height: 100%;

    background-color: rgba(0, 0, 0, 0.5);

    z-index: 100;

    align-items: center;

    justify-content: center;
}
```



```
.modal-content {  
  
  background-color: #fff;  
  
  width: 90%;  
  
  max-width: 1000px;  
  
  max-height: 90vh;  
  
  border-radius: 0.5rem;  
  
  overflow: auto;  
  
  position: relative;  
  
  box-shadow: 0 4px 6px rgba(41, 128, 185, 0.1);  
  
}
```

```
.close-modal {  
  
  position: absolute;  
  
  top: 1rem;  
  
  right: 1rem;  
  
  background: none;  
  
  border: none;  
  
  font-size: 1.5rem;  
  
  cursor: pointer;  
  
  color: #7fb3d5;  
  
}
```

```
.close-modal:hover {  
  
  color: #e74c3c; /* Red for hover to indicate action */  
  
}
```

```
.modal-body {  
  
  padding: 2rem;  
  
  background-color: #f5f8fa; /* Light blue-gray background */  
  
}
```

```
/* Prettier Product Viewer Styles with Bluish Theme */
```

```
.modal-body h2 {  
  
  font-size: 2rem;  
  
  color: #1a5276;  
  
  margin-bottom: 1.5rem;  
  
  border-bottom: 2px solid #3498db;  
  
  padding-bottom: 0.5rem;  
  
}
```

```
.modal-body h3 {  
  
  font-size: 1.25rem;  
  
  color: #2874a6;
```

```
margin: 1rem 0 0.5rem;

}
```

```
.modal-body .product-images {

display: flex;

flex-direction: row; /* Row-wise layout */

overflow-x: auto; /* Horizontal scroll if needed */

gap: 1rem;

margin-bottom: 1.5rem;

padding: 0.5rem;

background-color: #d6eaf8; /* Light blue background for images */

border-radius: 0.5rem;

}
```

```
.modal-body .product-images img {

max-width: 200px;

max-height: 200px;

object-fit: cover; /* Ensure images maintain aspect ratio */

border-radius: 0.5rem;

box-shadow: 0 2px 4px rgba(41, 128, 185, 0.2);

transition: transform 0.2s;

}
```

```
.modal-body .product-images img:hover {  
  
    transform: scale(1.05);  
  
}
```

```
.modal-body ul {  
  
    list-style-type: disc;  
  
    padding-left: 1.5rem;  
  
    margin-bottom: 1.5rem;  
  
}
```

```
.modal-body ul li {  
  
    font-size: 1rem;  
  
    color: #2e4053;  
  
    line-height: 1.6;  
  
}
```

```
.modal-body p {  
  
    font-size: 1rem;  
  
    color: #34495e;  
  
    line-height: 1.8;  
  
    background-color: #ebf5fb; /* Light blue background */
```

```
padding: 1rem;

border-radius: 0.5rem;

border: 1px solid #aed6f1;

margin-bottom: 1.5rem;

}
```

```
.modal-body .technical-details {

display: grid;

grid-template-columns: 1fr 1fr;

gap: 0.5rem;

background-color: #d6eaf8; /* Light blue background */

padding: 1rem;

border-radius: 0.5rem;

border: 1px solid #aed6f1;

margin-bottom: 1.5rem;

}
```

```
.modal-body .technical-details span {

font-weight: bold;

color: #1a5276;

}
```

```
.modal-body .technical-details span:nth-child(even) {  
  
    font-weight: normal;  
  
    color: #2e4053;  
  
}
```

```
.modal-body .file-upload {  
  
    margin-bottom: 1.5rem;  
  
}
```

```
.modal-body input[type="file"] {  
  
    padding: 0.5rem;  
  
    border: 1px solid #aed6f1;  
  
    border-radius: 0.375rem;  
  
    background-color: #fff;  
  
    color: #2980b9;  
  
    width: 100%;  
  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav>
```

```
<div class="nav-content">
```

```
<div class="logo">
```

```
  <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24"
  fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-
  linejoin="round"><path d="M22 12h-4l-3 9L9 3l-3 9H2"/></svg>
```

```
    <span>InstaList</span>
```

```
  </div>
```

```
</div>
```

```
</nav>
```

```
<main>
```

```
  <div id="loginForm" class="container">
```

```
    <div class="form-container">
```

```
      <h2>Convert your Instagram Posts To Product Listing in minutes!</h2>
```

```
      <form id="credentialsForm">
```

```
        <div class="form-group">
```

```
          <label for="username">Target-Username</label>
```

```
          <input type="text" id="username" required>
```

```
        </div>
```

```
        <div class="form-group">
```

```
          <label for="instagram_username">Your Instagram Username</label>
```

```
          <input type="text" id="instagram_username" required>
```

</div>

<div class="form-group">

<label for="instagram_password">Your Instagram Password</label>

<input type="password" id="instagram_password" required>

</div>

<div class="form-group">

<label>Post URLs</label>

<div id="urlInputs">

<div class="url-input">

<input type="url" required placeholder="https://www.instagram.com/p/...">

<button type="button" class="remove-url" style="display: none;">Remove</button>

</div>

</div>

<button type="button" id="addUrl" class="add-url">+ Add another URL</button>

</div>

<button type="submit" class="submit-btn">Generate Listing</button>

</form>

<!-- New Product Viewer Button -->


```
<button id="openProductViewer" class="viewer-button">
```

```
  <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M15 12a3 3 0 1 1-6 0 3 3 0 0 1 6 0z"/><path d="M21.21 15.89A10 10 0 1 1 8 13 3"/></svg>
```

```
    Open Product Viewer
```

```
</button>
```

```
</div>
```

```
</div>
```

```
<div id="productListing" class="container" style="display: none;">
```

```
  <div class="product-container">
```

```
    <button id="backButton" class="back-button">
```

```
      <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="m15 18-6-6 6-6"/></svg>
```

```
      Back to Form
```

```
    </button>
```

```
  <h1 id="productTitle"></h1>
```

```
  <div class="product-content">
```

```
    <div class="product-images">
```

```
      <div class="main-image">
```


</div>

<div class="thumbnail-grid" id="thumbnailGrid"></div>

</div>

<div class="product-details">

<section>

<h2>Key Features</h2>

<ul id="features">

</section>

<section>

<h2>Description</h2>

<p id="description"></p>

</section>

<section>

<h2>Technical Details</h2>

<dl id="technicalDetails"></dl>

</section>

<section>

<h2>Package Contents</h2>

<ul id="packageContents">

</section>

<!-- New Product Viewer Button in product view -->

<button id="openProductViewerFromListing" class="viewer-button">

<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M15 12a3 3 0 1 1-6 0 3 3 0 0 1 6 0z"/><path d="M21.21 15.89A10 10 0 1 1 8 8l3 3"/></svg>

Open in Product Viewer

</button>

</div>

</div>

</div>

</div>

<div id="loadingOverlay" class="loading-overlay" style="display: none;">

<div class="loading-content">

<svg class="spinner" xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M22 12h-4l-3 9L9 3l-3 9H2"/></svg>

Generating product listing...

</div>

</div>

<!-- Product Viewer Modal -->

<div id="productViewerModal" class="modal">

<div class="modal-content">

<button id="closeModal" class="close-modal">×</button>

<div class="modal-body">

<h2>Product Viewer</h2>

<div class="file-upload">

<input type="file" id="fileInput" accept="application/json">

</div>

<div id="output"></div>

</div>

</div>

</div>

</main>

<script src="script.js"></script>

<script>

document.addEventListener('DOMContentLoaded', () => {

const credentialsForm = document.getElementById('credentialsForm');

const loginForm = document.getElementById('loginForm');

```

const productList = document.getElementById('productListing');

const loadingOverlay = document.getElementById('loadingOverlay');

const addUrlButton = document.getElementById('addUrl');

const urlInputs = document.getElementById('urlInputs');

const backButton = document.getElementById('backButton');

const productViewerModal = document.getElementById('productViewerModal');

const openProductViewer = document.getElementById('openProductViewer');

const openProductViewerFromListing =
document.getElementById('openProductViewerFromListing');

const closeModal = document.getElementById('closeModal');

const fileInput = document.getElementById('fileInput');


// Add URL input field

addUrlButton.addEventListener('click', () => {

  const urlInput = document.createElement('div');

  urlInput.className = 'url-input';

  urlInput.innerHTML = `

    <input type="url" required placeholder="https://www.instagram.com/p/...">

    <button type="button" class="remove-url">Remove</button>

  `;

  urlInputs.appendChild(urlInput);

```

```
// Show all remove buttons if there's more than one URL input

const removeButtons = urlInputs.querySelectorAll('.remove-url');

removeButtons.forEach(button => button.style.display = 'block');

});
```

```
// Remove URL input field
```

```
urlInputs.addEventListener('click', (e) => {

  if (e.target.classList.contains('remove-url')) {

    e.target.parentElement.remove();
```

```
// Hide the remove button if only one URL input remains
```

```
const removeButtons = urlInputs.querySelectorAll('.remove-url');

if (removeButtons.length === 1) {

  removeButtons[0].style.display = 'none';

}

}

});
```

```
// Handle form submission
```

```
credentialsForm.addEventListener('submit', async (e) => {

  e.preventDefault();

  loadingOverlay.style.display = 'flex';
```

```
const formData = {  
  
  username: document.getElementById('username').value,  
  
  instagram_username: document.getElementById('instagram_username').value,  
  
  instagram_password: document.getElementById('instagram_password').value,  
  
  post_urls: Array.from(urlInputs.querySelectorAll('input[type="url"]'))  
  
    .map(input => input.value)  
  
    .filter(url => url.trim() !== '')  
  
};
```

```
try {  
  
  const response = await fetch('http://localhost:5000/generate-listing', {  
  
    method: 'POST',  
  
    headers: {  
  
      'Content-Type': 'application/json',  
  
    },  
  
    body: JSON.stringify(formData),  
  
  });
```

```
if (!response.ok) {  
  
  const errorData = await response.json();  
  
  throw new Error(errorData.error || 'Failed to generate listing');
```

```
}
```

```
const data = await response.json();
```

```
displayProductListing(data);
```

```
loginForm.style.display = 'none';
```

```
productListing.style.display = 'block';
```

```
// Store the data for potential use in the product viewer
```

```
window.generatedProductData = data;
```

```
} catch (error) {
```

```
  alert(error.message);
```

```
} finally {
```

```
  loadingOverlay.style.display = 'none';
```

```
}
```

```
});
```

```
// Handle back button
```

```
backButton.addEventListener('click', () => {
```

```
  productListing.style.display = 'none';
```

```
  loginForm.style.display = 'block';
```

```
});
```



```
// Open Product Viewer Modal
```

```
openProductViewer.addEventListener('click', () => {  
  productViewerModal.style.display = 'flex';  
});
```

```
// Open Product Viewer from listing with current data
```

```
openProductViewerFromListing.addEventListener('click', () => {  
  productViewerModal.style.display = 'flex';  
  if (window.generatedProductData) {  
    displayProduct(window.generatedProductData);  
  }  
});
```

```
// Close Product Viewer Modal
```

```
closeModal.addEventListener('click', () => {  
  productViewerModal.style.display = 'none';  
});
```

```
// Close modal when clicking outside of it
```

```
window.addEventListener('click', (event) => {  
  if (event.target === productViewerModal) {  
    productViewerModal.style.display = 'none';
```

```

    }

  });

  // Display product listing

  function displayProductListing(data) {

    document.getElementById('productTitle').textContent = data.product_data.title;

    document.getElementById('mainImage').src = data.image_urls[0];

    const thumbnailGrid = document.getElementById('thumbnailGrid');

    thumbnailGrid.innerHTML = data.image_urls.slice(1, 5)

      .map(url => ``)

      .join("");

    document.getElementById('features').innerHTML = data.product_data.features

      .map(feature => `<li>${feature}</li>`)

      .join("");

    document.getElementById('description').textContent = data.product_data.description;

    document.getElementById('technicalDetails').innerHTML =
    Object.entries(data.product_data.technical_details)

      .map(([key, value]) => `

```

```
<div>

    <dt>${key.split('_').map(word => word.charAt(0).toUpperCase() + word.slice(1)).join('
')}}</dt>

    <dd>${value}</dd>

</div>

`)

.join("");
```

```
document.getElementById('packageContents').innerHTML =
data.product_data.package_contents

.map(item => `<li>${item}</li>`)

.join("");

}
```

// Product Viewer Code

```
fileInput.addEventListener('change', function(event) {

    const file = event.target.files[0];

    if (file) {

        const reader = new FileReader();

        reader.onload = function(e) {

            const jsonData = JSON.parse(e.target.result);

            displayProduct(jsonData);

        };

    };

});
```

```
    reader.readAsText(file);  
  
  }  
  
});
```

```
function displayProduct(data) {  
  
  const outputDiv = document.getElementById('output');  
  
  outputDiv.innerHTML = `  
  
    <h2>${data.product_data.title}</h2>  
  
    <div class="product-images">  
  
      ${data.image_urls.map(url => ``).join("")}  
  
    </div>  
  
    <h3>Key Features</h3>  
  
    <ul>  
  
      ${data.product_data.features.map(feature => `<li>${feature}</li>`).join("")}  
  
    </ul>  
  
    <h3>Description</h3>  
  
    <p>${data.product_data.description}</p>  
  
    <h3>Technical Details</h3>  
  
    <div class="technical-details">  
  
      ${Object.entries(data.product_data.technical_details)  
  
        .map(([key, value]) => `
```

```
      <span>${key.split('_').map(word => word.charAt(0).toUpperCase() +  
word.slice(1)).join(' ')}</span>
```

```
      <span>${value}</span>
```

```
    `)
```

```
    .join(")
```

```
</div>
```

```
<h3>Package Contents</h3>
```

```
<ul>
```

```
  ${data.product_data.package_contents.map(item => `<li>${item}</li>`).join(")
```

```
</ul>
```

```
`;
```

```
}
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```

Style.css

```
:root {
```

```
  --primary-color: #4f46e5;
```

```
  --primary-hover: #4338ca;
```

```
  --text-primary: #111827;
```

```
--text-secondary: #4b5563;

--background: #f9fafb;

--white: #ffffff;

--error: #ef4444;

--border: #d1d5db;

}


* {

  margin: 0;

  padding: 0;

  box-sizing: border-box;

}


body {

  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, "Helvetica Neue",
  Arial, sans-serif;

  line-height: 1.5;

  background-color: var(--background);

  color: var(--text-primary);

}


nav {
```

```
background-color: var(--white);

border-bottom: 1px solid var(--border);

}
```

```
.nav-content {

  max-width: 1280px;

  margin: 0 auto;

  padding: 1rem;

}
```

```
.logo {

  display: flex;

  align-items: center;

  gap: 0.5rem;

  color: var(--primary-color);

}
```

```
.logo svg {

  width: 2rem;

  height: 2rem;

}
```

```
.logo span {  
  
  font-size: 1.25rem;  
  
  font-weight: 600;  
  
}
```

```
.container {  
  
  max-width: 1280px;  
  
  margin: 1.5rem auto;  
  
  padding: 0 1rem;  
  
}
```

```
.form-container, .product-container {  
  
  background-color: var(--white);  
  
  border-radius: 0.5rem;  
  
  box-shadow: 0 1px 3px rgba(0, 0, 0, 0.1);  
  
  padding: 1.5rem;  
  
}
```

```
.form-container {  
  
  max-width: 42rem;  
  
  margin: 0 auto;  
  
}
```



```
h2 {  
  
  font-size: 1.5rem;  
  
  font-weight: 700;  
  
  margin-bottom: 1.5rem;  
  
}
```

```
.form-group {  
  
  margin-bottom: 1.5rem;  
  
}
```

```
label {  
  
  display: block;  
  
  font-size: 0.875rem;  
  
  font-weight: 500;  
  
  color: var(--text-secondary);  
  
  margin-bottom: 0.5rem;  
  
}
```

```
input {  
  
  width: 100%;  
  
  padding: 0.5rem;
```

```
border: 1px solid var(--border);

border-radius: 0.375rem;

font-size: 0.875rem;

}
```

```
input:focus {

  outline: none;

  border-color: var(--primary-color);

  box-shadow: 0 0 0 3px rgba(79, 70, 229, 0.1);

}
```

```
.url-input {

  display: flex;

  gap: 0.5rem;

  margin-bottom: 0.5rem;

}
```

```
.remove-url {

  padding: 0.5rem;

  color: var(--error);

  background: none;

  border: none;
```

```
    cursor: pointer;

    font-size: 0.875rem;
}
```

```
.add-url {

    color: var(--primary-color);

    background: none;

    border: none;

    cursor: pointer;

    font-size: 0.875rem;

    padding: 0;
}
```

```
.submit-btn {

    width: 100%;

    padding: 0.75rem;

    background-color: var(--primary-color);

    color: var(--white);

    border: none;

    border-radius: 0.375rem;

    font-weight: 500;

    cursor: pointer;
}
```

```
    transition: background-color 0.2s;
}
```

```
.submit-btn:hover {
    background-color: var(--primary-hover);
}
```

```
.back-button {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    color: var(--primary-color);
    background: none;
    border: none;
    cursor: pointer;
    font-size: 0.875rem;
    margin-bottom: 1.5rem;
}
```

```
.product-content {
    display: grid;
    grid-template-columns: 1fr;
```

```
gap: 2rem;  
}
```

```
@media (min-width: 768px) {  
  .product-content {  
    grid-template-columns: 1fr 1fr;  
  }  
}
```

```
.product-images {  
  display: flex;  
  flex-direction: column;  
  gap: 1rem;  
}
```

```
.main-image img {  
  width: 100%;  
  border-radius: 0.5rem;  
  aspect-ratio: 1;  
  object-fit: cover;  
}
```

```
.thumbnail-grid {  
  
  display: grid;  
  
  grid-template-columns: repeat(4, 1fr);  
  
  gap: 0.5rem;  
  
}
```

```
.thumbnail-grid img {  
  
  width: 100%;  
  
  aspect-ratio: 1;  
  
  object-fit: cover;  
  
  border-radius: 0.375rem;  
  
}
```

```
.product-details {  
  
  display: flex;  
  
  flex-direction: column;  
  
  gap: 1.5rem;  
  
}
```

```
.product-details h2 {  
  
  font-size: 1.25rem;  
  
  margin-bottom: 0.75rem;  
  
}
```

```
}
```

```
.product-details ul {  
  list-style-position: inside;  
  color: var(--text-secondary);  
}
```

```
.product-details li {  
  margin-bottom: 0.5rem;  
}
```

```
dl {  
  display: grid;  
  gap: 0.5rem;  
}
```

```
dl div {  
  display: flex;  
}
```

```
dt {  
  width: 33.333%;
```

```
font-weight: 500;

color: var(--text-secondary);

}
```

```
dd {

width: 66.667%;

color: var(--text-secondary);

}
```

```
.loading-overlay {

position: fixed;

top: 0;

left: 0;

right: 0;

bottom: 0;

background-color: rgba(0, 0, 0, 0.5);

display: flex;

align-items: center;

justify-content: center;

z-index: 50;

}
```



```
.loading-content {  
  
  background-color: var(--white);  
  
  padding: 1rem;  
  
  border-radius: 0.5rem;  
  
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);  
  
  display: flex;  
  
  align-items: center;  
  
  gap: 0.75rem;  
  
}
```

```
.spinner {  
  
  animation: spin 1s linear infinite;  
  
}
```

```
@keyframes spin {  
  
  from {  
  
    transform: rotate(0deg);  
  
  }  
  
  to {  
  
    transform: rotate(360deg);  
  
  }  
  
}
```

Script.js

```
document.addEventListener('DOMContentLoaded', () => {

  const credentialsForm = document.getElementById('credentialsForm');

  const loginForm = document.getElementById('loginForm');

  const productList = document.getElementById('productListing');

  const loadingOverlay = document.getElementById('loadingOverlay');

  const addUrlButton = document.getElementById('addUrl');

  const urlInputs = document.getElementById('urlInputs');

  const backButton = document.getElementById('backButton');


  // Add URL input field

  addUrlButton.addEventListener('click', () => {

    const urlInput = document.createElement('div');

    urlInput.className = 'url-input';

    urlInput.innerHTML = `

      <input type="url" required placeholder="https://www.instagram.com/p/...">

      <button type="button" class="remove-url">Remove</button>

    `;

    urlInputs.appendChild(urlInput);


    // Show all remove buttons if there's more than one URL input

    const removeButtons = urlInputs.querySelectorAll('.remove-url');
```

```
removeButtons.forEach(button => button.style.display = 'block');

});

// Remove URL input field

urlInputs.addEventListener('click', (e) => {

  if (e.target.classList.contains('remove-url')) {

    e.target.parentElement.remove();

    // Hide the remove button if only one URL input remains

    const removeButtons = urlInputs.querySelectorAll('.remove-url');

    if (removeButtons.length === 1) {

      removeButtons[0].style.display = 'none';

    }

  }

});
```

```
// Handle form submission

credentialsForm.addEventListener('submit', async (e) => {

  e.preventDefault();

  loadingOverlay.style.display = 'flex';

  const formData = {
```

```

username: document.getElementById('username').value,

instagram_username: document.getElementById('instagram_username').value,

instagram_password: document.getElementById('instagram_password').value,

post_urls: Array.from(urlInputs.querySelectorAll('input[type="url"]'))

    .map(input => input.value)

    .filter(url => url.trim() !== '')

};

try {

    const response = await fetch('http://localhost:5000/generate-listing', {

        method: 'POST',

        headers: {

            'Content-Type': 'application/json',

        },

        body: JSON.stringify(formData),

    });

    if (!response.ok) {

        const errorData = await response.json();

        throw new Error(errorData.error || 'Failed to generate listing');

    }

```

```
    const data = await response.json();

    displayProductListing(data);

    loginForm.style.display = 'none';

    productList.style.display = 'block';

  } catch (error) {

    alert(error.message);

  } finally {

    loadingOverlay.style.display = 'none';

  }

});
```

// Handle back button

```
backButton.addEventListener('click', () => {

  productList.style.display = 'none';

  loginForm.style.display = 'block';

});
```

// Display product listing

```
function displayProductListing(data) {

  // Set product title

  document.getElementById('productTitle').textContent = data.product_data.title;
```

```
// Set main image and thumbnails

document.getElementById('mainImage').src = data.image_urls[0];


const thumbnailGrid = document.getElementById('thumbnailGrid');

thumbnailGrid.innerHTML = data.image_urls.slice(1, 5)

  .map(url => ``)

  .join("");


// Set features

document.getElementById('features').innerHTML = data.product_data.features

  .map(feature => `<li>${feature}</li>`)

  .join("");


// Set description

document.getElementById('description').textContent = data.product_data.description;


// Set technical details

document.getElementById('technicalDetails').innerHTML =
Object.entries(data.product_data.technical_details)

  .map(([key, value]) => `

    <div>

      <dt>${key.split('_').map(word => word.charAt(0).toUpperCase() + word.slice(1)).join('')}</dt>`
```

```
<dd>${value}</dd>
```

```
</div>
```

```
`)
```

```
.join(");
```

```
// Set package contents
```

```
document.getElementById('packageContents').innerHTML =  
data.product_data.package_contents
```

```
.map(item => `<li>${item}</li>`)
```

```
.join(");
```

```
}
```

```
});
```

CHAPTER 8: APPENDIX – ABBREVIATIONS

Abbreviation	Full Form
API	Application Programming Interface
CSS	Cascading Style Sheets
GUI	Graphical User Interface
HTML	HyperText Markup Language
ID	Identification
JSON	JavaScript Object Notation
PWA	Progressive Web App
REST	Representational State Transfer
SQL	Structured Query Language
UI/UX	User Interface / User Experience
LLM	Large Language Model
NLP	Natural Language Processing
SEO	Search Engine Optimization
CSV	Comma-Separated Values
AWS	Amazon Web Services
CDN	Content Delivery Network

This appendix provides a list of abbreviations used throughout the **InstaList** project documentation, ensuring clarity for readers unfamiliar with the technical terms associated with social media-based e-commerce listing systems and modern web development platform.